

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

Issue Date :

Thursday March 27, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	DCON-W3	-	-	-	-	BIG	0.30	-	3,834	0.30
Agribusiness					DRT	7.15	-	340	7.16	BJC	21.20	0.10	12,074	21.29
EE	0.39	(0.02)	112,280	0.39	EPG	3.04	(0.02)	11,643	3.04	BJC13C2505A	-	-	-	-
GFPT	8.50	(0.10)	16,899	8.50	GEL	0.04	-	9,253	0.04	BJC41C2606T	-	-	-	-
LEE	2.28	0.04	232	2.28	GEL-W5	-	-	-	-	COM7	19.80	0.30	75,414	19.63
NER	4.84	(0.04)	226,012	4.82	PPP	1.11	-	38	1.10	COM701C2506A	0.10	-	25,794	0.10
NER-W2	0.32	(0.01)	27,338	0.32	Q-CON	8.25	(1.25)	11,823	8.33	COM701C2508A	0.39	0.01	20,638	0.38
PCE	2.94	(0.04)	22,979	2.94	SCC	158.00	2.00	27,761	155.74	COM713C2504A	-	-	-	-
PPPM	0.40	0.02	7,487	0.40	SCC01C2505A	-	-	-	-	COM713C2505A	-	-	-	-
PPPM-W6	0.26	-	51	0.26	SCC01C2505B	-	-	-	-	COM713C2506A	0.09	(0.01)	300	0.09
STA	15.20	0.30	57,514	15.10	SCC01C2507A	-	-	-	-	COM713C2507A	0.22	0.02	23,816	0.20
STA01C2504A	-	-	-	-	SCC01C2508A	0.54	(0.05)	2,924	0.50	COM719C2505A	-	-	-	-
STA01C2506A	0.10	-	2,825	0.10	SCC01C2508B	0.67	0.02	41,867	0.63	COM719C2507A	0.22	0.01	15,257	0.20
STA13C2505A	-	-	-	-	SCC01P2507A	0.35	(0.03)	19,042	0.38	COM719P2508A	0.47	(0.03)	30,584	0.48
STA13C2506A	0.16	0.01	21,854	0.15	SCC13C2504A	-	-	-	-	COM741C2505A	-	-	-	-
STA19C2504A	-	-	-	-	SCC13C2504B	-	-	-	-	COM741C2605T	0.21	0.01	10,808	0.21
STA19C2505A	-	-	-	-	SCC13C2505A	0.02	-	4,051	0.01	COM741C2609T	0.35	0.01	49,400	0.35
STA19C2506A	0.13	0.01	65,021	0.13	SCC13C2505B	0.08	-	15,144	0.06	CPALL	50.00	-	216,043	50.21
STA41C2505A	-	-	-	-	SCC13C2507A	0.46	0.03	75,667	0.42	CPALL01C2504A	0.01	(0.01)	500	0.01
STA41C2612T	0.36	-	9,960	0.36	SCC13P2504A	-	-	-	-	CPALL01C2505A	-	-	-	-
TEGH	3.02	(0.08)	12,980	3.06	SCC13P2505A	0.13	(0.01)	14,558	0.15	CPALL01C2507A	0.28	-	32,017	0.28
TFM	8.85	-	625	8.74	SCC13P2508A	0.63	(0.05)	36,599	0.68	CPALL01P2505A	0.24	(0.02)	5,344	0.24
TRUBB	0.74	0.04	15,701	0.73	SCC19C2504A	-	-	-	-	CPALL01P2507A	0.38	(0.01)	25,241	0.38
UPOIC	6.35	0.05	9	6.33	SCC19C2505A	0.01	(0.01)	45	0.01	CPALL06C2504A	0.02	-	34	0.02
UVAN	9.25	(0.05)	1,503	9.25	SCC19C2505B	0.02	(0.01)	500	0.02	CPALL13C2504A	-	-	-	-
VPO	0.49	0.01	27,193	0.51	SCC19C2506A	0.14	0.01	48,208	0.12	CPALL13C2505A	0.01	-	6,532	0.01
Banking					SCC19C2507A	0.57	0.03	7,482	0.53	CPALL13C2505B	-	-	-	-
BAY	22.90	-	1,283	22.90	SCC19P2505A	0.23	(0.05)	19,009	0.27	CPALL13C2506A	0.07	(0.01)	1,204	0.07
BBL	150.00	1.00	78,518	149.65	SCC19P2508A	0.77	(0.05)	23,460	0.82	CPALL13C2506B	0.17	(0.01)	12,732	0.17
BBL13C2504A	-	-	-	-	SCC41C2504A	-	-	-	-	CPALL13P2504A	-	-	-	-
BBL13C2507A	0.14	-	28,726	0.14	SCC41C2505A	-	-	-	-	CPALL13P2505A	0.11	(0.01)	15,490	0.11
BBL13C2508A	0.35	0.01	65,141	0.34	SCC41C2608T	0.47	0.01	59,020	0.45	CPALL13P2506A	0.16	-	5,322	0.16
BBL19C2506A	0.06	-	100	0.06	SCC41P2508A	0.37	(0.63)	23,920	0.36	CPALL19C2504A	-	-	-	-
BBL19C2508A	0.28	-	97,687	0.27	SCC	156.50	(0.50)	714	156.63	CPALL19C2505A	-	-	-	-
BBL41C2504A	-	-	-	-	SCGD	4.20	-	1,218	4.18	CPALL19C2505B	-	-	-	-
BBL41C2506A	-	-	-	-	SCP	6.20	-	1,037	6.22	CPALL19C2506A	-	-	-	-
BBL41C2609T	0.37	(0.63)	61,060	0.37	SKN	5.55	(0.15)	580	5.49	CPALL19C2506B	0.10	-	2,355	0.10
CIMBT	0.67	(0.01)	9,326	0.67	STECH	1.00	(0.01)	796	1.00	CPALL19C2508A	0.26	(0.01)	54,529	0.27
CREDIT	19.60	(0.40)	158	19.68	TASCO	14.70	0.20	9,594	14.60	CPALL19P2505A	0.15	-	8,198	0.14
KBANK	164.50	2.00	91,922	164.14	TASCO19C2507	0.12	0.01	1,350	0.11	CPALL19P2505B	-	-	-	-
KBANK01C2506A	0.29	0.02	109,586	0.29	TOA	11.60	-	32,456	11.59	CPALL41C2504A	-	-	-	-
KBANK01C2508A	0.90	0.02	5	0.90	TPIPL	1.01	0.02	41,902	1.00	CPALL41C2505A	0.03	-	710	0.01
KBANK01P2507A	0.37	(0.04)	28,657	0.38	UMI	0.70	0.04	97,127	0.72	CPALL41C2506A	0.06	(0.02)	10	0.06
KBANK13C2505A	0.09	0.01	17,143	0.09	VNG	2.44	(0.08)	1,398	2.40	CPALL41C2605T	-	-	-	-
KBANK13C2507A	0.49	0.03	89,609	0.48	WIKI	0.89	(0.01)	4,285	0.95	CPALL41P2504A	-	-	-	-
KBANK13P2504A	-	-	-	-	WIKI-W3	0.02	(0.01)	37,449	0.03	CPALL41P2508A	-	-	-	-
KBANK13P2507A	0.26	(0.03)	20,717	0.26	WINDOW	0.78	(0.06)	19,232	0.81	CPAXT	26.75	(0.75)	40,918	26.90
KBANK19C2504A	0.02	-	4	0.02	Petrochemicals & Energy					CPW	2.02	(0.04)	148	2.04
KBANK19C2505A	-	-	-	-	BCT	58.75	0.50	22	58.26	CRC	25.75	(0.50)	100,336	25.68
KBANK19C2507A	0.27	0.03	46,970	0.26	CMAN	2.34	0.02	2,807	2.35	CRC01C2506A	-	-	-	-
KBANK19C2507B	0.44	0.05	4,240	0.42	GC	4.98	(0.02)	2,004	4.97	CRC13C2506A	-	-	-	-
KBANK41C2505A	-	-	-	-	GGC	4.96	0.12	1,360	4.88	CRC13C2508A	0.13	(0.01)	47,572	0.13
KBANK41C2604T	0.82	0.03	48,900	0.82	IVL	20.60	(0.10)	233,032	20.63	CRC19C2506A	0.02	(0.01)	59	0.02
KBANK41C2609T	0.44	0.01	9,982	0.44	IVL01C2504A	-	-	-	-	CRC19C2508A	0.14	(0.02)	80,989	0.15
KBANK41P2606T	0.36	(0.01)	21	0.36	IVL01C2506A	0.07	(0.01)	15	0.07	CRC41C2608T	0.12	(0.01)	6,000	0.12
KKP	57.00	0.50	7,644	56.80	IVL01C2507A	0.37	(0.03)	3,010	0.39	CSS	0.82	(0.01)	2,682	0.82
KKP-W6	1.22	-	230	1.22	IVL01P2504A	-	-	-	-	DOHOME	5.75	(0.30)	112,102	5.88
KKP13C2504A	-	-	-	-	IVL01P2506A	0.62	0.03	81	0.61	DOHOME01C2507A	0.14	(0.04)	34,146	0.16
KKP19C2507A	0.33	-	1,710	0.33	IVL13C2504A	-	-	-	-	DOHOME13C2505A	-	-	-	-
KTB	24.40	0.10	496,936	24.44	IVL13C2505A	0.03	-	140	0.03	DOHOME13C2506A	0.06	-	1,160	0.06
KTB-P	-	-	-	-	IVL13C2507A	0.21	(0.02)	843,987	0.22	DOHOME19C2504A	-	-	-	-
KTB-Q	-	-	-	-	IVL13P2504A	-	-	-	-	DOHOME19C2506A	-	-	-	-
KTBO1C2506A	0.37	0.01	15,780	0.37	IVL13P2508A	0.46	-	173,203	0.46	DOHOME19C2506B	-	-	-	-
KTBI3C2505A	0.23	-	45,621	0.24	IVL19C2505A	-	-	-	-	FN	0.57	(0.03)	2,556	0.59
KTBI3C2507A	0.25	-	56,423	0.26	IVL19C2506A	-	-	-	-	GLOBAL	6.90	(0.05)	79,201	6.91
KTBI3P2507A	0.24	-	19,049	0.23	IVL19C2507A	0.26	(0.02)	89,142	0.27	GLOBAL01C2507A	0.12	(0.01)	8,912	0.12
KTBI9C2505A	0.21	-	9,048	0.21	IVL19P2508A	0.48	-	91,459	0.48	GLOBAL13C2504A	-	-	-	-
KTBI9C2506A	0.17	(0.01)	122,396	0.18	IVL41C2505A	-	-	-	-	GLOBAL13C2506A	-	-	-	-
KTBI9C2506A	0.24	0.01	85,142	0.24	IVL41C2605T	0.20	-	124,420	0.20	GLOBAL13C2507A	0.12	(0.01)	49,791	0.13
LHFG	0.78	(0.02)	39,722	0.78	IVL41P2605T	0.46	0.02	17,960	0.45	GLOBAL19C2507A	0.15	(0.01)	28,817	0.16
SCB	126.00	1.00	66,687	125.47	NFC	1.41	0.02	104	1.38	GLOBAL41C2606T	0.12	(0.01)	250	0.12
SCB01C2505A	0.14	-	19,095	0.13	PATO	7.70	-	606	7.71	HMPRO	8.20	(0.20)	458,943	8.21
SCB01C2507A	0.29	(0.01)	4,303	0.29	PMTA	8.10	0.20	49	8.08	HMPRO01C2504A	-	-	-	-
SCB01P2507A	0.42	(0.02)	5,395	0.43	PTTGC	18.00	0.10	210,528	17.97	HMPRO01C2507A	0.08	(0.01)	1,323	0.08
SCB13C2505A	0.10	-	2,492	0.10	PTTGC01C2504	-	-	-	-	HMPRO13C2504A	-	-	-	-
SCB13C2508A	0.30	0.01	22,447	0.29	PTTGC01C2505	-	-	-	-	HMPRO13C2506A	0.06	(0.02)	5,462	0.06
SCB13P2507A	0.23	(0.01)	1,590	0.23	PTTGC01C2506	0.08	-	151	0.08	HMPRO13C2508A	0.33	(0.04)	148,228	0.34
SCB19C2504A	-	-	-	-	PTTGC01C2507	0.21	-	49,590	0.22	HMPRO19C2506A	0.08	(0.01)	6,732	0.08
SCB19C250														

## Main Board Quotation

Issue Date :

Thursday March 27, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ADVANC01C2506A	0.11	(0.01)	24,326	0.11	CCET41C2505A	-	-	-	-	ACE	1.27	(0.01)	29,710	1.27
ADVANC01C2508A	0.35	(0.01)	18,044	0.35	CCET41C2506A	0.11	-	38,000	0.11	AE	0.10	-	42,863	0.10
ADVANC01P2505A	0.12	(0.02)	4,737	0.12	DELTA	72.25	(1.25)	136,483	71.95	AGE	0.98	-	14,490	1.01
ADVANC01P2507A	0.62	(0.03)	325	0.63	DELTA01C2505A	0.03	-	134	0.02	AI	3.38	(0.02)	3,792	3.40
ADVANC13C2505A	0.06	(0.01)	240	0.05	DELTA01C2506A	0.02	-	33	0.02	AIE	1.34	0.01	35,902	1.34
ADVANC13C2507A	0.26	0.02	46,530	0.26	DELTA01C2507A	0.95	(0.05)	71,820	0.95	BAFS	8.20	(0.05)	1,270	8.23
ADVANC13P2504A	0.02	-	1	0.02	DELTA01P2504A	2.28	0.12	10	2.30	BANPU	4.26	(0.04)	221,904	4.29
ADVANC13P2507A	0.45	(0.04)	22,288	0.46	DELTA06C2504A	-	-	-	-	BANPU01C2504A	-	-	-	-
ADVANC19C2505A	-	-	-	-	DELTA11C2507A	0.41	(0.02)	7,937	0.40	BANPU01C2506A	-	-	-	-
ADVANC19C2506A	0.10	(0.01)	6,701	0.10	DELTA13C2505A	0.01	-	448	0.01	BANPU01C2507A	0.17	(0.02)	30,732	0.18
ADVANC19C2507A	0.26	0.02	41,628	0.26	DELTA13C2506A	0.01	(0.01)	7,411	0.01	BANPU01C2508A	0.37	(0.03)	24,301	0.38
ADVANC19P2504A	-	-	-	-	DELTA13C2506E	0.01	(0.01)	943	0.01	BANPU13C2504A	-	-	-	-
ADVANC41C2505A	-	-	-	-	DELTA13C2507A	0.25	(0.03)	132,396	0.25	BANPU13C2505A	-	-	-	-
ADVANC41C2606T	0.29	-	30,500	0.29	DELTA13C2507E	0.11	(0.01)	39,044	0.11	BANPU13C2506A	-	-	-	-
ADVANC41P2504A	-	-	-	-	DELTA13C2507C	0.50	(0.05)	257,441	0.50	BANPU13C2506B	-	-	-	-
ADVANC41P2508A	0.23	(0.01)	1	0.23	DELTA13P2505A	-	-	-	-	BANPU13C2506C	0.10	(0.01)	18,304	0.10
AIT	4.70	(0.06)	25,603	4.73	DELTA13P2505E	-	-	-	-	BANPU13C2507A	0.26	(0.03)	87,559	0.27
ALT	0.80	0.01	817	0.79	DELTA13P2506A	-	-	-	-	BANPU13P2504A	0.06	(0.01)	2,000	0.06
AMR	0.60	0.01	6,724	0.60	DELTA13P2507A	0.80	0.03	53,379	0.81	BANPU19C2504A	-	-	-	-
BLISS	-	-	-	-	DELTA13P2507E	0.32	0.01	73,742	0.33	BANPU19C2506A	-	-	-	-
DIF	7.85	-	86,845	7.86	DELTA13P2507F	0.02	0.01	1	0.02	BANPU19C2507A	0.17	(0.01)	14,899	0.18
DITTO	11.40	(0.50)	38,822	11.68	DELTA19C2506E	-	-	-	-	BANPU19C2508A	0.36	(0.02)	33,384	0.37
DITTO-W1	0.10	-	31,006	0.11	DELTA19C2506C	-	-	-	-	BANPU41C2505A	-	-	-	-
DTCENT	0.90	(0.02)	9,367	0.91	DELTA19C2507A	0.10	(0.02)	13,260	0.10	BANPU41C2605T	0.10	(0.01)	20,000	0.10
FORTH	6.95	-	573	6.95	DELTA19C2507E	0.23	(0.03)	10,917	0.23	BBGI	3.64	(0.06)	2,041	3.65
GABLE	3.56	(0.06)	11,372	3.57	DELTA19C2507C	0.59	(0.04)	170,311	0.58	BCP	38.00	-	26,021	37.85
HUMAN	8.15	-	5,368	8.15	DELTA19P2504A	1.85	(0.23)	910	1.85	BCP01C2504A	-	-	-	-
ICN	1.96	0.02	3,607	1.96	DELTA19P2505A	-	-	-	-	BCP01C2505A	-	-	-	-
ILINK	5.90	-	3,107	5.89	DELTA19P2506A	1.30	(0.10)	6	1.29	BCP01C2507A	-	-	-	-
INET	4.82	(0.06)	12,898	4.85	DELTA19P2507A	0.71	0.03	127,885	0.72	BCP13C2504A	0.17	(0.07)	200	0.17
INSET	2.14	(0.04)	11,652	2.17	DELTA41C2505A	0.02	-	10	0.02	BCP13C2505A	0.10	(0.01)	2,410	0.10
INTUCH	-	-	-	-	DELTA41C2506A	-	-	-	-	BCP13C2507A	0.27	-	4,381	0.26
ITEL	1.41	(0.01)	17,032	1.41	DELTA41C2507A	-	-	-	-	BCP13P2505A	-	-	-	-
JAS	1.57	(0.03)	199,247	1.58	DELTA41C2608T	0.30	(0.01)	79,980	0.30	BCP19C2504A	-	-	-	-
JAS-W4	0.33	-	45,692	0.33	DELTA41C2612T	0.07	(0.01)	3	0.07	BCP19C2506A	0.27	(0.01)	1,934	0.27
JAS13C2505A	-	-	-	-	DELTA41P2504A	-	-	-	-	BCP19C2507A	0.19	(0.01)	5,331	0.19
JAS13C2507A	0.28	(0.03)	3,653	0.28	DELTA41P2505A	1.55	0.05	11,000	1.56	BCP41C2504A	-	-	-	-
JAS19C2505A	0.02	-	33	0.02	DELTA41P2507A	0.25	-	333	0.25	BCP41C2505A	-	-	-	-
JAS19C2507A	0.21	(0.04)	9,199	0.23	HANA	17.00	0.20	68,423	16.67	BCP41C2609T	-	-	-	-
JAS41C2605T	-	-	-	-	HANA01C2504A	-	-	-	-	BCPG	6.95	(0.05)	28,410	6.96
JMART	9.50	(0.15)	38,156	9.53	HANA01C2504W	-	-	-	-	BCPG01C2506A	0.26	(0.03)	17,678	0.26
JMART-W5	0.21	-	3,103	0.20	HANA01C2505A	-	-	-	-	BCPG01C2508A	0.46	(0.01)	13,476	0.46
JMART13C2504A	0.01	-	200	0.01	HANA01C2505B	-	-	-	-	BCPG01P2506A	-	-	-	-
JMART13C2506A	0.04	-	500	0.04	HANA01P2504A	0.28	(0.01)	1,790	0.29	BCPG13C2504A	-	-	-	-
JMART13C2507A	0.16	(0.01)	15,632	0.16	HANA01P2505A	0.75	(0.02)	8,266	0.79	BCPG13C2507A	0.21	(0.01)	31,970	0.21
JMART19C2504A	-	-	-	-	HANA06C2504A	-	-	-	-	BCPG13C2507B	-	-	-	-
JMART19C2506A	-	-	-	-	HANA13C2504A	-	-	-	-	BCPG19C2505A	0.26	(0.01)	5,338	0.26
JMART19C2508A	0.20	(0.01)	4,995	0.21	HANA13C2504B	-	-	-	-	BCPG19C2508A	0.25	(0.01)	3,912	0.25
JMART41C2504A	-	-	-	-	HANA13C2504C	-	-	-	-	BCPG41C2606T	0.34	(0.01)	20,400	0.34
JMART41C2606T	-	-	-	-	HANA13C2505A	-	-	-	-	BGRIM	10.70	(0.40)	154,856	10.91
JTS	28.50	(0.50)	1,062	28.80	HANA13C2505B	-	-	-	-	BGRIM01C2504A	-	-	-	-
MFEC	5.95	(0.05)	485	5.97	HANA13C2506A	-	-	-	-	BGRIM01C2505A	-	-	-	-
MSC	7.90	0.10	79	7.88	HANA13C2507A	0.09	(0.01)	15,880	0.08	BGRIM01C2506A	-	-	-	-
PT	11.60	0.30	3,790	11.44	HANA13C2508A	0.36	0.02	28,333	0.33	BGRIM01C2507A	0.07	(0.01)	8,102	0.07
ROCTEC	0.59	(0.08)	183,166	0.61	HANA13P2504A	-	-	-	-	BGRIM01C2508A	0.15	(0.04)	28,441	0.18
ROCTEC-W3	-	-	-	-	HANA13P2505A	-	-	-	-	BGRIM01P2505A	-	-	-	-
ROCTEC-W5	0.03	-	627,039	0.03	HANA13P2507A	0.38	-	21,880	0.39	BGRIM01P2507A	0.43	0.05	26,172	0.40
SAMART	6.95	(0.05)	32,970	6.97	HANA19C2504A	-	-	-	-	BGRIM13C2504A	-	-	-	-
SAMTEL	5.50	-	401	5.49	HANA19C2505A	-	-	-	-	BGRIM13C2505A	-	-	-	-
SAMTEL-W2	1.07	(0.01)	178	1.07	HANA19C2505B	-	-	-	-	BGRIM13C2505B	-	-	-	-
SDC	0.04	-	1,521	0.04	HANA19C2507A	-	-	-	-	BGRIM13C2506A	0.01	(0.01)	2,000	0.01
SIS	23.20	(0.10)	1,888	23.35	HANA19C2508A	0.34	0.01	15,411	0.32	BGRIM13C2507A	0.03	(0.02)	82	0.04
SKY	16.20	-	4,427	16.33	HANA19P2504A	-	-	-	-	BGRIM13C2507B	0.11	(0.02)	109,541	0.13
SPREME	1.44	(0.01)	819	1.44	HANA19P2504B	-	-	-	-	BGRIM13P2505A	-	-	-	-
SVOA	1.02	0.01	301	1.01	HANA41C2504A	-	-	-	-	BGRIM13P2506A	-	-	-	-
SYMC	4.90	(0.40)	4,457	5.01	HANA41C2504B	-	-	-	-	BGRIM19C2504A	-	-	-	-
SYNEX	10.80	(0.20)	6,080	10.83	HANA41C2505A	-	-	-	-	BGRIM19C2505A	-	-	-	-
THCOM	10.70	-	17,158	10.72	HANA41C2606T	0.11	-	200	0.11	BGRIM19C2506A	-	-	-	-
TKC	8.60	-	250	8.59	KCE	17.20	(0.60)	80,209	17.24	BGRIM19C2507A	-	-	-	-
TRUE	11.80	-	393,007	11.88	KCE01C2504A	-	-	-	-	BGRIM19C2507B	0.11	(0.03)	135,923	0.13
TRUE01C2505A	0.12	-	6,478	0.12	KCE01C2504W	-	-	-	-	BGRIM19P2506A	-	-	-	-
TRUE01C2507A	0.10	-	102	0.10	KCE01C2505A	-	-	-	-	BGRIM41C2504A	-	-	-	-
TRUE01C2508A	0.29	0.01	5,641	0.29	KCE01C2507A	-	-	-	-	BGRIM41C2505A	-	-	-	-
TRUE01P2505A	-	-	-	-	KCE01P2504A	-	-	-	-	BGRIM41C2506A	-	-	-	-
TRUE01P2507A	0.29	(0.01)	2,032	0.29	KCE13C2504A	-	-	-	-	BGRIM41C2608T	0.19	(0.03)	89,700	0.21
TRUE13C2504A	0.01	-	4,237	0.01	KCE13C2504B	0.01	-	10,006	0.01	BIOTEC	0.20	-	25,028	0.20
TRUE13C2505A	0.08	0.01	3,000	0.08	KCE13C2504C	-	-	-	-	BIOTEC-P	-	-	-	-
TRUE13C2507A	0.20	-	16,416	0.21	KCE13C2504D	-	-	-	-	BIOTEC-Q	-	-	-	-
TRUE13P2506A	0.12	(0.01)	8,330	0.12	KCE13C2505A	-	-	-	-	BIOTEC-W2	0.02	-	67	0.03
TRUE19C2504A	-	-	-	-	KCE13C2505B	-	-	-	-	BPP	7.35	(0.05)	31,201	7.31
TRUE19C2507A	0.12	0.01	2,660	0.12	KCE13C2506A	0.07	(0.03)	12,350	0.07	BRRGIF	3.84	(0.02)	162	3.84
TRUE19C2507B	0.24	-	2,062	0.25	KCE13C2507A	0.18	(0.04)	20,174	0.18	BSRC	5.45	-	4,687	5.45
TRUE19P2506A	-	-	-	-	KCE13P2504A	-	-	-	-	BSRC13C2506A	0.14	-	1,420	0.14
TRUE19P2507A	-	-	-	-	KCE13P2505A	0.33	0.05	27,715	0.33	CKP	2.58	(0.04)	52,877	2.58
TRUE41C2505A	-	-	-	-	KCE19C2504A	0.01	(0.04)	5,000	0.01	CKP01C2504A	-	-	-	-
TRUE41C2604T	0.62	0.02	327	0.62	KCE19C2504B	-	-	-	-	CV	-	-	-	-
TRUE41C2612T	0.33	0.01	15,697	0.33	KCE19C2505A	-	-	-	-	CV-W1	-	-	-	-
TRUE41P2504A	-	-	-	-	KCE19C2506A	-	-	-	-	EA	2.18	(0.08)	566,589	2.21
TWZ	0.03	-	62,381	0.03	KCE19C2507A	0.14	(0.05)	11,995	0.14	EA-W1	0.27	(0.02)	100,192	0.28
TWZ-W8	-	-	-	-	KCE19C2508A	0.29	(0.06)	20,226	0.29	EA13C2504A	-	-	-	-
TWZ-W9	-	-	-	-	KCE19P2504A	-	-	-	-	EA13C2504B	-	-	-	-
Electronic Componer	-	-	-	-	KCE19P2505A	0.44	0.06	384	0.4					

## Main Board Quotation

Issue Date :

Thursday March 27, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA19C2508A	0.21	(0.04)	38,694	0.23	SSP-W2	-	-	-	-	CHAYO	2.24	(0.06)	13,730	2.28
EA19P2505A	-	-	-	-	SUPER	0.18	0.01	103,836	0.18	CHAYO-W3	0.08	0.01	4,581	0.07
EA41C2606T	0.10	-	724	0.10	SUPEREIF	5.95	-	2,351	5.97	EAST	0.83	(0.01)	9,124	0.84
EASTW	2.02	(0.02)	1,549	2.02	SUSCO	2.90	(0.06)	25,548	2.93	FNS	1.24	0.03	2	1.24
EGATIF	5.90	-	1,113	5.90	TAE	0.77	(0.01)	1,063	0.78	FSX	1.58	(0.01)	161	1.60
EGCO	94.25	-	9,281	94.13	TCC	0.28	-	833	0.27	GBX	0.57	0.01	345	0.56
EGCO19C2504A	-	-	-	-	TCC-W5	-	-	-	-	GL	-	-	-	-
EP	1.42	(0.03)	1,905	1.44	TGE	1.50	(0.02)	897	1.50	HENG	1.04	(0.01)	14,697	1.05
EP-W4	-	-	-	-	TGE-W2	0.13	0.01	16,286	0.14	IFS	2.22	(0.12)	186	2.27
ETC	1.40	-	4,795	1.41	TOP	25.50	0.25	156,672	25.39	JMT	13.50	(0.20)	36,727	13.59
GPSC	27.75	(1.00)	70,000	28.44	TOP01C2504A	-	-	-	-	JMT01C2504A	0.01	-	400	0.01
GPSC01C2504W	-	-	-	-	TOP01C2505A	-	-	-	-	JMT13C2504A	0.01	-	800	0.01
GPSC01C2505A	-	-	-	-	TOP01C2506A	0.10	-	6,412	0.09	JMT13C2506A	0.06	(0.01)	5	0.06
GPSC01C2507A	0.18	(0.04)	18,292	0.21	TOP01C2507A	0.62	(0.02)	1,754	0.61	JMT13C2507A	0.19	(0.02)	52,867	0.20
GPSC01P2506A	0.22	0.03	48,518	0.20	TOP01C2508A	0.20	(0.02)	24,967	0.21	JMT19C2504A	-	-	-	-
GPSC13C2504A	-	-	-	-	TOP01P2504A	0.69	(0.01)	2,414	0.71	JMT19C2504B	-	-	-	-
GPSC13C2505A	-	-	-	-	TOP01P2506A	0.12	-	10,694	0.12	JMT19C2506A	-	-	-	-
GPSC13C2505B	-	-	-	-	TOP01P2508A	0.33	(0.01)	11,220	0.34	JMT19C2507A	0.24	(0.01)	38,236	0.25
GPSC13C2506A	0.06	(0.03)	32,220	0.08	TOP13C2504A	-	-	-	-	JMT41C2505A	-	-	-	-
GPSC13C2507A	0.21	(0.03)	55,509	0.24	TOP13C2504B	-	-	-	-	JMT41C2608T	0.27	(0.01)	18,544	0.27
GPSC13P2505A	-	-	-	-	TOP13C2505A	-	-	-	-	KCAR	4.00	(0.04)	564	4.01
GPSC13P2506A	0.18	0.02	7,711	0.16	TOP13C2505B	0.01	(0.01)	20	0.01	KGI	4.36	-	9,294	4.36
GPSC19C2505A	-	-	-	-	TOP13C2505C	0.03	-	3,220	0.03	KTC	46.75	0.75	24,640	46.59
GPSC19C2506A	-	-	-	-	TOP13C2506A	-	-	-	-	KTC01C2507A	0.16	0.01	24,904	0.16
GPSC19C2506B	0.08	-	50	0.08	TOP13C2507A	0.15	-	31,747	0.15	KTC13C2506A	0.08	0.01	16,438	0.08
GPSC19C2507A	0.18	(0.03)	125,246	0.21	TOP13P2505A	-	-	-	-	KTC19C2504A	-	-	-	-
GPSC19P2506A	0.27	0.03	36,895	0.24	TOP13P2505B	0.09	(0.02)	1,519	0.10	KTC19C2507A	-	-	-	-
GPSC41C2504A	-	-	-	-	TOP19C2504A	-	-	-	-	KTC41C2606T	0.24	0.01	4,000	0.24
GPSC41C2505A	-	-	-	-	TOP19C2505A	-	-	-	-	MFC	25.25	0.25	177	24.85
GPSC41C2606T	0.13	-	20,000	0.14	TOP19C2505B	-	-	-	-	MICRO	0.83	-	920	0.83
GREEN	0.76	(0.02)	841	0.78	TOP19P2505A	-	-	-	-	ML	0.35	(0.02)	581	0.36
GULFI	-	-	-	-	TOP41C2505A	-	-	-	-	MST	8.00	(0.05)	36	8.00
GUNKUL	1.65	-	84,659	1.65	TOP41C2506B	0.09	-	7,340	0.09	MTC	39.75	(0.75)	57,976	39.99
GUNKUL13C2504A	-	-	-	-	TOP41P2505A	-	-	-	-	MTC01C2504A	-	-	-	-
GUNKUL13C2505A	-	-	-	-	TPIPP	2.28	0.02	6,119	2.27	MTC01C2506A	0.08	(0.02)	6,176	0.10
GUNKUL19C2504A	-	-	-	-	TSE	0.36	(0.01)	6,932	0.37	MTC01P2506A	0.38	0.02	14,126	0.35
GUNKUL19C2505A	-	-	-	-	TTW	8.85	-	5,217	8.84	MTC13C2505A	-	-	-	-
IRPC	0.95	(0.01)	151,596	0.96	UBE	0.52	-	4,050	0.52	MTC13C2506A	0.07	(0.01)	4,422	0.08
IRPC01C2504A	-	-	-	-	WHAUP	3.58	(0.02)	8,824	3.58	MTC13C2508A	0.28	(0.03)	30,859	0.29
IRPC19C2508A	0.23	(0.01)	73,292	0.24	WP	3.44	0.04	257	3.40	MTC13P2506A	0.25	0.01	22,266	0.24
KBSPIF	7.45	0.05	406	7.44	Media & Publishi	-	-	-	-	MTC19C2504A	-	-	-	-
LANNA	15.30	-	4,368	15.30	AMARIN	2.36	-	158	2.38	MTC19C2506A	0.07	(0.01)	40	0.07
MDX	2.88	(0.04)	938	2.88	AQUA	0.23	-	3,285	0.22	MTC19C2508A	0.24	(0.76)	45,676	0.26
NOVA	7.50	(0.30)	10	7.66	AS	2.42	(0.02)	2,903	2.43	MTC19P2506A	0.28	0.02	72,440	0.27
OR	11.40	0.30	265,142	11.28	BEC	3.82	(0.04)	5,987	3.84	MTC41C2505A	-	-	-	-
OR01C2505A	-	-	-	-	FE	187.00	-	12	187.46	MTC41C2606T	0.22	(0.01)	15,001	0.23
OR01C2507A	0.10	0.01	69,508	0.10	GPI	1.62	(0.01)	4,248	1.62	NCAP	2.16	0.02	76,186	2.18
OR01C2508A	0.21	0.02	80,557	0.20	GRAMMY	5.40	(0.05)	12	5.43	PL	1.01	(0.01)	798	1.02
OR13C2504A	-	-	-	-	JKN	-	-	-	-	S11	2.78	(0.02)	526	2.79
OR13C2506A	0.03	0.01	2	0.03	MAJOR	10.80	0.10	2,257	10.72	SAK	3.92	(0.08)	15,131	3.97
OR13C2507A	0.11	0.02	20,771	0.10	MATCH	1.13	0.03	33	1.13	SAWAD	28.50	(0.25)	28,328	28.62
OR13C2508A	0.24	0.03	105,994	0.23	MATI	4.70	(0.18)	1	4.70	SAWAD-W2	0.20	(0.03)	2,127	0.21
OR19C2504A	-	-	-	-	MCOT	3.26	0.08	18,639	3.26	SAWAD01C2504A	-	-	-	-
OR19C2505A	-	-	-	-	MONO	1.30	(0.04)	137,490	1.30	SAWAD01C2506A	-	-	-	-
OR19C2506A	0.07	0.01	58,989	0.07	NATION	0.03	-	1,515	0.02	SAWAD01C2508A	0.09	(0.01)	2,001	0.09
OR19C2508A	0.28	0.03	21,963	0.26	NATION-W4	-	-	-	-	SAWAD01P2505A	0.72	0.01	2,901	0.70
OR41C2505A	-	-	-	-	ONEE	2.58	(0.02)	5,390	2.60	SAWAD13C2505A	-	-	-	-
OR41C2605T	-	-	-	-	PLANB	5.65	(0.05)	251,184	5.70	SAWAD13C2506A	-	-	-	-
OR41C2608T	0.26	0.01	74,550	0.25	PLANB19C2508A	0.18	(0.01)	19,103	0.20	SAWAD13C2507A	0.07	(0.01)	16,865	0.07
PRIME	0.07	(0.01)	6,439	0.08	PLANB41C2606T	0.18	(0.02)	10,263	0.19	SAWAD13C2508A	0.15	(0.01)	97,529	0.16
PTG	6.95	(0.05)	13,816	6.99	PRAKIT	-	-	-	-	SAWAD13P2504A	-	-	-	-
PTT	32.50	-	291,897	32.51	PTECH	0.83	(0.02)	651	0.83	SAWAD19C2504A	-	-	-	-
PTT01C2505A	-	-	-	-	SE-ED	1.95	0.01	847	1.94	SAWAD19C2505A	-	-	-	-
PTT01C2508A	0.25	-	55,490	0.25	TKS	5.70	(0.05)	377	5.71	SAWAD19C2506A	-	-	-	-
PTT13C2508A	0.24	(0.01)	2,598	0.24	VGI	3.08	(0.06)	1,255,755	3.14	SAWAD19C2507A	0.11	0.01	7,021	0.10
PTT19C2505A	-	-	-	-	VGI-W3	0.05	-	13,344	0.06	SAWAD19C2508A	0.20	-	66,784	0.20
PTT41C2606T	0.30	-	10,001	0.30	VGI-W4	1.29	-	16,360	1.31	SAWAD19P2504A	-	-	-	-
PTTEP	119.50	1.50	78,523	119.51	VGI01C2505A	0.08	(0.02)	78,471	0.11	SAWAD41C2505A	-	-	-	-
PTTEP01C2504A	-	-	-	-	VGI01C2507A	0.35	(0.04)	99,451	0.38	SAWAD41C2609T	0.26	-	22,300	0.26
PTTEP01C2505A	0.10	-	113,472	0.11	VGI13C2504A	0.06	(0.05)	162	0.12	SCAP	1.23	(0.01)	4,710	1.23
PTTEP01C2507A	0.40	0.02	36,883	0.41	VGI13C2505A	0.07	(0.01)	5,682	0.06	SGC	0.89	(0.05)	111,414	0.91
PTTEP01P2506A	0.14	(0.02)	3,998	0.15	VGI13C2507A	0.23	(0.02)	120,027	0.25	SGC-W1	0.10	(0.01)	3,122	0.10
PTTEP13C2504A	-	-	-	-	VGI13P2504A	-	-	-	-	SGC-W2	0.26	(0.02)	3,958	0.25
PTTEP13C2505A	0.03	-	500	0.03	VGI19C2504A	-	-	-	-	SM	0.81	(0.01)	348	0.81
PTTEP13C2507A	0.29	0.03	63,581	0.29	VGI19C2505A	0.07	(0.02)	1,002	0.07	TH	0.60	(0.01)	6,192	0.61
PTTEP13C2507B	0.49	0.03	200	0.49	VGI19C2507A	0.23	(0.02)	221,144	0.26	TH-W3	0.04	-	4	0.04
PTTEP13P2506A	0.21	(0.02)	16,483	0.21	VGI41C2505A	0.06	(0.03)	1,600	0.06	THANI	1.71	0.03	23,895	1.69
PTTEP19C2504A	-	-	-	-	VGI41C2606T	0.27	(0.01)	73,904	0.27	TIDLOR	14.60	(0.20)	14,029	14.67
PTTEP19C2505A	0.05	-	200	0.06	WORK	5.10	(0.05)	944	5.13	TIDLOR01C2506A	-	-	-	-
PTTEP19C2507A	-	-	-	-	ZAA	0.74	(0.01)	1,707	0.77	TIDLOR13C2504A	-	-	-	-
PTTEP41C2504A	0.01	(0.08)	150	0.01	Finance & Securi	-	-	-	-	TIDLOR13C2505A	0.04	(0.01)	101	0.05
PTTEP41C2505A	-	-	-	-	AEONTS	109.50	(3.00)	4,334	109.15	TIDLOR19C2504A	-	-	-	-
PTTEP41C2507A	0.34	0.02	65,121	0.34	AMANAHA	0.86	0.02	26,512	0.86	TIDLOR19C2505A	0.02	-	2,000	0.02
PTTEP41C2604T	0.13	0.01	37,471	0.13	ASAP	1.42	-	165	1.40	TIDLOR19C2505B	0.05	(0.02)	60	0.05
PTTEP41P2506A	-	-	-	-	ASK	7.10	(0.05)	4,298	7.06	TIDLOR41C2605T	-	-	-	-
RATCH	26.00	0.25	4,122	25.82	ASP	2.00	(0.02)	6,746	2.01	TK	3.68	0.02	651	3.64
RATCH19C2506A	0.08	-	570	0.08	BAM	6.30	(0.10)	70,668	6.31	TNITY	2.94	(0.02)	611	2.94
RPC	0.27	-	159	0.27	BAM01C2504A	0.02	-	100,001	0.01	TNL	30.50	(0.25)	2	30.50
SCG	2.80	(0.10)	147	2.81	BAM01C2506A	0.17	(0.01)	3,739	0.17	UOBKH	5.50	0.20	1,212	5.42
SCN	0.44	(0.03)	2,381	0.45	BAM13C2504A	-	-	-	-	XPG	0.80	(0.01)	24,885	0.80
SCN-W2	0.05	-	32											

## Main Board Quotation

Issue Date :

Thursday March 27, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG01C2508A	0.37	(0.03)	55,798	0.38	TFG-W4	0.70	-	19,826	0.70	BEYOND	6.95	0.10	514	6.93
CBG01P2504W	0.17	(0.06)	1,352	0.17	TFMAMA	199.00	-	20	198.85	CENTEL	30.75	0.75	25,326	30.73
CBG01P2506A	1.14	0.04	8,436	1.12	TIPCO	9.50	0.05	2,334	9.45	CENTEL01C2504A	-	-	-	-
CBG01P2507A	0.64	0.02	43,535	0.62	TKN	8.15	(0.05)	6,980	8.17	CENTEL01C2508A	0.16	0.01	53,884	0.17
CBG13C2505A	-	-	-	-	TU	11.30	-	93,621	11.17	CENTEL13C2504A	-	-	-	-
CBG13C2506A	0.04	-	100	0.04	TU01C2505A	-	-	-	-	CENTEL13C2506A	0.10	0.02	32,759	0.10
CBG13C2507A	0.19	(0.01)	30,054	0.20	TU01C2506A	0.03	(0.01)	403	0.03	CENTEL19C2504A	-	-	-	-
CBG13P2504A	0.12	(0.01)	2,185	0.12	TU01C2508A	0.14	(0.01)	35,737	0.14	CENTEL19C2506A	0.16	0.01	52,299	0.16
CBG19C2504A	-	-	-	-	TU13C2504A	-	-	-	-	CENTEL41C2504A	-	-	-	-
CBG19C2506A	-	-	-	-	TU13C2505A	-	-	-	-	CENTEL41C2606T	0.28	0.02	62,142	0.28
CBG19C2506B	-	-	-	-	TU19C2504A	-	-	-	-	CSR	-	-	-	-
CBG19C2508A	0.32	(0.02)	52,029	0.34	TU19C2505A	-	-	-	-	DUSIT	8.80	0.05	302	8.79
CBG19P2507A	0.68	0.01	38,774	0.66	TU19C2506A	-	-	-	-	ERW	2.84	0.12	360,658	2.84
CBG41C2505A	-	-	-	-	TU41C2506A	-	-	-	-	ERW01C2504A	-	-	-	-
CBG41C2608T	0.24	-	28,000	0.25	TU41C2609T	0.23	(0.77)	200	0.23	ERW01C2507A	0.11	0.02	30,729	0.11
CFRESH	1.10	(0.01)	934	1.10	TVO	21.80	(0.40)	7,654	21.90	ERW13C2505A	-	-	-	-
CH	2.06	(0.02)	381	2.04	TWPC	2.42	0.04	1,303	2.38	ERW13C2507A	0.09	0.02	11,925	0.09
CHAO	4.46	(0.24)	17,216	4.54	XBIO	0.14	(0.01)	39,879	0.14	ERW13C2508A	0.30	(0.70)	65,689	0.31
CHOTI	-	-	-	-	XBIO-W6	0.02	(0.01)	10	0.02	ERW19C2506A	-	-	-	-
CM	1.68	(0.02)	194	1.68	XBIO-W7	0.02	0.01	1,278	0.01	ERW19C2508A	0.34	(0.66)	14,690	0.32
COCOCO	7.00	-	24,236	7.03	ZEN	6.30	-	42	6.30	ERW41C2606T	0.15	0.02	55,960	0.15
COCOCO13C2505A	-	-	-	-	Health Care Serv	-	-	-	-	GRAND	0.05	-	23	0.05
COCOCO19C2506A	-	-	-	-	AHC	13.80	-	17	13.83	LRH	-	-	-	-
CPF	24.30	-	131,226	24.23	BCH	14.30	(0.10)	30,089	14.30	MANRIN	-	-	-	-
CPF01C2504A	-	-	-	-	BCH01C2508A	0.13	-	9,838	0.13	MINT	26.75	-	112,169	26.98
CPF01C2508A	0.64	-	21,039	0.62	BCH13C2504A	-	-	-	-	MINT01C2504A	-	-	-	-
CPF13C2504A	-	-	-	-	BCH13C2507A	0.10	-	5,908	0.10	MINT01C2506A	-	-	-	-
CPF13C2505A	0.11	(0.01)	18,506	0.11	BCH19C2505A	-	-	-	-	MINT01C2507A	0.13	-	9,026	0.13
CPF13C2506A	0.43	(0.01)	11,982	0.42	BCH19C2505B	-	-	-	-	MINT13C2505A	-	-	-	-
CPF19C2504A	-	-	-	-	BCH19C2508A	0.14	(0.01)	12,090	0.14	MINT13C2506A	-	-	-	-
CPF19C2505A	-	-	-	-	BCH41C2506A	0.05	(0.04)	246	0.06	MINT13C2506B	0.13	-	41,058	0.15
CPF41C2505A	-	-	-	-	BDMS	22.20	(0.20)	408,288	22.38	MINT19C2504A	-	-	-	-
CPF41C2505B	0.11	-	500	0.11	BDMS01C2504A	-	-	-	-	MINT19C2506A	0.43	-	1	0.43
CPF41C2612T	0.59	-	10,000	0.59	BDMS01C2506A	0.08	(0.02)	2,190	0.09	MINT19C2508A	0.16	-	31,932	0.17
CPI	2.78	-	638	2.79	BDMS01C2508A	0.06	(0.01)	502	0.07	MINT41C2504A	-	-	-	-
F&D	39.00	(1.00)	10	39.00	BDMS13C2504A	-	-	-	-	MINT41C2604T	-	-	-	-
FM	3.82	(0.08)	49,373	3.87	BDMS13C2505A	-	-	-	-	MINT41C2612T	0.24	-	10,200	0.24
GLOCON	0.15	(0.01)	75,261	0.15	BDMS13C2508A	0.27	(0.01)	39,603	0.28	OHTL	316.00	(7.00)	21	336.95
HTC	16.30	(0.10)	1,464	16.37	BDMS19C2504A	-	-	-	-	ROH	1.93	0.03	8	1.93
ICHI	12.10	(0.10)	49,039	12.08	BDMS19C2505A	-	-	-	-	SHANG	49.00	0.50	21	49.00
ICHI13C2504A	-	-	-	-	BDMS41C2505A	-	-	-	-	SHR	2.00	0.03	19,061	2.00
ITC	14.20	(0.70)	129,276	14.35	BDMS41C2609T	0.18	(0.82)	12,000	0.18	SPA	4.68	0.04	10,387	4.70
ITC01C2504A	-	-	-	-	BH	170.50	(2.50)	26,808	171.85	VRANDA	4.72	0.06	300	4.69
ITC01C2506A	0.05	(0.02)	6,091	0.05	BH-P	-	-	-	-	Home & Office Produ	-	-	-	-
ITC13C2504A	-	-	-	-	BH-Q	-	-	-	-	AJA	0.11	(0.01)	23,345	0.11
ITC13C2506A	0.04	(0.01)	5,498	0.04	BH01C2504A	-	-	-	-	AJA-W4	-	-	-	-
ITC19C2505A	-	-	-	-	BH01C2505A	0.05	(0.01)	800	0.05	DTCI	-	-	-	-
ITC19C2506A	0.06	(0.02)	2,640	0.06	BH01C2506A	-	-	-	-	FANCY	0.42	(0.01)	207	0.42
ITC41C2505A	-	-	-	-	BH01C2507A	0.41	(0.05)	46,368	0.44	FTI	1.87	(0.05)	365	1.90
ITC41C2612T	0.30	(0.04)	83,940	0.31	BH01P2504A	0.10	-	3,922	0.10	KYE	298.00	(2.00)	10	297.90
JDF	1.99	(0.01)	808	1.98	BH01P2507A	0.49	0.02	15,480	0.47	L&E	-	-	-	-
KBS	5.55	-	1,077	5.55	BH06C2503A	-	-	-	-	MODERN	2.28	0.04	289	2.23
KCG	8.10	(0.15)	8,545	8.18	BH13C2504A	-	-	-	-	OGC	-	-	-	-
KSL	1.49	(0.02)	4,090	1.50	BH13C2504B	-	-	-	-	ROCK	-	-	-	-
KTIS	2.58	(0.02)	122	2.55	BH13C2505A	-	-	-	-	SIAM	0.75	-	625	0.74
LST	4.72	(0.04)	148	4.73	BH13C2506A	0.21	(0.03)	45,298	0.23	TCMC	0.54	0.13	152,514	0.49
M	19.10	0.10	4,562	19.06	BH19C2504A	-	-	-	-	TSR	0.23	0.02	2,413	0.22
MALEE	6.35	(0.10)	3,346	6.34	BH19C2504B	-	-	-	-	TSR-W2	0.01	-	20	0.01
NRF	0.51	(0.01)	1,603	0.51	BH19C2505A	-	-	-	-	Insurance	-	-	-	-
NSL	29.00	(0.75)	13,449	29.17	BH19C2506A	-	-	-	-	AYUD	31.75	(0.25)	43	31.58
OKJ	8.55	(0.35)	37,643	8.70	BH19C2506B	0.17	(0.02)	8,295	0.18	BKIH	292.00	-	133	291.77
OSP	14.80	0.40	121,157	14.75	BH19C2508A	0.53	(0.04)	42,905	0.56	BLA	19.00	-	11,328	18.95
OSP01C2504A	-	-	-	-	BH19P2504A	0.21	0.01	29,939	0.20	BLA01C2508A	0.26	(0.01)	33,079	0.27
OSP01C2507A	0.09	(0.04)	58	0.09	BH41C2504A	-	-	-	-	BLA13C2504A	-	-	-	-
OSP01C2507B	0.16	0.02	27,172	0.14	BH41C2505A	0.02	(0.02)	280	0.02	BLA13C2507A	0.13	(0.02)	6,536	0.14
OSP01P2507A	0.25	(0.03)	24,310	0.26	BH41C2605T	-	-	-	-	BLA19C2506A	0.12	(0.01)	5,536	0.12
OSP13C2505A	-	-	-	-	BH41C2609T	0.30	(0.01)	26,102	0.31	BLA41C2606T	0.30	(0.01)	15,800	0.30
OSP13C2506A	0.02	-	250	0.02	BH41P2504A	-	-	-	-	BUI	20.20	(0.90)	1,035	20.44
OSP13C2506B	0.07	0.01	15,294	0.07	BH41P2508A	-	-	-	-	CHARAN	-	-	-	-
OSP13C2507A	0.17	0.02	54,586	0.17	BKGI	1.97	(0.03)	12,227	1.98	INSURE	96.50	-	6	96.50
OSP19C2506A	-	-	-	-	CHG	1.74	(0.05)	169,553	1.76	KWI	-	-	-	-
OSP19C2506B	-	-	-	-	CHG13C2504A	-	-	-	-	MTI	109.50	0.50	3	109.83
OSP19C2506C	0.11	0.03	25,052	0.10	CHG19C2505A	-	-	-	-	NKI	-	-	-	-
OSP41C2505A	-	-	-	-	CMR	1.34	-	514	1.35	TGH	-	-	-	-
OSP41C2606T	0.15	0.02	16,405	0.15	EKH	6.40	-	11,026	6.38	THRE	0.46	0.01	29,501	0.46
PB	56.00	1.00	9	55.19	KDH	90.25	0.25	4	88.94	THREL	1.50	-	947	1.49
PLUS	3.72	(0.02)	296	3.75	LPH	3.88	0.02	168	3.88	TIPH	20.40	-	1,375	20.41
PM	10.00	(0.40)	17,810	10.04	M-CHAI	20.00	-	28	20.03	TLI	11.70	-	49,012	11.70
PQS	2.42	0.06	3,648	2.41	MASTER	22.40	(2.10)	63,167	23.29	TLI01C2507A	0.21	-	44,872	0.21
PRG	8.25	-	1	8.25	MEDEZE	7.70	(0.40)	82,607	7.84	TLI06C2503A	-	-	-	-
PRG-W2	3.80	0.60	4	3.81	NEW	-	-	-	-	TLI13C2505A	0.10	-	33,806	0.10
PRG-W3	3.32	-	2	3.32	NKT	4.66	(0.04)	5,702	4.65	TLI19C2506A	0.18	-	104,598	0.18
PRG-W4	-	-	-	-	NTV	28.00	-	103	27.77	TLI41C2606T	0.29	-	15,013	0.29
PRG-W5	-	-	-	-	PHG	14.00	0.20	249	13.90	TQM	15.00	(0.40)	3,921	15.08
RBF	4.66	(0.04)	18,176	4.68	PR9	20.50	(0.20)	17,260	20.53	TSI	0.06	0.01	1,111	0.05
RBF01C2504A	-	-	-	-	PR901C2507A	0.13	(0.02)	11,902	0.13	TVH	8.30	-	12	8.31
RBF13C2504A	-	-	-	-	PR913C2505A	-	-	-	-	Packaging	-	-	-	-
RBF13C2507A	0.03	-	5	0.03	PR913C2506A	0.05	-	300	0.05	AJ	2.40	(0.04)	9,222	2.43
RBF19C2505A	-	-	-	-	PR919C2506A	-	-	-	-	ALUCON	181.00	3.00	5	180.60
RBF19C2508A	-	-	-	-	PRINC	2.42	-	1,439	2.44	BGC	5.65	(0.05)	723	5.64
SAPPE	34.75	(0.75)	18,840	35.05	RAM	18.00	-	103	17.95	CSC	43.00	-	142	43.00
SAPPE01C2504A	0.01	-	300	0.01	RJH	14.50	(0.40)	9,137	14.60	CSC-P	-	-	-	-
SAPPE13C2507A	0.09	(0.01)	10	0.09	RPH	5.35	-	3,580	5.31	CSC-Q	-	-	-	-
SAPPE19C2508A	0.29	(0.04)	7,629	0.30	SAFE	9.05								

## Main Board Quotation

Issue Date :

Thursday March 27, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCGP13C2504A	-	-	-	-	BLAND	0.44	-	116,681	0.43	CPL	0.93	(0.07)	14,761	0.94
SCGP13C2504B	-	-	-	-	BRI	2.00	(0.02)	754	2.01	NC	2.36	(0.06)	792	2.38
SCGP13C2506A	-	-	-	-	BROCK	1.49	(0.01)	2	1.46	PAF	0.83	-	1,899	0.81
SCGP13C2506B	0.03	-	3,008	0.03	CGD	0.23	(0.02)	34,032	0.24	PDJ	1.72	(0.01)	250	1.74
SCGP13C2507A	0.17	0.01	40,326	0.16	CI	0.41	0.01	4,654	0.41	PG	6.65	0.10	25	6.80
SCGP13P2504A	-	-	-	-	CMC	0.85	(0.01)	281	0.85	SABINA	18.90	(0.20)	4,441	19.04
SCGP13P2504B	-	-	-	-	CPN	48.75	(1.00)	100,047	48.81	SAWANG	-	-	-	-
SCGP13P2506A	0.33	(0.01)	60	0.34	CPN01C2505A	-	-	-	-	SUC	31.50	-	552	31.30
SCGP19C2504A	-	-	-	-	CPN01C2506A	0.13	(0.02)	39,496	0.14	TR	33.00	(0.50)	12	31.85
SCGP19C2505A	-	-	-	-	CPN13C2504A	-	-	-	-	TTI	-	-	-	-
SCGP19C2506A	-	-	-	-	CPN13C2505A	-	-	-	-	TTT	51.00	(0.50)	2	51.00
SCGP19C2506B	-	-	-	-	CPN13C2507A	0.16	(0.03)	26,070	0.16	UPF	30.00	-	24	29.88
SCGP19C2507A	0.27	0.01	120,864	0.27	CPN19C2504A	-	-	-	-	WACOAL	21.80	(0.10)	11	21.81
SCGP19P2505A	-	-	-	-	CPN19C2505A	-	-	-	-	WFX	1.00	(0.05)	2,469	1.03
SCGP41C2505A	-	-	-	-	CPN19C2508A	0.23	(0.04)	42,557	0.24	Transportation & Log	-	-	-	-
SCGP41C2606T	0.17	0.01	732	0.17	CPN41C2504A	-	-	-	-	AAV	1.78	-	693,821	1.80
SFLEX	2.84	(0.02)	13,395	2.83	CPN41C2505A	-	-	-	-	AAV13C2504A	-	-	-	-
SFLEX-W2	0.05	-	108	0.05	CPN41C2608T	0.31	(0.02)	54,005	0.31	AAV13C2506A	-	-	-	-
SITHAI	1.11	0.02	51	1.11	ESTAR	0.19	-	10,793	0.19	AAV19C2505A	-	-	-	-
SLP	0.40	(0.03)	5,484	0.38	EVER	0.07	-	663	0.07	AAV19C2507A	0.09	-	6,811	0.09
SMPC	9.00	-	276	9.00	FPT	6.75	(0.15)	253	6.78	AAV41C2505A	-	-	-	-
SPACK	1.40	(0.02)	741	1.40	GLAND	1.02	0.01	20	1.02	AAV41C2608T	0.18	0.01	4,109	0.17
TCOAT	-	-	-	-	J	0.96	(0.03)	44	0.98	ANI	2.66	(0.04)	151	2.68
TFI	0.05	-	102	0.04	J-W3	0.19	0.06	1	0.19	AOT	39.50	(0.50)	237,689	39.70
TFI-W1	-	-	-	-	J-W4	0.20	0.05	2	0.17	AOT01C2504A	-	-	-	-
THIP	26.25	-	32	26.14	JCK	0.19	0.02	66,588	0.18	AOT01C2506A	0.02	-	8,000	0.02
TMD	24.50	0.20	8	24.31	KC	0.05	-	5	0.05	AOT01C2507A	0.10	(0.01)	7,452	0.11
TOPP	-	-	-	-	KUN	1.19	-	31	1.14	AOT01C2507B	0.23	(0.02)	47,567	0.23
TPAC	8.00	-	256	8.01	KUN-W2	0.01	-	33	0.01	AOT01P2507A	-	-	-	-
TPBI	3.96	(0.06)	1,954	3.95	LALIN	5.25	(0.05)	731	5.29	AOT01P2507B	0.43	0.02	28,706	0.41
TPP	-	-	-	-	LH	4.44	0.06	122,443	4.42	AOT11C2507A	0.22	(0.01)	7,938	0.22
Personal Products					LH19C2504A	-	-	-	-	AOT13C2504A	-	-	-	-
APCO	3.32	(0.06)	560	3.35	LPN	2.06	-	5,370	2.05	AOT13C2506A	0.01	-	1,130	0.01
BIZ	3.30	(0.04)	397	3.31	MBK	17.00	(0.10)	2,722	17.02	AOT13C2507A	0.01	(0.01)	1,925	0.01
BLC	4.08	(0.02)	9,264	4.07	MBK-W4	14.60	-	30	14.60	AOT13C2507B	0.09	(0.01)	24,060	0.10
DDD	6.45	-	183	6.44	MBK19C2508A	-	-	-	-	AOT13C2507C	-	-	-	-
IP	3.70	0.14	24,148	3.67	MJD	0.67	(0.01)	883	0.68	AOT13C2508A	0.23	(0.02)	37,503	0.23
IP-W2	0.12	0.01	11,937	0.12	MK	1.42	-	1,403	1.42	AOT13P2507A	-	-	-	-
JCT	-	-	-	-	NCH	0.65	(0.01)	4,818	0.65	AOT13P2507B	0.32	0.01	15,154	0.31
KISS	3.94	(0.06)	2,583	3.96	NNCL	1.62	(0.01)	176	1.65	AOT19C2504A	-	-	-	-
NAM	4.28	-	206	4.25	NOBLE	2.44	(0.02)	8,682	2.43	AOT19C2506A	0.01	-	10	0.01
NEO	28.75	-	2,119	28.70	NVD	1.22	0.01	177	1.22	AOT19C2507A	-	-	-	-
NV	0.80	(0.07)	15,062	0.82	ORI	2.44	(0.06)	20,850	2.46	AOT19C2507B	-	-	-	-
OCC	9.25	0.60	4	9.04	ORN	0.74	0.01	6,861	0.72	AOT19C2508A	0.23	(0.02)	66,071	0.24
S&J	33.25	0.75	6	33.00	PEACE	2.38	(0.02)	18	2.32	AOT19P2507A	0.34	0.02	1,629	0.33
SNPS	5.30	(0.10)	30,780	5.33	PF	0.11	-	44,739	0.11	AOT41C2505A	-	-	-	-
STGT	7.40	0.10	47,607	7.40	PIN	6.45	0.05	7,767	6.44	AOT41C2507A	0.11	(0.01)	8,030	0.11
STGT01C2504A	-	-	-	-	PLAT	1.53	(0.03)	5,539	1.54	AOT41C2605T	-	-	-	-
STGT13C2504A	-	-	-	-	PRECHA	0.40	(0.01)	232	0.40	AOT41P2504A	-	-	-	-
STGT13C2506A	-	-	-	-	PRIN	-	-	-	-	AOT41P2606T	-	-	-	-
STGT13C2508A	0.32	(0.68)	72,789	0.32	PROUD	1.32	-	2,377	1.30	ASIMAR	1.39	(0.02)	1,416	1.40
STGT19C2504A	-	-	-	-	PSH	5.05	(0.10)	5,413	5.11	B	0.05	-	25,519	0.05
STGT19C2504B	0.01	-	40	0.01	QH	1.59	(0.01)	65,962	1.59	B-W8	0.01	-	1	0.01
STGT19C2509A	0.38	0.01	29,966	0.39	RABBIT	0.33	-	10,244	0.33	BA	18.90	0.20	25,533	18.91
STGT41C2606T	0.17	0.01	11,292	0.17	RABBIT-P	0.50	(0.01)	40,601	0.50	BA01C2504A	-	-	-	-
TMAN	11.80	0.10	4,051	11.92	RABBIT-Q	-	-	-	-	BA01C2508A	0.32	-	25,914	0.32
TNR	7.55	(0.10)	508	7.62	RICHY	0.35	0.01	1,244	0.35	BA13C2504A	-	-	-	-
TOG	9.00	0.05	162	8.97	RML	0.17	-	11,312	0.17	BA13C2506A	0.15	0.01	21,740	0.15
Professional Service					ROJNA	5.80	-	6,991	5.80	BA19C2507A	0.21	0.02	29,393	0.20
BWG	0.26	(0.01)	151,743	0.27	S	0.67	-	8,131	0.67	BA41C2606T	-	-	-	-
BWG-W6	0.01	-	102	0.01	SA	7.30	0.05	413	7.26	BEM	5.50	-	152,579	5.51
GENCO	0.29	-	656	0.28	SA-W1	0.01	-	20	0.01	BEM13C2505A	-	-	-	-
PRTR	3.78	-	1,183	3.75	SAMCO	0.72	(0.01)	10,869	0.75	BEM13C2506A	-	-	-	-
SISB	17.00	(0.10)	30,887	17.04	SC	2.48	(0.02)	15,040	2.49	BEM13C2508A	0.15	-	30,604	0.15
SISB13C2504A	-	-	-	-	SENA	2.12	-	288	2.11	BEM19C2505A	-	-	-	-
SISB13C2506A	-	-	-	-	SIRI	1.59	-	122,716	1.59	BEM41C2606T	-	-	-	-
SISB13C2506B	-	-	-	-	SIRI01C2504A	-	-	-	-	BTS	5.60	0.20	816,262	5.62
SISB19C2507A	-	-	-	-	SIRI13C2508A	0.21	-	12,622	0.21	BTS-W8	0.04	-	26,745	0.05
SO	4.26	(0.02)	23	4.27	SIRI19C2508A	0.24	-	7,760	0.24	BTS01C2504A	0.01	(0.02)	601	0.01
WAVE	0.04	-	397,926	0.04	SIRI41C2606T	0.27	-	2,000	0.27	BTS01C2507A	0.08	0.02	100	0.08
WAVE-W3	0.01	-	400	0.01	SPALI	17.20	-	24,766	17.21	BTS01C2508A	0.20	0.02	63,263	0.21
WAVE-W4	0.02	-	24,620	0.01	SPALI13C2507A	0.24	-	5,075	0.24	BTS01P2504A	-	-	-	-
Property Development					SPALI19C2504A	-	-	-	-	BTS01P2505A	0.13	(0.03)	87,301	0.13
A	4.74	(0.08)	2	4.74	SPALI19C2509A	0.37	-	14,660	0.37	BTS13C2505A	0.02	-	10,021	0.03
A5	2.36	(0.04)	1,460	2.33	STELLA	0.18	0.02	46,140	0.17	BTS13C2507A	0.11	0.02	51,347	0.11
A5-W4	0.03	-	14,786	0.03	STELLA-W5	-	-	-	-	BTS13C2508A	0.22	0.03	82,957	0.23
AKS	0.01	-	2,225	0.01	STELLA-W6	0.06	-	10	0.06	BTS13P2505A	0.07	(0.03)	32,644	0.07
AMATA	21.50	(0.10)	97,444	21.77	UV	1.09	0.01	3,888	1.08	BTS19C2505A	0.05	-	1,999	0.05
AMATA01C2507A	-	-	-	-	WHA	3.48	(0.12)	1,313,411	3.51	BTS19C2508A	0.18	0.03	90,938	0.18
AMATA01C2508A	0.24	(0.01)	26,464	0.26	WHA01C2504A	-	-	-	-	BTS19P2508A	0.24	(0.03)	30,625	0.24
AMATA13C2505A	-	-	-	-	WHA01C2506A	-	-	-	-	BTS41C2504A	-	-	-	-
AMATA13C2506A	-	-	-	-	WHA01C2507A	0.03	(0.01)	401	0.02	BTS41C2504B	-	-	-	-
AMATA13C2506B	0.13	-	47,384	0.14	WHA01C2508A	0.31	(0.06)	45,416	0.34	BTS41C2608T	0.18	0.01	55,920	0.19
AMATA13C2508A	0.38	(0.01)	80,159	0.40	WHA13C2504A	-	-	-	-	BTS41C2608T	2.84	-	33,283	2.84
AMATA19C2505A	-	-	-	-	WHA13C2505A	-	-	-	-	BTS41C2608T	10.10	(0.10)	809	10.13
AMATA19C2508A	0.29	(0.01)	51,620	0.30	WHA13C2506A	0.01	-	19,955	0.01	DTM	0.56	0.01	2,841	0.56
AMATA41C2505A	-	-	-	-	WHA13C2506B	-	-	-	-	III	4.78	-	43,776	4.75
AMATA41C2608T	0.22	0.01	1,058	0.22	WHA13C2507A	0.14	(0.04)	40,913	0.16	KEX	0.96	(0.09)	163,830	1.02
AMATAV	3.62	-	147	3.63	WHA13C2507B	0.27	(0.05)	77,078	0.29	KIAT	0.30	-	1,965	0.30
ANAN	0.61	(0.02)	22,672	0.62	WHA19C2504A	-	-	-	-	KWC	-	-	-	-
AP	8.70	-	68,799	8.69	WHA19C2506A	-	-	-	-	MENA	0.99	(0.06)	16,420	1.01
AP01C2507A	0.32	(0.01)	4,766	0.32	WHA19C2507A	0.19	(0.04)	77,249	0.21	NYT	3.38	-	6,719	3.39
ASW	6.50	(0.05)	972	6.54	WHA41C2605T	-	-	-	-	PORT	0.99	(0.01)	2,068	0.99
AWC	2.60	(0.06)	795,890	2.63	WHA41C2608T</									

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

Issue Date :

Thursday March 27, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RCL41C2608T	0.42	(0.01)	33,000	0.43	TIF1	7.10	-	80	7.10	BYDCOM28C2510A	0.61	0.01	35,283	0.63
SAV	15.20	(0.10)	4,459	15.16	TLHPF	2.50	(0.06)	3,075	2.53	BYDCOM28P2503A	-	-	-	-
SINO	0.95	(0.03)	8,760	0.97	TNPF	1.40	-	140	1.40	BYDCOM28P2510A	0.17	(0.02)	11,000	0.17
SJWD	7.15	(0.15)	11,893	7.29	TPRIME	6.85	-	1	6.85	BYDCOM41C2506A	1.67	0.11	42	1.65
SJWD13C2504A	-	-	-	-	TTLPF	12.20	-	187	12.20	BYDCOM41C2506B	0.37	0.02	2,748	0.38
TFIF	6.15	(0.05)	12,341	6.15	TU-PF	-	-	-	-	DJI28C2506A	-	-	-	-
THAI	-	-	-	-	WHABT	7.00	(0.05)	1,512	7.00	DJI28P2506A	0.59	(0.01)	11	0.60
TSTE	13.10	(0.10)	102	13.18	WHAIR	5.65	(0.05)	3,390	5.69	DJI41C2506A	-	-	-	-
TTA	4.30	(0.04)	13,804	4.32	WHART	10.10	-	3,205	10.12	DJI41C2506B	0.68	(0.02)	658	0.66
WICE	2.76	(0.02)	2,324	2.75	Steel and Metal	-	-	-	-	DJI41P2506A	0.47	(0.01)	11,475	0.47
Automotive	-	-	-	-	ZS	2.18	0.06	196	2.18	GEELY41C2506A	0.23	(0.01)	24	0.24
ACG	0.73	0.02	906	0.70	AMC	1.97	0.01	42	1.96	HSIO6C2503A	-	-	-	-
AH	12.80	-	673	12.87	BSBM	0.70	0.01	2,781	0.69	HSIO6C2503B	0.68	0.13	361	0.61
CWT	0.58	0.03	56,561	0.63	CEN	1.83	(0.01)	90	1.83	HSIO6C2503C	0.01	-	299	0.01
EASON	1.06	(0.01)	6,295	1.08	CEN-WS	0.08	(0.01)	2,984	0.07	HSIO6C2503D	0.01	(0.01)	470	0.01
GYT	-	-	-	-	CITY	1.62	(0.02)	11	1.56	HSIO6C2503E	-	-	-	-
HFT	3.74	(0.06)	3,335	3.76	CSP	0.47	(0.01)	1,668	0.48	HSIO6C2503F	-	-	-	-
IHL	1.49	(0.02)	707	1.49	GJS	0.13	(0.01)	4,648	0.13	HSIO6C2503G	-	-	-	-
INGRS	0.24	-	1,356	0.24	GSTEEL	-	-	-	-	HSIO6C2504A	1.07	0.14	100	1.07
IRC	11.40	(0.10)	13	11.48	INOX	0.43	-	11,939	0.43	HSIO6C2504B	-	-	-	-
MGC	3.18	(0.08)	1,488	3.18	LHK	3.24	-	261	3.25	HSIO6C2504C	0.53	0.03	246,990	0.56
NEX	0.67	(0.01)	16,049	0.68	MCS	7.20	(0.05)	1,086	7.23	HSIO6C2504D	0.29	0.01	233,150	0.31
PCSGH	3.58	0.04	555	3.51	MILL	-	-	-	-	HSIO6C2504E	0.14	0.01	226,241	0.15
POLY	7.00	0.30	117	6.96	PAP	1.55	(0.01)	350	1.58	HSIO6C2505A	-	-	-	-
SAT	11.10	-	3,559	11.20	PERM	0.37	-	10,824	0.37	HSIO6C2505B	0.47	0.01	62,404	0.51
SPG	12.50	(1.10)	1	12.50	SAM	0.14	(0.01)	1,700	0.15	HSIO6C2505C	0.25	0.01	61,244	0.26
STANLY	220.00	1.00	8	219.38	SMIT	3.92	-	51	3.93	HSIO6C2505D	0.15	0.01	31,651	0.15
TKT	1.06	0.01	781	1.07	SSSC	2.20	-	620	2.20	HSIO6C2506A	-	-	-	-
TNPC	0.85	-	379	0.81	TGPRO	0.08	0.01	15,834	0.08	HSIO6C2506B	-	-	-	-
TRU	3.24	(0.04)	3,299	3.25	THE	0.68	(0.04)	44	0.68	HSIO6C2506C	0.61	0.03	26,884	0.63
TSC	13.00	-	1	13.00	TMT	3.26	(0.14)	647	3.26	HSIO6C2506D	0.39	0.01	58,411	0.40
Industrial Materials	-	-	-	-	TSTH	0.48	(0.01)	11,439	0.48	HSIO6C2506E	0.20	0.01	32,546	0.21
AKR	1.01	-	3,788	1.01	TWP	1.00	0.01	1,659	1.02	HSIO6C2507A	0.45	0.02	47,258	0.47
ALLA	1.34	-	2,061	1.33	TYCN	1.79	0.03	1	1.79	HSIO6P2503A	-	-	-	-
ASEFA	2.92	-	3,377	2.90	Construction Ser	-	-	-	-	HSIO6P2503B	-	-	-	-
CPT	0.97	0.01	384	0.96	APCS	1.42	0.02	1	1.42	HSIO6P2503C	-	-	-	-
CRANE	0.49	0.01	16,894	0.50	BJCHI	0.72	0.02	792	0.71	HSIO6P2503D	-	-	-	-
CTW	2.80	0.02	392	2.82	BKD	1.22	(0.01)	364	1.23	HSIO6P2503E	-	-	-	-
FMT	-	-	-	-	CIVIL	1.59	(0.02)	871	1.58	HSIO6P2503F	0.01	-	60	0.01
FTE	1.65	-	3,753	1.65	CK	14.20	(0.20)	13,068	14.27	HSIO6P2503G	0.01	-	419	0.01
HTECH	3.24	(0.08)	5,283	3.24	CNT	0.97	-	129	0.97	HSIO6P2504A	-	-	-	-
KKC	-	-	-	-	DEMCO	2.00	-	7,644	2.06	HSIO6P2504B	0.01	-	1	0.01
PCC	2.60	(0.02)	2,433	2.60	EMC	0.06	(0.01)	7,937	0.06	HSIO6P2504C	-	-	-	-
PK	0.38	(0.03)	369	0.39	EMC-W7	0.04	-	140,876	0.04	HSIO6P2504D	-	-	-	-
PSP	4.04	(0.02)	358	4.05	ITD	0.27	(0.01)	35,641	0.27	HSIO6P2504E	0.04	(0.02)	1,500	0.04
QTC	3.96	0.02	256	3.88	JR	1.49	(0.01)	1,224	1.48	HSIO6P2504F	0.10	(0.02)	55,028	0.10
SCI	0.78	-	16	0.79	NL	0.99	(0.05)	15,610	1.01	HSIO6P2504G	0.23	(0.04)	142,838	0.22
SE	0.44	(0.02)	55,025	0.47	NWR	-	-	-	-	HSIO6P2504H	0.53	(0.06)	46,253	0.50
SELIC	2.78	-	87	2.78	PLE	0.21	-	13,596	0.21	HSIO6P2505A	-	-	-	-
SNC	6.35	0.05	294	6.21	PREB	3.82	0.02	427	3.79	HSIO6P2505B	0.15	(0.03)	43,715	0.15
TCJ	-	-	-	-	PYLON	1.86	(0.01)	697	1.87	HSIO6P2505C	0.25	(0.02)	57,640	0.24
TPCS	12.00	0.30	26	11.70	RT	0.29	-	10,659	0.29	HSIO6P2505D	0.53	(0.04)	46,420	0.50
VARO	4.60	(0.20)	5	4.61	SEAFCO	1.99	(0.01)	3,426	2.01	HSIO6P2506A	0.07	-	304	0.04
Property Fund & REI	-	-	-	-	SQ	0.85	(0.04)	17,491	0.86	HSIO6P2506B	-	-	-	-
AIMCG	2.22	(0.02)	1,639	2.21	SRICHA	4.64	0.08	3,331	4.64	HSIO6P2506C	0.21	(0.02)	25,016	0.20
AIMIRT	10.60	-	1,373	10.54	STECON	5.55	0.05	27,815	5.51	HSIO6P2506D	0.49	(0.04)	26,920	0.46
ALLY	4.96	0.06	1,675	4.93	STI	2.66	(0.04)	19	2.66	HSIO6P2506E	0.74	(0.05)	4,764	0.71
AMATAR	6.20	(0.15)	485	6.18	STPI	2.74	(0.02)	2,268	2.72	HSIO6P2507A	0.40	(0.02)	35,553	0.39
AXTRART	12.10	(0.10)	4077	12.09	SYNTEC	1.57	(0.01)	1,247	1.58	HSI28C2503A	-	-	-	-
B-WORK	4.70	(0.02)	1,952	4.69	TEAMG	3.14	(0.04)	76,443	3.18	HSI28C2503B	0.01	-	10	0.01
BAREIT	9.35	(0.10)	2,610	9.39	TEAMG-W1	0.16	(0.02)	14,369	0.17	HSI28C2503D	-	-	-	-
BOFFICE	4.78	(0.06)	6,823	4.79	TEKA	1.95	0.01	368	1.95	HSI28C2503E	-	-	-	-
CPNCG	6.05	(0.05)	1,852	6.08	TPOLY	0.44	(0.03)	2,252	0.45	HSI28C2503F	0.01	(0.01)	9,839	0.01
CPNREIT	12.10	(0.10)	10,518	12.05	TRC	0.68	(0.03)	63,519	0.66	HSI28C2503G	-	-	-	-
CPTREIT	4.70	-	14	4.72	TRITN	0.10	(0.01)	73,685	0.10	HSI28C2503H	-	-	-	-
CTARAF	4.56	-	2,171	4.56	TRITN-W7	0.01	-	4,044	0.01	HSI28C2503I	-	-	-	-
DREIT	5.00	-	1,039	5.00	TTCL	1.18	(0.03)	8,621	1.18	HSI28C2504A	0.22	0.01	879,371	0.24
FTREIT	10.10	(0.10)	4,431	10.10	UNIQ	1.68	(0.01)	2,672	1.67	HSI28C2504B	0.86	0.06	65	0.91
FUTURET	9.50	-	1,043	9.46	WGE	0.79	(0.02)	3,301	0.78	HSI28C2504C	2.14	0.30	1	2.14
GAHREIT	6.50	-	111	6.50	Unit Trust	-	-	-	-	HSI28C2504D	0.15	0.02	55,525	0.15
GRORREIT	8.50	-	32	8.50	SCBSET	-	-	-	-	HSI28C2504E	0.09	-	3,922	0.10
GVREIT	6.70	-	2,169	6.70	VAYU1	10.10	-	93,924	10.10	HSI28C2504F	0.05	-	43,186	0.06
HPF	4.72	0.02	293	4.70	ETF	-	-	-	-	HSI28C2505A	0.40	0.02	113,683	0.42
HYDROGEN	8.75	(0.05)	4	8.75	IDIV	10.30	0.02	118	10.29	HSI28C2505B	0.16	-	2,417	0.17
IMPACT	9.75	-	1,445	9.71	ABFTH	-	-	-	-	HSI28C2505C	0.07	-	12,835	0.07
INETREIT	8.75	-	2,486	8.75	BMSCG	-	-	-	-	HSI28C2505D	0.23	0.01	2,934	0.24
ISSARA	8.60	(0.05)	1	8.60	BMSCITH	8.75	-	154	8.77	HSI28C2505E	0.48	(0.52)	16,666	0.48
KPNREIT	-	-	-	-	BSET100	8.10	0.01	107	8.11	HSI28C2505F	0.51	0.03	427,013	0.52
KTBSTMR	6.10	0.05	182	6.05	CHINA	5.95	(0.02)	462	5.96	HSI28C2506A	0.21	0.01	16,796	0.21
LHHOTEL	14.00	(0.10)	3,756	14.05	ENGY	4.18	(0.02)	32	4.17	HSI28C2506C	0.33	0.02	30,224	0.34
LHRREIT	4.62	-	1,056	4.62	GLD	4.13	0.02	3,389	4.12	HSI28C2507A	0.28	-	62,366	0.29
LHSC	12.10</													

## Main Board Quotation

Issue Date :

Thursday March 27, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28P2506A	0.07	(0.01)	102	0.07	SET5006P2506E	0.26	-	138,100	0.25	SET5041C2506E	0.17	(0.02)	46,026	0.19
HSI28P2506B	0.10	(0.02)	1,000	0.10	SET5006P2506F	0.17	(0.01)	104,883	0.16	SET5041C2506F	0.26	(0.02)	433,283	0.28
HSI28P2506C	0.12	(0.02)	12,000	0.12	SET5006P2509A	0.37	0.01	151,146	0.35	SET5041C2506G	0.43	(0.03)	539,790	0.44
HSI28P2506D	-	-	-	-	SET5013C2503A	-	-	-	-	SET5041C2506T	-	-	-	-
HSI28P2506E	-	-	-	-	SET5013C2503B	0.01	-	70	0.01	SET5041C2509T	0.09	-	1,017	0.09
HSI28P2506F	0.41	(0.04)	40	0.40	SET5013C2503C	-	-	-	-	SET5041C2509U	0.40	(0.01)	30,395	0.41
HSI28P2507A	0.35	(0.03)	21,243	0.34	SET5013C2503E	-	-	-	-	SET5041P2503A	0.34	(0.22)	2	0.42
HSI28P2508A	0.37	(0.63)	2,040	0.37	SET5013C2503F	-	-	-	-	SET5041P2503B	-	-	-	-
HSTECH28C2503A	0.01	(0.02)	5	0.01	SET5013C2503G	-	-	-	-	SET5041P2503C	-	-	-	-
HSTECH28C2506A	1.30	0.08	7	1.31	SET5013C2503H	0.01	-	147,363	0.01	SET5041P2503D	-	-	-	-
HSTECH28C2506B	0.33	0.02	213	0.35	SET5013C2503I	-	-	-	-	SET5041P2503E	-	-	-	-
HSTECH28C2506C	0.61	(0.39)	2,612	0.61	SET5013C2503J	-	-	-	-	SET5041P2503F	-	-	-	-
HSTECH28P2503A	-	-	-	-	SET5013C2503K	-	-	-	-	SET5041P2506A	2.30	(0.04)	120	2.33
HSTECH28P2506A	-	-	-	-	SET5013C2503L	0.01	-	6,497	0.01	SET5041P2506B	0.68	(0.05)	12,040	0.70
HSTECH28P2506B	-	-	-	-	SET5013C2503M	-	-	-	-	SET5041P2506C	0.37	-	1,915,142	0.36
HSTECH28P2506C	0.58	(0.01)	2,288	0.55	SET5013C2503N	-	-	-	-	SET5041P2506D	0.23	-	401,162	0.22
JD41C2506A	0.43	0.01	5,413	0.44	SET5013C2503T	-	-	-	-	SET5041P2506T	1.50	0.02	322	1.49
KUAI5H41C2506A	1.02	0.04	37	1.03	SET5013C2506A	0.01	-	10	0.01	SET5041P2509T	0.36	0.01	606,070	0.34
KUAI5H41C2506B	0.17	0.01	537	0.18	SET5013C2506B	0.01	(0.01)	223,799	0.01	SPX28C2506A	-	-	-	-
MCA5041C2506A	0.23	-	5	0.23	SET5013C2506C	0.02	-	64,785	0.02	SPX28C2506B	-	-	-	-
MCA5041P2506A	0.29	(0.01)	1	0.29	SET5013C2506E	0.02	-	1,007	0.02	SPX28C2506C	-	-	-	-
MEITUA28C2503A	0.02	(0.05)	1,438	0.07	SET5013C2506E	0.02	-	79,569	0.02	SPX28P2506A	0.36	0.03	600	0.35
MEITUA28C2504A	-	-	-	-	SET5013C2506F	0.03	-	19,660	0.03	SPX28P2506B	-	-	-	-
MEITUA28C2507A	0.17	0.01	2,787	0.17	SET5013C2506G	0.05	-	40,487	0.05	SPX41C2506A	-	-	-	-
MEITUA28P2503A	-	-	-	-	SET5013C2506H	0.08	(0.02)	34,087	0.09	SPX41C2506B	0.22	(0.06)	515	0.23
MEITUA28P2504B	0.16	(0.03)	1,000	0.16	SET5013C2506I	0.14	(0.01)	290,774	0.15	SPX41C2506C	-	-	-	-
MEITUA41C2504A	0.07	(0.03)	40,104	0.07	SET5013C2506J	0.24	(0.02)	363,333	0.25	SPX41C2509T	2.34	(0.12)	2	2.34
MEITUA41C2506A	0.20	0.02	110	0.20	SET5013C2506K	0.36	(0.02)	2,267,581	0.38	SPX41P2506A	0.41	0.03	2,013	0.41
MEITUA41P2503A	-	-	-	-	SET5013P2506L	0.59	(0.04)	1,465,743	0.62	SPX41P2509T	2.84	0.14	11	2.82
NDX28C2506A	0.11	(0.05)	6,020	0.11	SET5013C2506N	0.81	(0.05)	70,147	0.84	TENCEN28C2503A	-	-	-	-
NDX28C2506B	0.58	(0.19)	15	0.59	SET5013C2506N	0.38	(0.03)	500,447	0.40	TENCEN28C2508A	1.10	0.08	3	1.10
NDX28C2506C	0.29	(0.09)	1,396	0.30	SET5013C2506T	0.01	-	2,155	0.01	TENCEN28C2509A	0.42	0.01	24,555	0.43
NDX28C2509A	0.80	(0.14)	100	0.80	SET5013P2503A	2.02	-	51	2.02	TENCEN28P2503A	-	-	-	-
NDX28P2506A	0.38	0.02	299	0.38	SET5013P2503B	4.56	(0.20)	1	4.56	TENCEN28P2509A	0.31	-	3,001	0.30
NDX28P2509A	0.46	0.03	700	0.46	SET5013P2503C	-	-	-	-	TENCEN41C2504A	-	-	-	-
NDX41C2506A	0.08	(0.03)	15	0.08	SET5013P2503D	1.81	0.08	3	1.71	TENCEN41C2504B	0.12	0.02	33,760	0.13
NDX41C2506B	0.23	(0.07)	7	0.23	SET5013P2503E	2.82	(0.26)	42	2.78	TENCEN41C2505A	0.16	-	64	0.17
NDX41C2506C	0.61	(0.14)	89	0.61	SET5013P2503F	0.27	(1.48)	62	0.29	TENCEN41C2506A	1.10	0.03	52	1.11
NDX41C2509T	2.08	(0.22)	4	2.08	SET5013P2503T	0.12	(0.19)	550	0.15	TENCEN41P2506A	0.26	(0.01)	8	0.26
NDX41P2506A	0.52	0.07	14,090	0.52	SET5013P2506A	1.30	0.03	21,354	1.28	TRIPDC41C2506A	0.61	0.05	2,561	0.63
NDX41P2509T	3.18	0.24	152	3.18	SET5013P2506B	0.78	(0.04)	2,056	0.81	XIAOMI28C2504A	3.82	(0.34)	1	3.82
NIKKEI28C2506A	0.33	(0.04)	120	0.33	SET5013P2506C	2.26	(0.40)	10	2.26	XIAOMI28C2508A	1.51	(0.17)	13	1.52
NIKKEI28C2506B	0.16	(0.02)	1,000	0.16	SET5013P2506D	1.13	-	109	1.06	XIAOMI28C2509A	0.60	(0.10)	11,916	0.62
NIKKEI28C2506C	-	-	-	-	SET5013P2506E	0.51	(0.09)	6,088	0.46	XIAOMI28P2505A	0.02	-	2,369	0.02
NIKKEI28P2506A	-	-	-	-	SET5013P2506F	0.34	-	1,559,122	0.34	XIAOMI28P2509A	0.10	0.01	985	0.10
NIKKEI28P2506B	0.23	0.02	200	0.23	SET5013P2506G	0.19	-	1,185,225	0.19	XIAOMI41C2503A	-	-	-	-
NIKKEI28P2506C	-	-	-	-	SET5013P2506H	0.47	0.01	497,151	0.46	XIAOMI41C2504A	1.92	(0.10)	1	1.92
NIKKEI41C2506A	0.16	(0.03)	93	0.16	SET5013P2506I	0.13	-	150,143	0.13	XIAOMI41C2506A	1.12	(0.18)	64	1.14
NIKKEI41C2506B	-	-	-	-	SET5013P2506J	0.23	-	571,581	0.23	XIAOMI41C2506B	0.29	(0.06)	149	0.31
NIKKEI41C2509A	0.44	(0.02)	900	0.44	SET5013P2506K	0.33	0.01	399,867	0.33	XIAOMI41C2507A	0.22	(0.06)	2,844	0.25
NIKKEI41C2509B	-	-	-	-	SET5013P2506L	0.49	-	1,168,349	0.49	XIAOMI41P2506A	0.34	0.06	997	0.34
NIKKEI41C2509C	0.66	(0.05)	521	0.65	SET5013P2506M	0.69	(0.31)	360,917	0.68		0	-	-	-
NIKKEI41P2506A	0.21	0.01	20	0.21	SET5013P2506T	2.48	0.06	1,388	2.38		0	-	-	-
NIKKEI41P2506B	-	-	-	-	SET5019C2503A	-	-	-	-		0	-	-	-
NIKKEI41P2509A	-	-	-	-	SET5019C2503B	-	-	-	-		0	-	-	-
NIKKEI41P2509B	-	-	-	-	SET5019C2503C	-	-	-	-		0	-	-	-
NIKKEI41P2509C	0.49	0.04	218	0.49	SET5019C2503D	-	-	-	-		0	-	-	-
NTES41C2506A	0.25	0.01	12	0.25	SET5019C2503E	-	-	-	-		0	-	-	-
PINGAN41C2504A	0.14	-	25	0.15	SET5019C2503F	-	-	-	-		0	-	-	-
POPMA41C2503A	3.16	0.82	1	3.16	SET5019C2503G	-	-	-	-		0	-	-	-
POPMA41C2506A	0.88	0.21	7,487	0.90	SET5019C2503H	-	-	-	-		0	-	-	-
SET01C2505A	0.02	-	52	0.02	SET5019C2506A	0.01	-	40	0.01		0	-	-	-
SET01C2506A	0.02	-	5,193	0.02	SET5019C2506B	-	-	-	-		0	-	-	-
SET01C2506B	0.06	(0.01)	1,710	0.07	SET5019C2506C	-	-	-	-		0	-	-	-
SET01C2507A	0.39	(0.02)	14,988	0.40	SET5019C2506D	-	-	-	-		0	-	-	-
SET01P2505A	2.54	(0.08)	7	2.55	SET5019C2506E	-	-	-	-		0	-	-	-
SET01P2506A	0.84	(0.02)	4,326	0.83	SET5019C2506F	0.09	0.02	10	0.09		0	-	-	-
SET01P2507A	0.54	-	4,581	0.53	SET5019C2506G	-	-	-	-		0	-	-	-
SET5001C2503F	0.02	(0.01)	1	0.02	SET5019C2506H	0.09	(0.03)	35	0.09		0	-	-	-
SET5001C2505A	0.02	0.01	11	0.01	SET5019C2506I	-	-	-	-		0	-	-	-
SET5001C2506A	0.02	(0.02)	318	0.02	SET5019C2506J	0.18	(0.02)	1,326	0.20		0	-	-	-
SET5001C2506F	0.01	-	5,327	0.01	SET5019C2506K	0.31	(0.02)	177,524	0.32		0	-	-	-
SET5001C2506G	0.06	(0.01)	118	0.06	SET5019C2506L	0.36	(0.02)	157,826	0.38		0	-	-	-
SET5001C2507A	0.29	(0.01)	40,222	0.30	SET5019C2506M	0.52	(0.03)	147,186	0.54		0	-	-	-
SET5001C2509F	0.50	(0.02)	57,670	0.52	SET5019P2503A	-	-	-	-		0	-	-	-
SET5001P2503F	0.31	(0.14)	117	0.33	SET5019P2503B	-	-	-	-		0	-	-	-
SET5001P2505A	2.04	(0.14)	1	2.04	SET5019P2503C	2.18	-	12	2.18		0	-	-	-
SET5001P2506A	0.86	(0.03)	105	0.89	SET5019P2506A	1.91	(0.23)	1	1.91		0	-	-	-
SET5001P2506F	2.14	0.02	17	2.13	SET5019P2506B	-	-	-	-		0	-	-	-
SET5001P2506G	-	-	-	-	SET5019P2506C	1.96	(0.12)	40	1.96		0	-	-	-
SET5001P2507A	0.25	(0.03)	8,010	0.25	SET5019P2506D	-	-	-	-		0	-	-	-
SET5001P2509F	0.88	0.07	2	0.88	SET5019P2506E	0.98	0.04	1	0.98		0	-	-	-
SET5006C2503A	0.01	-	862	0.01	SET5019P2506F	0.76	(0.06)	63	0.78		0	-	-	-
SET5006C2503B	-	-	-	-	SET5019P2506G	0.56	(0.03)	41	0.56		0	-	-	-
SET5006C2503C	-	-	-	-	SET5019P2506H	0.42	0.01	172,417	0.41		0	-	-	-
SET5006C2503D	-	-	-	-	SET5019P2506I	0.59	0.01	149,535	0.58		0	-	-	-
SET5006C2503E	0.01	(0.01)	700	0.01	SET5019P2506J	0.30	-	204,968	0.30		0	-	-	-
SET5006C2503F	-	-	-	-	SET5019P2506K	0.61	(0.39)	220,461	0.60		0	-	-	-
SET5006C2503G	0.01	-	2	0.01	SET5028C2503A	-	-	-	-		0	-	-	-





## Main Board Quotation

Issue Date :

Thursday March 27, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Agro & Food Indust			-		UBIS	1.29	-	23	00 1.2	LEO	2.24	(0.02)	218	00 2.2
APO	1.59	0.02	5,878	00 1.5	UEC	0.74	(0.01)	678	00 0.7	MCA	1.32	0.02	60,982	00 1.3
AU	9.95	0.30	29,401	00 9.9	UKEM	0.50	(0.02)	15,409	00 0.5	MEB	22.30	0.10	1,320	00 22.2
CFARM	0.82	(0.04)	34,748	00 0.8	UREKA	0.81	-	11,509	00 0.8	MORE	0.02	(0.01)	20,953	00 0.0
JCKH	0.23	(0.05)	7,147	00 0.2	YUASA	10.40	0.10	113	00 10.3	MOTHER	0.89	-	17,392	00 0.8
KASET	0.73	0.17	40,560	00 0.6	ZIGA	0.97	(0.04)	14,596	00 0.9	MPJ	3.30	(0.02)	1,223	00 3.2
MAGURO	17.40	(0.30)	5,472	00 17.5	ZIGA-W2	0.10	-	7,065	00 0.1	MVP	0.55	(0.06)	48,849	00 0.5
MUD	1.20	-	922	00 1.1	Property			-		NCL	0.21	(0.01)	1,208	00 0.2
NTSC	5.70	0.05	48	00 5.6	24CS	1.39	0.14	190,139	00 1.4	NCP	1.03	-	5,638	00 1.0
TACC	4.58	-	10,257	00 4.5	24CS-W1	0.12	0.02	366,990	00 0.1	NEWS	0.01	-	24,827	00 0.0
TMILL	1.83	(0.05)	2,210	00 1.8	24CS-W2	0.16	0.04	181,890	00 0.1	PEER	0.13	(0.01)	28,941	00 0.1
WINNER	2.00	0.01	56	00 1.9	ARIN	0.48	(0.01)	21,407	00 0.4	PEER-W2	0.03	-	271	00 0.0
XO	15.70	(0.70)	8,779	00 15.8	ARROW	5.10	(0.05)	660	00 5.1	PICO	-	-	-	00 0.0
Consumer Products			-		BC	1.02	0.01	1,517	00 1.0	PLT	0.60	0.01	20,041	00 0.6
ALPHAX	0.41	(0.02)	34,178	00 0.4	BC-W2	0.02	-	19	00 0.0	QLT	3.06	(0.04)	380	00 3.0
BGT	0.42	(0.03)	2,387	00 0.4	BLESS	0.20	(0.02)	5,675	00 0.2	RP	0.88	0.01	388	00 0.8
DOD	1.29	0.02	13,165	00 1.3	BSM	0.98	(0.12)	703	00 1.0	SONIC	1.63	(0.01)	34,747	00 1.6
ECF	0.19	-	1,416	00 0.1	BTW	0.19	-	8,951	00 0.1	THMUI	0.36	-	1,593	00 0.3
ECF-W5	0.02	-	1,007	00 0.0	CAZ	1.70	(0.01)	112	00 1.7	TNDT	0.18	-	14	00 0.1
EFORL	0.17	0.01	12,270	00 0.1	CHEWA	0.27	-	44	00 0.2	TNDT-W1	-	-	-	00 0.0
EFORL-W6	-	-	-	00 0.0	CPANEL	3.36	0.02	106	00 3.3	TNH	32.50	-	3	00 32.5
EURO	4.48	-	321	00 4.4	CPANEL-W1	0.10	-	7,204	00 0.1	TNP	2.70	-	2,166	00 2.7
HPT	0.43	(0.01)	3,217	00 0.4	CRD	0.34	(0.01)	97	00 0.3	TPL	0.50	(0.03)	18,616	00 0.5
ITTHI	1.60	(0.03)	162	00 1.6	DHOUSE	0.58	(0.02)	10,098	00 0.6	TRP	6.25	(0.10)	9,171	00 6.2
JSP	1.64	(0.01)	734	00 1.6	DIMET	0.10	(0.02)	4,784	00 0.1	TURTLE	5.20	(1.20)	1	00 5.2
JSP-W2	0.03	(0.01)	48,371	00 0.0	DPAIN	0.79	(0.02)	18,392	00 0.8	TVDH	0.16	-	11,344	00 0.1
JUBILE	8.15	-	12	00 8.1	FLOYD	0.94	0.03	5,111	00 0.9	TVDH-W3	-	-	-	00 0.0
LTS	7.10	(0.25)	24,233	00 7.0	HYDRO	1.38	(0.02)	19	00 1.3	TVT	0.27	(0.01)	201	00 0.2
MGI	10.90	(0.10)	2,804	00 11.0	HYDRO-W2	0.12	-	5	00 0.0	UBA	0.95	-	2,472	00 0.9
MGI-W1	2.52	(0.02)	1,107	00 2.5	IND	0.84	(0.02)	763	00 0.8	VL	0.90	-	709	00 0.9
MOONG	1.91	(0.02)	741	00 1.9	JAK	1.08	(0.07)	16	00 1.1	VS	0.40	0.02	57	00 0.3
NPK	10.00	-	4	00 10.0	K	1.49	(0.01)	71,725	00 1.4	YGG	0.54	(0.04)	50,598	00 0.5
SEI	3.14	(0.10)	726	00 3.1	K-W3	0.19	(0.03)	1,145	00 0.2	Technology			-	
SMD100	4.02	(0.08)	668	00 4.0	META	0.08	(0.01)	3,569	00 0.0	APP	1.82	0.03	1,368	00 1.8
TM	0.58	(0.03)	7,433	00 0.5	PANEL	1.19	0.01	3,970	00 1.1	BRIK	29.75	(0.25)	1,185	00 29.7
TM-W1	0.02	-	1,664	00 0.0	PPS	0.18	0.01	2,575	00 0.1	BE8	11.10	(0.50)	8,207	00 11.2
WARRIX	3.64	(0.04)	2,399	00 3.6	PRI	6.35	(0.20)	836	00 6.3	BE8-W1	0.79	0.08	40	00 0.7
WINMED	1.29	-	327	00 1.2	PROS	0.92	(0.01)	43,736	00 0.9	BVG	2.04	(0.04)	1,644	00 2.0
Financials			-		PROS-W1	0.07	-	15,352	00 0.0	COMAN	0.59	-	7	00 0.5
ACAP	-	-	-	00 0.0	PSG	0.18	0.01	43,503	00 0.1	I2	1.03	(0.01)	475	00 1.0
AF	0.33	-	136	00 0.3	QTCG	0.15	-	18,646	00 0.1	IIG	3.00	0.04	2,091	00 3.0
AIRA	1.25	-	1,400	00 1.2	SENX	0.23	(0.01)	14,937	00 0.2	IRCP	0.41	0.01	5,206	00 0.4
ASN	1.11	0.07	62	00 1.0	SK	0.63	0.01	53,613	00 0.6	ITNS	1.42	-	184	00 1.4
BTC	0.37	0.01	96,294	00 0.3	SMART	0.64	(0.01)	9,195	00 0.6	NAT	3.78	-	978	00 3.7
BTC-W7	0.09	(0.01)	10,459	00 0.0	STC	0.51	-	14,603	00 0.4	NETBAY	19.10	(0.30)	7,453	00 18.9
GCAP	0.21	(0.01)	20,459	00 0.2	STX	1.18	(0.05)	2,954	00 1.1	PIS	4.36	(0.22)	7,085	00 4.4
KCC	1.79	(0.04)	1,392	00 1.8	SVR	0.71	(0.09)	40,351	00 0.7	PLANET	1.86	(0.02)	14,039	00 1.8
LIT	0.46	-	661	00 0.4	TAPAC	-	-	-	00 0.0	PLANET-W2	0.79	(0.04)	1,092	00 0.7
MITSB	0.64	(0.01)	1,110	00 0.6	THANA	1.02	(0.03)	128	00 1.0	PROEN	1.16	(0.10)	121,557	00 1.2
SGF	0.16	-	425	00 0.1	TIGER	0.40	0.01	52	00 0.3	PROEN-W2	0.37	(0.03)	23,459	00 0.3
SGF-P1	-	-	-	00 0.0	TITLE	4.06	(0.06)	1,422	00 4.0	READY	4.50	(0.08)	87	00 4.5
SGF-Q1	-	-	-	00 0.0	WELL	-	-	-	00 0.0	SECURE	11.40	(0.10)	291	00 11.5
TQR	4.96	(0.02)	60	00 4.9	YONG	0.96	(0.04)	17,036	00 0.9	SICT	3.28	-	415	00 3.2
Industrials			-		Resources			-		SIMAT	1.20	(0.03)	3,473	00 1.2
ADB	0.61	-	24,062	00 0.6	ABM	0.85	0.01	1	00 0.8	SIMAT-W3	-	-	-	00 0.0
BM	2.66	0.02	1,245	00 2.6	GTV	0.08	-	54,614	00 0.0	SPVI	1.40	(0.01)	1,968	00 1.3
BM-W3	-	-	-	00 0.0	PSTC	0.47	0.01	19,723	00 0.4	SRS	3.68	0.02	144	00 3.6
BPS	0.57	0.01	303,737	00 0.6	PSTC-W2	-	-	-	00 0.0	TBN	6.65	(0.05)	172	00 6.2
CHO	0.04	0.01	15,474	00 0.0	PSTC-W3	0.11	0.01	5,819	00 0.1	TERA	1.22	(0.03)	774	00 1.2
CHO-W4	-	-	-	00 0.0	PTC	1.00	(0.01)	65	00 1.0	TPS	4.00	-	1,203	00 3.9
CHOW	1.30	0.07	5,799	00 1.3	SAAM	6.30	0.05	1,622	00 6.2	VCOM	2.28	(0.02)	1,514	00 2.2
CIG	0.03	-	8,463	00 0.0	SR	0.50	-	18	00 0.5		-	-	-	-
CIG-W10	-	-	-	00 0.0	STOWER	0.04	-	104	00 0.0		-	-	-	-
CIG-W9	0.02	-	5	00 0.0	TAKUNI	0.40	0.01	83,217	00 0.4		-	-	-	-
COLOR	1.05	-	490	00 1.0	TPCH	3.02	-	2,831	00 3.0		-	-	-	-
CPR	2.84	(0.06)	909	00 2.8	UMS	0.39	-	1	00 0.3		-	-	-	-
FPI	1.66	(0.01)	129	00 1.6	Services			-			-	-	-	-
GTB	0.74	0.01	648	00 0.7	ADD	3.80	(0.06)	931	00 3.8		-	-	-	-
HARN	2.14	-	472	00 2.1	AKP	0.70	0.01	3,661	00 0.6		-	-	-	-
KCM	0.20	-	36	00 0.1	AMA	4.04	-	253	00 4.0		-	-	-	-
KJL	6.65	-	331	00 6.7	AMARC	1.20	(0.01)	2,315	00 1.2		-	-	-	-
KUMWEL	1.11	0.04	74	00 1.1	ARIP	0.41	-	7,243	00 0.4		-	-	-	-
KWM	1.14	0.03	89,499	00 1.1	ATP30	0.88	(0.01)	4,176	00 0.8		-	-	-	-
MBAX	1.70	(0.02)	87	00 1.7	AUCT	7.60	-	1,174	00 7.5		-	-	-	-
MGT	1.75	(0.02)	349	00 1.7	BIS	2.74	0.04	229	00 2.7		-	-	-	-
MTW	1.03	(0.04)	70,361	00 1.0	BOL	5.10	-	394	00 5.1		-	-	-	-
MTW-W1	0.01	(0.01)	117,645	00 0.0	CEYE	2.24	(0.02)	109	00 2.2		-	-	-	-
NDR	1.29	(0.07)	490	00 1.3	CHIC	0.36	-	79	00 0.3		-	-	-	-
PACO	1.41	(0.01)	797	00 1.4	CMO	0.60	0.01	2,897	00 0.5		-	-	-	-
PACO-W1	0.03	-	1,079	00 0.0	D	2.24	(0.02)	1,445	00 2.2		-	-	-	-
PDG	2.70	-	28	00 2.6	DEXON	1.38	(0.02)	304	00 1.3		-	-	-	-
PHOL	2.86	-	2,314	00 2.8	DV8	0.38	-	951	00 0.3		-	-	-	-
PIMO	1.30	0.05	28,451	00 1.3	DV8-W2	0.08</								