

Main Board Quotation

Issue Date :

Friday March 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	DCON-W3	-	-	-	-	BIG	0.29	(0.01)	8,542	0.29
Agribusiness	-	-	-	-	DRT	7.10	(0.05)	2,626	7.16	B3C	22.30	1.10	60,781	21.97
EE	0.39	-	52,179	0.40	EPG	2.98	(0.06)	19,192	2.99	B3C13C2505A	-	-	-	-
GFPT	8.70	0.20	33,969	8.71	GEL	0.04	-	1,139	0.04	B3C41C2606T	0.26	0.02	151,552	0.26
LEE	2.28	-	109	2.26	GEL-W5	-	-	-	-	COM7	19.90	0.10	42,294	19.96
NER	4.74	(0.10)	101,265	4.78	PPP	1.10	(0.01)	5	1.10	COM701C2506A	0.11	0.01	27,537	0.12
NER-W2	0.31	(0.01)	6,505	0.31	Q-CON	8.05	(0.20)	3,522	8.10	COM701C2508A	0.41	0.02	15,878	0.41
PCE	2.92	(0.02)	12,789	2.92	SCC	153.50	(4.50)	15,116	155.33	COM713C2504A	-	-	-	-
PPPM	0.38	(0.02)	1,621	0.39	SCC01C2505A	-	-	-	-	COM713C2505A	-	-	-	-
PPPM-W6	0.24	(0.02)	1	0.24	SCC01C2505B	-	-	-	-	COM713C2506A	0.10	0.01	905	0.10
STA	14.80	(0.40)	42,335	14.91	SCC01C2507A	-	-	-	-	COM713C2507A	0.22	-	18,337	0.23
STA01C2504A	-	-	-	-	SCC01C2508A	0.52	(0.02)	1,090	0.52	COM719C2505A	-	-	-	-
STA01C2506A	0.09	(0.01)	121	0.09	SCC01C2508B	0.58	(0.09)	41,415	0.62	COM719C2507A	0.23	0.01	9,386	0.23
STA13C2505A	-	-	-	-	SCC01P2507A	0.40	0.05	32,717	0.38	COM719P2508A	0.46	(0.01)	13,985	0.45
STA13C2506A	0.13	(0.03)	9,093	0.14	SCC13C2504A	0.01	-	564	0.01	COM741C2505A	-	-	-	-
STA19C2504A	-	-	-	-	SCC13C2504B	0.01	(0.01)	11,859	0.01	COM741C2606T	0.22	0.01	10,000	0.22
STA19C2505A	-	-	-	-	SCC13C2505A	0.02	-	4,051	0.01	COM741C2609T	0.37	0.02	19,000	0.36
STA19C2506A	0.11	(0.02)	1,088	0.12	SCC13C2505B	0.05	(0.03)	21,218	0.06	CPALL	50.00	-	152,950	49.89
STA41C2505A	-	-	-	-	SCC13C2507A	0.37	(0.09)	182,183	0.40	CPALL01C2504A	-	-	-	-
STA41C2612T	0.34	(0.02)	21,200	0.35	SCC13P2504A	0.03	0.01	1	0.03	CPALL01C2505A	-	-	-	-
TEGH	3.00	(0.02)	1,836	3.01	SCC13P2505A	0.15	0.02	6,898	0.14	CPALL01C2507A	0.26	(0.02)	19,333	0.26
TFM	8.75	(0.10)	391	8.78	SCC13P2508A	0.72	0.09	54,300	0.67	CPALL01P2505A	0.26	0.02	21	0.26
TRUBB	0.73	(0.01)	6,891	0.74	SCC19C2504A	-	-	-	-	CPALL01P2507A	0.40	0.02	6,124	0.39
UPOIC	6.35	-	14	6.35	SCC19C2505A	0.01	-	5	0.01	CPALL06C2504A	-	-	-	-
UVAN	9.15	(0.10)	1,124	9.20	SCC19C2505B	0.01	(0.01)	5,400	0.01	CPALL13C2504A	-	-	-	-
VPO	0.49	-	6,708	0.50	SCC19C2506A	0.10	(0.04)	33,441	0.11	CPALL13C2505A	-	-	-	-
Banking	-	-	-	-	SCC19C2507A	0.47	(0.10)	11,495	0.51	CPALL13C2505B	-	-	-	-
BAY	22.80	(0.10)	222	22.81	SCC19P2505A	0.29	0.06	51,966	0.26	CPALL13C2506A	0.07	-	1,000	0.07
BBL	150.00	-	38,333	150.12	SCC19P2508A	0.85	0.08	30,683	0.81	CPALL13C2506B	0.16	(0.01)	25,638	0.16
BBL13C2504A	-	-	-	-	SCC41C2504A	-	-	-	-	CPALL13P2504A	-	-	-	-
BBL13C2507A	0.14	-	38,884	0.14	SCC41C2505A	-	-	-	-	CPALL13P2505A	0.11	-	8,351	0.11
BBL13C2508A	0.34	(0.01)	47,145	0.34	SCC41C2608T	0.43	(0.04)	32,729	0.45	CPALL13P2506A	0.16	-	13,926	0.16
BBL19C2506A	0.06	-	3,000	0.06	SCC41P2508A	-	-	-	-	CPALL19C2504A	-	-	-	-
BBL19C2508A	0.28	-	21,081	0.27	SCCC	156.00	(0.50)	473	156.09	CPALL19C2505A	-	-	-	-
BBL41C2504A	-	-	-	-	SCGD	4.14	(0.06)	3,210	4.14	CPALL19C2505B	-	-	-	-
BBL41C2506A	-	-	-	-	SCP	6.20	-	31	6.22	CPALL19C2506A	-	-	-	-
BBL41C2609T	0.37	-	16,000	0.37	SKN	5.60	0.05	293	5.51	CPALL19C2506B	0.09	(0.01)	2,406	0.09
CIMBT	0.61	(0.06)	39,403	0.62	STECH	1.00	-	224	1.00	CPALL19C2508A	0.26	-	21,341	0.26
CREDIT	19.60	-	89	19.86	TASCO	14.50	(0.20)	8,264	14.50	CPALL19P2505A	0.15	-	8,741	0.15
KBANK	164.00	(0.50)	34,360	164.28	TASCO19C2507A	0.12	-	2,088	0.11	CPALL19P2505B	-	-	-	-
KBANK01C2506A	0.29	-	5,122	0.29	TOA	11.10	(0.50)	39,430	11.23	CPALL41C2504A	-	-	-	-
KBANK01C2508A	0.92	0.02	114	0.94	TP1PL	0.98	(0.03)	41,258	0.99	CPALL41C2505A	-	-	-	-
KBANK01P2507A	0.37	-	7,837	0.37	UMI	0.70	-	7,881	0.68	CPALL41C2506A	-	-	-	-
KBANK13C2505A	-	-	-	-	VNG	2.36	(0.08)	640	2.36	CPALL41C2605T	0.14	(0.01)	24,000	0.14
KBANK13C2507A	0.48	(0.01)	24,323	0.48	WIJK	0.89	-	166	0.89	CPALL41P2504A	-	-	-	-
KBANK13P2504A	-	-	-	-	WIJK-W3	0.02	-	1,200	0.02	CPALL41P2508A	-	-	-	-
KBANK13P2507A	0.26	-	9,747	0.26	WINDOW	0.78	-	15,116	0.80	CPAXT	26.50	(0.25)	11,673	26.50
KBANK19C2504A	-	-	-	-	Petrochemicals &	-	-	-	-	CPW	2.00	(0.02)	54	1.99
KBANK19C2505A	-	-	-	-	BCT	57.00	(1.75)	24	56.49	CRC	25.50	(0.25)	72,919	25.38
KBANK19C2507A	0.25	(0.02)	4,507	0.25	CMAN	2.32	(0.02)	105	2.32	CRC01C2506A	-	-	-	-
KBANK19C2507B	0.42	(0.02)	3,021	0.42	GC	4.98	-	762	4.97	CRC13C2506A	-	-	-	-
KBANK41C2505A	-	-	-	-	GGC	4.96	-	446	4.99	CRC13C2508A	0.12	(0.01)	13,415	0.12
KBANK41C2604T	0.81	(0.01)	20,000	0.82	IVL	19.90	(0.70)	134,446	19.99	CRC19C2506A	-	-	-	-
KBANK41C2609T	0.44	-	24	0.44	IVL01C2504A	0.01	(0.01)	150,003	0.01	CRC19C2508A	0.13	(0.01)	65,353	0.14
KBANK41P2606T	0.36	-	5	0.36	IVL01C2506A	0.05	(0.02)	10,020	0.05	CRC41C2608T	0.12	-	34,000	0.12
KKP	56.75	(0.25)	2,800	56.67	IVL01C2507A	0.33	(0.04)	804	0.32	CSS	0.83	0.01	2,602	0.83
KKP-W6	1.22	-	348	1.21	IVL01P2504A	0.15	(0.01)	50	0.15	DOHOME	5.55	(0.20)	136,673	5.51
KKP13C2504A	-	-	-	-	IVL01P2506A	0.69	0.07	2,611	0.68	DOHOME01C2507A	0.11	(0.03)	57,177	0.11
KKP19C2507A	0.32	(0.01)	759	0.32	IVL13C2504A	-	-	-	-	DOHOME13C2505A	-	-	-	-
KTB	24.50	0.10	178,502	24.47	IVL13C2505A	0.02	(0.01)	40	0.02	DOHOME13C2506A	0.03	(0.03)	1,922	0.03
KTB-P	-	-	-	-	IVL13C2507A	0.18	(0.03)	25,302	0.19	DOHOME19C2504A	0.01	(0.01)	1,000	0.01
KTB-Q	-	-	-	-	IVL13P2504A	-	-	-	-	DOHOME19C2506A	-	-	-	-
KTB01C2506A	0.37	-	11,666	0.37	IVL13P2508A	0.52	0.06	38,497	0.51	DOHOME19C2506B	-	-	-	-
KTB13C2505A	0.24	0.01	29,308	0.23	IVL19C2505A	-	-	-	-	FN	0.57	-	70	0.57
KTB13C2507A	0.25	-	5,013	0.25	IVL19C2506A	-	-	-	-	GLOBAL	6.95	0.05	65,965	6.77
KTB13P2507A	0.22	(0.02)	5,930	0.22	IVL19C2507A	0.22	(0.04)	34,656	0.23	GLOBAL01C2507A	0.11	(0.01)	24,721	0.10
KTB19C2505A	0.21	-	9,618	0.20	IVL19P2508A	0.55	0.07	40,251	0.54	GLOBAL13C2504A	-	-	-	-
KTB19C2506A	0.18	0.01	6,298	0.18	IVL41C2505A	-	-	-	-	GLOBAL13C2506A	-	-	-	-
KTB41C2506A	0.24	-	4,000	0.24	IVL41C2605T	0.18	(0.02)	30,200	0.18	GLOBAL13C2507A	0.12	-	21,624	0.11
LHFG	0.79	0.01	527	0.78	IVL41P2605T	-	-	-	-	GLOBAL19C2507A	0.15	-	20,354	0.14
SCB	125.50	(0.50)	43,653	125.66	NFC	1.39	(0.02)	11	1.33	GLOBAL41C2606T	0.12	-	60	0.12
SCB01C2505A	0.13	(0.01)	18,408	0.13	PATO	7.70	-	28	7.68	HMPRO	8.35	0.15	295,174	8.24
SCB01C2507A	0.29	-	12,731	0.29	PMTA	7.85	(0.25)	56	7.99	HMPRO01C2504A	-	-	-	-
SCB01P2507A	0.42	-	6,488	0.42	PTTGC	17.60	(0.40)	214,459	17.60	HMPRO01C2507A	0.08	-	3,111	0.07
SCB13C2505A	0.09	(0.01)	14,192	0.10	PTTGC01C2504A	-	-	-	-	HMPRO13C2504A	-	-	-	-
SCB13C2508A	0.29	(0.01)	41,268	0.29	PTTGC01C2505A	-	-	-	-	HMPRO13C2506A	0.07	0.01	2,000	0.07
SCB13P2507A	0.22	(0.01)	22,660	0.22	PTTGC01C2506A	0.07	(0.01)	100	0.07	HMPRO13C2508A	0.34	0.01	70,908	0.33
SCB19C2504A	-	-	-	-	PTTGC01C2507A	0.19	(0.02)	40,892	0.19	HMPRO19C2506A	0.08	-	8,351	0.06
SCB19C2507A	0.19	-	18,368	0.20	PTTGC01P2506A	0.59	0.02	1,900	0.58	HMPRO19C2508A	0.42	0.03	8,649	0.40
SCB41C2505A	-	-	-	-	PTTGC13C2504A	-	-	-	-	HMPRO41C2606T	0.14	-	21,046	0.14
SCB41C2609T	0.35	-	4,000	0.35	PTTGC13C2505A	-	-	-	-	ICC	-	-	-	-
SCB41P2504A	-	-	-	-	PTTGC13C2506A	0.05	(0.01)	2,400	0.05	ILM	13.90	(0.10)	329	14.00
TCAP	50.75	-	9,103	50.73	PTTGC13C2507A	0.17	(0.03)	89,515	0.18	IT	3.60	(0.06)	526	3.58
TCAP-P	-	-	-	-	PTTGC13C2507E	0.37	(0.05)	112,197	0.37	KAMART	8.40	(0.10)	7,292	8.49
TCAP-Q	-	-	-	-	PTTGC13P2506A	0.41	0.04	29,449	0.41	LOXLEY	1.12	(0.01)	1,315	1.13
TCAP13C2508A	0.32	-	15,334	0.32	PTTGC19C2504A	-	-	-	-	MC	9.95	(0.05)	11,044	9.93
TCAP19C2504A	-	-	-	-	PTTGC19C2505A	-	-	-	-	MEGA	30.50	(0.50)	3,515	30.78
TISCO	100.00	-	14,112	99.90	PTTGC19C2506A	0.03	(0.01)	230	0.03	MIDA	0.23	(0.01)	766	0.23
TISCO-P	-	-	-	-	PTTGC19C2508A	0.29	(0.03)	101,796	0.30	MOSHI	38.00	(0.50)	722	

Main Board Quotation

Issue Date :

Friday March 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ADVANC01C2506A	0.10	(0.01)	14,598	0.10	CCET19C2507B	0.32	(0.09)	46,769	0.35	Energy & Utilities	-	-	-	-
ADVANC01C2508A	0.34	(0.01)	12,899	0.35	CCET41C2505A	-	-	-	-	ACC	0.38	-	16,310	0.38
ADVANC01P2505A	0.12	-	7,981	0.12	CCET41C2506A	-	-	-	-	ACC-W2	-	-	-	-
ADVANC01P2507A	0.62	-	471	0.62	DELTA	69.00	(3.25)	129,549	70.03	ACE	1.28	0.01	3,466	1.28
ADVANC13C2505A	-	-	-	-	DELTA01C2505A	-	-	-	-	AE	0.09	(0.01)	43,005	0.10
ADVANC13C2507A	0.24	(0.02)	13,278	0.24	DELTA01C2506A	0.02	-	672	0.02	AGE	0.97	(0.01)	2,014	0.98
ADVANC13P2504A	0.01	(0.01)	10	0.01	DELTA01C2507A	0.84	(0.11)	58,883	0.88	AI	3.38	-	1,302	3.35
ADVANC13P2507A	0.46	0.01	25,192	0.46	DELTA01P2504A	-	-	-	-	AIE	1.29	(0.05)	17,829	1.32
ADVANC19C2505A	-	-	-	-	DELTA06C2504A	-	-	-	-	BAFS	8.20	-	655	8.16
ADVANC19C2506A	-	-	-	-	DELTA11C2507A	0.36	(0.05)	8,773	0.37	BANPU	4.20	(0.06)	196,701	4.22
ADVANC19C2507A	0.24	(0.02)	8,336	0.25	DELTA13C2505A	-	-	-	-	BANPU01C2504A	-	-	-	-
ADVANC19P2504A	-	-	-	-	DELTA13C2506A	0.01	-	7,259	0.01	BANPU01C2506A	-	-	-	-
ADVANC19P2508A	0.41	(0.59)	556	0.41	DELTA13C2506E	0.01	-	1,144	0.01	BANPU01C2507A	0.15	(0.02)	12,886	0.16
ADVANC41C2505A	0.01	(0.07)	3	0.01	DELTA13C2507A	0.20	(0.05)	82,188	0.22	BANPU01C2508A	0.34	(0.03)	23,370	0.35
ADVANC41C2606T	0.28	(0.01)	12,502	0.28	DELTA13C2507E	0.09	(0.02)	25,786	0.10	BANPU13C2504A	-	-	-	-
ADVANC41P2504A	-	-	-	-	DELTA13C2507C	0.41	(0.09)	217,233	0.44	BANPU13C2505A	-	-	-	-
ADVANC41P2508A	-	-	-	-	DELTA13P2505A	-	-	-	-	BANPU13C2506A	-	-	-	-
AIT	4.60	(0.10)	20,807	4.66	DELTA13P2505E	-	-	-	-	BANPU13C2506B	0.08	(0.02)	2,396	0.08
ALT	0.79	(0.01)	6,476	0.83	DELTA13P2506A	-	-	-	-	BANPU13C2507A	0.24	(0.02)	30,400	0.24
AMR	0.62	0.02	85,155	0.66	DELTA13P2507A	0.89	0.09	44,330	0.86	BANPU13P2504A	-	-	-	-
BLISS	-	-	-	-	DELTA13P2507E	0.37	0.05	76,878	0.35	BANPU19C2504A	0.01	-	500	0.01
DIF	7.85	-	22,248	7.89	DELTA19C2506A	0.02	-	6,751	0.02	BANPU19C2506A	-	-	-	-
DITTO	11.30	(0.10)	21,137	11.45	DELTA19C2506E	-	-	-	-	BANPU19C2507A	0.15	(0.02)	12,064	0.15
DITTO-W1	0.10	-	18,266	0.10	DELTA19C2506C	-	-	-	-	BANPU19C2508A	0.33	(0.03)	29,375	0.34
DTCENT	0.89	(0.01)	6,595	0.90	DELTA19C2507A	0.08	(0.02)	3,017	0.09	BANPU41C2505A	-	-	-	-
FORTH	6.80	(0.15)	2,243	6.86	DELTA19C2507E	0.19	(0.04)	8,543	0.19	BANPU41C2605T	0.09	(0.01)	200	0.09
GABLE	3.52	(0.04)	1,816	3.54	DELTA19C2507C	0.49	(0.10)	82,585	0.52	BBGI	3.56	(0.08)	5,977	3.61
HUMAN	8.05	(0.10)	1,273	8.12	DELTA19P2504A	-	-	-	-	BCP	37.75	(0.25)	4,729	37.80
ICN	1.95	(0.01)	998	1.94	DELTA19P2505A	2.48	(0.12)	1,097	2.48	BCP01C2504A	-	-	-	-
ILINK	5.70	(0.20)	12,014	5.70	DELTA19P2506A	1.38	0.08	12,114	1.43	BCP01C2505A	-	-	-	-
INET	4.78	(0.04)	11,666	4.81	DELTA19P2507A	0.79	0.08	89,709	0.76	BCP01C2507A	-	-	-	-
INSET	2.10	(0.04)	23,861	2.11	DELTA41C2505A	-	-	-	-	BCP01P2505A	0.06	(0.01)	3,500	0.06
INTUCH	-	-	-	-	DELTA41C2506A	-	-	-	-	BCP13C2504A	-	-	-	-
ITEL	1.40	(0.01)	11,540	1.40	DELTA41C2507A	0.11	(0.05)	47,583	0.12	BCP13C2505A	-	-	-	-
JAS	1.50	(0.07)	286,718	1.52	DELTA41C2608T	0.28	(0.02)	12,381	0.29	BCP13C2507A	-	-	-	-
JAS-W4	0.32	(0.01)	47,120	0.32	DELTA41C2612T	0.06	(0.01)	99	0.06	BCP13P2505A	-	-	-	-
JAS13C2505A	-	-	-	-	DELTA41P2504A	-	-	-	-	BCP19C2504A	-	-	-	-
JAS13C2507A	0.22	(0.06)	10,124	0.24	DELTA41P2505A	1.66	0.11	3,400	1.62	BCP19C2506A	-	-	-	-
JAS19C2505A	-	-	-	-	DELTA41P2507A	0.27	0.02	24,000	0.27	BCP19C2507A	-	-	-	-
JAS19C2507A	0.17	(0.04)	12,907	0.19	HANA	16.50	(0.50)	56,386	16.60	BCP41C2504A	-	-	-	-
JAS41C2605T	0.12	(0.02)	2,075	0.12	HANA01C2504A	0.01	-	1,000	0.01	BCP41C2505A	-	-	-	-
JMART	9.40	(0.10)	23,452	9.43	HANA01C2504W	0.02	-	42,607	0.01	BCP41C2609T	-	-	-	-
JMART-W5	0.19	(0.02)	502	0.20	HANA01C2505A	0.01	(0.01)	1	0.01	BCPG	6.80	(0.15)	47,556	6.81
JMART13C2504A	-	-	-	-	HANA01C2505B	-	-	-	-	BCPG01C2506A	0.23	(0.03)	8,650	0.23
JMART13C2506A	-	-	-	-	HANA01P2504A	-	-	-	-	BCPG01C2508A	0.42	(0.04)	7,941	0.43
JMART13C2507A	0.15	(0.01)	21,317	0.15	HANA01P2505A	0.79	0.04	9,736	0.77	BCPG01P2506A	0.10	0.02	14,565	0.10
JMART19C2504A	-	-	-	-	HANA06C2504A	-	-	-	-	BCPG13C2504A	-	-	-	-
JMART19C2506A	-	-	-	-	HANA13C2504A	-	-	-	-	BCPG13C2507A	0.18	(0.03)	15,469	0.19
JMART19C2508A	0.20	-	1,069	0.20	HANA13C2504B	-	-	-	-	BCPG13C2507B	-	-	-	-
JMART41C2504A	-	-	-	-	HANA13C2504C	-	-	-	-	BCPG19C2505A	0.22	(0.04)	5,616	0.21
JMART41C2606T	0.17	(0.01)	17,088	0.17	HANA13C2505A	-	-	-	-	BCPG19C2508A	0.22	(0.03)	2,680	0.21
JTS	28.25	(0.25)	1,013	28.15	HANA13C2505B	-	-	-	-	BCPG41C2606T	0.32	(0.02)	2,500	0.32
MFEC	5.95	-	110	5.95	HANA13C2506A	-	-	-	-	BGRIM	10.40	(0.30)	78,653	10.57
MSC	7.90	-	1	7.90	HANA13C2507A	0.08	(0.01)	1,320	0.08	BGRIM01C2504A	-	-	-	-
PT	11.40	(0.20)	1,758	11.45	HANA13C2508A	0.31	(0.05)	106,778	0.32	BGRIM01C2505A	-	-	-	-
ROCTEC	0.57	(0.02)	47,872	0.60	HANA13P2504A	-	-	-	-	BGRIM01C2506A	-	-	-	-
ROCTEC-W3	0.01	-	101	0.01	HANA13P2505A	-	-	-	-	BGRIM01C2507A	0.05	(0.02)	26,699	0.06
ROCTEC-W5	0.03	-	741,020	0.03	HANA13P2507A	0.39	0.01	29,288	0.38	BGRIM01C2508A	0.15	-	4,259	0.15
SAMART	6.95	-	17,525	6.98	HANA19C2504A	0.01	-	1	0.01	BGRIM01P2505A	-	-	-	-
SAMTEL	5.70	0.20	351	5.51	HANA19C2505A	-	-	-	-	BGRIM01P2507A	0.45	0.02	13,465	0.43
SAMTEL-W2	1.10	0.03	368	1.04	HANA19C2505B	-	-	-	-	BGRIM13C2504A	-	-	-	-
SDC	0.04	-	144	0.03	HANA19C2507A	-	-	-	-	BGRIM13C2505A	-	-	-	-
SIS	23.40	0.20	794	23.31	HANA19C2508A	0.30	(0.04)	24,123	0.31	BGRIM13C2505B	-	-	-	-
SKY	16.00	(0.20)	3,664	16.10	HANA19P2504A	-	-	-	-	BGRIM13C2506A	-	-	-	-
SPREME	1.44	-	4,589	1.46	HANA19P2504B	-	-	-	-	BGRIM13C2507A	0.03	-	8,140	0.03
SVOA	1.01	(0.01)	263	1.01	HANA41C2504A	-	-	-	-	BGRIM13C2507B	0.09	(0.02)	24,974	0.10
SYMC	4.94	0.04	1,052	4.93	HANA41C2504B	-	-	-	-	BGRIM13P2505A	-	-	-	-
SYNEX	10.60	(0.20)	2,766	10.71	HANA41C2505A	-	-	-	-	BGRIM13P2506A	-	-	-	-
THCOM	10.40	(0.30)	22,111	10.51	HANA41C2606T	0.11	-	20,200	0.11	BGRIM19C2504A	-	-	-	-
TKC	8.45	(0.15)	264	8.50	KCE	16.80	(0.40)	25,212	16.92	BGRIM19C2505A	-	-	-	-
TRUE	12.00	0.20	394,069	11.83	KCE01C2504A	0.01	(0.01)	2,000	0.01	BGRIM19C2506A	-	-	-	-
TRUE01C2505A	0.12	-	8,480	0.11	KCE01C2504W	0.01	(0.01)	10,069	0.01	BGRIM19C2507A	-	-	-	-
TRUE01C2507A	0.09	(0.01)	70	0.09	KCE01C2505A	-	-	-	-	BGRIM19C2507B	0.10	(0.01)	79,626	0.11
TRUE01C2508A	0.28	(0.01)	5,197	0.27	KCE01C2507A	-	-	-	-	BGRIM19P2506A	-	-	-	-
TRUE01P2505A	-	-	-	-	KCE01P2504A	-	-	-	-	BGRIM41C2504A	-	-	-	-
TRUE01P2507A	0.28	(0.01)	3,417	0.29	KCE13C2504A	-	-	-	-	BGRIM41C2505A	-	-	-	-
TRUE13C2504A	-	-	-	-	KCE13C2504B	-	-	-	-	BGRIM41C2506A	-	-	-	-
TRUE13C2505A	0.07	(0.01)	3,065	0.07	KCE13C2504C	-	-	-	-	BGRIM41C2608T	0.18	(0.01)	27,858	0.19
TRUE13C2507A	0.21	0.01	5,592	0.20	KCE13C2504D	-	-	-	-	BIOTEC	0.20	-	6,083	0.20
TRUE13P2506A	0.11	(0.01)	5,108	0.12	KCE13C2505A	0.01	(0.02)	740	0.01	BIOTEC-P	-	-	-	-
TRUE19C2504A	-	-	-	-	KCE13C2505B	-	-	-	-	BIOTEC-Q	-	-	-	-
TRUE19C2507A	0.12													

Main Board Quotation

Issue Date :

Friday March 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA19C2505A	-	-	-	-	SPRC13C2506A	-	-	-	-	BYD	0.34	(0.05)	56,315	0.36
EA19C2506A	0.01	(0.01)	2	0.01	SPRC19C2505A	-	-	-	-	CGH	0.46	-	29,742	0.46
EA19C2506B	0.03	-	5,013	0.03	SPRC41C2606T	0.23	-	24,105	0.23	CGH-W5	-	-	-	-
EA19C2508A	0.19	(0.02)	61,653	0.20	SSP	5.05	(0.10)	2,528	5.05	CHASE	0.70	(0.02)	54,117	0.73
EA19P2505A	1.17	0.13	1	1.17	SSP-W2	-	-	-	-	CHASE-W1	0.32	(0.02)	9,342	0.34
EA41C2606T	0.11	0.01	301	0.10	SUPER	0.17	(0.01)	29,001	0.17	CHAYO	2.24	-	6,790	2.25
EASTW	2.02	-	1,140	2.02	SUPEREIF	5.90	(0.05)	1,408	5.90	CHAYO-W3	0.07	(0.01)	12,467	0.08
EGATIF	5.95	0.05	115	5.90	SUSCO	2.88	(0.02)	7,439	2.90	EAST	0.84	0.01	1,206	0.84
EGCO	93.00	(1.25)	3,680	93.49	TAE	0.77	-	332	0.78	FNS	1.19	(0.05)	102	1.20
EGCO19C2504A	-	-	-	-	TCC	0.28	-	585	0.28	FSX	1.59	0.01	12	1.59
EP	1.42	-	7	1.42	TCC-W5	0.14	(0.01)	2,194	0.14	GBX	0.56	(0.01)	111	0.57
EP-W4	-	-	-	-	TGE	1.49	(0.01)	526	1.49	GL	-	-	-	-
ETC	1.41	0.01	787	1.41	TGE-W2	0.13	-	1,298	0.13	HENG	1.04	-	8,030	1.03
GPSC	27.25	(0.50)	30,858	27.38	TOP	25.00	(0.50)	47,302	25.29	IFS	2.28	0.06	446	2.28
GPSC01C2504W	0.01	-	11	0.01	TOP01C2504A	0.01	-	10,070	0.01	JMT	13.30	(0.20)	36,943	13.37
GPSC01C2505A	-	-	-	-	TOP01C2505A	-	-	-	-	JMT01C2504A	0.01	-	699	0.01
GPSC01C2507A	0.16	(0.02)	25,364	0.16	TOP01C2506A	0.09	(0.01)	3,100	0.09	JMT13C2504A	-	-	-	-
GPSC01P2506A	0.24	0.02	35,124	0.23	TOP01C2507A	0.58	(0.04)	76	0.58	JMT13C2506A	0.06	-	300	0.06
GPSC13C2504A	-	-	-	-	TOP01C2508A	0.20	-	27,749	0.20	JMT13C2507A	0.18	(0.01)	42,915	0.18
GPSC13C2505A	-	-	-	-	TOP01P2504A	0.72	0.03	1,131	0.72	JMT19C2504A	-	-	-	-
GPSC13C2505B	-	-	-	-	TOP01P2506A	0.12	-	4,930	0.12	JMT19C2504B	-	-	-	-
GPSC13C2506A	0.06	-	3,000	0.06	TOP01P2508A	0.34	0.01	7,038	0.34	JMT19C2506A	0.07	(0.01)	400	0.07
GPSC13C2507A	0.17	(0.04)	38,554	0.19	TOP13C2504A	-	-	-	-	JMT19C2507A	0.23	(0.01)	47,139	0.23
GPSC13P2505A	-	-	-	-	TOP13C2504B	-	-	-	-	JMT41C2505A	-	-	-	-
GPSC13P2506A	0.20	0.02	7,530	0.19	TOP13C2505A	-	-	-	-	JMT41C2608T	0.26	(0.01)	26,501	0.27
GPSC19C2505A	-	-	-	-	TOP13C2505B	-	-	-	-	KCAR	4.02	0.02	161	4.02
GPSC19C2506A	-	-	-	-	TOP13C2505C	-	-	-	-	KGI	4.34	(0.02)	5,577	4.35
GPSC19C2506B	0.05	(0.03)	300	0.05	TOP13C2506A	-	-	-	-	KTC	45.75	(1.00)	12,435	46.32
GPSC19C2507A	0.16	(0.02)	27,693	0.16	TOP13C2507A	0.13	(0.02)	23,046	0.14	KTC01C2507A	0.15	(0.01)	3,800	0.15
GPSC19P2506A	0.29	0.02	1,268	0.29	TOP13P2505A	-	-	-	-	KTC13C2506A	0.07	(0.01)	18,164	0.08
GPSC41C2504A	-	-	-	-	TOP13P2505B	0.10	0.01	1,322	0.10	KTC19C2504A	-	-	-	-
GPSC41C2505A	-	-	-	-	TOP19C2504A	-	-	-	-	KTC19C2507A	-	-	-	-
GPSC41C2606T	0.12	(0.01)	13,000	0.12	TOP19C2505A	0.01	-	420	0.01	KTC41C2606T	-	-	-	-
GREEN	0.77	0.01	47	0.77	TOP19C2505B	-	-	-	-	MFC	25.25	-	4	25.25
GULFI	-	-	-	-	TOP19P2505A	-	-	-	-	MICRO	0.83	-	393	0.82
GUNKUL	1.60	(0.05)	90,773	1.62	TOP41C2505A	-	-	-	-	ML	0.37	0.02	2,142	0.37
GUNKUL13C2504A	0.01	-	10,731	0.01	TOP41C2506B	0.09	-	1,150	0.09	MST	7.95	(0.05)	42	7.95
GUNKUL13C2505A	-	-	-	-	TOP41P2505A	-	-	-	-	MTC	39.25	(0.50)	29,805	39.40
GUNKUL19C2504A	-	-	-	-	TPIPP	2.24	(0.04)	9,922	2.25	MTC01C2504A	-	-	-	-
GUNKUL19C2505A	-	-	-	-	TSE	0.37	0.01	9,476	0.37	MTC01C2506A	0.08	-	2,106	0.08
IRPC	0.94	(0.01)	123,736	0.94	TTW	8.75	(0.10)	13,330	8.79	MTC01P2506A	0.39	0.01	12,262	0.39
IRPC01C2504A	-	-	-	-	UBE	0.52	-	2,045	0.52	MTC13C2505A	-	-	-	-
IRPC19C2508A	0.22	(0.01)	44,535	0.22	WHAUP	3.54	(0.04)	8,192	3.56	MTC13C2506A	0.06	(0.01)	6,240	0.06
KBSPIF	7.40	(0.05)	952	7.40	WP	3.46	0.02	350	3.47	MTC13C2508A	0.26	(0.02)	35,274	0.27
LANNA	15.20	(0.10)	660	15.23	Media & Publishi	-	-	-	-	MTC13P2506A	0.26	0.01	9,063	0.26
MDX	2.80	(0.08)	2,010	2.85	AMARIN	2.36	-	191	2.36	MTC19C2504A	-	-	-	-
NOVA	7.35	(0.15)	46	7.36	AQUA	0.23	-	2,847	0.22	MTC19C2506A	-	-	-	-
OR	11.90	0.50	494,592	11.82	AS	2.34	(0.08)	2,441	2.35	MTC19C2508A	0.22	(0.02)	49,447	0.23
OR01C2505A	-	-	-	-	BEC	3.80	(0.02)	3,112	3.86	MTC19P2506A	0.29	0.01	70,660	0.28
OR01C2507A	0.15	0.05	141,084	0.13	FE	-	-	-	-	MTC41C2505A	-	-	-	-
OR01C2508A	0.29	0.08	64,880	0.26	GPI	1.61	(0.01)	2,122	1.61	MTC41C2606T	0.22	-	21	0.22
OR13C2504A	-	-	-	-	GRAMMY	4.98	(0.42)	11	4.98	NCAP	2.20	0.04	89,798	2.20
OR13C2506A	0.05	0.02	29,047	0.05	JKN	-	-	-	-	PL	1.03	0.02	357	1.02
OR13C2507A	0.15	0.04	118,775	0.13	MAJOR	10.60	(0.20)	1,943	10.68	S11	2.78	-	63	2.78
OR13C2508A	0.32	0.08	104,894	0.26	MATCH	-	-	-	-	SAK	3.90	(0.02)	6,132	3.90
OR19C2504A	-	-	-	-	MATI	-	-	-	-	SAWAD	28.00	(0.50)	17,513	28.23
OR19C2505A	-	-	-	-	MCOT	4.02	0.76	390,997	3.83	SAWAD-W2	0.20	-	2,162	0.20
OR19C2506A	0.11	0.04	16,605	0.11	MONO	1.30	-	95,575	1.31	SAWAD01C2504A	-	-	-	-
OR19C2508A	0.38	0.10	6,170	0.31	NATION	0.03	-	111	0.03	SAWAD01C2506A	-	-	-	-
OR41C2505A	-	-	-	-	NATION-W4	-	-	-	-	SAWAD01C2508A	0.08	(0.01)	12	0.08
OR41C2605T	0.04	0.01	6,210	0.04	ONEE	2.60	0.02	30,178	2.65	SAWAD01P2505A	0.73	0.01	4,690	0.73
OR41C2608T	0.29	0.03	139,734	0.29	PLANB	5.60	(0.05)	45,852	5.59	SAWAD13C2505A	-	-	-	-
PRIME	0.08	0.01	7,156	0.07	PLANB13C2508A	0.20	(0.80)	5,544	0.20	SAWAD13C2506A	-	-	-	-
PTG	6.90	(0.05)	13,759	6.93	PLANB19C2508A	0.18	-	3,958	0.18	SAWAD13C2507A	0.07	-	100	0.07
PTT	32.00	(0.50)	275,473	32.25	PLANB41C2606T	0.18	-	4,263	0.18	SAWAD13C2508A	0.15	-	36,355	0.15
PTT01C2505A	-	-	-	-	PRAKIT	11.30	(0.20)	1	11.30	SAWAD13P2504A	-	-	-	-
PTT01C2508A	0.24	(0.01)	20,913	0.24	PTECH	0.82	(0.01)	50	0.83	SAWAD19C2504A	-	-	-	-
PTT13C2508A	0.23	(0.01)	67,648	0.23	SE-ED	1.94	(0.01)	37	1.94	SAWAD19C2505A	-	-	-	-
PTT19C2505A	-	-	-	-	TKS	5.70	-	289	5.70	SAWAD19C2506A	-	-	-	-
PTT41C2606T	-	-	-	-	VGI	3.08	-	504,522	3.12	SAWAD19C2507A	0.09	(0.02)	2,563	0.09
PTTPE	117.00	(2.50)	49,336	117.79	VGI-W3	0.06	0.01	1	0.06	SAWAD19C2508A	0.19	(0.01)	8,540	0.19
PTTPE01C2504A	-	-	-	-	VGI-W4	1.27	(0.02)	9,540	1.30	SAWAD19P2504A	-	-	-	-
PTTPE01C2505A	0.08	(0.02)	15,500	0.09	VGI01C2505A	0.08	-	6	0.08	SAWAD19C2505A	-	-	-	-
PTTPE01C2507A	0.36	(0.04)	32,537	0.37	VGI01C2507A	0.36	0.01	76,177	0.38	SAWAD41C2609T	0.25	(0.01)	66,000	0.25
PTTPE01P2506A	0.16	0.02	39,321	0.16	VGI13C2504A	0.09	0.03	141	0.08	SCAP	1.21	(0.02)	4,314	1.23
PTTPE13C2504A	-	-	-	-	VGI13C2505A	0.06	(0.01)	1,931	0.06	SGC	0.95	0.06	184,957	0.91
PTTPE13C2505A	-	-	-	-	VGI13C2507A	0.22	(0.01)	82,302	0.24	SGC-W1	0.10	-	3,488	0.10
PTTPE13C2507A	0.25	(0.04)	45,837	0.25	VGI13P2504A	-	-	-	-	SGC-W2	0.26	-	5,228	0.26
PTTPE13C2507B	-	-	-	-	VGI19C2504A	-	-	-	-	SM	0.80	(0.01)	200	0.80
PTTPE13P2506A	0.24	0.03	13,630	0.23	VGI19C2505A	-	-	-	-	TH	0.60	-	6,543	0.60
PTTPE19C2504A	-	-	-	-	VGI19C2507A	0.22	(0.01)	75,801	0.24	TH-W3	0.02	(0.02)	5,014	0.02
PTTPE19C2505A	0.05	-	3	0.05	VGI41C2505A	0.06	-	1	0.06	THANI	1.68	(0.03)	17,810	1.69
PTTPE19C2507A	0.37	(0.02)	3,703	0.37	VGI41C2606T	0.27	-	61,928	0.28	TIDLOR	14.40	(0.20)	12,224	14.54
PTTPE19C2508A	0.26	(0.74)	88,898	0.26	WORK	5.15	0.05	1,176	5.29	TIDLOR01C2506A	-	-	-	-
PTTPE41C2504A	-	-	-	-	ZAA	0.71	(0.03)	1,472	0.66	TIDLOR13C2504A	-	-	-	-
PTTPE41C2505A	-	-	-	-	Finance & Securi	-	-	-	-	TIDLOR13C2505A	-	-	-	-
PTTPE41C2507A	0.30	(0.04)	44,311	0.31	AEONTS	108.50	(1.00)	1,033	108.11	TIDLOR19C2504A	-	-	-	-
PTTPE41C2604T	0.12	(0.01)	32,666	0.12	AMANA	0.85	(0.01)	2,827	0.85	TIDLOR19C2505A	-	-	-	-
PTTPE41P2506A	-	-	-	-	ASAP	-	-	-	-	TIDLOR19C2505B	-	-	-	-
RATCH	25.75	(0.25)	18,396	25.54	ASK	7.00	(0.10)	2,560	7.01	TIDLOR41C2605T	-	-	-	-
RATCH19C2506A	-	-	-	-	ASP	1.99	(0.01)	16,647	2.00	TK	3.68	-	4	3.68
RPC	0.26	(0.01)	2,218	0.26	BAM	6.15	(0.15)	8						

Main Board Quotation

Issue Date :

Friday March 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BTG	21.10	(0.40)	6,599	21.21	SORKON	4.44	-	732	4.44	VIBHA-W4	0.01	-	5,228	0.01
CBG	59.75	(1.00)	13,376	59.85	SSF	5.55	-	32	5.59	VIH	7.15	(0.05)	61	7.19
CBG01C2504A	0.01	-	1,100	0.01	SST	1.99	0.01	1	1.99	VIH-W1	-	-	-	-
CBG01C2506A	-	-	-	-	SUN	3.14	(0.02)	1,970	3.13	WPH	8.00	(0.10)	1,108	7.99
CBG01C2507A	0.12	(0.02)	13,871	0.12	TC	6.00	(0.25)	762	6.06	Tourism & Leisure	-	-	-	-
CBG01C2508A	0.33	(0.04)	16,327	0.34	TFG	4.52	(0.08)	29,888	4.55	ASIA	-	-	-	-
CBG01P2504W	-	-	-	-	TFG-W4	0.69	(0.01)	5,298	0.70	BEYOND	7.00	0.05	135	6.95
CBG01P2506A	1.21	0.07	2,534	1.18	TFMAMA	200.00	1.00	14	199.29	CENTEL	30.25	(0.50)	16,738	30.42
CBG01P2507A	0.68	0.04	18,858	0.66	TIPCO	9.55	0.05	146	9.51	CENTEL01C2504A	0.01	-	1	0.01
CBG13C2505A	-	-	-	-	TKN	8.10	(0.05)	1,966	8.12	CENTEL01C2508A	0.15	(0.01)	27,435	0.16
CBG13C2506A	-	-	-	-	TU	11.20	(0.10)	13,925	11.17	CENTEL13C2504A	-	-	-	-
CBG13C2507A	0.17	(0.02)	10,906	0.17	TU01C2505A	-	-	-	-	CENTEL13C2506A	0.08	(0.02)	31,062	0.09
CBG13P2504A	0.14	0.02	5,958	0.14	TU01C2506A	0.03	-	100	0.03	CENTEL13C2508A	0.21	(0.79)	52,357	0.22
CBG19C2504A	-	-	-	-	TU01C2508A	0.14	-	10,479	0.14	CENTEL19C2504A	-	-	-	-
CBG19C2506A	-	-	-	-	TU13C2504A	-	-	-	-	CENTEL19C2506A	0.14	(0.02)	65,448	0.15
CBG19C2508A	0.28	(0.04)	8,928	0.29	TU13C2505A	-	-	-	-	CENTEL41C2504A	-	-	-	-
CBG19P2507A	0.73	0.05	9,610	0.72	TU19C2504A	-	-	-	-	CENTEL41C2606T	0.27	(0.01)	15,500	0.27
CBG41C2505A	-	-	-	-	TU19C2505A	-	-	-	-	CSR	-	-	-	-
CBG41C2608T	0.23	(0.01)	33,000	0.23	TU19C2506A	-	-	-	-	DUSIT	8.70	(0.10)	504	8.72
CFRESH	1.11	0.01	2,529	1.11	TU41C2506A	-	-	-	-	ERW	2.82	(0.02)	138,234	2.86
CH	2.06	-	143	2.04	TU41C2609T	0.23	-	200	0.23	ERW01C2504A	-	-	-	-
CHAO	4.40	(0.06)	1,770	4.43	TVO	21.90	0.10	2,419	21.85	ERW01C2507A	0.11	-	21,339	0.11
CHOTTI	-	-	-	-	TWPC	2.38	(0.04)	725	2.40	ERW13C2505A	0.01	(0.01)	62	0.01
CM	1.68	-	22	1.69	XBIO	0.13	(0.01)	14,893	0.13	ERW13C2507A	0.10	0.01	8,622	0.10
COCOCO	6.90	(0.10)	20,872	6.93	XBIO-W6	0.02	-	1,590	0.02	ERW13C2508A	0.30	-	79,565	0.30
COCOCO13C2505A	-	-	-	-	XBIO-W7	0.01	(0.01)	150	0.01	ERW19C2506A	-	-	-	-
COCOCO19C2506A	-	-	-	-	ZEN	-	-	-	-	ERW19C2508A	0.33	(0.01)	106,369	0.33
CPF	23.90	(0.40)	60,176	24.10	Health Care Serv	-	-	-	-	ERW41C2606T	0.15	-	2,537	0.15
CPF01C2504A	-	-	-	-	AHC	13.80	-	6	13.80	GRAND	0.04	(0.01)	7,527	0.04
CPF01C2508A	0.61	(0.03)	882	0.61	BCH	14.00	(0.30)	13,389	14.01	LRH	38.00	(0.50)	3	37.75
CPF13C2504A	-	-	-	-	BCH01C2508A	0.11	(0.02)	6,757	0.11	MANRIN	-	-	-	-
CPF13C2505A	0.10	(0.01)	6,307	0.10	BCH13C2504A	-	-	-	-	MINT	26.50	(0.25)	75,107	26.42
CPF13C2506A	0.39	(0.04)	2,918	0.42	BCH13C2507A	0.09	(0.01)	1,000	0.09	MINT01C2504A	-	-	-	-
CPF19C2504A	-	-	-	-	BCH19C2505A	-	-	-	-	MINT01C2506A	-	-	-	-
CPF19C2505A	-	-	-	-	BCH19C2505B	-	-	-	-	MINT01C2507A	0.10	(0.03)	18,157	0.11
CPF19C2508A	-	-	-	-	BCH19C2508A	0.12	(0.02)	9,294	0.12	MINT13C2505A	-	-	-	-
CPF41C2505A	-	-	-	-	BCH41C2506A	-	-	-	-	MINT13C2506A	-	-	-	-
CPF41C2505B	0.09	(0.02)	500	0.09	BDMS	22.20	-	184,224	22.15	MINT13C2506B	0.11	(0.02)	17,460	0.12
CPF41C2612T	0.57	(0.02)	64,860	0.58	BDMS01C2504A	-	-	-	-	MINT19C2504A	0.01	-	1,000	0.01
CPI	2.76	(0.02)	185	2.77	BDMS01C2506A	0.07	(0.01)	8	0.07	MINT19C2506A	-	-	-	-
F&D	-	-	-	-	BDMS01C2508A	0.06	-	17,001	0.06	MINT19C2508A	0.14	(0.02)	4,067	0.15
FM	3.80	(0.02)	20,168	3.81	BDMS13C2504A	-	-	-	-	MINT41C2504A	-	-	-	-
GLOCON	0.15	-	190,185	0.15	BDMS13C2505A	-	-	-	-	MINT41C2604T	-	-	-	-
HTC	16.40	0.10	447	16.40	BDMS13C2508A	0.25	(0.02)	38,555	0.26	MINT41C2612T	0.23	(0.01)	3,500	0.23
ICHI	11.60	(0.50)	90,293	11.84	BDMS19C2504A	-	-	-	-	OHTL	-	-	-	-
ICHI13C2504A	-	-	-	-	BDMS19C2505A	-	-	-	-	ROH	1.89	(0.04)	33	1.82
ITC	14.10	(0.10)	20,752	14.16	BDMS41C2505A	0.02	(0.01)	1	0.02	SHANG	-	-	-	-
ITC01C2504A	-	-	-	-	BDMS41C2609T	0.18	-	28,000	0.18	SHR	2.02	0.02	6,699	2.01
ITC01C2506A	0.04	(0.01)	1,133	0.04	BH	167.50	(3.00)	15,786	168.54	SPA	4.58	(0.10)	8,938	4.62
ITC13C2504A	-	-	-	-	BH-P	-	-	-	-	VRANDA	4.62	(0.10)	30	4.62
ITC13C2506A	0.03	(0.01)	145	0.03	BH-Q	-	-	-	-	Home & Office Produ	-	-	-	-
ITC13C2508A	0.27	(0.73)	8,674	0.28	BH01C2504A	-	-	-	-	AJA	0.11	-	24,885	0.11
ITC19C2505A	0.01	-	350	0.01	BH01C2505A	0.27	(0.02)	5	0.03	AJA-W4	-	-	-	-
ITC19C2506A	0.06	-	75	0.06	BH01C2506A	-	-	-	-	DTCI	-	-	-	-
ITC41C2505A	-	-	-	-	BH01C2507A	0.37	(0.04)	30,230	0.38	FANCY	0.38	(0.04)	2,291	0.39
ITC41C2612T	0.31	0.01	5,019	0.31	BH01P2504A	0.10	-	18,876	0.10	FTI	1.93	0.06	82	1.93
JDF	1.99	-	2,277	1.99	BH01P2507A	0.51	0.02	18,189	0.50	KYE	297.00	(1.00)	4	297.00
KBS	5.55	-	1,214	5.56	BH13C2504A	-	-	-	-	L&E	-	-	-	-
KCG	8.10	-	3,173	8.14	BH13C2504B	-	-	-	-	MODERN	2.26	(0.02)	81	2.27
KSL	1.49	-	877	1.49	BH13C2505A	-	-	-	-	OGC	-	-	-	-
KTIS	2.48	(0.10)	291	2.56	BH13C2506A	0.18	(0.03)	14,180	0.18	ROCK	-	-	-	-
LST	4.70	(0.02)	52	4.73	BH19C2504A	-	-	-	-	SIAM	0.70	(0.05)	591	0.72
M	18.80	(0.30)	7,498	18.85	BH19C2504B	-	-	-	-	TCMC	0.46	(0.08)	66,319	0.50
MALEE	6.15	(0.20)	3,241	6.18	BH19C2505A	-	-	-	-	TSR	0.21	(0.02)	10,467	0.20
NRF	0.50	(0.01)	2,044	0.50	BH19C2506A	0.03	(0.02)	3	0.03	TSR-W2	-	-	-	-
NSL	29.00	-	2,288	29.12	BH19C2506B	0.14	(0.03)	4,460	0.14	Insurance	-	-	-	-
OKJ	8.10	(0.45)	21,606	8.32	BH19C2508A	0.48	(0.05)	9,498	0.48	AYUD	31.75	-	65	31.75
OSP	14.60	(0.20)	34,616	14.67	BH19P2504A	0.23	0.02	9,865	0.22	BKIH	288.00	(4.00)	56	289.00
OSP01C2504A	-	-	-	-	BH41C2504A	-	-	-	-	BLA	18.90	(0.10)	2,005	18.88
OSP01C2507A	0.08	(0.01)	135	0.08	BH41C2505A	-	-	-	-	BLA01C2508A	0.25	(0.01)	1,000	0.25
OSP01C2507B	0.14	(0.02)	13,473	0.14	BH41C2605T	-	-	-	-	BLA13C2504A	-	-	-	-
OSP01P2507A	0.26	0.01	13,792	0.26	BH41C2609T	-	-	-	-	BLA13C2507A	0.12	(0.01)	500	0.13
OSP13C2505A	-	-	-	-	BH41P2504A	-	-	-	-	BLA19C2506A	0.11	(0.01)	10	0.11
OSP13C2506A	0.02	-	417	0.02	BH41P2508A	-	-	-	-	BLA41C2606T	0.30	-	5,400	0.30
OSP13C2506B	-	-	-	-	BKGI	1.96	(0.01)	6,928	1.96	BUI	20.20	-	258	20.14
OSP13C2507A	0.15	(0.02)	6,337	0.16	CHG	1.70	(0.04)	110,681	1.72	CHARAN	-	-	-	-
OSP19C2506A	-	-	-	-	CHG13C2504A	-	-	-	-	INSURE	95.00	(1.50)	38	94.55
OSP19C2506B	-	-	-	-	CHG19C2505A	-	-	-	-	KWI	-	-	-	-
OSP19C2506C	0.10	(0.01)	4,856	0.10	CMR	1.34	-	580	1.34	MTI	109.50	-	17	109.56
OSP41C2505A	-	-	-	-	EKH	6.35	(0.05)	8,151	6.36	NKI	-	-	-	-
OSP41C2606T	0.15	-	2,000	0.15	KDH	88.00	(2.25)	1	88.00	TGH	-	-	-	-
PB	54.50	(1.50)	1	54.50	LPH	3.76	(0.12)	1,689	3.80	THRE	0.45	(0.01)	14,009	0.46
PLUS	3.72	-	74	3.72	M-CHAI	19.80	(0.20)	177	19.68	THREL	1.50	-	3	1.50
PM	10.20	0.20	4,556	10.06	MASTER	22.60	0.20	17,006	22.78	TIPH	19.90	(0.50)	3,611	20.08
PQS	2.38	(0.04)	184	2.39	MEDEZE	7.70	-	16,291	7.73	TLI	11.60	(0.10)	32,072	11.67
PRG	-	-	-	-	NEW	-	-	-	-	TLI01C2507A	0.20	(0.01)	35,319	0.21
PRG-W2	-	-	-	-	NKT	4.64	(0.02)	1,126	4.59	TLI13C2505A	-	-	-	-
PRG-W3	3.40	0.08	10	3.40	NTV	28.00	-	3	28.00	TLI19C2506A	0.17	(0.01)	60,288	0.17
PRG-W4	-	-	-	-	PHG	13.80	(0.20)	336	13.80	TLI41C2606T	0.29	-	29,000	0.29
PRG-W5	-	-	-	-	PR9	20.20	(0.30)	2,467	20.34	TQM	14.60	(0.40)	2,051	14.71
RBF	4.50	(0.16)	25,553	4.56	PR901C2507A	0.13	-	866	0.13	TSI	0.05	(0.01)	508	0.05
RBF01C2504A	-	-	-	-	PR913C2505A	-	-	-	-	TWH	8.45	0.15	174	8.31
RBF13C2504A	-	-	-	-	PR913C2506A	-	-	-	-	Packaging	-	-	-	-
RBF13C2507A	0.02	(0.01)	200	0.02	PR919C2506A	-	-	-	-	AJ	2.36	(0.04)	2,424	2.37
RBF19C2505A	-	-	-	-	PR941C2609T	-	-	-	-	ALUCON	179			

Main Board Quotation

Issue Date :

Friday March 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCGP01C2504A	-	-	-	-	AWC13C2504A	-	-	-	-	Paper & Printing Mat	-	-	-	-
SCGP01C2504W	-	-	-	-	AWC13C2506A	-	-	-	-	UTP	7.85	(0.10)	506	7.89
SCGP01C2506A	-	-	-	-	AWC13C2508A	0.13	(0.02)	33,611	0.13	Fashion	-	-	-	-
SCGP01C2507A	0.06	(0.02)	1,021	0.06	AWC19C2504A	-	-	-	-	AFC	3.98	(0.04)	70	3.98
SCGP01C2508A	0.20	(0.03)	82,864	0.21	AWC19C2506A	-	-	-	-	AURA	16.70	(0.10)	5,869	16.70
SCGP01P2507A	0.60	0.05	5,605	0.58	AWC41C2606T	-	-	-	-	BTNC	-	-	-	-
SCGP13C2504A	-	-	-	-	BLAND	0.44	-	49,719	0.43	CPH	7.70	(0.10)	397	7.71
SCGP13C2504B	-	-	-	-	BRI	1.98	(0.02)	1,940	1.99	CPL	0.87	(0.06)	7,386	0.92
SCGP13C2506A	-	-	-	-	BROCK	1.44	(0.05)	3	1.63	NC	2.40	0.04	10	2.40
SCGP13C2506B	0.03	-	207	0.03	CGD	0.24	0.01	1,446	0.23	PAF	0.81	(0.02)	152	0.78
SCGP13C2507A	0.14	(0.03)	86,764	0.15	CI	0.41	-	140	0.41	PDJ	1.73	0.01	37	1.73
SCGP13P2504A	-	-	-	-	CMC	0.83	(0.02)	88	0.83	PG	6.70	0.05	1	6.70
SCGP13P2504B	-	-	-	-	CPN	48.25	(0.50)	39,360	48.45	SABINA	18.40	(0.50)	7,191	18.56
SCGP13P2506A	0.37	0.04	242	0.39	CPN01C2505A	-	-	-	-	SAWANG	10.60	0.60	1	10.60
SCGP19C2504A	-	-	-	-	CPN01C2506A	0.12	(0.01)	20,270	0.12	SUC	31.25	(0.25)	443	31.08
SCGP19C2505A	-	-	-	-	CPN13C2504A	-	-	-	-	TR	-	-	-	-
SCGP19C2506A	-	-	-	-	CPN13C2505A	-	-	-	-	TTI	-	-	-	-
SCGP19C2506B	0.03	(0.01)	30	0.03	CPN13C2507A	0.14	(0.02)	37,228	0.15	TTT	-	-	-	-
SCGP19C2507A	0.23	(0.04)	77,052	0.25	CPN19C2504A	-	-	-	-	UPF	30.25	0.25	7	30.07
SCGP19P2505A	-	-	-	-	CPN19C2505A	-	-	-	-	WACOAL	21.20	(0.60)	16	21.12
SCGP41C2505A	-	-	-	-	CPN19C2508A	0.21	(0.02)	52,358	0.23	WFX	1.00	-	117	1.00
SCGP41C2606T	0.16	(0.01)	129,940	0.16	CPN41C2504A	-	-	-	-	Transportation & Log	-	-	-	-
SFLEX	2.80	(0.04)	10,398	2.80	CPN41C2505A	-	-	-	-	AAV	1.78	-	169,652	1.77
SFLEX-W2	0.05	-	1,356	0.05	CPN41C2608T	0.30	(0.01)	23,960	0.31	AAV13C2504A	-	-	-	-
SITHAI	1.10	(0.01)	2	1.10	ESTAR	0.18	(0.01)	7,712	0.19	AAV13C2506A	-	-	-	-
SLP	0.39	(0.01)	1,112	0.39	EVER	0.07	-	11,438	0.06	AAV19C2505A	-	-	-	-
SMPC	9.05	0.05	531	9.03	FPT	6.75	-	37	6.70	AAV19C2507A	0.09	-	2,000	0.09
SPACK	1.40	-	6	1.40	GLAND	1.00	(0.02)	20	1.01	AAV41C2505A	-	-	-	-
TCOAT	-	-	-	-	J	0.97	0.01	31	0.97	AAV41C2608T	-	-	-	-
TFI	0.04	(0.01)	395	0.04	J-W3	0.13	(0.06)	6	0.14	ANI	2.68	0.02	114	2.66
TFI-W1	-	-	-	-	J-W4	-	-	-	-	AOT	38.50	(1.00)	218,027	38.82
THIP	26.50	0.25	16	26.25	JCK	0.19	-	20,279	0.19	AOT01C2504A	-	-	-	-
TMD	-	-	-	-	KC	0.05	-	53,309	0.04	AOT01C2506A	-	-	-	-
TOPP	-	-	-	-	KUN	-	-	-	-	AOT01C2507A	0.08	(0.02)	1,044	0.08
TPAC	8.00	-	117	8.03	KUN-W2	0.01	-	7	0.01	AOT01C2507B	0.20	(0.03)	29,075	0.21
TPBI	3.96	-	400	3.96	LALIN	5.30	0.05	33	5.25	AOT01P2507A	-	-	-	-
TPP	-	-	-	-	LH	4.34	(0.10)	104,513	4.37	AOT01P2507B	0.46	0.03	14,234	0.44
Personal Products	-	-	-	-	LH19C2504A	-	-	-	-	AOT11C2507A	0.19	(0.03)	12	0.19
APCO	3.34	0.02	17	3.37	LPN	2.04	(0.02)	2,240	2.04	AOT13C2504A	-	-	-	-
BIZ	3.28	(0.02)	643	3.27	MBK	16.80	(0.20)	7,057	17.02	AOT13C2506A	0.01	-	150	0.01
BLC	4.04	(0.04)	5,174	4.05	MBK-W4	14.60	-	23	14.60	AOT13C2507A	0.01	-	4,224	0.01
DDD	6.40	(0.05)	46	6.49	MBK19C2508A	0.12	-	891	0.12	AOT13C2507B	0.08	(0.01)	605	0.08
IP	3.64	(0.06)	22,189	3.76	MJD	0.67	-	64	0.67	AOT13C2507C	0.03	(0.02)	642	0.03
IP-W2	0.12	-	14,873	0.13	MK	-	-	-	-	AOT13C2508A	0.20	(0.03)	73,968	0.21
JCT	-	-	-	-	NCH	0.65	-	11	0.65	AOT13P2507A	-	-	-	-
KISS	3.90	(0.04)	1,477	3.95	NNCL	1.62	-	22	1.63	AOT13P2507B	0.36	0.04	24,290	0.34
NAM	4.26	(0.02)	909	4.21	NOBLE	2.36	(0.08)	10,032	2.36	AOT19C2504A	-	-	-	-
NEO	28.75	-	512	28.66	NVD	1.21	(0.01)	12	1.22	AOT19C2506A	-	-	-	-
NV	0.72	(0.08)	5,154	0.75	ORI	2.28	(0.16)	43,508	2.36	AOT19C2507A	0.02	(0.01)	1	0.02
OCC	9.05	(0.20)	2	9.05	ORN	0.71	(0.03)	7,633	0.71	AOT19C2507B	0.05	(0.02)	221	0.05
S&J	34.25	1.00	1	34.25	PEACE	2.28	(0.10)	325	2.28	AOT19C2508A	0.20	(0.03)	4,122	0.22
SNPS	5.25	(0.05)	1,961	5.30	PF	0.11	-	16,472	0.11	AOT19P2507A	0.36	0.02	2,242	0.35
STGT	7.20	(0.20)	33,676	7.29	PIN	6.40	(0.05)	14,346	6.42	AOT41C2505A	-	-	-	-
STGT01C2504A	0.01	(0.01)	2,499	0.01	PLAT	1.55	0.02	1,796	1.54	AOT41C2507A	0.10	(0.01)	1,929	0.10
STGT13C2504A	-	-	-	-	PRECHA	0.40	-	25	0.40	AOT41C2605T	0.04	(0.01)	1,101	0.03
STGT13C2506A	0.06	(0.02)	1,000	0.06	PRIN	-	-	-	-	AOT41C2609T	0.26	(0.74)	15,180	0.27
STGT13C2508A	0.28	(0.04)	110,518	0.31	PROUD	1.29	(0.03)	6,803	1.29	AOT41P2504A	-	-	-	-
STGT19C2504A	-	-	-	-	PSH	5.00	(0.05)	3,330	5.05	AOT41P2606T	-	-	-	-
STGT19C2504B	-	-	-	-	QH	1.56	(0.03)	119,167	1.58	ASIMAR	1.39	-	236	1.39
STGT19C2509A	0.35	(0.03)	12,260	0.37	RABBIT	0.34	0.01	2,997	0.33	B	0.05	-	13,750	0.05
STGT41C2606T	0.16	(0.01)	25,704	0.16	RABBIT-P	0.50	-	18,004	0.50	B-W8	0.01	-	1	0.01
TMAN	11.60	(0.20)	961	11.75	RABBIT-Q	-	-	-	-	BA	18.80	(0.10)	18,070	19.01
TNR	7.60	0.05	50	7.55	RICHY	0.35	-	1,259	0.35	BA01C2504A	-	-	-	-
TOG	8.95	(0.05)	1,127	8.90	RML	0.16	(0.01)	15,090	0.16	BA01C2508A	0.31	(0.01)	25,568	0.33
Professional Service	-	-	-	-	ROJNA	5.75	(0.05)	18,121	5.78	BA13C2504A	-	-	-	-
BWG	0.26	-	125,037	0.26	S	0.66	(0.01)	9,893	0.66	BA13C2506A	0.15	-	4,235	0.15
BWG-W6	-	-	-	-	SA	-	-	-	-	BA19C2507A	0.20	(0.01)	41,128	0.20
GENCO	0.29	-	853	0.27	SA-W1	0.01	-	224	0.01	BA41C2606T	0.18	-	2,000	0.18
PRTR	3.70	(0.08)	1,118	3.73	SAMCO	0.71	(0.01)	1,047	0.72	BEM	5.45	(0.05)	120,228	5.43
SISB	16.40	(0.60)	26,924	16.53	SC	2.48	-	8,545	2.48	BEM13C2505A	-	-	-	-
SISB13C2504A	-	-	-	-	SENA	2.08	(0.04)	1,540	2.11	BEM13C2506A	-	-	-	-
SISB13C2506A	-	-	-	-	SIRI	1.56	(0.03)	237,152	1.58	BEM13C2508A	0.14	(0.01)	9,540	0.14
SISB13C2506B	0.01	-	1,332	0.01	SIRI01C2504A	-	-	-	-	BEM19C2505A	-	-	-	-
SISB19C2507A	-	-	-	-	SIRI13C2508A	0.19	(0.02)	18,736	0.20	BEM41C2606T	0.10	-	15	0.10
SO	4.10	(0.16)	103	4.14	SIRI19C2508A	0.22	(0.02)	2,000	0.22	BTS	5.50	(0.10)	224,568	5.54
WAVE	0.05	0.01	689,855	0.05	SIRI41C2606T	-	-	-	-	BTS-W8	0.04	-	706	0.05
WAVE-W3	0.01	-	1	0.01	SPALI	17.00	(0.20)	10,552	17.14	BTS01C2504A	-	-	-	-
WAVE-W4	0.03	0.01	59,763	0.02	SPALI13C2507A	-	-	-	-	BTS01C2507A	-	-	-	-
Property Development	-	-	-	-	SPALI19C2504A	-	-	-	-	BTS01C2508A	0.18	(0.02)	41,520	0.19
A	4.82	0.08	1	4.82	SPALI19C2509A	0.36	(0.01)	4,909	0.36	BTS01P2504A	-	-	-	-
A5	2.30	(0.06)	339	2.31	SPALI41C2609T	-	-	-	-	BTS01P2505A	0.15	0.02	17,248	0.14
A5-W4	0.03	-	602	0.03	STELLA	0.19	0.01	98,220	0.19	BTS13C2505A	-	-	-	-
AKS	0.01	-	350	0.01	STELLA-W5	-	-	-	-	BTS13C2507A	0.09	(0.02)	15,253	0.10
AMATA	21.30	(0.20)	35,336	21.45	STELLA-W6	0.07	0.01	21,033	0.06	BTS13C2508A	0.19	(0.03)	30,169	0.21
AMATA01C2507A	-	-	-	-	UV	1.05	(0.04)	5,151	1.07	BTS13P2505A	0.09	0.02	8,030	0.08
AMATA01C2508A	0.23	(0.01)	25,468	0.23	WAH	3.46	(0.02)	966,763	3.44	BTS19C2505A	-	-	-	-
AMATA13C2505A	-	-	-	-	WAH01C2504A	-	-	-	-	BTS19C2508A	0.16	(0.02)	17,569	0.17
AMATA13C2506A	-	-	-	-	WAH01C2506A	0.01	-	6,770	0.01	BTS19P2508A	0.26	0.02	16,034	0.25
AMATA13C2506B	0.12	(0.01)	10,986	0.12	WAH01C2507A	0.03	-	1,400	0.03	BTS41C2504A	-	-	-	-
AMATA13C2508A	0.36	(0.02)	21,800	0.37	WAH01C2508A	0.31	-	32,967	0.30	BTS41C2504B	-	-	-	-
AMATA19C2505A	-	-	-	-	WAH13C2504A	-	-	-	-	BTS41C2608T	0.19	0.01	5,645	0.19
AMATA19C2508A	0.28	(0.01)	3,732	0.27	WAH13C2505A	-	-	-	-	BTS41C2608T	2.82	(0.02)	73,599	2.83
AMATA41C2505A	-	-	-	-	WAH13C2506A	-	-	-	-	BTSGIF	10.10	-	2,142	10.11
AMATA41C2608T	-	-	-	-	WAH13C2506B	-	-	-	-	DTM	0.53	(0.03)	4,266	0.56
AMATAV	3.62	-	89	3.64	WAH13C2507A	0.14	-	28						

Main Board Quotation

Issue Date :

Friday March 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RCL	23.30	(0.20)	5,083	23.46	QHBREIT	3.80	-	1,111	3.80	BABA41C2505A	0.21	0.01	7,659	0.20
RCL01C2505A	-	-	-	-	QHRRREIT	6.65	(0.10)	1,486	6.67	BABA41P2504A	-	-	-	-
RCL01C2507A	0.16	-	8	0.16	QHOP	-	-	-	-	BABA41P2506A	0.17	-	5	0.17
RCL13C2506A	-	-	-	-	SIRIPRT	7.15	0.45	6	7.38	BABA41P2507A	0.57	(0.01)	1,165	0.59
RCL13C2507A	0.48	(0.02)	1	0.48	SPRIME	4.12	-	222	4.12	BIDU41C2504A	0.21	(0.05)	5,927	0.22
RCL19C2504A	-	-	-	-	SRIPANWA	5.40	-	9	5.40	BIDU41C2506A	0.70	(0.05)	7,340	0.69
RCL19C2507A	-	-	-	-	SSPF	3.50	0.04	21	3.50	BYDCOM28C2503A	0.08	(0.11)	416	0.15
RCL41C2505A	-	-	-	-	SSTRT	4.74	-	9	4.74	BYDCOM28C2508A	1.71	-	36	1.71
RCL41C2608T	-	-	-	-	TIF1	7.00	(0.10)	12	7.01	BYDCOM28C2510A	0.62	0.01	17,559	0.62
SAV	15.10	(0.10)	1,390	15.09	TLHPF	2.58	0.08	173	2.56	BYDCOM28P2503A	-	-	-	-
SINO	0.93	(0.02)	2,033	0.94	TNPF	1.40	-	15	1.40	BYDCOM28P2510A	0.18	0.01	10,001	0.18
SJWD	7.05	(0.10)	5,805	7.10	TPRIME	6.75	(0.10)	11	6.76	BYDCOM41C2506A	1.65	(0.02)	173	1.63
SJWD13C2504A	-	-	-	-	TTLPF	12.20	-	6	12.20	BYDCOM41C2506B	0.37	-	56	0.37
TFFIF	6.15	-	6,753	6.13	TU-PF	-	-	-	-	DJI28C2506A	0.09	(0.02)	7	0.10
THAI	-	-	-	-	WHABT	7.00	-	35	6.91	DJI28P2506A	0.60	0.01	10	0.60
TSTE	13.20	0.10	7	13.20	WHAIR	5.65	-	553	5.65	DJI41C2506A	-	-	-	-
TTA	4.20	(0.10)	15,473	4.25	WHART	10.20	0.10	20,089	10.18	DJI41C2506B	-	-	-	-
WICE	2.72	(0.04)	2,116	2.73	Steel and Metal	-	-	-	-	DJI41P2506A	0.48	0.01	1,046	0.48
Automotive	-	-	-	-	2S	2.18	-	170	2.19	GEELY41C2506A	0.20	(0.03)	8	0.20
ACG	0.71	(0.02)	26	0.71	AMC	1.95	(0.02)	12	1.95	HSI06C2503A	2.78	(1.26)	1	2.78
AH	12.70	(0.10)	154	12.69	BSBM	0.70	-	2,300	0.70	HSI06C2503B	-	-	-	-
CWT	0.59	0.01	26,473	0.63	CEN	1.81	(0.02)	61	1.82	HSI06C2503C	0.01	-	115	0.01
EASON	1.06	-	2,297	1.06	CEN-W5	0.08	-	16	0.08	HSI06C2503D	-	-	-	-
GYT	-	-	-	-	CITY	1.63	0.01	9	1.60	HSI06C2503E	-	-	-	-
HFT	3.74	-	788	3.74	CSP	0.48	0.01	81	0.48	HSI06C2503F	-	-	-	-
IHL	1.48	(0.01)	188	1.49	GJS	0.13	-	6,944	0.13	HSI06C2503G	-	-	-	-
INGRS	0.24	-	4,242	0.24	GSTEEL	-	-	-	-	HSI06C2504A	0.85	(0.22)	100	0.85
IRC	11.40	-	46	11.40	INOX	0.43	-	352	0.43	HSI06C2504B	-	-	-	-
MGC	3.18	-	26	3.17	LHK	3.24	-	351	3.25	HSI06C2504C	0.44	(0.09)	246,351	0.41
NEX	0.63	(0.04)	44,016	0.64	MCS	7.35	0.15	2,842	7.31	HSI06C2504D	0.23	(0.06)	109,123	0.22
PCSGH	3.58	-	6	3.59	MILL	-	-	-	-	HSI06C2504E	0.11	(0.03)	59,182	0.11
POLY	-	-	-	-	PAP	1.57	0.02	2	1.59	HSI06C2505A	-	-	-	-
SAT	11.10	-	4,514	11.05	PERM	0.36	(0.01)	509	0.36	HSI06C2505B	0.42	(0.05)	22,584	0.41
SPG	-	-	-	-	SAM	0.16	0.02	1,069	0.15	HSI06C2505C	0.21	(0.04)	18,616	0.21
STANLY	220.00	-	1	220.00	SMIT	3.90	(0.02)	43	3.93	HSI06C2505D	0.12	(0.03)	30,605	0.11
TKT	1.04	(0.02)	225	1.05	SSSC	2.20	-	152	2.19	HSI06C2506A	-	-	-	-
TNPC	0.80	(0.05)	161	0.80	TGPRO	0.08	-	21,278	0.07	HSI06C2506B	-	-	-	-
TRU	3.26	0.02	1,162	3.26	THE	0.66	(0.02)	621	0.66	HSI06C2506C	0.55	(0.06)	15,814	0.54
TSC	13.00	-	20	13.00	TMT	3.10	(0.16)	2,490	3.11	HSI06C2506D	0.34	(0.05)	21,853	0.33
Industrial Materials	-	-	-	-	TSTH	0.49	0.01	1,811	0.49	HSI06C2506E	0.17	(0.03)	12,982	0.17
AKR	1.01	-	14,153	1.01	TWP	-	-	-	-	HSI06C2507A	0.41	(0.04)	24,575	0.41
ALLA	1.32	(0.02)	2,491	1.33	TYCN	-	-	-	-	HSI06P2503A	-	-	-	-
ASEFA	2.90	(0.02)	309	2.91	Construction Ser	-	-	-	-	HSI06P2503B	-	-	-	-
CPT	-	-	-	-	APCS	1.44	0.02	6	1.44	HSI06P2503C	-	-	-	-
CRANE	0.49	-	1,346	0.49	BJCHI	0.70	(0.02)	780	0.71	HSI06P2503D	-	-	-	-
CTW	-	-	-	-	BKD	1.24	0.02	1	1.24	HSI06P2503E	0.01	-	6	0.01
FMT	27.00	(1.00)	3	27.00	CIVIL	1.58	(0.01)	123	1.58	HSI06P2503F	-	-	-	-
FTE	1.64	(0.01)	750	1.65	CK	14.30	0.10	5,908	14.33	HSI06P2503G	0.01	-	2	0.01
HTECH	3.20	(0.04)	1,683	3.22	CNT	0.95	(0.02)	1	0.95	HSI06P2504A	-	-	-	-
KKC	-	-	-	-	DEMCO	2.00	-	281	2.01	HSI06P2504B	0.01	-	2	0.01
PCC	2.58	(0.02)	2,201	2.60	EMC	0.06	-	31,303	0.06	HSI06P2504C	-	-	-	-
PK	0.38	-	821	0.38	EMC-W7	0.04	-	47,243	0.04	HSI06P2504D	-	-	-	-
PSP	4.04	-	4	4.04	ITD	0.26	(0.01)	29,590	0.26	HSI06P2504E	0.05	0.01	5,492	0.05
QTC	3.90	(0.06)	85	3.90	JR	1.48	(0.01)	509	1.48	HSI06P2504F	0.11	0.01	47,996	0.12
SCI	0.78	-	236	0.70	NL	1.00	0.01	1,438	1.00	HSI06P2504G	0.25	0.02	65,369	0.27
SE	0.44	-	12,216	0.44	NWR	-	-	-	-	HSI06P2504H	0.57	0.04	33,833	0.59
SELIC	2.78	-	17	2.77	PLE	0.21	-	7,124	0.21	HSI06P2505A	0.10	0.01	50	0.10
SNC	6.20	(0.15)	612	6.23	PREB	3.76	(0.06)	983	3.78	HSI06P2505B	0.15	-	32,000	0.16
TCJ	-	-	-	-	PYLON	1.84	(0.02)	255	1.84	HSI06P2505C	0.26	0.01	39,640	0.27
TPCS	11.90	(0.10)	1	11.90	RT	0.29	-	2,411	0.29	HSI06P2505D	0.56	0.03	50,620	0.57
VARO	4.50	(0.10)	150	4.53	SEAFSCO	1.98	(0.01)	134	1.99	HSI06P2506A	0.06	(0.01)	240	0.06
Property Fund & REIT	-	-	-	-	SQ	0.82	(0.03)	5,122	0.83	HSI06P2506B	0.10	-	2,054	0.10
AIMCG	2.22	-	843	2.22	SRICHA	4.54	(0.10)	1,666	4.56	HSI06P2506C	0.21	-	7,502	0.21
AIMIRT	10.50	(0.10)	2,744	10.50	STECOM	5.40	(0.15)	42,370	5.46	HSI06P2506D	0.49	-	16,069	0.51
ALLY	4.94	(0.02)	461	4.94	STI	2.64	(0.02)	18	2.65	HSI06P2506E	0.75	0.01	9,309	0.77
AMATAR	6.30	0.10	13	6.30	STPI	2.64	(0.10)	5,684	2.64	HSI06P2507A	0.43	0.03	16,935	0.43
AXTRART	12.00	(0.10)	1,128	12.00	SYNTEC	1.59	0.02	2,041	1.60	HSI28C2503A	-	-	-	-
B-WORK	4.72	0.02	960	4.72	TEAMG	3.14	-	32,954	3.18	HSI28C2503B	-	-	-	-
BAREIT	9.30	(0.05)	1,126	9.33	TEAMG-W1	0.17	0.01	3,030	0.17	HSI28C2503D	-	-	-	-
BOFFICE	4.78	-	908	4.79	TEKA	1.95	-	6	1.95	HSI28C2503E	-	-	-	-
CPNCG	6.05	-	453	6.05	TPOLY	0.46	0.02	2,248	0.44	HSI28C2503F	0.01	-	10	0.01
CPNREIT	12.00	(0.10)	779	12.01	TRC	0.60	(0.08)	9,027	0.61	HSI28C2503G	-	-	-	-
CPTREIT	4.72	0.02	4	4.69	TRITN	0.09	(0.01)	2,129,583	0.08	HSI28C2503H	0.77	0.01	94	0.76
CTARAF	4.56	-	1,343	4.56	TRITN-W7	0.01	-	21,212	0.01	HSI28C2503I	-	-	-	-
DREIT	5.10	0.10	500	5.08	TTCL	1.16	(0.02)	1,635	1.16	HSI28C2504A	0.18	(0.04)	243,050	0.18
FTREIT	10.20	0.10	2,812	10.10	UNIQ	1.66	(0.02)	60	1.67	HSI28C2504B	0.71	(0.15)	6,687	0.70
FUTURERET	9.50	-	637	9.52	WGE	-	-	-	-	HSI28C2504C	1.78	(0.36)	101	1.79
GAHREIT	6.60	0.10	3	6.60	Unit Trust	-	-	-	-	HSI28C2504D	0.11	(0.04)	6,545	0.11
GROREIT	8.50	-	22	8.50	SCBSET	-	-	-	-	HSI28C2504E	0.06	(0.03)	7,310	0.06
GVREIT	6.60	(0.10)	1,803	6.72	VAYU1	10.10	-	27,675	10.10	HSI28C2504F	0.05	-	10,966	0.04
HPF	4.70	(0.02)	101	4.70	ETF	-	-	-	-	HSI28C2505A	0.36	(0.04)	32,205	0.35
HYDROGEN	-	-	-	-	1DIV	10.31	0.01	217	10.30	HSI28C2505B	0.14	(0.02)	3,523	0.13
IMPACT	9.70	(0.05)	583	9.71	ABFTH	-	-	-	-	HSI28C2505C	0.06	(0.01)	1,370	0.06
INETREIT	8.75	-	1,092	8.78	BMSCG	7.46	(0.14)	1	7.46	HSI28C2505D	0.19	(0.04)	1,900	0.20
ISSARA	8.45	(0.15)	13	8.45	BMSCITH	8.67	(0.08)	375	8.72	HSI28C2505E	0.40	(0.08)	236,122	0.41
KPNREIT	-	-	-	-	BSET100	8.02	(0.08)	506	8.00	HSI28C2506A	0.45	(0.06)	67,421	0.44
KTBSTMR	6.10	-	27	6.10	CHINA	5.95	-	7	5.95	HSI28C2506B	0.18	(0.03)	12,618	0.18
LHHOTEL	14.00	-	2,279	14.00	ENGY	4.15	(0.03)	107	4.14	HSI28C2506C	0.28	(0.05)	24,550	0.28
LHRREIT	4.62	-	397	4.62	GLD	4.18	0.05	8,784	4.17	HSI28C2507A	0.25	(0.03)	39,977	0.25
LHSC	12.10	-	183	12.03	TDEX	7.23	(0.06)	2,786	7.28	HSI28C2508A	0.30	(0.02)	12,548	0.29
LUXF	8.10	(0.05)	5	8.10	UBOT	12.10	(0.70)	4	12.10	HSI28P2503A	-	-	-	-
M-PAT	-	-	-	-	UHERO	8.50	0.10	29	8.50	HSI28P2503B	-	-	-	-
M-STOR	-	-	-	-	Warrant Foreign	-	-	-	-	HSI28P2503C	-	-	-	-
MII	5.60	0.05	2	5.60	AIA41C2504A	0.10	(0.01)	2	0.10	HSI28P2503D	-	-		

Main Board Quotation

Issue Date :

Friday March 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28P2504H	0.55	0.07	442,638	0.56	SET5006P2503A	1.40	0.48	15	1.26	SET5041C2503G	0.01	(0.07)	1,602	0.01
HSI28P2505A	0.03	-	344	0.03	SET5006P2503B	-	-	-	-	SET5041C2503H	-	-	-	-
HSI28P2505B	-	-	-	-	SET5006P2503C	-	-	-	-	SET5041C2503I	0.01	(0.07)	1,502	0.01
HSI28P2505C	-	-	-	-	SET5006P2503D	-	-	-	-	SET5041C2503J	-	-	-	-
HSI28P2505D	-	-	-	-	SET5006P2506A	-	-	-	-	SET5041C2506A	-	-	-	-
HSI28P2505E	0.36	0.03	935	0.36	SET5006P2506B	-	-	-	-	SET5041C2506B	-	-	-	-
HSI28P2505F	0.66	0.06	3,598	0.66	SET5006P2506C	0.66	0.10	168,629	0.62	SET5041C2506C	0.05	(0.01)	2,605	0.05
HSI28P2505G	1.04	0.13	1	1.04	SET5006P2506D	0.42	0.06	117,061	0.40	SET5041C2506D	0.11	(0.05)	3,702	0.11
HSI28P2506A	0.08	0.01	1,090	0.07	SET5006P2506E	0.30	0.04	174,728	0.28	SET5041C2506E	0.13	(0.04)	2,110	0.14
HSI28P2506B	0.11	0.01	1,370	0.11	SET5006P2506F	0.19	0.02	12	0.18	SET5041C2506F	0.19	(0.07)	770,940	0.21
HSI28P2506C	0.13	0.01	2,520	0.13	SET5006P2509A	0.41	0.04	83,055	0.39	SET5041C2506G	0.32	(0.11)	600,477	0.33
HSI28P2506D	0.31	0.01	499	0.30	SET5013C2503A	-	-	-	-	SET5041C2506T	-	-	-	-
HSI28P2506E	-	-	-	-	SET5013C2503B	-	-	-	-	SET5041C2509T	0.08	(0.01)	1,125	0.08
HSI28P2506F	0.47	0.06	57	0.47	SET5013C2503C	-	-	-	-	SET5041C2509U	0.36	(0.04)	46,916	0.37
HSI28P2507A	0.37	0.02	24,869	0.38	SET5013C2503D	-	-	-	-	SET5041P2503A	0.13	(0.21)	16,680	0.10
HSI28P2508A	0.41	0.04	7,120	0.42	SET5013C2503E	-	-	-	-	SET5041P2503B	-	-	-	-
HSTECH28C2503A	-	-	-	-	SET5013C2503F	-	-	-	-	SET5041P2503C	-	-	-	-
HSTECH28C2506A	1.09	(0.21)	122	1.16	SET5013C2503G	-	-	-	-	SET5041P2503D	-	-	-	-
HSTECH28C2506B	0.27	(0.06)	338	0.28	SET5013C2503H	0.01	-	25	0.01	SET5041P2503E	-	-	-	-
HSTECH28C2506C	0.54	(0.07)	265	0.54	SET5013C2503I	-	-	-	-	SET5041P2503F	-	-	-	-
HSTECH28P2503A	-	-	-	-	SET5013C2503J	-	-	-	-	SET5041P2506A	2.62	0.32	220	2.53
HSTECH28P2506A	-	-	-	-	SET5013C2503K	0.01	-	366	0.01	SET5041P2506B	0.85	0.17	41,800	0.81
HSTECH28P2506B	0.35	0.01	210	0.34	SET5013C2503L	-	-	-	-	SET5041P2506C	0.44	0.07	1,012,075	0.41
HSTECH28P2506C	0.63	0.05	174	0.63	SET5013C2503M	-	-	-	-	SET5041P2506D	0.28	0.05	50,382	0.26
JD41C2506A	0.42	(0.01)	579	0.42	SET5013C2503T	-	-	-	-	SET5041P2506E	0.41	(0.59)	1,616,483	0.38
KUAI5H41C2506A	-	-	-	-	SET5013C2506A	-	-	-	-	SET5041P2506T	1.62	0.12	290	1.58
KUAI5H41C2506B	0.16	(0.01)	21	0.16	SET5013C2506B	0.01	-	777,219	0.01	SET5041P2509T	0.38	0.02	602,032	0.37
MCA5041C2506A	-	-	-	-	SET5013C2506C	0.02	-	2,103	0.02	SPX28C2506A	-	-	-	-
MCA5041P2506A	0.29	-	7	0.29	SET5013C2506D	0.02	-	32,835	0.02	SPX28C2506B	-	-	-	-
MEITU28C2503A	-	-	-	-	SET5013C2506E	0.02	-	20,392	0.02	SPX28C2506C	-	-	-	-
MEITU28C2504A	-	-	-	-	SET5013C2506F	0.02	(0.01)	26,950	0.02	SPX28P2506A	0.36	-	400	0.36
MEITU28C2507A	0.15	(0.02)	7,018	0.15	SET5013C2506G	0.04	(0.01)	12,494	0.04	SPX28P2506B	-	-	-	-
MEITUA28P2503A	-	-	-	-	SET5013C2506H	0.07	(0.01)	12,541	0.07	SPX41C2506A	0.07	(0.02)	2	0.07
MEITUA28P2504B	-	-	-	-	SET5013C2506I	0.10	(0.04)	445,221	0.11	SPX41C2506B	0.20	(0.02)	20	0.20
MEITU41C2504A	0.05	(0.02)	3,767	0.06	SET5013C2506J	0.18	(0.06)	459,663	0.20	SPX41C2506C	-	-	-	-
MEITU41C2506A	0.18	(0.02)	4	0.18	SET5013C2506K	0.27	(0.09)	2,453,399	0.29	SPX41C2509T	2.28	(0.06)	2	2.29
MEITU41P2503A	-	-	-	-	SET5013C2506L	0.46	(0.13)	1,231,678	0.49	SPX41P2506A	0.41	-	2,500	0.41
NDX28C2506A	-	-	-	-	SET5013C2506M	0.64	(0.17)	48,805	0.68	SPX41P2509T	2.86	0.02	2	2.86
NDX28C2506B	-	-	-	-	SET5013C2506N	0.30	(0.08)	406,086	0.32	TENCEN28C2503A	-	-	-	-
NDX28C2506C	-	-	-	-	SET5013C2506T	0.02	0.01	256	0.01	TENCEN28C2508A	1.06	(0.04)	16	1.06
NDX28C2509A	0.74	(0.06)	452	0.74	SET5013P2503A	2.88	0.86	206	2.62	TENCEN28C2509A	0.42	-	8,183	0.41
NDX28P2506A	0.38	-	154	0.38	SET5013P2503B	5.20	0.64	1	5.20	TENCEN28P2503A	-	-	-	-
NDX28P2509A	0.47	0.01	1,110	0.47	SET5013P2503C	-	-	-	-	TENCEN28P2509A	0.31	-	3,021	0.31
NDX41C2506A	-	-	-	-	SET5013P2503D	2.36	0.55	6	2.32	TENCEN41C2504A	-	-	-	-
NDX41C2506B	-	-	-	-	SET5013P2503E	4.12	1.30	202	3.45	TENCEN41C2504B	0.11	(0.01)	45,022	0.11
NDX41C2506C	-	-	-	-	SET5013P2503F	0.50	0.23	357	0.20	TENCEN41C2505A	0.15	(0.01)	30	0.15
NDX41C2509T	1.98	(0.10)	61	1.98	SET5013P2503T	0.15	0.03	1	0.15	TENCEN41C2506A	1.09	(0.01)	84	1.07
NDX41P2506A	0.55	0.03	21,905	0.53	SET5013P2506A	1.51	0.21	13,594	1.45	TENCEN41P2506A	0.26	-	21	0.26
NDX41P2509T	3.22	0.04	323	3.22	SET5013P2506B	0.95	0.17	3,238	0.88	TRIPDC41C2506A	0.64	0.03	1,913	0.63
NIKEI28C2506A	0.30	(0.03)	135	0.29	SET5013P2506C	2.68	0.42	2	2.61	XIAOMI28C2504A	3.72	(0.10)	4	3.71
NIKEI28C2506B	0.13	(0.03)	125	0.13	SET5013P2506D	1.39	0.26	1,143	1.36	XIAOMI28C2508A	1.40	(0.11)	22	1.34
NIKEI28C2506C	-	-	-	-	SET5013P2506E	0.60	0.09	2,643	0.58	XIAOMI28C2509A	0.57	(0.03)	40,546	0.54
NIKEI28P2506A	-	-	-	-	SET5013P2506F	0.43	0.09	1,737,425	0.41	XIAOMI28P2505A	-	-	-	-
NIKEI28P2506B	-	-	-	-	SET5013P2506G	0.24	0.05	972,845	0.23	XIAOMI28P2509A	-	-	-	-
NIKEI28P2506C	-	-	-	-	SET5013P2506H	0.57	0.10	257,345	0.54	XIAOMI41C2503A	-	-	-	-
NIKKEI41C2506A	0.13	(0.03)	20,591	0.13	SET5013P2506I	0.17	0.04	178,698	0.16	XIAOMI41C2504A	1.69	(0.23)	85	1.61
NIKKEI41C2506B	0.05	(0.04)	300	0.05	SET5013P2506J	0.28	0.05	819,129	0.26	XIAOMI41C2506A	1.05	(0.07)	81	1.00
NIKKEI41C2509A	0.39	(0.05)	500	0.40	SET5013P2506K	0.39	0.06	379,790	0.38	XIAOMI41C2506B	0.27	(0.02)	242	0.26
NIKKEI41C2509B	-	-	-	-	SET5013P2506L	0.60	0.11	755,583	0.56	XIAOMI41C2507A	0.21	(0.01)	255	0.18
NIKKEI41C2509C	0.59	(0.07)	202	0.60	SET5013P2506M	0.83	0.14	289,327	0.79	XIAOMI41P2506A	0.35	0.01	375	0.38
NIKKEI41P2506A	0.24	0.03	365	0.24	SET5013P2506T	2.74	0.26	102	2.64		0	-	-	-
NIKKEI41P2506B	0.13	-	1	0.13	SET5019C2503A	-	-	-	-		0	-	-	-
NIKKEI41P2509A	0.41	0.05	3,015	0.41	SET5019C2503B	-	-	-	-		0	-	-	-
NIKKEI41P2509B	-	-	-	-	SET5019C2503C	-	-	-	-		0	-	-	-
NIKKEI41P2509C	0.52	0.03	120	0.51	SET5019C2503D	-	-	-	-		0	-	-	-
NTES41C2506A	0.26	0.01	502	0.26	SET5019C2503E	-	-	-	-		0	-	-	-
PINGAN41C2504A	0.13	(0.01)	105	0.13	SET5019C2503F	-	-	-	-		0	-	-	-
POP41C2503A	3.16	-	4	3.16	SET5019C2503G	-	-	-	-		0	-	-	-
POP41C2506A	0.82	(0.06)	146	0.79	SET5019C2503H	-	-	-	-		0	-	-	-
SET01C2505A	0.02	-	1,474	0.02	SET5019C2506A	-	-	-	-		0	-	-	-
SET01C2506A	0.01	(0.01)	343	0.02	SET5019C2506B	-	-	-	-		0	-	-	-
SET01C2506B	0.04	(0.02)	89,369	0.05	SET5019C2506C	-	-	-	-		0	-	-	-
SET01C2507A	0.32	(0.07)	25,251	0.34	SET5019C2506D	-	-	-	-		0	-	-	-
SET01P2505A	2.56	0.02	8	2.58	SET5019C2506E	-	-	-	-		0	-	-	-
SET01P2506A	0.99	0.15	1,754	1.00	SET5019C2506F	-	-	-	-		0	-	-	-
SET01P2507A	0.60	0.06	4,235	0.58	SET5019C2506G	0.05	(0.02)	5	0.05		0	-	-	-
SET5001C2503F	-	-	-	-	SET5019C2506H	-	-	-	-		0	-	-	-
SET5001C2505A	-	-	-	-	SET5019C2506I	-	-	-	-		0	-	-	-
SET5001C2506A	0.02	-	52,145	0.02	SET5019C2506J	0.16	(0.02)	200	0.16		0	-	-	-
SET5001C2506F	0.01	-	26,180	0.01	SET5019C2506K	0.24	(0.07)	37,710	0.26		0	-	-	-
SET5001C2506G	0.05	(0.01)	780	0.05	SET5019C2506L	0.29	(0.07)	32,801	0.31		0	-	-	-
SET5001C2507A	0.24	(0.05)	36,047	0.26	SET5019C2506M	0.42	(0.10)	58,661	0.45		0	-	-	-
SET5001C2509F	0.43	(0.07)	36,959	0.45	SET5019P2503A	-	-	-	-		0	-	-	-
SET5001P2503F	0.40	0.09	108	0.43	SET5019P2503B	4.44	0.18	1	4.44		0	-	-	-
SET5001P2505A	-	-	-	-	SET5019P2503C	2.46	0.28	3	2.45		0	-	-	-
SET5001P2506A	1.00	0.14	1,869	1.01	SET5019P2506A	2.10	0.19	1	2.10		0	-	-	-
SET5001P2506F	2.42	0.28	57	2.44	SET5019P2506B	-	-	-	-		0	-	-	-
SET5001P2506G	1.43	0.14	54	1.34	SET5019P2506C	-	-	-	-		0	-	-	-
SET5001P2507A	0.31	0.06	5,542	0.30	SET5019P2506D	-	-	-	-		0	-	-	-
SET5001P2509F	0.97													

Main Board Quotation

Issue Date :

Friday March 28, 2025

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
Warrant - MAI														
Agro & Food Indust					UBIS	1.27	(0.02)	70	00 1.2	LEO	2.18	(0.06)	627	00 2.1
APO	1.59	-	33,091	00 1.6	UEC	0.77	0.03	36,552	00 0.8	MCA	1.22	(0.10)	19,200	00 1.2
AU	9.80	(0.15)	7,181	00 9.9	UKEM	0.47	(0.03)	11,077	00 0.4	MEB	22.20	(0.10)	520	00 22.1
CFARM	0.77	(0.05)	107,343	00 0.8	UREKA	0.79	(0.02)	3,283	00 0.7	MORE	0.02	-	7,775	00 0.0
JCHK	0.21	(0.02)	5,415	00 0.2	YUASA	10.40	-	14	00 10.4	MOTHER	0.87	(0.02)	3,568	00 0.8
KASET	0.74	0.01	24,540	00 0.8	ZIGA	0.98	0.01	13,689	00 0.9	MPJ	3.28	(0.02)	1,061	00 3.3
MAGURO	17.20	(0.20)	1,685	00 17.2	ZIGA-W2	0.10	-	10,539	00 0.0	MVP	0.51	(0.04)	16,006	00 0.5
MUD	1.20	-	1,790	00 1.2	Property					NCL	0.21	-	2,779	00 0.2
NTSC	5.60	(0.10)	150	00 5.6	24CS	1.36	(0.03)	56,001	00 1.3	NCP	1.07	0.04	19	00 1.0
TACC	4.52	(0.06)	5,867	00 4.5	24CS-W1	0.11	(0.01)	57,193	00 0.1	NEWS	0.01	-	63,410	00 0.0
TMILL	1.82	(0.01)	2,277	00 1.8	24CS-W2	0.17	0.01	35,601	00 0.1	PEER	0.13	-	2,805	00 0.1
WINNER	1.99	(0.01)	87	00 1.9	ARIN	0.46	(0.02)	13,526	00 0.4	PEER-W2	0.03	-	1,680	00 0.0
XO	15.70	-	1,113	00 15.7	ARROW	5.15	0.05	6	00 5.1	PICO	-	-	-	00 0.0
Consumer Products					BC	1.05	0.03	174	00 1.0	PLT	0.58	(0.02)	2,989	00 0.5
ALPHAX	0.38	(0.03)	21,524	00 0.3	BC-W2	0.02	-	1,646	00 0.0	QLT	3.02	(0.04)	16	00 3.0
BGT	0.42	-	383	00 0.4	BLESS	0.20	-	1,270	00 0.2	RP	0.88	-	52	00 0.8
DOD	1.26	(0.03)	2,241	00 1.2	BSM	0.98	-	57	00 0.9	SONIC	1.63	-	19,218	00 1.6
ECF	0.20	0.01	132,500	00 0.1	BTW	0.20	0.01	2,083	00 0.1	THMUI	0.36	-	169	00 0.3
ECF-W5	0.02	-	10	00 0.0	CAZ	1.70	-	94	00 1.6	TNDT	0.18	-	647	00 0.1
EFORL	0.16	(0.01)	48,353	00 0.1	CHEWA	0.28	0.01	309	00 0.2	TNDT-W1	-	-	-	00 0.0
EFORL-W6	-	-	-	00 0.0	CPANEL	3.14	(0.22)	48	00 3.2	TNH	33.00	0.50	116	00 32.5
EURO	4.46	(0.02)	100	00 4.4	CPANEL-W1	0.10	-	1,853	00 0.1	TNP	2.70	-	2,383	00 2.7
HPT	0.43	-	787	00 0.4	CRD	0.35	0.01	21	00 0.3	TPL	0.51	0.01	1,647	00 0.5
ITTHI	1.63	0.03	49	00 1.6	DHOUSE	0.59	0.01	393	00 0.6	TRP	6.20	(0.05)	1,832	00 6.2
JSP	1.65	0.01	269	00 1.6	DIMET	0.10	-	450	00 0.1	TURTLE	5.20	-	1	00 5.2
JSP-W2	0.03	-	1,007	00 0.0	DPAINT	0.80	0.01	1,930	00 0.8	TVDH	0.15	(0.01)	2,900	00 0.1
JUBILE	8.15	-	182	00 8.1	FLOYD	0.87	(0.07)	16,524	00 0.8	TVDH-W3	-	-	-	00 0.0
LTS	7.00	(0.10)	2,538	00 7.0	HYDRO	1.43	0.05	44	00 1.4	TVT	0.29	0.02	35,933	00 0.3
MGI	10.90	-	1,201	00 11.0	HYDRO-W2	0.11	(0.01)	4	00 0.0	UBA	0.95	-	816	00 0.9
MGI-W1	2.46	(0.06)	887	00 2.5	IND	0.85	0.01	1,660	00 0.8	VL	0.89	(0.01)	9,658	00 0.8
MOONG	1.92	0.01	102	00 1.9	JAK	1.08	-	4	00 1.0	VS	0.44	0.04	3	00 0.4
NPK	-	-	-	00 0.0	K	1.45	(0.04)	56,855	00 1.4	YGG	0.50	(0.04)	18,444	00 0.5
SEI	3.14	-	401	00 3.1	K-W3	0.20	0.01	285	00 0.1	Technology				
SMD100	4.02	-	80	00 4.0	META	0.09	0.01	2,896	00 0.0	APP	1.78	(0.04)	304	00 1.7
TM	0.58	-	2,747	00 0.5	PANEL	1.14	(0.05)	1,160	00 1.1	BBIK	29.25	(0.50)	2,101	00 29.5
TM-W1	0.01	(0.01)	1,001	00 0.0	PPS	0.17	(0.01)	236	00 0.1	BE8	10.60	(0.50)	4,898	00 10.9
WARRIX	3.60	(0.04)	2,060	00 3.6	PRI	6.20	(0.15)	927	00 6.2	BE8-W1	0.70	(0.09)	1	00 0.7
WINMED	1.28	(0.01)	174	00 1.2	PROS	0.86	(0.06)	14,921	00 0.8	BVG	2.02	(0.02)	474	00 2.0
Financials					PROS-W1	0.07	-	3,598	00 0.0	COMAN	0.63	0.04	674	00 0.6
ACAP	-	-	-	00 0.0	PSG	0.17	(0.01)	12,927	00 0.1	I2	1.06	0.03	16,465	00 1.0
AF	0.34	0.01	110	00 0.3	QTCG	0.15	-	9,041	00 0.1	IIG	3.02	0.02	305	00 3.0
AIRA	1.34	0.09	293	00 1.3	SENX	0.23	-	981	00 0.2	IRCP	0.39	(0.02)	1,019	00 0.3
ASN	1.00	(0.11)	15	00 1.0	SK	0.63	-	2,626	00 0.6	ITNS	1.41	(0.01)	489	00 1.4
BTC	0.36	(0.01)	37,038	00 0.3	SMART	0.64	-	4,199	00 0.6	NAT	3.74	(0.04)	463	00 3.7
BTC-W7	0.10	0.01	398	00 0.0	STC	0.50	(0.01)	171	00 0.5	NETBAY	18.60	(0.50)	3,232	00 18.8
GCAP	0.22	0.01	81	00 0.2	STX	1.19	0.01	3,640	00 1.1	PIS	4.94	0.58	45,399	00 4.9
KCC	1.78	(0.01)	219	00 1.7	SVR	0.67	(0.04)	4,958	00 0.6	PLANET	1.81	(0.05)	4,065	00 1.8
LIT	0.46	-	253	00 0.4	TAPAC	-	-	-	00 0.0	PLANET-W2	0.74	(0.05)	4	00 0.7
MITTSIB	0.62	(0.02)	2,282	00 0.6	THANA	1.04	0.02	3	00 1.0	PROEN	1.19	0.03	71,234	00 1.1
SGF	0.16	-	28	00 0.1	TIGER	0.40	-	201	00 0.4	PROEN-W2	0.38	0.01	20,411	00 0.3
SGF-P1	-	-	-	00 0.0	TITLE	4.04	(0.02)	169	00 4.0	READY	4.56	0.06	126	00 4.4
SGF-Q1	-	-	-	00 0.0	WELL	-	-	-	00 0.0	SECURE	11.50	0.10	114	00 11.4
TQR	4.98	0.02	59	00 4.9	YONG	0.98	0.02	25,621	00 1.0	SICT	3.28	-	370	00 3.2
Industrials					Resources					SIMAT	1.17	(0.03)	8,934	00 1.1
ADB	0.59	(0.02)	4,223	00 0.6	ABM	0.85	-	67	00 0.8	SIMAT-W3	0.01	-	11	00 0.0
BM	2.66	-	1,247	00 2.6	GTV	0.08	-	15,595	00 0.0	SPVI	1.37	(0.03)	1,070	00 1.3
BM-W3	1.10	(0.02)	25	00 1.1	PSTC	0.47	-	3,483	00 0.4	SRS	3.74	0.06	1	00 3.7
BPS	0.56	(0.01)	34,326	00 0.5	PSTC-W2	-	-	-	00 0.0	TBN	6.25	(0.40)	135	00 6.1
CHO	0.03	(0.01)	47,416	00 0.0	PSTC-W3	0.11	-	19	00 0.1	TERA	1.24	0.02	1,026	00 1.2
CHO-W4	0.01	-	8	00 0.0	PTC	1.00	-	28	00 1.0	TPS	3.96	(0.04)	218	00 3.9
CHOW	1.29	(0.01)	44	00 1.3	SAAM	6.25	(0.05)	719	00 6.2	VCOM	2.26	(0.02)	464	00 2.2
CIG	0.04	0.01	51,092	00 0.0	SR	-	-	-	00 0.0		-	-	-	-
CIG-W10	-	-	-	00 0.0	STOWER	0.04	-	2,943	00 0.0		-	-	-	-
CIG-W9	0.01	(0.01)	2,000	00 0.0	TAKUNI	0.39	(0.01)	16,533	00 0.3		-	-	-	-
COLOR	1.07	0.02	12,009	00 1.0	TPCH	3.00	(0.02)	727	00 3.0		-	-	-	-
CPR	2.82	(0.02)	664	00 2.8	UMS	-	-	-	00 0.0		-	-	-	-
FPI	1.63	(0.03)	271	00 1.6	Services						-	-	-	-
GTB	0.75	0.01	1,025	00 0.7	ADD	3.96	0.16	141	00 3.9		-	-	-	-
HARN	2.12	(0.02)	211	00 2.1	AKP	0.69	(0.01)	1,059	00 0.6		-	-	-	-
KCM	0.18	(0.02)	9,018	00 0.1	AMA	4.06	0.02	492	00 4.0		-	-	-	-
KJL	6.65	-	256	00 6.6	AMARC	1.22	0.02	566	00 1.2		-	-	-	-
KUMWEL	1.11	-	244	00 1.1	ARIP	0.41	-	1,509	00 0.4		-	-	-	-
KWM	1.14	-	6,738	00 1.1	ATP30	0.89	0.01	7,682	00 0.8		-	-	-	-
MBAX	-	-	-	00 0.0	AUCT	7.45	(0.15)	1,951	00 7.5		-	-	-	-
MGT	1.76	0.01	244	00 1.7	BIS	2.80	0.06	16	00 2.7		-	-	-	-
MTW	0.93	(0.10)	13,511	00 0.9	BOL	5.10	-	247	00 5.1		-	-	-	-
MTW-W1	0.01	-	1,150	00 0.0	CEYE	2.26	0.02	60	00 2.2		-	-	-	-
NDR	1.34	0.05	317	00 1.3	CHIC	0.35	(0.01)	809	00 0.3		-	-	-	-
PACO	1.41	-	135	00 1.4	CMO	0.59	(0.01)	1	00 0.5		-	-	-	-
PACO-W1	0.03	-	261	00 0.0	D	2.26	0.02	712	00 2.2		-	-	-	-
PDG	2.68	(0.02)	17	00 2.6	DEXON	1.43	0.05	105	00 1.4		-	-	-	-
PHOL	2.86	-	354	00 2.8	DV8	0.40	0.02	10,756	00 0.4		-	-	-	-
PIMO	1.30	-	2,010	00 1.2	DV8-W2	0.11	0.03	9,014	00 0.					