

## Main Board Quotation

Issue Date :

Wednesday April 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	DCON-W3	-	-	-	-	BIG	0.29	0.01	6,062	0.28
Agribusiness	-	-	-	-	DCON-W4	0.02	(0.01)	3,125	0.02	B3C	22.70	0.50	36,264	22.40
EE	0.31	0.03	123,504	0.30	DRT	6.25	(0.10)	7,191	6.11	B3C13C2505A	-	-	-	-
GFPT	8.25	0.10	72,504	8.14	EPG	2.18	(0.24)	84,400	2.18	B3C13C2508A	0.40	0.07	49,967	0.38
LEE	2.22	0.02	1,842	2.20	GEL	0.03	(0.01)	1,372	0.03	B3C41C2606T	0.28	0.03	87,200	0.26
NER	4.14	(0.02)	72,941	4.11	GEL-W5	-	-	-	-	COM7	17.80	0.60	137,091	17.52
NER-W2	0.20	-	25,263	0.19	PPP	1.05	0.03	2	1.05	COM701C2506A	-	-	-	-
PCE	2.86	0.06	90,445	2.75	Q-CON	7.65	0.65	1,613	7.15	COM701C2508A	-	-	-	-
PPPM	0.34	0.02	12,445	0.32	SCC	136.00	6.00	45,180	132.41	COM713C2505A	-	-	-	-
PPPM-W6	0.17	(0.02)	25	0.15	SCC01C2505A	-	-	-	-	COM713C2506A	0.02	(0.07)	10	0.02
STA	13.30	0.20	45,452	13.16	SCC01C2505B	-	-	-	-	COM713C2507A	0.08	(0.05)	500	0.08
STA01C2504A	-	-	-	-	SCC01C2507A	0.05	0.01	85	0.08	COM719C2505A	-	-	-	-
STA01C2506A	-	-	-	-	SCC01C2508A	0.21	0.05	4,138	0.18	COM719C2507A	0.10	0.03	2,843	0.10
STA13C2505A	-	-	-	-	SCC01C2508B	0.32	0.07	846	0.31	COM719C2508A	0.22	0.04	84,910	0.20
STA13C2506A	0.04	-	5	0.04	SCC01C2606T	0.35	(0.09)	17	0.33	COM719P2508A	0.58	(0.08)	63,449	0.64
STA13C2508A	-	-	-	-	SCC01P2507A	0.69	(0.08)	4,929	0.68	COM741C2505A	-	-	-	-
STA19C2504A	-	-	-	-	SCC13C2504B	-	-	-	-	COM741C2606T	0.15	0.02	28,428	0.14
STA19C2505A	-	-	-	-	SCC13C2505A	-	-	-	-	COM741C2609T	0.27	0.02	146,000	0.26
STA19C2506A	0.04	0.02	1	0.04	SCC13C2505B	0.02	-	2,121	0.01	CPALL	50.25	2.50	371,944	49.14
STA19C2508A	-	-	-	-	SCC13C2507A	0.13	0.02	265,368	0.11	CPALL01C2504A	-	-	-	-
STA41C2612T	0.27	0.01	1,000	0.27	SCC13P2504A	-	-	-	-	CPALL01C2505A	-	-	-	-
TEGH	2.72	-	6,448	2.76	SCC13P2505A	0.25	(0.12)	3,748	0.29	CPALL01C2507A	0.25	0.01	10,030	0.23
TFM	9.00	0.05	1,245	8.93	SCC13P2508A	0.97	(0.19)	1,763	1.05	CPALL01C2606T	-	-	-	-
TRUBB	0.59	(0.02)	7,221	0.59	SCC19C2504A	-	-	-	-	CPALL01P2505A	0.20	-	281	0.20
UPOIC	-	-	-	-	SCC19C2505A	-	-	-	-	CPALL01P2507A	0.39	(0.06)	351	0.44
UVAN	8.90	0.15	7,949	8.76	SCC19C2505B	-	-	-	-	CPALL06C2504A	-	-	-	-
VPO	0.42	-	5,728	0.40	SCC19C2506A	0.06	-	304	0.02	CPALL13C2505A	-	-	-	-
Banking	-	-	-	-	SCC19C2507A	0.17	0.05	17,591	0.16	CPALL13C2505B	0.01	-	1,000	0.01
BAY	21.10	(0.40)	4,122	21.13	SCC19P2505A	0.49	(0.24)	953	0.55	CPALL13C2506A	0.04	0.01	3,462	0.04
BBL	134.50	1.50	108,899	133.13	SCC19P2508A	-	-	-	-	CPALL13C2506B	0.13	0.05	79,200	0.11
BBL11C2507A	-	-	-	-	SCC41C2505A	-	-	-	-	CPALL13P2504A	-	-	-	-
BBL13C2504A	-	-	-	-	SCC41C2608T	0.30	0.04	205,000	0.29	CPALL13P2505A	0.08	-	4	0.08
BBL13C2507A	0.03	(0.01)	3,502	0.03	SCC41P2508A	0.47	(0.07)	22,420	0.55	CPALL13P2506A	0.13	(0.05)	8,416	0.15
BBL13C2508A	0.11	0.01	177,344	0.10	SCCC	145.50	0.50	742	142.50	CPALL19C2504A	-	-	-	-
BBL19C2506A	-	-	-	-	SCGD	3.62	0.02	8,815	3.60	CPALL19C2505A	-	-	-	-
BBL19C2508A	0.11	(0.02)	420	0.07	SCP	5.75	(0.05)	3,359	5.64	CPALL19C2505B	-	-	-	-
BBL41C2506A	-	-	-	-	SKN	5.50	0.25	1,379	5.41	CPALL19C2506A	-	-	-	-
BBL41C2609T	0.24	0.01	28,000	0.24	STECH	0.92	-	1,009	0.92	CPALL19C2506B	0.07	0.02	2,160	0.07
CBMT	0.53	(0.01)	8,406	0.53	TASCO	14.20	0.50	23,984	13.91	CPALL19C2508A	0.24	0.07	11,491	0.22
CREDIT	18.60	0.10	425	18.38	TASCO19C2507A	0.08	0.01	21	0.07	CPALL19P2505A	-	-	-	-
KBANK	149.50	3.50	222,177	147.75	TOA	9.80	0.25	36,725	9.69	CPALL19P2505B	-	-	-	-
KBANK01C2506A	0.09	-	220	0.09	TP1PL	0.90	0.01	49,924	0.89	CPALL41C2505A	-	-	-	-
KBANK01C2508A	0.52	(0.01)	1,986	0.49	UMI	0.63	0.03	1,615	0.59	CPALL41C2506A	-	-	-	-
KBANK01P2507A	0.59	(0.06)	3,517	0.59	VNG	2.18	-	547	2.07	CPALL41C2605T	0.14	0.02	4,000	0.13
KBANK13C2505A	-	-	-	-	WIJK	0.87	0.02	17	0.86	CPALL41P2504A	-	-	-	-
KBANK13C2507A	0.18	0.03	144,034	0.18	WIJK-W3	0.03	-	4	0.03	CPALL41P2508A	0.28	0.07	2,000	0.29
KBANK13P2504A	-	-	-	-	WINDOW	0.64	(0.02)	7,229	0.65	CPAXT	24.30	(0.40)	116,908	24.25
KBANK13P2507A	0.40	(0.10)	18,572	0.46	Petrochemicals &	-	-	-	-	CPW	1.72	(0.12)	9,831	1.63
KBANK19C2504A	-	-	-	-	BCT	51.75	(6.25)	241	50.40	CRC	22.40	(0.80)	195,340	22.40
KBANK19C2505A	-	-	-	-	CMAN	2.20	-	1,960	2.14	CRC01C2506A	-	-	-	-
KBANK19C2507A	0.07	0.01	6,200	0.07	GC	4.88	0.02	4,876	4.83	CRC13C2506A	-	-	-	-
KBANK19C2507B	0.13	0.02	3,392	0.12	GGC	3.88	-	226	3.87	CRC13C2508A	0.06	-	1,009	0.06
KBANK41C2505A	-	-	-	-	IVL	17.90	0.40	196,361	17.55	CRC19C2506A	0.02	0.01	4	0.02
KBANK41C2604T	0.59	0.04	168,011	0.56	IVL01C2504A	-	-	-	-	CRC19C2508A	0.06	(0.04)	3,481	0.06
KBANK41C2609T	0.33	0.02	115,880	0.32	IVL01C2506A	-	-	-	-	CRC41C2608T	-	-	-	-
KBANK41P2606T	0.47	0.02	10	0.47	IVL01C2507A	0.13	(0.05)	4,328	0.11	CSS	0.80	0.01	4,705	0.79
KKP	52.00	-	36,694	51.84	IVL01P2504A	-	-	-	-	DOHOME	4.60	(0.34)	174,541	4.68
KKP-W6	1.03	0.02	420	1.01	IVL01P2506A	0.96	(0.12)	107	1.11	DOHOME01C2507A	0.05	(0.02)	50	0.05
KKP13C2504A	-	-	-	-	IVL13C2505A	-	-	-	-	DOHOME01C2508A	-	-	-	-
KKP19C2507A	0.15	(0.01)	2,914	0.15	IVL13C2507A	0.07	0.01	81,596	0.06	DOHOME13C2505A	-	-	-	-
KTB	21.20	0.30	870,787	21.05	IVL13C2508A	0.17	0.02	186,284	0.15	DOHOME13C2506A	-	-	-	-
KTB-P	-	-	-	-	IVL13P2508A	0.68	(0.10)	830	0.73	DOHOME13C2508A	0.10	(0.05)	3,958	0.10
KTB-Q	-	-	-	-	IVL19C2505A	-	-	-	-	DOHOME19C2504A	-	-	-	-
KTB01C2506A	0.11	0.02	2	0.12	IVL19C2506A	-	-	-	-	DOHOME19C2506A	-	-	-	-
KTB13C2505A	0.03	(0.01)	140	0.03	IVL19C2507A	0.09	0.02	280	0.09	DOHOME19C2506B	-	-	-	-
KTB13C2507A	0.06	0.01	33	0.06	IVL19C2508A	0.18	0.02	75,315	0.16	DOHOME19C2508A	0.11	(0.05)	50,652	0.14
KTB13P2507A	0.40	(0.02)	910	0.42	IVL19P2508A	-	-	-	-	DOHOME41C2609T	-	-	-	-
KTB19C2505A	-	-	-	-	IVL41C2505A	-	-	-	-	FN	0.51	0.01	983	0.50
KTB19C2506A	-	-	-	-	IVL41C2605T	0.12	0.01	30,000	0.11	GLOBAL	5.80	(0.30)	203,141	5.82
KTB41C2506A	0.05	0.01	2,500	0.04	IVL41P2605T	0.62	0.13	10,000	0.62	GLOBAL01C2507A	-	-	-	-
LHFG	0.74	-	26,581	0.74	NFC	1.40	0.01	95	1.39	GLOBAL13C2504A	-	-	-	-
SCB	119.00	5.00	160,045	116.06	PATO	7.15	0.40	265	6.75	GLOBAL13C2506A	-	-	-	-
SCB01C2505A	-	-	-	-	PMTA	7.60	-	71	7.60	GLOBAL13C2507A	0.03	(0.01)	19,594	0.03
SCB01C2507A	0.15	-	6	0.15	PTTGC	15.40	0.70	411,333	15.02	GLOBAL13C2508A	0.12	(0.04)	46,233	0.13
SCB01P2507A	0.59	(0.06)	6,841	0.62	PTTGC01C2504A	-	-	-	-	GLOBAL19C2507A	0.05	(0.01)	3,200	0.05
SCB13C2505A	0.02	(0.03)	561	0.01	PTTGC01C2505A	-	-	-	-	GLOBAL41C2606T	-	-	-	-
SCB13C2508A	0.16	0.04	137,361	0.14	PTTGC01C2506A	0.04	0.02	170	0.02	HMPRO	8.60	0.45	468,300	8.48
SCB13P2507A	0.26	(0.12)	47,821	0.32	PTTGC01C2507A	0.07	0.01	1,704	0.06	HMPRO01C2504A	-	-	-	-
SCB19C2504A	-	-	-	-	PTTGC01C2508A	0.22	(0.02)	2,320	0.21	HMPRO01C2507A	-	-	-	-
SCB19C2507A	0.09	0.01	3,799	0.09	PTTGC01P2506A	-	-	-	-	HMPRO01C2508A	0.33	0.07	532	0.32
SCB41C2505A	-	-	-	-	PTTGC13C2505A	0.01	(0.01)	5,000	0.01	HMPRO13C2504A	-	-	-	-
SCB41C2609T	0.28	0.02	51,000	0.26	PTTGC13C2506A	0.01	-	200	0.01	HMPRO13C2506A	0.06	0.02	3,600	0.06
TCAP	49.00	1.00	21,519	48.33	PTTGC13C2507A	0.05	0.01	1,380	0.05	HMPRO13C2508A	0.38	0.09	155,545	0.34
TCAP-P	-	-	-	-	PTTGC13C2507E	0.16	0.03	25,336	0.15	HMPRO19C2506A	0.07	0.02	134	0.07
TCAP-Q	-	-	-	-	PTTGC13P2506A	0.70	(0.14)	564	0.75	HMPRO19C2508A	0.47	0.11	4,494	0.42
TCAP13C2508A	0.21	-	22,072	0.21	PTTGC19C2504A	-	-	-	-	HMPRO41C2606T	0.15	0.02	15,000	0.14
TCAP19C2504A	-	-	-	-	PTTGC19C2505A	-	-	-	-	ICC	-	-	-	-
TISCO	96.25	-	97,443	95.77	PTTGC19C2506A	-	-	-	-	ILM	13.00	(0.20)	1,996	13.01
TISCO-P	-	-	-	-	PTTGC19C2508A	0.13	0.03	88,223	0.11	IT	3.40	(0.02)	498	3.35
TISCO-Q	-	-	-	-	PTTGC41C2505A	-	-	-	-	KAMART	8.10	-	84,057	7.85
TISCO41C2606T	0.28	(0.01)	2											

## Main Board Quotation

Issue Date :

Wednesday April 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPT	-	-	-	-	CCET19C2506B	-	-	-	-	ACC-W2	0.34	0.01	323	0.33
SVT	1.12	(0.09)	3,286	1.14	CCET19C2506C	-	-	-	-	ACE	1.26	0.02	32,721	1.25
TAN	4.36	0.02	6,467	4.30	CCET19C2507A	0.03	-	8	0.03	AE	0.09	-	277,105	0.08
Information & Commr	-	-	-	-	CCET19C2507B	0.11	0.02	142,550	0.11	AGE	0.72	(0.03)	4,567	0.71
3BBIF	5.45	(0.05)	281,300	5.39	CCET41C2505A	0.01	-	600	0.01	AI	3.22	-	2,066	3.20
ADVANC	270.00	(1.00)	73,619	271.75	CCET41C2506A	0.03	0.02	50	0.03	AIE	1.12	0.03	47,477	1.13
ADVANC01C2506A	-	-	-	-	CCET41C2609T	0.24	0.01	119,011	0.24	BAFS	6.90	(0.05)	2,154	6.95
ADVANC01C2508A	0.28	(0.01)	6,236	0.32	DELTA	60.00	0.50	196,415	59.04	BANPU	4.30	0.22	407,495	4.19
ADVANC01P2505A	0.10	-	11	0.07	DELTA01C2505A	0.02	-	601	0.01	BANPU01C2504A	-	-	-	-
ADVANC01P2507A	0.58	(0.07)	4,678	0.61	DELTA01C2506A	0.02	-	432	0.02	BANPU01C2506A	-	-	-	-
ADVANC13C2505A	0.02	(0.01)	856	0.02	DELTA01C2507A	0.53	-	39,225	0.52	BANPU01C2507A	-	-	-	-
ADVANC13C2507A	0.17	(0.01)	77,333	0.18	DELTA01P2504A	-	-	-	-	BANPU01C2508A	0.35	0.08	4,282	0.28
ADVANC13P2504A	-	-	-	-	DELTA06C2504A	-	-	-	-	BANPU01C2606T	-	-	-	-
ADVANC13P2507A	0.43	0.01	39,560	0.41	DELTA11C2507A	0.17	0.01	70,906	0.16	BANPU13C2505A	0.02	-	101	0.01
ADVANC19C2505A	-	-	-	-	DELTA13C2505A	-	-	-	-	BANPU13C2506A	-	-	-	-
ADVANC19C2506A	-	-	-	-	DELTA13C2506A	-	-	-	-	BANPU13C2506B	-	-	-	-
ADVANC19C2507A	0.19	-	1,064	0.19	DELTA13C2506E	0.01	-	30	0.01	BANPU13C2507A	0.23	0.07	141,398	0.19
ADVANC19P2504A	-	-	-	-	DELTA13C2507A	0.07	-	57,409	0.06	BANPU19C2504A	-	-	-	-
ADVANC19P2508A	0.39	(0.04)	2,302	0.37	DELTA13C2507E	0.04	0.01	13,336	0.03	BANPU19C2506A	0.02	-	1,600	0.02
ADVANC41C2505A	-	-	-	-	DELTA13C2507C	0.18	0.01	400,992	0.17	BANPU19C2507A	0.14	0.04	20,556	0.12
ADVANC41C2606T	0.26	-	89,412	0.26	DELTA13C2508A	0.40	0.01	560,241	0.37	BANPU19C2508A	0.33	0.07	172,571	0.28
ADVANC41P2508A	-	-	-	-	DELTA13P2505A	-	-	-	-	BANPU41C2505A	-	-	-	-
AIT	4.38	0.04	24,700	4.38	DELTA13P2505E	-	-	-	-	BANPU41C2605T	0.09	0.01	11	0.08
ALT	0.74	-	685	0.74	DELTA13P2506A	1.65	(0.41)	75	1.75	BBGI	3.00	(0.02)	7,147	2.94
AMR	0.54	-	15,662	0.52	DELTA13P2507A	1.15	-	2,988	1.18	BCP	36.25	2.50	50,197	34.98
BLISS	-	-	-	-	DELTA13P2507E	0.45	(0.03)	25,827	0.48	BCP01C2504A	-	-	-	-
DIF	7.60	(0.05)	311,428	7.50	DELTA19C2506A	0.01	(0.01)	8,888	0.01	BCP01C2505A	-	-	-	-
DITTO	9.20	(0.05)	29,181	9.19	DELTA19C2506E	-	-	-	-	BCP01C2507A	-	-	-	-
DITTO-W1	0.02	-	1,849	0.02	DELTA19C2506C	-	-	-	-	BCP01P2505A	-	-	-	-
DTCENT	0.82	0.03	2,848	0.80	DELTA19C2507A	0.03	-	120	0.03	BCP13C2505A	-	-	-	-
FORTH	6.60	0.20	2,143	6.72	DELTA19C2507E	0.06	-	4,412	0.07	BCP13C2507A	0.17	0.05	60,603	0.14
GABLE	3.24	0.02	8,947	3.21	DELTA19C2507C	0.23	-	111,482	0.21	BCP13C2508A	0.15	(0.04)	100,490	0.12
HUMAN	7.50	-	3,402	7.44	DELTA19C2508A	0.44	-	324,975	0.42	BCP13P2505A	0.02	0.01	4,198	0.02
ICN	1.61	(0.05)	7,171	1.60	DELTA19P2504A	-	-	-	-	BCP19C2504A	-	-	-	-
ILINK	5.15	-	12,122	5.08	DELTA19P2505A	3.46	0.12	3,880	3.44	BCP19C2506A	0.17	-	49,792	0.14
INET	3.84	(0.28)	98,051	3.88	DELTA19P2506A	1.83	(0.25)	20,457	2.02	BCP19C2507A	0.13	0.03	9	0.10
INSET	1.46	(0.25)	198,212	1.55	DELTA19P2507A	0.98	(0.14)	10,088	1.06	BCP41C2505A	0.18	(0.17)	8,200	0.14
ITEL	1.16	-	30,932	1.15	DELTA19P2509A	1.00	(0.02)	266,085	1.04	BCP41C2609T	0.30	0.04	151,584	0.28
JAS	1.33	0.06	216,102	1.27	DELTA41C2505A	-	-	-	-	BCPG	6.10	(0.05)	80,811	6.04
JAS-W4	0.26	-	73,028	0.26	DELTA41C2506A	-	-	-	-	BCPG01C2506A	0.09	(0.01)	699	0.09
JAS13C2505A	-	-	-	-	DELTA41C2507A	0.05	-	900	0.05	BCPG01C2508A	0.26	0.01	15,322	0.24
JAS13C2507A	-	-	-	-	DELTA41C2508A	0.17	-	36,060	0.17	BCPG01P2506A	-	-	-	-
JAS19C2505A	-	-	-	-	DELTA41C2608T	0.22	0.01	41,000	0.21	BCPG13C2507A	0.08	0.01	27,492	0.07
JAS19C2507A	0.07	-	4,246	0.06	DELTA41C2612T	0.04	(0.02)	2,000	0.04	BCPG13C2507B	0.20	(0.07)	1	0.20
JAS41C2605T	-	-	-	-	DELTA41P2505A	-	-	-	-	BCPG19C2505A	0.08	0.01	33,699	0.07
JMART	7.05	(0.05)	115,854	6.97	DELTA41P2507A	0.33	-	8,149	0.34	BCPG19C2508A	0.11	(0.01)	21,394	0.11
JMART-W5	0.13	(0.02)	1,244	0.14	HANA	15.00	0.10	46,081	14.94	BCPG41C2606T	0.25	(0.01)	124,488	0.25
JMART13C2506A	-	-	-	-	HANA01C2504A	-	-	-	-	BGRIM	9.55	0.35	209,336	9.27
JMART13C2507A	0.04	-	5,034	0.03	HANA01C2504W	-	-	-	-	BGRIM01C2504A	-	-	-	-
JMART19C2504A	-	-	-	-	HANA01C2505A	-	-	-	-	BGRIM01C2505A	-	-	-	-
JMART19C2506A	-	-	-	-	HANA01C2505B	-	-	-	-	BGRIM01C2506A	-	-	-	-
JMART19C2508A	0.06	-	1,425	0.05	HANA01P2504A	-	-	-	-	BGRIM01C2507A	-	-	-	-
JMART19C2508B	0.15	-	43,346	0.14	HANA01P2505A	-	-	-	-	BGRIM01C2508A	0.07	(0.02)	900	0.06
JMART41C2606T	-	-	-	-	HANA06C2504A	-	-	-	-	BGRIM01C2509A	-	-	-	-
JMART41C2609T	-	-	-	-	HANA13C2504C	-	-	-	-	BGRIM01C2606T	-	-	-	-
JTS	29.75	3.75	15,717	26.49	HANA13C2505A	0.01	-	70	0.01	BGRIM01P2505A	-	-	-	-
MFEC	5.65	-	1,251	5.70	HANA13C2505B	-	-	-	-	BGRIM01P2507A	0.68	0.05	210	0.66
MSC	7.60	0.20	988	7.41	HANA13C2506A	-	-	-	-	BGRIM11C2507A	0.12	0.02	21,774	0.11
PT	11.20	0.10	3,075	10.95	HANA13C2507A	0.03	-	830	0.03	BGRIM13C2505A	-	-	-	-
ROCTEC	0.51	0.01	103,003	0.50	HANA13C2508A	0.18	0.01	80,546	0.18	BGRIM13C2505B	-	-	-	-
ROCTEC-W3	0.01	-	2	0.01	HANA13P2505A	-	-	-	-	BGRIM13C2506A	-	-	-	-
ROCTEC-W5	0.03	0.01	150,017	0.02	HANA13P2507A	0.41	(0.02)	2,011	0.42	BGRIM13C2507A	0.02	0.01	43	0.01
SAMART	5.85	-	77,599	5.82	HANA19C2504A	-	-	-	-	BGRIM13C2507B	0.05	0.01	43,187	0.03
SAMTEL	5.00	(0.15)	437	5.02	HANA19C2505A	-	-	-	-	BGRIM13C2508A	0.12	0.03	43,868	0.11
SAMTEL-W2	0.85	0.02	234	0.82	HANA19C2505B	-	-	-	-	BGRIM13P2505A	-	-	-	-
SDC	0.04	0.01	299,941	0.03	HANA19C2507A	-	-	-	-	BGRIM13P2506A	-	-	-	-
SIS	19.90	(0.10)	2,707	19.76	HANA19C2508A	0.17	-	62,555	0.17	BGRIM19C2504A	-	-	-	-
SKY	15.90	0.50	8,422	15.59	HANA19P2504A	-	-	-	-	BGRIM19C2505A	-	-	-	-
SPREME	1.36	-	1,665	1.34	HANA19P2504B	-	-	-	-	BGRIM19C2506A	-	-	-	-
SVOA	0.96	(0.01)	2,043	0.97	HANA41C2505A	-	-	-	-	BGRIM19C2507A	-	-	-	-
SYMC	3.94	(0.04)	1,471	3.87	HANA41C2606T	-	-	-	-	BGRIM19C2507B	0.04	(0.02)	10,001	0.04
SYNEX	9.80	(0.50)	25,298	9.64	KCE	15.00	-	63,185	14.95	BGRIM19C2508A	0.26	0.05	179,981	0.22
THCOM	7.30	(0.05)	230,167	6.86	KCE01C2504A	-	-	-	-	BGRIM19P2506A	1.02	(0.13)	339	1.02
TKC	7.50	-	519	7.22	KCE01C2504W	-	-	-	-	BGRIM41C2505A	-	-	-	-
TRUE	11.30	(0.40)	864,838	11.45	KCE01C2505A	-	-	-	-	BGRIM41C2506A	-	-	-	-
TRUE01C2505A	-	-	-	-	KCE01C2507A	0.10	0.04	2	0.10	BGRIM41C2608T	0.12	0.01	2,200	0.12
TRUE01C2507A	-	-	-	-	KCE01P2504A	-	-	-	-	BIOTEC	0.19	0.01	6,952	0.18
TRUE01C2508A	0.23	0.03	222	0.25	KCE13C2504C	-	-	-	-	BIOTEC-P	-	-	-	-
TRUE01P2505A	-	-	-	-	KCE13C2504D	-	-	-	-	BIOTEC-Q	-	-	-	-
TRUE01P2507A	0.30	(0.04)	703	0.32	KCE13C2505A	-	-	-	-	BIOTEC-W2	0.03	0.01	9,394	0.02
TRUE13C2504A	-	-	-	-	KCE13C2505B	-	-	-	-	BPP	6.75	0.25	27,725	6.66
TRUE13C2505A	-	-	-	-	KCE13C2506A	0.02	(0.01)	300	0.02	BRRGIF	3.80	(0.02)	2,683	3.80
TRUE13C2507A	0.15	(0.01)	8,033	0.15	KCE13C2507A	0.06	-	9,986	0.06	BSRC	5.20	0.20	17,626	4.99
TRUE13P2506A	0.12	-	360	0.12	KCE13C2508A	0.11	-	33,538	0.11	BSRC13C2506A	-	-	-	-
TRUE19C2504A	-	-	-	-	KCE13P2504A	-	-	-	-	CKP	2.54	0.04	33,208	2.52
TRUE19C2507A	0.08	(0.01)	519	0.08	KCE13P2505A	-	-	-	-	CKP01C2504A	-	-	-	-
TRUE19C2507B	0.17	(0.03)	24,846	0.18	KCE13P2508A	0.53	(0.01)	2,779	0.53	CV	-	-	-	-
TRUE19P2506A	0.12	0.01	9,174	0.11	KCE19C2504A	-	-	-	-	CV-W1	-	-	-	-
TRUE19P2507A	0.33	0.02	37,687	0.31	KCE19C2504B	-	-	-	-	EA	1.83	0.03	608,023	1.79
TRUE41C2505A	0.01	(0.05)	200	0.01	KCE19C2505A	-	-	-	-	EA-W1	0.19	-	50,185	0.19
TRUE41C2604T	0.55	-	21,886	0.55	KCE19C2506A	-	-	-	-	EA13C2505A	-	-	-	-
TRUE41C2612T	0.29	(0.02)	39,000	0.30	KCE19C2507A	-	-	-	-	EA1				

## Main Board Quotation

Issue Date :

Wednesday April 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA19P2505A	1.53	0.08	4,672	1.54	SUSCO	2.80	0.02	35,663	2.80	CHAYO-W3	0.06	0.01	6,766	0.05
EA41C2606T	0.06	-	465	0.06	TAE	0.65	-	1,694	0.64	EAST	0.83	0.01	4,594	0.82
EASTW	1.78	(0.02)	6,066	1.79	TCC	0.22	(0.01)	16,845	0.22	FNS	1.04	(0.01)	590	0.99
EGATIF	5.80	(0.10)	8,069	5.80	TCC-W5	0.14	-	1,605	0.13	FSX	1.22	(0.02)	1,123	1.18
EGCO	91.25	4.25	14,689	89.00	TGE	1.46	0.03	431	1.44	GBX	0.45	(0.01)	6,251	0.45
EGCO19C2504A	-	-	-	-	TGE-W2	0.08	-	6,970	0.08	GL	-	-	-	-
EP	1.33	-	590	1.30	TOP	21.50	(0.20)	240,338	21.41	HENG	0.95	(0.01)	28,112	0.93
EP-W4	-	-	-	-	TOP01C2504A	-	-	-	-	IFS	2.22	0.08	797	2.12
ETC	1.30	(0.02)	17,858	1.30	TOP01C2505A	0.01	-	1	0.01	JMT	11.90	-	112,691	11.83
GSPC	24.80	1.30	107,862	24.14	TOP01C2506A	-	-	-	-	JMT01C2504A	-	-	-	-
GSPC01C2504W	-	-	-	-	TOP01C2507A	-	-	-	-	JMT13C2506A	0.01	(0.01)	17,657	0.01
GSPC01C2505A	-	-	-	-	TOP01C2508A	0.08	(0.01)	1,200	0.08	JMT13C2507A	0.08	-	16,979	0.08
GSPC01C2507A	0.10	0.06	606	0.05	TOP01P2504A	-	-	-	-	JMT19C2504A	-	-	-	-
GSPC01C2508A	-	-	-	-	TOP01P2506A	0.27	0.06	501	0.27	JMT19C2504B	-	-	-	-
GSPC01P2506A	0.46	0.03	182	0.39	TOP01P2508A	0.51	0.02	2	0.53	JMT19C2506A	0.02	(0.01)	6,910	0.02
GSPC13C2505A	0.02	0.01	1	0.02	TOP13C2504B	-	-	-	-	JMT19C2507A	0.11	(0.01)	21,785	0.11
GSPC13C2505B	-	-	-	-	TOP13C2505A	-	-	-	-	JMT41C2505A	-	-	-	-
GSPC13C2506A	-	-	-	-	TOP13C2505B	-	-	-	-	JMT41C2608T	0.20	-	73,533	0.20
GSPC13C2507A	0.09	0.02	15,260	0.08	TOP13C2505C	-	-	-	-	KCAR	3.78	(0.06)	197	3.80
GSPC13P2505A	-	-	-	-	TOP13C2506A	0.13	(0.01)	301	0.13	KGI	4.12	(0.04)	23,651	4.12
GSPC13P2506A	0.28	(0.06)	411	0.31	TOP13C2507A	0.05	(0.01)	712	0.05	KTC	45.25	1.00	35,288	45.06
GSPC19C2505A	-	-	-	-	TOP13P2505A	-	-	-	-	KTC01C2507A	-	-	-	-
GSPC19C2506A	-	-	-	-	TOP13P2506A	0.23	0.05	1	0.23	KTC01C2508A	-	-	-	-
GSPC19C2506B	-	-	-	-	TOP13P2508A	0.50	0.14	1	0.50	KTC13C2506A	-	-	-	-
GSPC19C2507A	-	-	-	-	TOP19C2504A	-	-	-	-	KTC19C2504A	-	-	-	-
GSPC19P2506A	0.41	(0.09)	2,973	0.48	TOP19C2505A	-	-	-	-	KTC19C2507A	-	-	-	-
GSPC41C2505A	-	-	-	-	TOP19C2505B	-	-	-	-	KTC41C2606T	0.21	0.01	45,960	0.20
GSPC41C2606T	-	-	-	-	TOP19C2508A	0.10	-	61,470	0.10	MFC	23.80	(0.20)	187	23.60
GREEN	0.73	0.02	336	0.74	TOP19P2505A	-	-	-	-	MICRO	0.80	(0.01)	5,433	0.79
GULF	42.25	2.25	921,670	41.23	TOP41C2505A	-	-	-	-	ML	0.29	-	372	0.29
GULF01C2508A	0.18	0.05	672	0.16	TOP41C2506B	0.02	-	1	0.02	MST	7.70	(0.05)	227	7.72
GULF13C2508A	0.10	0.02	399,815	0.09	TOP41C2609T	-	-	-	-	MTC	43.25	2.25	103,057	41.34
GULF41C2508A	0.27	(0.73)	166,399	0.24	TOP41P2505A	-	-	-	-	MTC01C2504A	-	-	-	-
GUNKUL	1.47	0.08	339,058	1.42	TPIPP	2.06	0.04	31,984	2.01	MTC01C2506A	-	-	-	-
GUNKUL13C2505A	-	-	-	-	TSE	0.30	(0.02)	22,088	0.31	MTC01C2508A	0.35	0.04	611	0.35
GUNKUL19C2504A	-	-	-	-	TTW	8.55	0.05	54,573	8.51	MTC01P2506A	0.30	(0.02)	6,980	0.31
GUNKUL19C2505A	-	-	-	-	UBE	0.45	(0.01)	30,840	0.45	MTC13C2505A	-	-	-	-
IRPC	0.79	0.01	273,061	0.79	WHAUP	2.96	(0.06)	70,048	2.90	MTC13C2506A	0.09	0.03	720	0.06
IRPC01C2504A	-	-	-	-	WP	3.38	0.04	463	3.35	MTC13C2508A	0.38	0.09	83,260	0.30
IRPC19C2508A	0.11	0.01	10,334	0.10	Media & Publishi	-	-	-	-	MTC13P2506A	0.12	(0.07)	9,757	0.14
KBSPIF	7.20	-	271	7.17	AMARIN	2.04	(0.18)	606	2.07	MTC19C2504A	-	-	-	-
LANNA	14.50	-	3,554	14.54	AQUA	0.22	-	35,259	0.21	MTC19C2506A	0.08	0.01	32,138	0.07
MDX	2.44	(0.04)	1,700	2.43	AS	1.91	(0.13)	13,183	1.93	MTC19C2508A	0.33	0.07	381,145	0.23
NOVA	7.00	(0.30)	1	7.00	BEC	3.78	(0.02)	5,057	3.77	MTC19P2506A	0.14	(0.05)	100,997	0.19
OR	12.10	0.60	289,564	11.86	FE	-	-	-	-	MTC19P2509A	0.44	(0.06)	152,834	0.51
OR01C2505A	-	-	-	-	GPI	1.56	(0.04)	6,024	1.52	MTC41C2505A	-	-	-	-
OR01C2507A	0.13	0.03	9,746	0.13	GRAMMY	5.10	-	63	5.05	MTC41C2606T	0.27	0.03	74,000	0.24
OR01C2508A	0.27	0.07	22,373	0.25	JKN	-	-	-	-	NCAP	2.10	(0.02)	80,692	2.07
OR13C2506A	0.05	0.03	149	0.05	MAJOR	9.80	-	7,402	9.63	PL	0.99	0.02	24	0.98
OR13C2507A	0.14	0.05	92,665	0.13	MATCH	-	-	-	-	S11	2.56	0.02	1,450	2.60
OR13C2508A	0.28	0.06	89,502	0.24	MATI	-	-	-	-	SAK	3.58	(0.10)	40,125	3.57
OR19C2504A	-	-	-	-	MCOT	4.64	0.58	402,058	4.41	SAWAD	29.00	1.50	96,516	28.45
OR19C2505A	-	-	-	-	MONO	1.10	(0.04)	489,058	1.09	SAWAD-W2	0.18	-	4,880	0.17
OR19C2506A	-	-	-	-	NATION	0.02	-	12,850	0.02	SAWAD01C2504A	-	-	-	-
OR19C2508A	0.36	(0.01)	150	0.34	NATION-W4	-	-	-	-	SAWAD01C2506A	-	-	-	-
OR41C2505A	-	-	-	-	ONEE	2.40	(0.10)	18,287	2.41	SAWAD01C2508A	0.08	0.01	1,000	0.08
OR41C2605T	-	-	-	-	PLANB	5.15	0.27	91,251	4.97	SAWAD01C2508B	0.26	0.07	1	0.26
OR41C2608T	0.30	0.04	119,600	0.28	PLANB13C2508A	-	-	-	-	SAWAD01P2505A	0.59	(0.14)	214	0.65
PRIME	0.07	0.01	26,517	0.07	PLANB19C2508A	0.11	0.03	31,376	0.10	SAWAD13C2505A	-	-	-	-
PTG	6.25	0.10	26,135	6.24	PLANB41C2606T	0.14	0.01	2,000	0.13	SAWAD13C2506A	0.01	-	772	0.01
PTT	30.50	0.25	540,792	30.29	PRAKIT	11.30	0.20	15	11.18	SAWAD13C2507A	0.06	(0.01)	800	0.05
PTT01C2505A	-	-	-	-	PTECH	0.98	0.09	52	0.93	SAWAD13C2508A	0.14	0.03	254,438	0.13
PTT01C2508A	0.14	-	2	0.14	SE-ED	1.94	0.01	68	1.94	SAWAD13C2508B	0.25	0.05	1,290,030	0.21
PTT13C2508A	0.14	0.01	73,019	0.13	TKS	5.10	(0.10)	7,841	5.03	SAWAD19C2504A	-	-	-	-
PTT19C2505A	-	-	-	-	VGI	2.12	(0.22)	4,651,445	2.10	SAWAD19C2505A	-	-	-	-
PTT41C2606T	0.23	-	74,000	0.23	VGI-W3	0.04	-	303,637	0.03	SAWAD19C2506A	-	-	-	-
PTTEP	97.50	1.25	135,214	94.94	VGI-W4	0.51	(0.17)	110,742	0.52	SAWAD19C2507A	-	-	-	-
PTTEP01C2504A	-	-	-	-	VGI01C2505A	-	-	-	-	SAWAD19C2508A	0.20	0.04	289,888	0.17
PTTEP01C2505A	-	-	-	-	VGI01C2507A	0.06	(0.05)	598	0.06	SAWAD19P2504A	-	-	-	-
PTTEP01C2507A	0.10	(0.02)	5,893	0.08	VGI13C2505A	-	-	-	-	SAWAD41C2505A	-	-	-	-
PTTEP01P2506A	0.62	(0.03)	11,680	0.66	VGI13C2507A	0.03	(0.02)	27,182	0.04	SAWAD41C2609T	0.26	0.03	114,960	0.24
PTTEP13C2505A	-	-	-	-	VGI13C2508A	0.10	(0.02)	22,534	0.09	SCAP	1.20	0.02	28,953	1.19
PTTEP13C2507A	0.04	-	25,311	0.03	VGI13P2504A	-	-	-	-	SCG	0.66	(0.02)	195,174	0.66
PTTEP13C2507B	0.07	(0.01)	5,304	0.07	VGI19C2504A	-	-	-	-	SGC-W1	0.09	-	12,336	0.08
PTTEP13P2506A	0.62	(0.09)	24,675	0.76	VGI19C2505A	0.02	-	12,875	0.01	SGC-W2	0.20	(0.01)	1,371	0.19
PTTEP19C2504A	-	-	-	-	VGI19C2507A	0.03	(0.02)	24,221	0.03	SM	0.77	0.02	10,326	0.76
PTTEP19C2505A	-	-	-	-	VGI19C2508A	0.09	(0.03)	125,389	0.08	TH	0.53	0.03	21,371	0.51
PTTEP19C2507A	0.05	(0.02)	176	0.05	VGI41C2505A	-	-	-	-	TH-W3	0.02	-	1,379	0.01
PTTEP19C2508A	0.08	0.04	661	0.05	VGI41C2606T	0.12	(0.03)	254,791	0.12	THANI	1.53	-	45,731	1.52
PTTEP41C2505A	-	-	-	-	WORK	4.48	(0.14)	912	4.54	TIDLOR	14.90	(0.30)	73,944	14.83
PTTEP41C2507A	0.06	-	12	0.06	ZAA	0.62	0.02	374	0.60	TIDLOR01C2506A	-	-	-	-
PTTEP41C2604T	0.05	-	2,160	0.05	Finance & Securi	-	-	-	-	TIDLOR13C2505A	0.03	-	3,019	0.03
PTTEP41P2506A	0.51	(0.03)	93,118	0.59	AEONTS	101.50	3.25	1,930	100.40	TIDLOR19C2504A	-	-	-	-
RATCH	24.20	1.30	39,671	23.36	AMANAHA	0.76	-	9,850	0.74	TIDLOR19C2505A	-	-	-	-
RATCH19C2506A	-	-	-	-	ASAP	1.37	0.08	71	1.30	TIDLOR19C2505B	0.03	0.01	70	0.03
RPC	0.22	(0.01)	4,321	0.23	ASK	6.55	0.15	6,981	6.48	TIDLOR41C2605T	-	-	-	-
SCG	2.38	-	233	2.30	ASP	1.87	-	13,693	1.85	TK	3.32	0.02	508	3.35
SCN	0.41	0.03	6,373	0.39	BAM	5.90	-	111,578	5.88	TNITY	2.36	(0.02)	1,113	2.23
SCN-W2	0.04	0.01	177	0.03	BAM01C2504A	-	-	-	-	TNL	-	-	-	-
SEA0IL	2.38	0.02	351	2.32	BAM01C2506A	0.08	(0.01)	123	0.08	UOBKH	5.40	-	1,540	5.40
SGP	6.70	0.15	1,934	6.56	BAM13C2505A	-	-	-	-	XPG	0.77	-	105,827	0.76
SKE	0.18	-	6,504	0.17										

## Main Board Quotation

Issue Date :

Wednesday April 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG01C2507A	0.08	-	2,570	0.08	SST	1.97	(0.03)	3	1.92	Tourism & Leisure	-	-	-	-
CBG01C2508A	-	-	-	-	SUN	2.90	-	6,201	2.88	ASIA	4.54	(0.04)	106	4.51
CBG01P2504W	-	-	-	-	TC	5.90	0.35	1,376	5.69	BEYOND	5.95	(0.30)	1,584	6.00
CBG01P2506A	1.33	0.03	1	1.33	TFG	4.54	0.28	113,934	4.48	CENTEL	25.50	(0.25)	21,075	25.39
CBG01P2507A	0.68	(0.08)	5,635	0.77	TFG-W4	0.65	0.09	11,451	0.63	CENTEL01C2504A	-	-	-	-
CBG13C2505A	-	-	-	-	TFMAMA	199.00	(0.50)	5	198.90	CENTEL01C2508A	0.06	(0.02)	5	0.07
CBG13C2506A	-	-	-	-	TIPCO	9.25	0.15	1,855	9.17	CENTEL13C2504A	-	-	-	-
CBG13C2507A	0.11	0.03	51,491	0.10	TKN	6.95	0.10	19,407	6.82	CENTEL13C2506A	-	-	-	-
CBG13C2508A	0.37	0.03	149,301	0.32	TU	10.50	-	73,387	10.32	CENTEL13C2508A	0.09	(0.02)	1,013	0.09
CBG13P2504A	-	-	-	-	TU01C2505A	0.01	(0.01)	10	0.01	CENTEL19C2504A	-	-	-	-
CBG19C2504A	-	-	-	-	TU01C2506A	-	-	-	-	CENTEL19C2506A	0.04	(0.02)	71	0.04
CBG19C2506A	-	-	-	-	TU01C2508A	-	-	-	-	CENTEL19C2508A	0.13	(0.01)	140,162	0.12
CBG19C2506B	-	-	-	-	TU13C2505A	-	-	-	-	CENTEL41C2606T	0.16	(0.01)	38,400	0.16
CBG19C2508A	0.22	0.02	11,301	0.20	TU19C2504A	-	-	-	-	CSR	-	-	-	-
CBG19P2507A	0.69	(0.11)	7,305	0.77	TU19C2505A	-	-	-	-	DUSIT	7.35	(0.10)	1,133	7.34
CBG41C2505A	-	-	-	-	TU19C2506A	-	-	-	-	ERW	2.32	0.02	234,874	2.32
CBG41C2608T	0.21	0.02	50,000	0.20	TU41C2506A	-	-	-	-	ERW01C2504A	-	-	-	-
CFRESH	0.93	0.03	2,942	0.92	TU41C2609T	-	-	-	-	ERW01C2507A	0.04	-	20	0.04
CH	1.97	0.02	168	1.96	TVO	20.00	0.10	14,461	20.16	ERW13C2505A	-	-	-	-
CHAO	4.30	0.10	13,883	4.23	TWPC	2.22	(0.04)	3,975	2.24	ERW13C2507A	0.02	-	564	0.02
CHOTI	62.50	1.25	18	61.67	XBIO	0.11	-	10,414	0.11	ERW13C2508A	0.11	0.03	5,320	0.10
CM	1.60	-	612	1.59	XBIO-W6	-	-	-	-	ERW19C2506A	-	-	-	-
COCOCO	5.95	-	67,871	5.73	XBIO-W7	0.01	-	4,348	0.01	ERW19C2508A	0.11	-	34,517	0.12
COCOCO13C2505A	-	-	-	-	ZEN	6.10	-	424	6.12	ERW41C2606T	-	-	-	-
COCOCO19C2506A	-	-	-	-	Health Care Serv	-	-	-	-	GRAND	0.04	-	1,263	0.03
CPF	23.80	1.60	347,067	23.50	AHC	13.40	0.10	39	13.44	LRH	-	-	-	-
CPF01C2504A	-	-	-	-	BCH	14.10	0.10	52,368	13.99	MANRIN	-	-	-	-
CPF01C2508A	0.54	0.20	901	0.49	BCH01C2508A	-	-	-	-	MINT	24.00	0.10	111,938	23.97
CPF13C2504A	-	-	-	-	BCH13C2507A	-	-	-	-	MINT01C2504A	-	-	-	-
CPF13C2505A	-	-	-	-	BCH13C2508A	0.21	(0.01)	200	0.21	MINT01C2506A	-	-	-	-
CPF13C2506A	0.30	0.12	7,029	0.29	BCH19C2505A	-	-	-	-	MINT01C2507A	-	-	-	-
CPF19C2504A	-	-	-	-	BCH19C2505B	-	-	-	-	MINT13C2505A	-	-	-	-
CPF19C2505A	-	-	-	-	BCH19C2508A	0.10	0.01	25,536	0.10	MINT13C2506A	0.10	-	200	0.10
CPF41C2505A	-	-	-	-	BCH41C2506A	-	-	-	-	MINT13C2506B	0.05	-	6,000	0.05
CPF41C2505B	-	-	-	-	BCH41C2609T	0.28	0.01	75,000	0.27	MINT19C2504A	-	-	-	-
CPF41C2612T	0.55	0.11	233,068	0.53	BDMS	22.70	0.60	506,481	22.59	MINT19C2506A	0.10	(0.02)	68,108	0.11
CPI	2.58	(0.06)	1,071	2.59	BDMS01C2504A	-	-	-	-	MINT19C2508A	0.08	0.01	9,635	0.08
F&D	-	-	-	-	BDMS01C2506A	-	-	-	-	MINT41C2604T	-	-	-	-
FM	3.42	(0.02)	40,811	3.32	BDMS01C2508A	0.06	(0.01)	170	0.05	MINT41C2612T	0.18	0.01	31,034	0.17
GLOCON	0.13	(0.01)	80,639	0.13	BDMS01C2509A	-	-	-	-	OHTL	330.00	(14.00)	1	330.00
HTC	15.90	(0.10)	2,744	15.92	BDMS13C2505A	-	-	-	-	ROH	1.78	(0.06)	19	1.74
ICHI	11.00	0.40	78,834	10.93	BDMS13C2508A	0.26	0.03	80,242	0.25	SHANG	47.00	-	1	47.00
ICHI13C2504A	-	-	-	-	BDMS19C2504A	-	-	-	-	SHR	1.61	(0.08)	87,058	1.61
ITC	12.70	-	55,746	12.48	BDMS19C2505A	-	-	-	-	SPA	3.88	0.08	19,987	3.83
ITC01C2504A	-	-	-	-	BDMS19C2508A	0.31	0.04	380	0.31	VRANDA	4.48	0.04	106	4.46
ITC01C2506A	-	-	-	-	BDMS41C2505A	-	-	-	-	Home & Office Produ	-	-	-	-
ITC01C2606T	-	-	-	-	BDMS41C2609T	0.19	0.02	13,444	0.18	AJA	0.10	0.01	45,922	0.09
ITC13C2506A	0.02	-	5	0.02	BH	165.50	0.50	25,417	164.29	DTCI	-	-	-	-
ITC13C2508A	0.15	(0.01)	2,809	0.14	BH-P	-	-	-	-	FANCY	0.40	(0.01)	797	0.40
ITC19C2505A	-	-	-	-	BH-Q	-	-	-	-	FTI	1.82	0.04	221	1.82
ITC19C2506A	0.02	-	10	0.02	BH01C2504A	-	-	-	-	KYE	286.00	3.00	13	284.69
ITC41C2505A	-	-	-	-	BH01C2505A	-	-	-	-	L&E	1.15	0.05	1,298	1.14
ITC41C2612T	0.23	-	54,000	0.22	BH01C2506A	-	-	-	-	MODERN	2.08	(0.08)	280	2.08
JDF	1.76	(0.04)	758	1.70	BH01C2507A	0.25	(0.03)	401	0.27	OGC	9.45	-	2	9.38
KBS	5.25	0.10	3,378	5.14	BH01P2504A	-	-	-	-	ROCK	-	-	-	-
KCG	7.70	-	9,502	7.60	BH01P2507A	0.46	(0.03)	108	0.49	SIAM	0.66	(0.03)	1,175	0.64
KSL	1.36	0.03	6,608	1.35	BH13C2504B	-	-	-	-	TCMC	0.39	-	1,321	0.39
KTIS	2.28	-	663	2.26	BH13C2505A	-	-	-	-	TSR	0.18	0.01	6,584	0.15
LST	4.54	0.02	579	4.46	BH13C2506A	0.11	-	43,594	0.11	TSR-W2	0.01	-	20	0.01
M	17.00	0.40	27,704	16.63	BH13C2508A	0.48	0.01	159,164	0.46	Insurance	-	-	-	-
MALEE	6.00	0.35	12,289	5.82	BH19C2504A	-	-	-	-	AYUD	31.00	0.50	377	30.50
NRF	0.37	(0.01)	6,374	0.35	BH19C2504B	-	-	-	-	BKIH	273.00	-	271	272.70
NSL	27.00	(0.25)	8,024	26.90	BH19C2505A	-	-	-	-	BLA	15.00	(1.00)	35,146	15.25
OKJ	7.15	-	64,078	6.96	BH19C2506A	-	-	-	-	BLA01C2508A	-	-	-	-
OSP	13.40	0.20	83,449	13.24	BH19C2506B	-	-	-	-	BLA13C2504A	-	-	-	-
OSP01C2504A	-	-	-	-	BH19C2508A	0.38	0.01	88,296	0.36	BLA13C2507A	0.03	(0.02)	1,200	0.03
OSP01C2507A	-	-	-	-	BH19P2504A	-	-	-	-	BLA19C2506A	-	-	-	-
OSP01C2507B	-	-	-	-	BH41C2505A	0.03	(0.04)	101	0.02	BLA41C2606T	0.15	(0.03)	26,000	0.17
OSP01C2508A	-	-	-	-	BH41C2605T	-	-	-	-	BUI	20.30	0.50	1,495	20.12
OSP01P2507A	0.39	0.03	100	0.39	BH41C2609T	0.26	-	110,500	0.26	CHARAN	17.50	0.40	5	17.50
OSP13C2505A	-	-	-	-	BH41P2508A	-	-	-	-	INSURE	-	-	-	-
OSP13C2506A	0.02	0.01	1	0.02	BKGI	1.82	(0.01)	15,565	1.81	KWI	-	-	-	-
OSP13C2506B	-	-	-	-	CHG	1.63	0.03	241,034	1.64	MTI	106.00	(3.00)	76	105.84
OSP13C2507A	0.06	(0.02)	3,000	0.06	CHG19C2505A	-	-	-	-	NKI	22.00	0.50	5	22.00
OSP13C2508A	0.20	(0.04)	72,503	0.18	CMR	1.20	(0.06)	5,009	1.21	TGH	10.10	-	2	10.10
OSP19C2506A	0.01	-	4,998	0.01	EKH	6.25	-	6,387	6.27	THRE	0.36	-	8,413	0.36
OSP19C2506B	-	-	-	-	KDH	84.00	-	14	83.29	THREL	1.30	-	2,004	1.29
OSP19C2506C	-	-	-	-	LPH	3.54	(0.02)	578	3.51	TIPH	16.90	-	12,080	16.87
OSP41C2505A	-	-	-	-	M-CHAI	18.10	(0.20)	637	18.11	TLI	10.50	0.10	81,930	10.33
OSP41C2606T	0.11	(0.01)	10	0.11	MASTER	18.50	(0.40)	19,765	18.64	TLI01C2507A	-	-	-	-
PB	53.50	0.50	11	53.86	MEDEZE	6.25	(0.05)	29,595	6.20	TLI13C2505A	-	-	-	-
PLUS	2.60	(0.32)	6,080	2.54	NEW	-	-	-	-	TLI19C2506A	0.07	-	5,440	0.06
PM	9.60	(0.05)	7,324	9.56	NKT	4.50	-	4,800	4.41	TLI41C2606T	0.21	0.01	22,000	0.21
PQS	2.24	-	2,021	2.21	NTV	27.00	0.50	523	25.23	TQM	12.50	(0.10)	3,807	12.50
PRG	8.05	(0.15)	56	8.09	PHG	13.20	(0.40)	199	13.45	TSI	0.04	-	4,267	0.04
PRG-W2	3.42	(0.38)	1	3.42	PR9	21.80	0.90	53,008	21.59	TVH	7.65	0.15	36	7.32
PRG-W3	3.50	-	5	3.40	PR901C2507A	0.15	0.03	1,100	0.15	Packaging	-	-	-	-
PRG-W4	-	-	-	-	PR913C2505A	-	-	-	-	AJ	1.98	0.01	7,294	1.97
PRG-W5	3.00	(0.10)	1	3.00	PR913C2506A	-	-	-	-	ALUCON	178.50	(0.50)	11	178.32
RBF	4.00	(0.04)	9,347	3.99	PR919C2506A	-	-	-	-	BGC	5.30	-	2,447	5.18
RBF01C2504A	-	-	-	-	PR941C2609T	0.38	0.04	55,110	0.37	CSC	41.50	(0.25)	94	41.12
RBF13C2507A	-	-	-	-	PRINC	2.12	0.06	3,073	2.12	CSC-P	-	-	-	-
RBF19C2505A	-	-	-	-	RAM	17.70	-	493	17.65	CSC-Q	-	-	-	-
RBF19C2508A	-	-	-	-	RJH	12.80	0.20	3,460	12.60	NEP	0.23	-	1,417	0.22
SAPPE	35.00	0.50	6,919	34.67	RPH	5.25	0.20	7,106	5.21	PJW	2.16	0.02	1,980	2.13
SAPPE01C2504A	-	-	-	-	SAFE	8.80								

## Main Board Quotation

Issue Date :

Wednesday April 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCGP13C2504B	-	-	-	-	BRI	1.76	0.02	3,824	1.74	BTNC	-	-	-	-
SCGP13C2506A	-	-	-	-	BROCK	-	-	-	-	CPH	7.00	-	275	6.84
SCGP13C2506B	0.02	0.01	1	0.02	CGD	0.19	-	17,376	0.19	CPL	0.69	0.02	527	0.68
SCGP13C2507A	0.03	-	16,565	0.03	CI	0.30	0.01	4,430	0.30	NC	2.12	-	383	2.04
SCGP13C2508A	0.11	(0.01)	132,812	0.11	CMC	0.82	0.06	75	0.82	PAF	0.67	(0.01)	373	0.65
SCGP13P2504B	-	-	-	-	CPN	46.00	1.00	106,360	45.57	PDJ	1.63	0.07	2,067	1.64
SCGP13P2506A	-	-	-	-	CPN01C2505A	-	-	-	-	PG	6.70	0.30	35	6.62
SCGP19C2504A	-	-	-	-	CPN01C2506A	-	-	-	-	SABINA	17.70	-	4,914	17.63
SCGP19C2505A	-	-	-	-	CPN01C2606T	-	-	-	-	SAWANG	-	-	-	-
SCGP19C2506A	-	-	-	-	CPN13C2504A	-	-	-	-	SUC	27.50	-	254	27.27
SCGP19C2506B	0.03	0.01	1	0.03	CPN13C2505A	-	-	-	-	TR	28.00	(3.25)	6	28.38
SCGP19C2507A	0.08	0.01	27,502	0.06	CPN13C2507A	0.09	0.02	27,512	0.08	TTI	24.90	0.90	7	24.67
SCGP19P2505A	-	-	-	-	CPN19C2504A	-	-	-	-	TTT	-	-	-	-
SCGP41C2505A	-	-	-	-	CPN19C2505A	-	-	-	-	UPF	27.25	0.75	8	27.25
SCGP41C2606T	0.09	0.01	1	0.09	CPN19C2508A	0.14	0.02	4,245	0.12	WACOAL	19.10	(0.50)	23	19.03
SFLEX	2.96	-	30,524	2.94	CPN41C2505A	-	-	-	-	WFX	0.79	-	991	0.80
SFLEX-W2	0.04	0.01	117	0.04	CPN41C2608T	0.27	0.03	102,560	0.25	Transportation & Log	-	-	-	-
SITHAI	1.08	-	547	1.08	ESTAR	0.18	0.01	4,480	0.18	AAV	1.30	(0.05)	1,033,826	1.29
SLP	0.36	-	6,252	0.34	EVER	0.05	(0.01)	3,286	0.05	AAV13C2506A	-	-	-	-
SMPC	7.90	(0.20)	3,209	7.88	FPT	6.40	0.20	29	6.28	AAV13C2508A	0.11	(0.02)	149,003	0.11
SPACK	1.21	0.02	1,000	1.20	GLAND	1.90	0.06	2	0.87	AAV19C2505A	-	-	-	-
TCOAT	-	-	-	-	J	0.86	(0.02)	2,169	0.82	AAV19C2507A	0.02	-	20	0.02
TFI	0.05	-	5,974	0.05	J-W3	0.08	-	17	0.08	AAV41C2505A	-	-	-	-
TFI-W1	-	-	-	-	J-W4	-	-	-	-	AAV41C2608T	0.07	-	100	0.07
THIP	24.20	0.10	116	24.06	JCK	0.14	0.01	22,628	0.14	ANI	2.52	-	78	2.50
TMD	23.90	(0.10)	92	23.90	KC	0.04	0.01	1,607	0.03	AOT	36.25	0.25	327,196	36.19
TOPP	151.00	-	2	144.75	KUN	1.19	-	12	1.18	AOT01C2504A	-	-	-	-
TPAC	7.20	0.20	423	7.15	KUN-W2	0.01	-	2	0.01	AOT01C2506A	0.02	0.01	4	0.02
TPBI	3.68	0.06	1,967	3.59	KUN-W3	0.03	(0.01)	9,273	0.04	AOT01C2507A	0.05	-	20	0.05
TPP	11.40	(0.60)	6	11.17	LALIN	5.05	0.05	2,272	5.00	AOT01C2507B	0.13	(0.01)	236	0.13
Personal Products	-	-	-	-	LH	4.18	0.12	259,315	4.10	AOT01C2606T	-	-	-	-
APCO	3.18	0.02	85	3.19	LH19C2504A	-	-	-	-	AOT01P2507A	-	-	-	-
BIZ	3.12	(0.02)	398	3.13	LPN	1.94	0.01	19,757	1.93	AOT01P2507B	-	-	-	-
BLC	3.84	(0.08)	14,489	3.87	MBK	15.40	-	22,530	15.25	AOT11C2507A	0.09	(0.03)	2,918	0.10
DDD	6.15	0.35	928	5.98	MBK-W4	12.30	(1.20)	3,485	12.29	AOT13C2506A	-	-	-	-
IP	3.08	0.06	10,779	3.10	MBK19C2508A	-	-	-	-	AOT13C2507A	0.01	-	204	0.01
IP-W2	0.07	-	6,082	0.07	MJD	0.50	(0.04)	2	0.50	AOT13C2507B	-	-	-	-
JCT	77.50	-	4	77.50	MK	1.42	0.01	289	1.42	AOT13C2507C	0.01	(0.01)	20	0.01
KISS	3.42	(0.04)	3,463	3.38	NCH	0.63	-	2,918	0.63	AOT13C2508A	0.12	-	209,308	0.12
NAM	4.04	(0.02)	438	4.05	NNCL	1.52	0.01	372	1.53	AOT13P2507A	1.65	(0.06)	1	1.65
NEO	27.25	(0.25)	4,728	27.16	NOBLE	1.97	(0.03)	15,514	1.96	AOT13P2507B	0.41	(0.03)	4,385	0.41
NV	0.63	0.07	2,317	0.62	NVD	1.18	-	10	1.18	AOT19C2504A	-	-	-	-
OCC	8.50	0.40	12	8.29	ORI	1.81	0.02	52,949	1.78	AOT19C2506A	-	-	-	-
S&J	28.25	(3.50)	7	28.25	ORN	0.64	-	6,926	0.64	AOT19C2507A	0.01	-	50	0.01
SNPS	4.56	0.06	4,298	4.58	PEACE	2.24	0.16	94	2.27	AOT19C2507B	0.03	0.01	2,840	0.03
STGT	6.75	0.10	35,371	6.69	PF	0.09	-	13,679	0.09	AOT19C2508A	0.13	0.01	401	0.13
STGT01C2504A	-	-	-	-	PIN	5.90	0.15	36,677	5.69	AOT19P2507A	-	-	-	-
STGT13C2506A	0.03	0.01	5,600	0.03	PLAT	1.32	0.01	3,156	1.30	AOT41C2505A	-	-	-	-
STGT13C2508A	0.19	0.01	82,844	0.18	PRECHA	0.32	-	1,218	0.30	AOT41C2507A	-	-	-	-
STGT19C2504A	-	-	-	-	PRIN	1.62	(0.03)	25	1.54	AOT41C2605T	-	-	-	-
STGT19C2504B	-	-	-	-	PROUD	1.16	(0.03)	1,396	1.12	AOT41C2609T	0.23	0.02	116,204	0.23
STGT19C2509A	0.26	0.01	13,176	0.25	PSH	4.30	0.04	8,424	4.29	AOT41P2606T	0.66	0.08	17,960	0.65
STGT41C2606T	0.13	0.01	8,384	0.13	QH	1.45	0.03	238,737	1.42	ASIMAR	1.26	0.01	1,426	1.24
TMAN	10.10	-	3,914	10.04	RABBIT	0.26	(0.01)	57,079	0.27	B	0.04	-	484,093	0.04
TNR	7.30	-	533	7.38	RABBIT-P	0.51	0.01	39,675	0.50	B-W8	0.01	-	1	0.01
TOG	7.90	0.30	635	7.74	RABBIT-Q	-	-	-	-	BA	15.30	0.20	36,375	15.17
Professional Service	-	-	-	-	RICHY	0.28	-	1,644	0.28	BA01C2504A	-	-	-	-
BWG	0.21	(0.01)	864,125	0.21	RML	0.15	-	5,274	0.15	BA01C2508A	0.09	(0.07)	401	0.09
BWG-W6	0.01	-	188	0.01	ROJNA	4.48	(0.14)	89,187	4.43	BA13C2506A	0.03	0.01	620	0.02
GENCO	0.28	0.01	4,771	0.27	S	0.57	(0.01)	8,700	0.56	BA19C2507A	0.05	-	10	0.05
PRTR	3.52	-	4,278	3.50	SA	7.25	(0.05)	717	7.22	BA41C2606T	-	-	-	-
SISB	17.60	1.20	40,914	17.18	SA-W1	0.01	-	51	0.01	BEM	5.35	0.15	274,701	5.26
SISB13C2504A	-	-	-	-	SAMCO	0.68	0.01	283	0.68	BEM13C2505A	-	-	-	-
SISB13C2506A	-	-	-	-	SC	2.14	(0.04)	20,729	2.14	BEM13C2506A	-	-	-	-
SISB13C2506B	-	-	-	-	SENA	1.81	(0.06)	19,171	1.82	BEM13C2508A	0.11	0.03	2,050	0.09
SISB13C2508A	0.33	0.04	6,082	0.33	SIRI	1.39	0.05	382,558	1.37	BEM19C2505A	-	-	-	-
SISB19C2507A	0.03	-	105	0.03	SIRI01C2504A	-	-	-	-	BEM41C2606T	0.09	0.01	500	0.09
SO	3.96	(0.08)	397	3.96	SIRI13C2508A	0.08	0.02	2,200	0.08	BTS	4.54	0.08	531,190	4.47
WAVE	0.03	(0.01)	191,424	0.03	SIRI19C2508A	0.09	0.01	2,000	0.09	BTS-W8	0.03	-	14,966	0.02
WAVE-W3	-	-	-	-	SIRI41C2606T	0.18	0.02	32,012	0.18	BTS01C2504A	-	-	-	-
WAVE-W4	0.02	-	49,312	0.01	SPALI	15.90	0.30	82,316	15.73	BTS01C2507A	0.06	0.02	1	0.06
Property Developer	-	-	-	-	SPALI13C2507A	0.12	0.01	14,274	0.11	BTS01C2508A	0.09	(0.04)	138	0.12
A	4.80	-	2	4.80	SPALI19C2504A	-	-	-	-	BTS01P2504A	-	-	-	-
A5	2.28	(0.04)	2,464	2.22	SPALI19C2509A	0.24	(0.02)	30,742	0.23	BTS01P2505A	-	-	-	-
A5-W4	0.03	-	67	0.02	SPALI41C2609T	0.24	-	2,400	0.24	BTS13C2505A	-	-	-	-
AKS	0.01	-	1,670	0.01	STELLA	0.20	(0.01)	48,421	0.20	BTS13C2507A	-	-	-	-
AMATA	12.20	(0.90)	899,259	12.08	STELLA-W5	-	-	-	-	BTS13C2508A	0.07	-	2,513	0.06
AMATA01C2507A	-	-	-	-	STELLA-W6	0.10	-	3,002	0.07	BTS13P2505A	0.28	0.01	2,412	0.29
AMATA01C2508A	-	-	-	-	UV	0.92	0.01	5,391	0.90	BTS19C2505A	-	-	-	-
AMATA13C2505A	-	-	-	-	WHA	2.46	(0.06)	3,748,491	2.40	BTS19C2508A	-	-	-	-
AMATA13C2506A	-	-	-	-	WHA01C2504A	-	-	-	-	BTS19P2508A	0.41	0.04	116,643	0.43
AMATA13C2506B	0.01	-	1,000	0.01	WHA01C2506A	-	-	-	-	BTS41C2608T	-	-	-	-
AMATA13C2508A	0.03	-	8,020	0.03	WHA01C2507A	-	-	-	-	BTSGIF	2.74	(0.04)	37,472	2.75
AMATA13C2508B	0.07	(0.04)	70,485	0.09	WHA01C2508A	0.08	(0.02)	3,797	0.11	DMT	9.45	0.05	3,773	9.46
AMATA19C2505A	-	-	-	-	WHA13C2505A	-	-	-	-	ETL	0.50	-	2,894	0.51
AMATA19C2508A	0.02	(0.01)	8,869	0.02	WHA13C2506A	-	-	-	-	III	4.70	0.10	7,754	4.57
AMATA41C2505A	-	-	-	-	WHA13C2506B	-	-	-	-	KEX	0.82	0.04	54,268	0.82
AMATA41C2608T	0.04	(0.01)	7,877	0.03	WHA13C2507A	0.02	-	3,571	0.02	KIAT	0.29	0.01	54,879	0.30
AMATAV	3.20	0.02	233	3.20	WHA13C2507B	0.03	-	46,002	0.03	KWC	339.00	(1.00)	1	339.00
ANAN	0.42	0.01	25,766	0.42	WHA13C2508A	0.09	(0.02)	111,655	0.10	MENA	0.84	(0.05)	37,897	0.84
AP	7.30	0.10	72,439	7.24	WHA19C2504A	-	-	-	-	NYT	3.20	0.02	27,902	3.16
AP01C2507A	-	-	-	-	WHA19C2506A	-	-	-	-	PORT	0.86	-	1,685	0.86
ASW	6.20	0.10	1,194	6.10	WHA19C2507A	0.02	-	202	0.02	PRM	5.40	0.15	104,177	5.24
AWC	2.16	0.02	706,336	2.15	WHA19C2509A	0.14								

## Main Board Quotation

Issue Date :

Wednesday April 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAV	13.60	0.10	1,569	13.36	TNPF	-	-	-	-	BYDCOM41C2506B	0.14	0.01	28	0.11
SINO	0.86	-	1,100	0.86	TPRIME	6.65	-	254	6.66	DJI28C2506A	-	-	-	-
SJWD	5.90	(0.25)	31,248	5.89	TTLPF	12.00	0.10	25	11.97	DJI28C2509A	0.51	(0.17)	165,022	0.48
TFFIF	5.40	(0.20)	140,874	5.37	TU-PF	-	-	-	-	DJI28P2506A	2.32	0.42	688	2.36
THAI	-	-	-	-	WHABT	6.15	0.15	572	5.91	DJI41C2506A	-	-	-	-
TSTE	13.20	-	133	13.20	WHAIR	4.34	(0.28)	22,625	4.28	DJI41C2506B	0.25	(0.01)	32,562	0.22
TTA	3.46	0.02	49,431	3.34	WHART	8.90	(0.45)	25,107	8.81	DJI41P2506A	1.98	0.57	5,570	2.12
WICE	2.48	(0.12)	3,009	2.47	Steel and Metal I	-	-	-	-	GEELY41C2506A	0.07	0.01	606	0.07
Automotive	-	-	-	-	ZS	2.14	0.02	249	2.06	HSI06C2504A	0.10	-	93,441	0.09
ACG	0.64	(0.02)	234	0.62	AMC	2.16	0.04	2,229	2.14	HSI06C2504B	0.29	0.02	238,694	0.26
AH	10.50	(0.10)	1,190	10.49	BSBM	0.68	0.02	3,071	0.68	HSI06C2504C	0.05	(0.01)	716	0.04
CWT	0.49	-	2,103	0.48	CEN	1.83	-	150	1.83	HSI06C2504D	0.01	-	500	0.01
EASON	0.98	0.04	8,006	0.95	CEN-W5	0.05	-	7,315	0.04	HSI06C2504E	0.02	-	4	0.02
GYT	169.50	-	4	169.38	CITY	1.58	0.09	595	1.48	HSI06C2505A	0.13	0.07	5,342	0.10
HFT	3.46	(0.02)	1,196	3.36	CSP	0.42	0.02	444	0.41	HSI06C2505B	0.20	(0.02)	2,605	0.05
IHL	1.43	-	1,720	1.34	GJS	0.14	0.01	169,467	0.14	HSI06C2505C	0.09	(0.01)	920	0.07
INGRS	0.22	-	13,647	0.21	GSTEEL	-	-	-	-	HSI06C2505D	0.07	-	2	0.07
IRC	11.30	1.00	198	10.44	INOX	0.40	(0.01)	16,772	0.40	HSI06C2505E	0.36	0.02	159,074	0.32
MGC	3.00	0.30	2,123	2.90	LHK	3.10	(0.12)	1,843	3.12	HSI06C2505F	0.49	0.03	258,658	0.44
NEX	0.52	0.02	63,927	0.48	MCS	7.30	0.05	8,460	7.20	HSI06C2506A	0.33	0.01	545,654	0.30
PCSGH	3.50	0.10	788	3.50	MILL	0.08	-	4,381	0.07	HSI06C2506B	0.64	0.04	489,571	0.62
POLY	6.85	(0.05)	49	6.84	PAP	1.49	0.05	399	1.49	HSI06C2506C	0.15	(0.01)	57,096	0.14
SAT	10.20	(0.10)	10,509	10.06	PERM	0.37	0.02	5,626	0.36	HSI06C2506D	0.07	0.03	104	0.07
SPG	13.50	1.70	22	12.24	SAM	0.13	-	9,648	0.13	HSI06C2506E	0.10	0.04	101	0.10
STANLY	216.00	-	109	215.95	SMIT	3.60	-	465	3.58	HSI06C2507A	0.14	-	2,559	0.09
TKT	0.96	0.05	151	0.97	SSSC	2.06	0.02	1,390	2.04	HSI06C2508A	0.22	0.01	116,104	0.20
TNPC	0.80	(0.02)	2,082	0.78	TGPRO	0.06	-	9,245	0.06	HSI06P2504A	0.23	0.03	274	0.23
TRU	3.20	(0.04)	289	3.18	THE	0.63	0.03	4,736	0.60	HSI06P2504B	0.10	(0.01)	6,996	0.32
TSC	12.30	(0.30)	170	12.40	TMT	2.88	(0.06)	742	2.90	HSI06P2504C	0.32	(0.08)	12,051	0.36
Industrial Materials	-	-	-	-	TSTH	0.49	-	11,181	0.49	HSI06P2504D	0.69	0.49	73	0.69
AKR	0.98	0.01	29,773	0.98	TWP	0.89	0.02	23	0.92	HSI06P2504E	0.79	0.17	844	0.97
ALLA	1.25	0.01	3,501	1.24	TYCN	1.80	0.13	401	1.65	HSI06P2504F	-	-	-	-
ASEFA	2.86	-	2,294	2.81	Construction Ser	-	-	-	-	HSI06P2504G	1.82	-	1	1.82
CPT	0.89	(0.03)	3,809	0.90	APCS	1.41	0.09	31	1.36	HSI06P2504H	2.58	0.14	14	2.58
CRANE	0.50	0.06	15,299	0.49	BJCHI	0.62	0.03	1,938	0.61	HSI06P2505A	0.76	(0.13)	385,411	0.82
CTW	2.62	0.10	303	2.61	BKD	1.13	(0.01)	2,643	1.12	HSI06P2505B	1.33	(0.11)	2,973	1.44
FMT	24.60	(0.20)	13	24.73	CIVIL	1.50	-	171	1.49	HSI06P2505C	1.80	0.32	1,300	1.75
FTE	1.58	-	2,916	1.57	CK	13.70	(0.10)	22,589	13.73	HSI06P2505D	-	-	-	-
HTECH	2.70	(0.04)	11,009	2.70	CNT	0.86	-	355	0.89	HSI06P2505E	-	-	-	-
KKC	-	-	-	-	DEMCO	1.64	(0.05)	2,030	1.66	HSI06P2505F	4.72	2.62	60	3.41
PCC	2.56	(0.02)	5,611	2.55	EMC	0.05	-	22,202	0.05	HSI06P2506A	0.53	0.26	83,718	0.53
PK	0.33	-	1,756	0.32	EMC-W7	0.04	-	15,471	0.03	HSI06P2506B	0.77	(0.14)	2,556	0.86
PSP	3.92	0.02	514	3.93	ITD	0.14	(0.02)	201,455	0.14	HSI06P2506C	-	-	-	-
QTC	3.78	-	249	3.76	JR	1.50	0.01	916	1.49	HSI06P2506D	-	-	-	-
SCI	0.78	(0.02)	5,758	0.80	NL	0.89	-	4,399	0.87	HSI06P2506E	-	-	-	-
SE	0.39	-	3,900	0.40	NWR	-	-	-	-	HSI06P2506F	-	-	-	-
SELIC	2.70	0.02	449	2.68	PLE	0.21	0.01	2,011	0.21	HSI06P2507A	1.31	0.07	115	1.39
SNC	5.25	(0.20)	1,319	5.17	PREB	3.70	-	6,647	3.67	HSI06P2508A	-	-	-	-
TCJ	2.70	(0.08)	262	2.68	PYLON	1.83	-	15,107	1.76	HSI28C2504A	0.03	-	12,252	0.02
TPCS	11.90	1.40	1	11.90	RT	0.24	(0.02)	26,576	0.24	HSI28C2504B	0.09	0.02	23,938	0.08
VARO	4.22	0.02	108	4.20	SEAFCO	2.00	0.06	3,860	1.96	HSI28C2504C	0.25	0.07	74,395	0.23
Property Fund & REI	-	-	-	-	SQ	0.67	(0.03)	9,202	0.66	HSI28C2504D	0.03	0.01	5,849	0.02
AIMCG	2.12	(0.04)	1,304	2.10	SRICHA	3.90	0.02	2,317	3.83	HSI28C2504E	-	-	-	-
AIMIRT	9.40	(0.20)	6,791	9.35	STECON	6.35	(0.25)	170,612	6.44	HSI28C2504F	0.03	0.01	20,162	0.02
ALLY	4.56	(0.10)	1,518	4.57	STI	2.60	-	380	2.60	HSI28C2505A	0.09	0.02	11,091	0.08
AMATAR	6.00	(0.05)	140	5.97	STPI	2.28	(0.10)	22,983	2.28	HSI28C2505B	0.07	0.01	635	0.07
AXTRART	11.10	(0.50)	30,191	11.23	SYNTEC	1.55	0.01	3,150	1.54	HSI28C2505C	0.06	0.02	1,710	0.04
B-WORK	4.42	(0.02)	5,773	4.40	TEAMG	2.72	0.02	43,721	2.69	HSI28C2505D	0.08	0.03	2,162	0.07
BAREIT	8.95	0.05	6,599	8.93	TEAMG-W1	0.15	0.02	6,833	0.14	HSI28C2505E	0.12	0.03	28,411	0.11
BOFFICE	4.58	(0.12)	4,584	4.57	TEKA	1.91	(0.01)	52	1.91	HSI28C2505F	0.21	0.05	3,350,385	0.21
CPNCG	5.80	-	6,055	5.78	TPOLY	0.34	(0.02)	1,014	0.34	HSI28C2505G	0.15	0.05	1,340,887	0.15
CPNREIT	10.90	(0.30)	41,455	10.81	TRC	0.57	(0.04)	7,074	0.57	HSI28C2505H	0.31	0.06	4,252,339	0.32
CTAREIT	4.40	(0.02)	3,116	4.37	TRITN	0.09	0.01	74,410	0.08	HSI28C2506A	0.14	0.03	419,331	0.12
CPTARAF	4.44	(0.02)	1,384	4.44	TRITN-W7	-	-	-	-	HSI28C2506B	0.07	0.01	24,230	0.07
DREIT	4.92	0.06	266	4.91	TTCL	0.98	-	6,386	0.98	HSI28C2506C	0.10	-	13,599	0.10
FTREIT	8.65	(0.60)	31,289	8.86	UNIQ	1.62	(0.01)	5,909	1.57	HSI28C2507A	0.14	0.04	49,846	0.13
FUTURERET	9.50	0.20	1,197	9.29	WGE	0.69	(0.02)	698	0.67	HSI28C2508A	0.18	0.03	474,864	0.16
GAHREIT	6.35	-	225	6.34	Unit Trust	-	-	-	-	HSI28C2508B	0.25	0.02	1,056,952	0.25
GROREIT	8.40	-	994	8.37	SCBSET	-	-	-	-	HSI28P2504A	0.10	0.02	1,907	0.12
GVREIT	6.50	-	3,328	6.40	VAYU1	10.00	-	19,311	10.00	HSI28P2504B	-	-	-	-
HPF	4.54	(0.06)	3,808	4.56	ETF	-	-	-	-	HSI28P2504C	0.30	-	369,517	0.33
HYDROGEN	-	-	-	-	IDIV	9.42	0.14	185	9.32	HSI28P2504D	0.48	(0.04)	71,491	0.51
IMPACT	9.45	0.10	4,808	9.31	ABFTH	1,373.00	24.00	1	1,373.00	HSI28P2504E	0.80	(0.08)	940	0.88
INETREIT	8.55	(0.05)	13,322	8.50	BMSCG	6.46	0.01	4	6.43	HSI28P2504F	1.25	(0.18)	758	1.46
ISSARA	-	-	-	-	BMSCITH	8.17	0.12	2,929	8.17	HSI28P2504G	2.00	(0.12)	537	2.14
KPNREIT	-	-	-	-	BSET100	7.39	0.16	836	7.30	HSI28P2504H	2.92	(0.16)	19,288	3.20
KTBSTMR	5.90	0.05	609	5.81	CHINA	5.64	0.13	3,562	5.54	HSI28P2505A	0.18	0.03	753,040	0.21
LHHOTEL	12.60	0.10	19,434	12.37	ENGY	3.83	0.09	68	3.78	HSI28P2505B	0.47	0.10	4,314,068	0.47
LHRREIT	4.50	-	965	4.49	GLD	4.26	0.04	37,346	4.24	HSI28P2505C	1.38	(0.04)	321	1.39
LHSC	11.20	(0.20)	12,424	11.28	TDEX	6.74	0.09	157,394	6.56	HSI28P2505D	0.97	0.04	39	1.05
LUXF	8.00	(0.05)	78	7.97	UBOT	10.40	(0.09)	17	10.45	HSI28P2505E	2.18	0.42	1	2.18
M-PAT	2.92	(0.50)	11	2.92	UHERO	7.46	(0.23)	9	7.63	HSI28P2505F	2.70	(0.08)	2	2.76
M-STOR	-	-	-	-	Warrant Foreign	-	-	-	-	HSI28P2505G	3.44	(0.12)	19	3.44
MII	5.25	(0.05)	8	5.25	AIA41C2504A	-	-	-	-	HSI28P2506A	0.34	-	2,762,719	0.33
MIPF	-	-	-	-	BABA28C2506A	0.76	0.08	10	0.70	HSI28P2506B	0.49	(0.04)	2,519,845	0.49
MIT	0.35	0.02	733	0.33	BABA28C2506B	-	-	-	-	HSI28P2506C	0.76	0.04	304	0.83
MJLF	3.86	(0.20)	5,650	3.90	BABA28C2509A	0.18	0.08	27,426	0.11	HSI28P2506D	1.49	(0.01)	38	1.53
MNIT	1.90	-	53	1.92	BABA28P2507A	-	-	-	-	HSI28P2506E	-	-	-	-
MNIT2	4.94	-	2	4.94	BABA28P2509A	0.33	-	2,707	0.36	HSI28P2506F	1.92	(0.20)	626	1.96

## Main Board Quotation

Issue Date :

Wednesday April 09, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MEITUA28C2507A	0.09	0.03	4,217	0.08	SET5019C2506A	-	-	-	-	0	-	-	-	-
MEITUA28P2504B	0.29	(0.11)	22,490	0.35	SET5019C2506B	-	-	-	-	0	-	-	-	-
MEITUA41C2504A	-	-	-	-	SET5019C2506C	-	-	-	-	0	-	-	-	-
MEITUA41C2506A	0.10	0.02	6	0.10	SET5019C2506D	-	-	-	-	0	-	-	-	-
NDX28C2506A	-	-	-	-	SET5019C2506E	-	-	-	-	0	-	-	-	-
NDX28C2506B	0.16	(0.07)	2,013	0.16	SET5019C2506F	0.02	-	140	0.03	0	-	-	-	-
NDX28C2506C	0.11	(0.03)	564	0.11	SET5019C2506G	-	-	-	-	0	-	-	-	-
NDX28C2509A	0.42	(0.12)	44,275	0.38	SET5019C2506H	0.02	-	3,000	0.02	0	-	-	-	-
NDX28P2506A	1.46	0.19	14	1.55	SET5019C2506I	0.10	0.08	1	0.10	0	-	-	-	-
NDX28P2509A	1.05	0.11	1,131	1.17	SET5019C2506J	-	-	-	-	0	-	-	-	-
NDX41C2506A	0.04	-	1,342	0.03	SET5019C2506K	0.06	-	3,802	0.05	0	-	-	-	-
NDX41C2506B	0.07	-	5	0.06	SET5019C2506L	0.08	-	1,554	0.07	0	-	-	-	-
NDX41C2506C	0.15	(0.03)	31,136	0.13	SET5019C2506M	0.08	0.01	8,334	0.07	0	-	-	-	-
NDX41C2509T	0.87	(0.08)	8,505	0.83	SET5019C2506N	0.08	-	50,801	0.06	0	-	-	-	-
NDX41P2506A	1.85	0.45	26,249	2.06	SET5019C2506O	0.30	0.11	858,457	0.23	0	-	-	-	-
NDX41P2509T	5.40	0.46	17,320	5.45	SET5019C2506P	0.80	(0.20)	878,133	0.75	0	-	-	-	-
NIKKEI28C2506A	0.13	(0.02)	5,906	0.12	SET5019P2506A	-	-	-	-	0	-	-	-	-
NIKKEI28C2506B	-	-	-	-	SET5019P2506B	-	-	-	-	0	-	-	-	-
NIKKEI28C2506C	-	-	-	-	SET5019P2506C	-	-	-	-	0	-	-	-	-
NIKKEI28P2506A	0.52	0.07	412	0.53	SET5019P2506D	2.90	(0.44)	1	2.90	0	-	-	-	-
NIKKEI28P2506B	0.85	0.12	16	0.87	SET5019P2506E	2.30	(0.84)	3	2.47	0	-	-	-	-
NIKKEI28P2506C	-	-	-	-	SET5019P2506F	3.00	0.30	1	3.00	0	-	-	-	-
NIKKEI41C2506A	0.03	-	2,155	0.03	SET5019P2506G	1.91	(1.15)	4,302	1.98	0	-	-	-	-
NIKKEI41C2506B	0.02	-	149	0.02	SET5019P2506H	1.18	(0.51)	1,155	1.31	0	-	-	-	-
NIKKEI41C2509A	0.16	(0.01)	57,911	0.13	SET5019P2506I	1.53	(0.53)	1,347	1.86	0	-	-	-	-
NIKKEI41C2509B	0.10	(0.01)	32	0.10	SET5019P2506J	0.85	(0.21)	3,309	0.96	0	-	-	-	-
NIKKEI41C2509C	0.25	(0.01)	52,585	0.23	SET5019P2506K	2.64	0.20	10	2.64	0	-	-	-	-
NIKKEI41P2506A	0.98	0.22	2,087	1.06	SET5019P2506L	0.80	(0.20)	907,209	0.86	0	-	-	-	-
NIKKEI41P2506B	0.59	0.16	3,418	0.65	SET5041C2506A	0.02	-	270	0.02	0	-	-	-	-
NIKKEI41P2509A	1.10	0.20	1,302	1.20	SET5041C2506B	0.02	(0.01)	1	0.02	0	-	-	-	-
NIKKEI41P2509B	0.88	0.19	11,326	0.92	SET5041C2506C	0.08	0.04	21,006	0.07	0	-	-	-	-
NIKKEI41P2509C	1.29	0.25	3,984	1.32	SET5041C2506D	0.22	0.06	65,137	0.21	0	-	-	-	-
NTE541C2506A	0.20	0.04	24	0.17	SET5041C2506E	0.10	0.08	9,009	0.06	0	-	-	-	-
PINGAN41C2504A	-	-	-	-	SET5041C2506F	0.07	0.04	43,708	0.06	0	-	-	-	-
PINGAN41C2507A	0.13	0.01	77	0.11	SET5041C2506G	0.16	0.08	32,961	0.15	0	-	-	-	-
POPMAR41C2506A	0.61	0.07	1,310	0.52	SET5041C2506H	0.22	0.07	380,083	0.22	0	-	-	-	-
POPMAR41C2507A	0.27	0.03	435	0.24	SET5041C2506I	0.52	(0.48)	4,889,975	0.44	0	-	-	-	-
SET01C2505A	0.01	-	2,067	0.01	SET5041C2506J	0.02	-	1	0.02	0	-	-	-	-
SET01C2506A	-	-	-	-	SET5041C2509T	0.05	0.01	4,766	0.05	0	-	-	-	-
SET01C2506B	0.04	-	1,112	0.03	SET5041C2509U	0.14	0.04	410,189	0.12	0	-	-	-	-
SET01C2507A	0.09	(0.01)	38,175	0.10	SET5041P2506A	5.10	(0.65)	55	5.59	0	-	-	-	-
SET01P2505A	6.15	(0.05)	18	6.12	SET5041P2506B	2.52	(0.34)	511	2.58	0	-	-	-	-
SET01P2506A	2.76	(0.48)	261	2.90	SET5041P2506C	1.47	(0.19)	42,447	1.48	0	-	-	-	-
SET01P2507A	1.83	0.03	4,061	1.98	SET5041P2506D	0.99	(0.19)	497,225	1.10	0	-	-	-	-
SET5001C2505A	0.02	0.01	2	0.02	SET5041P2506E	1.77	(0.47)	67,106	1.78	0	-	-	-	-
SET5001C2506A	0.01	(0.01)	2,600	0.02	SET5041P2506F	2.50	(0.12)	1,457	2.39	0	-	-	-	-
SET5001C2506F	0.02	-	3,654	0.01	SET5041P2509A	0.87	(0.13)	5,876,614	0.96	0	-	-	-	-
SET5001C2506G	0.03	-	231	0.02	SET5041P2509T	0.71	(0.09)	365,596	0.79	0	-	-	-	-
SET5001C2507A	0.07	-	64,392	0.07	SPX28C2506A	-	-	-	-	0	-	-	-	-
SET5001C2509F	0.14	0.01	9,182	0.15	SPX28C2506B	0.09	(0.02)	25	0.09	0	-	-	-	-
SET5001P2505A	-	-	-	-	SPX28C2506C	0.19	(0.10)	12,514	0.15	0	-	-	-	-
SET5001P2506A	2.50	(0.92)	32	3.02	SPX28P2506A	1.51	0.32	48	1.60	0	-	-	-	-
SET5001P2506F	6.50	(0.95)	50	6.42	SPX28P2506B	0.92	0.19	1,388	0.97	0	-	-	-	-
SET5001P2506G	3.66	(0.22)	1,044	4.21	SPX41C2506A	-	-	-	-	0	-	-	-	-
SET5001P2507A	1.21	(0.08)	4,681	1.28	SPX41C2506B	0.07	0.01	2,106	0.07	0	-	-	-	-
SET5001P2509F	2.10	(0.02)	2,721	1.99	SPX41C2506C	0.14	(0.02)	35,000	0.14	0	-	-	-	-
SET5006C2506A	0.01	-	5,096	0.01	SPX41C2509T	1.00	(0.22)	614	0.89	0	-	-	-	-
SET5006C2506B	0.14	0.04	177,192	0.13	SPX41P2506A	1.71	0.52	1,263	1.79	0	-	-	-	-
SET5006C2506C	0.15	0.05	365,357	0.12	SPX41P2509T	5.10	0.56	17	5.34	0	-	-	-	-
SET5006C2506D	0.04	0.01	5,216	0.03	TENCEN28C250!	0.54	0.02	36	0.48	0	-	-	-	-
SET5006C2506E	0.07	0.02	786	0.06	TENCEN28C250!	0.20	0.02	15,965	0.18	0	-	-	-	-
SET5006C2506F	0.13	0.04	3,675	0.11	TENCEN28P250!	0.08	(0.54)	38,031	0.64	0	-	-	-	-
SET5006C2509A	0.20	0.03	35,956	0.19	TENCEN41C250!	-	-	-	-	0	-	-	-	-
SET5006P2506A	3.74	(0.34)	54	3.70	TENCEN41C250!	0.02	(0.06)	21	0.06	0	-	-	-	-
SET5006P2506B	-	-	-	-	TENCEN41C250!	0.03	(0.01)	224	0.03	0	-	-	-	-
SET5006P2506C	2.34	(0.26)	3	2.32	TENCEN41C250!	0.53	0.04	303	0.46	0	-	-	-	-
SET5006P2506D	1.59	(0.41)	38	1.67	TENCEN41P250!	0.62	(0.02)	248	0.69	0	-	-	-	-
SET5006P2506E	1.33	(0.20)	2,255	1.45	TRIPDC41C2506	0.41	0.03	924	0.34	0	-	-	-	-
SET5006P2506F	0.81	(0.09)	3,529	1.08	XIAOMI28C2504	1.80	0.40	2	1.73	0	-	-	-	-
SET5006P2509A	0.75	(0.24)	156,506	0.86	XIAOMI28C2508	0.75	0.25	147	0.64	0	-	-	-	-
SET5013C2506A	0.01	-	12,926	0.01	XIAOMI28C2509	0.27	0.09	23,031	0.22	0	-	-	-	-
SET5013C2506B	0.01	-	8,320	0.01	XIAOMI28P2505	0.07	(0.03)	62	0.08	0	-	-	-	-
SET5013C2506C	0.01	-	14,429	0.01	XIAOMI28P2509	0.17	(0.10)	6,331	0.21	0	-	-	-	-
SET5013C2506D	0.01	-	5,052	0.01	XIAOMI28P2510	0.99	(0.05)	1	0.99	0	-	-	-	-
SET5013C2506E	0.01	-	2,639	0.01	XIAOMI41C2504	0.57	(0.49)	1,920	0.57	0	-	-	-	-
SET5013C2506F	0.02	0.01	9,800	0.01	XIAOMI41C2506	0.55	0.17	135	0.48	0	-	-	-	-
SET5013C2506G	0.03	0.01	3,494	0.02	XIAOMI41C2506	0.14	(0.20)	12,729	0.08	0	-	-	-	-
SET5013C2506H	0.02	0.01	9,409	0.02	XIAOMI41C2507	0.08	0.02	7,404	0.07	0	-	-	-	-
SET5013C2506I	0.01	(0.02)	18,844	0.02	XIAOMI41P2506	0.76	(0.19)	1,272	0.79	0	-	-	-	-
SET5013C2506J	0.02	(0.01)	47,634	0.03	0	-	-	-	-	0	-	-	-	-
SET5013C2506K	0.03	(0.01)	527,990	0.04	0	-	-	-	-	0	-	-	-	-
SET5013C2506L	0.06	(0.01)	947,660	0.07	0	-	-	-	-	0	-	-	-	-
SET5013C2506M	0.10	(0.02)	2,769,566	0.13	0	-	-	-	-	0	-	-	-	-
SET5013C2506N	0.05	0.02	176,469	0.04	0	-	-	-	-	0	-	-	-	-
SET5013C2506O	0.26	(0.74)	1,711,130	0.24	0	-	-	-	-	0	-	-	-	-
SET5013C2506T	0.01	-	562	0.01	0	-	-	-	-	0	-	-	-	-
SET5013C2509A	0.39	(0.61)	1,545,820	0.36	0	-	-	-	-	0	-	-	-	-
SET5013P2506A	4.30	(0.50)	518	4.61	0	-	-	-	-	0	-	-	-	-
SET5013P2506B	3.20	(0.96)	98	3.56	0	-	-	-	-	0	-	-	-	-
SET5013P2506C	6.65	(1.00)	14	7.36	0	-	-	-	-	0	-	-	-	-
SET5013P2506D	3.66	(0.80)	52	4.32	0	-	-	-	-	0	-	-	-	-
SET5013P2506E	3.00	0.10	38	2.92	0	-	-	-	-	0	-	-	-	-
SET5013P2506F	2.08	0.04	29,860	2.28	0	-	-	-	-	0	-	-	-	-
SET5013P2506G	1.73	0.18	305,641	1.95	0	-	-	-	-	0	-	-	-	-
SET5013P2506H	2.30	(0.10)	1,967	2.17	0	-	-	-	-	0	-	-	-	-
SET5013P2506I	1.03	(0.04)	157,932	1.27	0	-	-	-	-					





## Main Board Quotation

Issue Date :

Wednesday April 09, 2025

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
<b>Warrant - MAI</b>														
Agro & Food Indust					UBIS	1.25	0.06	231	00 1.2	LEO	1.78	(0.03)	2,714	00 1.7
APO	1.50	(0.04)	29,280	00 1.4	UEC	0.64	0.01	2,188	00 0.6	LTMH	4.84	0.22	30,861	00 4.7
AU	9.15	0.15	8,750	00 9.0	UKEM	0.42	0.01	15,404	00 0.4	MCA	0.92	(0.02)	8,923	00 0.8
CFARM	0.70	0.02	24,216	00 0.6	UREKA	0.66	0.01	11,183	00 0.6	MEB	21.00	0.30	5,629	00 20.3
JCKH	0.16	(0.04)	25,340	00 0.1	YUASA	10.20	0.20	17	00 10.1	MORE	0.02	(0.01)	56,757	00 0.0
KASET	0.56	-	1,230	00 0.5	ZIGA	0.78	(0.03)	6,245	00 0.7	MOTHER	0.70	-	7,536	00 0.6
MAGURO	16.10	0.20	1,536	00 16.0	ZIGA-W2	0.06	-	3,860	00 0.0	MPJ	3.16	0.08	2,701	00 3.1
MUD	-	-	0	00 0.0	Property					MVP	0.44	-	5,095	00 0.4
NTSC	5.40	-	330	00 5.3	24CS	0.94	(0.04)	11,346	00 0.9	NCL	0.17	-	2,637	00 0.1
TACC	4.24	(0.04)	19,630	00 4.2	24CS-W1	0.08	0.01	11,747	00 0.0	NCP	1.04	-	1,536	00 1.0
TMILL	1.66	0.03	1,267	00 1.6	24CS-W2	0.10	-	3,111	00 0.1	NEWS	0.01	-	509,144	00 0.0
WINNER	1.93	0.01	1,045	00 1.9	ARIN	0.38	0.01	9,262	00 0.3	PEER	0.10	(0.01)	34,351	00 0.1
XO	13.30	0.10	15,024	00 13.1	ARROW	4.86	(0.19)	1,497	00 4.8	PEER-W2	0.01	(0.01)	4,441	00 0.0
Consumer Products					BC	0.87	(0.03)	372	00 0.8	PICO	-	-	-	00 0.0
ALPHAX	0.39	-	6,317	00 0.3	BC-W2	-	-	0	00 0.0	PLT	0.57	-	1,872	00 0.5
BGT	0.37	(0.04)	2,895	00 0.3	BLESS	0.19	-	1,695	00 0.1	QLT	2.98	-	398	00 3.0
DOD	1.24	0.03	999	00 1.1	BSM	0.69	0.01	213	00 0.6	RP	0.80	(0.02)	87	00 0.7
ECF	0.14	(0.02)	83,647	00 0.1	BTW	0.19	-	3,241	00 0.1	SONIC	1.47	-	7,599	00 1.4
ECF-W5	-	-	0	00 0.0	CAZ	1.64	(0.02)	340	00 1.6	THMUI	0.34	(0.01)	48	00 0.3
EFORL	0.15	-	26,164	00 0.1	CHEWA	0.24	-	261	00 0.2	TNDT	0.20	0.01	7,205	00 0.1
EFORL-W6	-	-	0	00 0.0	CPANEL	2.56	(0.28)	953	00 2.5	TNDT-W1	-	-	-	00 0.0
EURO	4.32	(0.08)	2,036	00 4.3	CPANEL-W1	0.05	(0.01)	9,704	00 0.0	TNH	32.00	(1.00)	73	00 31.7
HPT	0.40	-	10,754	00 0.3	CRD	0.33	-	3,785	00 0.3	TNP	2.48	(0.02)	4,304	00 2.4
ITTHI	1.48	-	276	00 1.4	DHOUSE	0.59	-	2,829	00 0.5	TPL	0.43	-	1,851	00 0.4
JSP	1.78	0.10	1,032	00 1.7	DIMET	0.11	-	5,838	00 0.1	TRP	6.15	0.05	5,393	00 6.0
JSP-W2	0.03	-	2,676	00 0.0	DPAINT	0.66	0.02	3,571	00 0.6	TURTLE	6.20	0.15	2	00 5.7
JUBILE	7.25	(0.25)	880	00 7.1	FLOYD	0.83	0.01	3,740	00 0.8	TVDH	0.14	-	2,379	00 0.1
LTS	4.90	(0.25)	13,291	00 4.9	HYDRO	1.37	0.07	207	00 1.3	TVDH-W3	-	-	-	00 0.0
MGI	9.20	0.15	4,316	00 9.1	HYDRO-W2	0.08	0.03	101	00 0.0	TVT	0.25	0.02	710	00 0.2
MGI-W1	2.10	0.02	5,640	00 2.1	IND	0.80	0.01	4,574	00 0.7	UBA	0.91	-	1,888	00 0.9
MOONG	1.77	(0.08)	1,281	00 1.7	JAK	1.05	0.09	22	00 1.0	VL	0.82	(0.01)	2,730	00 0.8
NPK	-	-	0	00 0.0	K	1.30	0.09	46	00 1.1	VS	0.28	(0.04)	373	00 0.2
SEI	2.82	0.06	2,207	00 2.7	K-W3	0.14	0.01	154	00 0.1	YGG	0.34	(0.06)	105,360	00 0.3
SMD100	3.90	0.02	787	00 3.9	META	0.08	-	2,788	00 0.0	Technology				
TM	0.52	-	2,503	00 0.5	PANEL	1.08	(0.08)	5,450	00 1.0	APP	1.67	0.03	1,566	00 1.6
TM-W1	-	-	0	00 0.0	PPS	0.16	-	18,111	00 0.1	BBIK	26.00	(0.75)	3,791	00 25.9
WARRIX	2.88	0.14	8,706	00 2.7	PRI	5.10	-	3,260	00 4.9	BE8	9.00	(0.50)	10,628	00 8.9
WINMED	1.11	-	395	00 1.1	PROS	0.85	0.03	30,666	00 0.8	BE8-W1	0.66	(0.15)	2	00 0.7
Financials					PROS-W1	0.06	-	14,528	00 0.0	BVG	1.75	(0.03)	790	00 1.7
ACAP	-	-	0	00 0.0	PSG	0.18	(0.01)	138,337	00 0.1	COMAN	0.59	0.05	473	00 0.5
AF	0.31	0.02	5	00 0.3	QTCG	0.13	(0.01)	15,940	00 0.1	I2	0.89	(0.01)	3,345	00 0.8
AIRA	1.26	0.01	70	00 1.2	SENX	0.21	-	28,802	00 0.2	IIG	2.32	(0.16)	407	00 2.4
ASN	0.94	0.01	1,389	00 0.9	SK	0.61	0.04	9,523	00 0.5	IRCP	0.35	-	1,186	00 0.3
BTC	0.29	0.01	136,427	00 0.2	SMART	0.62	-	27,603	00 0.6	ITNS	1.29	-	254	00 1.2
BTC-W7	0.09	-	5,991	00 0.0	STC	0.45	(0.02)	232	00 0.4	NAT	3.58	(0.04)	1,941	00 3.5
GCAP	0.18	-	41,764	00 0.1	STX	1.16	0.01	743	00 1.1	NETBAY	17.70	0.30	5,435	00 17.3
KCC	1.70	0.01	719	00 1.6	SVR	0.58	-	2,739	00 0.5	PIS	4.00	-	10,160	00 3.9
LIT	0.43	0.03	950	00 0.4	TAPAC	-	-	0	00 0.0	PLANET	1.75	(0.04)	15,014	00 1.7
MITTSIB	0.50	0.02	3,947	00 0.4	THANA	0.98	(0.01)	534	00 0.9	PLANET-W2	0.75	0.03	314	00 0.7
SGF	0.13	-	1,450	00 0.1	TIGER	0.40	0.02	7	00 0.4	PROEN	1.12	0.02	96,695	00 1.0
SGF-P1	-	-	0	00 0.0	TITLE	4.00	-	320	00 3.9	PROEN-W2	0.30	(0.01)	21,454	00 0.2
SGF-Q1	-	-	0	00 0.0	WELL	-	-	0	00 0.0	READY	4.68	0.06	618	00 4.6
TQR	4.56	(0.08)	129	00 4.5	YONG	0.84	(0.01)	7,904	00 0.8	SECURE	10.70	0.40	960	00 10.3
Industrials					Resources					SICT	2.88	(0.02)	1,310	00 2.8
ADB	0.50	(0.01)	668	00 0.5	ABM	0.67	(0.03)	1,118	00 0.6	SIMAT	1.00	-	20,439	00 0.9
BM	2.70	-	2,243	00 2.5	GTV	0.06	-	50,481	00 0.0	SIMAT-W3	-	-	-	00 0.0
BM-W3	0.67	(0.10)	3,587	00 0.6	PSTC	0.43	-	29,639	00 0.4	SPVI	1.20	(0.02)	2,383	00 1.1
BPS	0.50	-	7,780	00 0.4	PSTC-W2	0.01	-	37	00 0.0	SRS	3.50	(0.02)	143	00 3.4
CHO	0.03	-	6,327	00 0.0	PSTC-W3	0.09	-	2,137	00 0.0	TBN	5.95	(0.25)	40	00 5.7
CHO-W4	-	-	0	00 0.0	PTC	0.88	(0.01)	602	00 0.8	TERA	1.17	0.01	940	00 1.1
CHOW	1.19	0.03	477	00 1.1	SAAM	6.45	0.25	758	00 6.2	TPS	3.84	0.06	754	00 3.7
CIG	0.02	(0.01)	11,670	00 0.0	SR	0.49	(0.01)	17	00 0.4	VCOM	2.10	-	1,378	00 2.0
CIG-W10	-	-	0	00 0.0	STOWER	0.04	0.01	4,658	00 0.0	-	-	-	-	-
CIG-W9	0.02	-	84	00 0.0	TAKUNI	0.28	(0.03)	158,333	00 0.2	-	-	-	-	-
COLOR	1.08	0.01	11	00 1.0	TPCH	2.72	-	1,413	00 2.6	-	-	-	-	-
CPR	2.40	(0.10)	900	00 2.2	UMS	0.26	(0.04)	94	00 0.2	-	-	-	-	-
FPI	1.47	(0.09)	4,509	00 1.4	Services					-	-	-	-	-
GTB	0.73	-	994	00 0.7	ADD	3.42	-	693	00 3.2	-	-	-	-	-
HARN	2.08	(0.02)	789	00 2.0	AKP	0.59	-	5,542	00 0.5	-	-	-	-	-
KCM	0.18	(0.01)	1,011	00 0.1	AMA	3.92	0.08	4,612	00 3.8	-	-	-	-	-
KJL	6.40	0.10	504	00 6.3	AMARC	1.16	0.01	6,753	00 1.1	-	-	-	-	-
KUMWEL	0.99	0.02	157	00 0.9	ARIP	0.36	0.01	1,160	00 0.3	-	-	-	-	-
KWM	0.99	0.02	4,741	00 0.9	ATP30	0.82	0.01	2,520	00 0.8	-	-	-	-	-
MBAX	1.30	(0.06)	612	00 1.2	AUCT	7.15	(0.05)	7,960	00 7.0	-	-	-	-	-
MGT	1.64	0.04	471	00 1.6	BIS	2.50	-	169	00 2.4	-	-	-	-	-
MTW	1.11	0.02	20,459	00 1.1	BOL	4.70	0.04	1,180	00 4.6	-	-	-	-	-
MTW-W1	-	-	0	00 0.0	CEYE	1.95	(0.04)	141	00 1.9	-	-	-	-	-
NDR	1.15	(0.04)	407	00 1.1	CHIC	0.30	(0.01)	380	00 0.3	-	-	-	-	-
PACO	1.32	0.02	2,502	00 1.3	CMO	0.52	(0.01)	372	00 0.5	-	-	-	-	-
PACO-W1	0.03	0.01	240	00 0.0	D	2.08	0.02	2,169	00 2.0	-	-	-	-	-
PDG	2.54	0.02	255	00 2.5	DEXON	1.26	0.01	2,288	00 1.2	-	-	-	-	-
PHOL	2.82	(0.02)	3,707	00 2.7	DV8	0.45	0.02	1,440	00 0.4	-	-	-		