

## Main Board Quotation

Issue Date :

Thursday April 17, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	Q-CON	7.60	0.10	901	7.61	COM719C2505A	-	-	-	-
Agribusiness	-	-	-	-	SCC	152.50	1.50	31,156	152.54	COM719C2507A	0.13	-	8,734	0.13
EE	0.29	0.01	142,006	0.29	SCC01C2505A	-	-	-	-	COM719C2508A	0.29	(0.01)	36,919	0.29
GFPT	8.90	-	21,731	8.94	SCC01C2505B	-	-	-	-	COM719P2508A	0.42	(0.01)	22,657	0.43
LEE	2.24	0.02	670	2.23	SCC01C2507A	0.17	0.05	12	0.13	COM741C2505A	-	-	-	-
NER	4.38	0.12	64,509	4.36	SCC01C2508A	0.43	0.05	236	0.43	COM741C2606T	0.18	-	10,400	0.18
NER-W2	0.22	0.02	4,905	0.21	SCC01C2508B	0.52	0.04	37,306	0.51	COM741C2609T	0.32	-	82,000	0.32
PCE	2.90	0.04	36,069	2.88	SCC01C2606T	-	-	-	-	CPALL	49.75	(0.25)	208,289	49.76
PPPM	0.34	0.01	1,963	0.34	SCC01P2507A	0.28	(0.04)	152	0.28	CPALL01C2505A	0.01	-	9	0.01
PPPM-W6	0.17	-	39	0.15	SCC13C2505A	0.02	-	101	0.01	CPALL01C2507A	0.21	(0.02)	3,316	0.22
STA	14.70	0.10	71,408	14.78	SCC13C2505B	0.02	0.01	97	0.02	CPALL01C2606T	0.28	0.02	12,162	0.28
STA01C2506A	-	-	-	-	SCC13C2507A	0.30	0.03	162,089	0.30	CPALL01P2505A	-	-	-	-
STA13C2505A	0.01	(0.01)	1	0.01	SCC13P2505A	0.04	(0.02)	471	0.04	CPALL01P2507A	0.34	0.01	220	0.34
STA13C2506A	0.08	-	6,024	0.08	SCC13P2508A	0.54	(0.05)	70,341	0.56	CPALL06C2504A	-	-	-	-
STA13C2508A	0.32	0.01	6,500	0.32	SCC19C2505A	-	-	-	-	CPALL13C2505A	0.01	-	4,978	0.01
STA19C2505A	-	-	-	-	SCC19C2505B	0.01	-	20,001	0.01	CPALL13C2505B	0.01	-	500	0.01
STA19C2506A	-	-	-	-	SCC19C2506A	-	-	-	-	CPALL13C2506A	0.03	-	3,983	0.03
STA41C2505A	-	-	-	-	SCC19C2507A	0.37	0.04	37,943	0.37	CPALL13C2506B	0.09	(0.01)	22,474	0.10
STA41C2612T	0.33	(0.01)	76,341	0.33	SCC19C2509A	0.64	0.04	24,456	0.63	CPALL13C2508A	0.25	(0.75)	63,160	0.25
TEGH	2.94	0.02	1,346	2.92	SCC19P2505A	0.11	(0.12)	8,140	0.11	CPALL13P2505A	-	-	-	-
TFM	8.70	(0.20)	10,985	8.49	SCC19P2508A	0.70	(0.38)	9,225	0.71	CPALL13P2506A	0.09	-	500	0.09
TRUBB	0.60	0.01	6,241	0.60	SCC19P2509A	0.59	(0.04)	51,841	0.59	CPALL19C2505A	-	-	-	-
UPOIC	6.35	0.15	5	6.29	SCC41C2505A	-	-	-	-	CPALL19C2505B	-	-	-	-
UVAN	9.10	-	1,866	9.11	SCC41C2608T	0.44	0.03	105,005	0.44	CPALL19C2506A	-	-	-	-
VPO	0.45	-	1,796	0.45	SCC41P2508A	0.33	(0.04)	20,521	0.35	CPALL19C2506B	-	-	-	-
Banking	-	-	-	-	SCCC	148.50	3.00	200	148.08	CPALL19C2508A	0.20	(0.01)	19,305	0.21
BAY	21.90	(0.20)	1,391	21.98	SCGD	4.00	0.06	2,247	3.97	CPALL19P2505A	0.03	(0.07)	2,000	0.04
BBL	146.50	5.00	95,883	145.43	SCP	6.05	0.05	140	6.02	CPALL19P2505B	-	-	-	-
BBL11C2507A	0.16	0.05	16,013	0.14	SKN	5.65	-	429	5.64	CPALL41C2505A	0.01	-	19,640	0.01
BBL13C2507A	0.06	0.01	3	0.06	STECH	0.96	0.03	282	0.92	CPALL41C2506A	-	-	-	-
BBL13C2508A	0.21	0.05	80,730	0.19	TASCO	14.40	(0.20)	29,091	14.42	CPALL41C2605T	0.14	-	19,100	0.14
BBL19C2506A	-	-	-	-	TASCO19C2507	0.08	-	3,975	0.07	CPALL41P2504A	-	-	-	-
BBL19C2508A	0.19	0.08	6	0.18	TOA	10.30	0.20	28,556	10.25	CPALL41P2508A	-	-	-	-
BBL41C2506A	-	-	-	-	TPPL	0.93	0.01	44,089	0.92	CPAXT	25.25	0.45	72,978	24.86
BBL41C2609T	0.34	0.03	41,812	0.32	UMI	0.65	0.01	2,968	0.65	CPW	1.84	0.02	1,625	1.82
CIMBT	0.58	0.01	20,159	0.58	VNG	2.16	-	435	2.14	CRC	23.50	0.10	65,733	23.41
CREDIT	19.00	-	157	19.00	WIJK	0.87	0.01	563	0.86	CRC01C2506A	-	-	-	-
KBANK	151.00	(3.50)	188,730	149.74	WIJK-W3	0.03	-	226	0.02	CRC13C2506A	-	-	-	-
KBANK01C2506A	0.16	0.06	87,460	0.14	WINDOW	0.67	0.02	12,913	0.67	CRC13C2508A	0.06	-	8,506	0.06
KBANK01C2508A	0.70	0.11	21,639	0.66	Petrochemicals &	-	-	-	-	CRC19C2506A	-	-	-	-
KBANK01P2507A	0.35	(0.10)	5,736	0.40	BCT	48.25	-	110	48.01	CRC19C2508A	0.08	-	19,252	0.07
KBANK13C2505A	-	-	-	-	CMAN	2.20	-	1,322	2.18	CRC41C2608T	-	-	-	-
KBANK13C2507A	0.28	0.06	13,742	0.25	GC	4.72	0.04	764	4.69	CSS	0.83	-	2,884	0.83
KBANK13C2508A	0.62	0.10	256,039	0.60	GCC	4.04	0.10	85	3.97	DOHOME	5.00	0.18	102,728	4.89
KBANK13P2507A	0.21	(0.13)	34,980	0.23	IVL	19.50	(0.20)	135,930	19.71	DOHOME01C2507A	0.05	0.01	12,853	0.04
KBANK19C2505A	-	-	-	-	IVL01C2506A	-	-	-	-	DOHOME01C2508A	0.14	0.02	12,295	0.13
KBANK19C2507A	-	-	-	-	IVL01C2507A	0.21	(0.02)	112,041	0.23	DOHOME13C2505A	-	-	-	-
KBANK19C2507B	0.25	0.09	52	0.17	IVL01P2506A	0.63	(0.07)	1	0.63	DOHOME13C2506A	-	-	-	-
KBANK41C2505A	-	-	-	-	IVL13C2505A	-	-	-	-	DOHOME13C2508A	0.14	0.02	26,579	0.14
KBANK41C2604T	0.72	0.07	124,001	0.70	IVL13C2507A	0.10	(0.01)	68,998	0.11	DOHOME19C2506A	-	-	-	-
KBANK41C2609T	0.40	0.04	20,020	0.38	IVL13C2508A	0.25	(0.02)	130,678	0.27	DOHOME19C2506B	0.02	(0.01)	100	0.02
KBANK41P2606T	0.37	(0.04)	7,746	0.39	IVL13P2508A	0.47	0.01	42,282	0.45	DOHOME19C2508A	0.15	0.02	15,382	0.14
KKP	55.50	0.50	14,438	55.44	IVL19C2505A	-	-	-	-	DOHOME41C2609T	0.23	0.01	50,499	0.22
KKP-W6	1.04	(0.01)	341	1.02	IVL19C2506A	0.02	-	1,004	0.02	FN	0.48	-	1,996	0.48
KKP19C2507A	0.21	0.01	4,314	0.21	IVL19C2507A	0.14	(0.01)	13,488	0.15	GLOBAL	6.75	0.30	103,188	6.58
KTB	21.80	0.40	594,721	21.73	IVL19C2508A	0.27	(0.01)	101,530	0.29	GLOBAL01C2507A	0.07	0.01	901	0.07
KTB-P	-	-	-	-	IVL19P2508A	0.50	0.02	38,573	0.48	GLOBAL13C2506A	-	-	-	-
KTB-Q	-	-	-	-	IVL41C2505A	-	-	-	-	GLOBAL13C2507A	0.08	0.02	114	0.07
KTB01C2506A	0.20	0.03	102,366	0.19	IVL41C2605T	0.16	-	94,601	0.16	GLOBAL13C2508A	0.24	0.04	8,558	0.21
KTB13C2505A	0.07	0.01	989	0.06	IVL41P2605T	0.55	(0.07)	23,000	0.55	GLOBAL19C2507A	0.09	0.02	100	0.09
KTB13C2507A	0.13	0.04	1	0.13	NFC	1.48	(0.01)	269	1.48	GLOBAL41C2606T	-	-	-	-
KTB13C2508A	0.43	0.04	164,815	0.42	PATO	7.10	0.05	64	6.97	HMPRO	9.00	(0.05)	163,114	8.96
KTB13P2507A	0.20	(0.02)	5,297	0.20	PMTA	8.10	0.50	1	8.10	HMPRO01C2507A	0.10	(0.02)	15,956	0.10
KTB19C2505A	0.03	0.02	1,200	0.03	PTTGC	18.30	1.20	385,283	18.05	HMPRO01C2508A	0.38	(0.01)	12,847	0.37
KTB19C2506A	-	-	-	-	PTTGC01C2505/	-	-	-	-	HMPRO13C2506A	-	-	-	-
KTB19C2508A	0.45	(0.55)	101,482	0.44	PTTGC01C2506/	-	-	-	-	HMPRO13C2508A	0.45	(0.01)	16,012	0.44
KTB41C2506A	0.12	0.02	25,500	0.12	PTTGC01C2507/	0.18	0.05	59,499	0.17	HMPRO19C2506A	0.09	(0.01)	117	0.08
LHFG	0.77	0.02	29,813	0.77	PTTGC01C2508/	0.42	0.10	63,663	0.39	HMPRO19C2508A	0.54	(0.01)	1	0.54
SCB	116.00	2.50	116,179	115.28	PTTGC01P2506/	-	-	-	-	HMPRO41C2606T	0.17	-	10,000	0.17
SCB01C2505A	-	-	-	-	PTTGC13C2505/	-	-	-	-	ICC	32.00	-	2	32.00
SCB01C2507A	0.22	0.03	107	0.22	PTTGC13C2506/	-	-	-	-	ILM	13.80	0.30	813	13.82
SCB01P2507A	0.35	(0.06)	1,541	0.37	PTTGC13C2507/	0.16	0.05	136,080	0.14	IT	3.52	(0.12)	491	3.51
SCB13C2505A	0.03	0.01	4,585	0.02	PTTGC13C2507/	0.37	0.10	155,363	0.34	KAMART	8.70	(0.10)	13,697	8.75
SCB13C2508A	0.22	0.04	122,629	0.21	PTTGC13P2506/	0.22	(0.13)	18,925	0.24	LOXLEY	1.05	0.02	2,845	1.05
SCB13P2507A	0.16	(0.03)	39,244	0.17	PTTGC19C2505/	-	-	-	-	MC	9.90	-	5,730	9.90
SCB19C2507A	-	-	-	-	PTTGC19C2506/	-	-	-	-	MEGA	27.00	(0.50)	19,469	27.05
SCB41C2505A	-	-	-	-	PTTGC19C2508/	0.29	0.07	121,671	0.26	MIDA	0.29	0.05	4,007	0.28
SCB41C2609T	0.33	0.02	14,970	0.32	PTTGC41C2505/	-	-	-	-	MOSHI	40.25	1.25	2,584	39.82
TCAP	49.00	1.50	21,895	48.54	PTTGC41C2506/	0.02	0.01	1	0.02	RS	0.53	0.03	146,388	0.53
TCAP-P	-	-	-	-	PTTGC41C2608/	0.39	0.05	148,191	0.38	RS-W5	0.16	0.02	9,424	0.16
TCAP-Q	-	-	-	-	PTTGC41P2506/	0.28	(0.10)	7,516	0.31	RSP	1.72	0.01	6,295	1.72
TCAP13C2508A	0.27	0.04	18,486	0.26	SUTHA	2.48	0.08	32	2.47	SABUY	0.34	0.06	80,046	0.33
TISCO	100.00	1.25	40,699	99.43	TPA	2.38	0.12	7	2.31	SCM	0.49	0.02	42,374	0.49
TISCO-P	-	-	-	-	UAC	2.44	(0.02)	71	2.45	SCM-W2	0.03	0.01	10,873	0.02
TISCO-Q	-	-	-	-	UP	16.70	0.20	31	16.63	SINGER	5.85	0.30	37,155	5.74
TISCO41C2606T	0.31	-	10,021	0.31	XYZ	0.51	-	10,275	0.51	SPC	59.00	-	12	59.04
TTB	1.96	0.04	3,543,648	1.94	Commerce	-	-	-	-	SPI	64.00	(0.25)	2	63.88
TTB-W1	-	-	-	-</										

## Main Board Quotation

Issue Date :

Thursday April 17, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ADVANC41C2505A	-	-	-	-	DELTA13P2506A	1.14	(0.06)	405	1.17	BCPG13C2507A	0.15	0.02	40,784	0.13
ADVANC41C2606T	0.30	(0.02)	10,000	0.30	DELTA13P2507A	0.79	(0.01)	12,695	0.79	BCPG13C2507B	0.43	0.06	1,412	0.41
ADVANC41P2508A	-	-	-	-	DELTA13P2507E	0.30	(0.01)	72,581	0.30	BCPG19C2505A	-	-	-	-
AIT	4.68	(0.02)	75,177	4.68	DELTA19C2506A	-	-	-	-	BCPG19C2508A	0.19	0.02	14,397	0.18
ALT	0.74	(0.01)	3,013	0.74	DELTA19C2506E	0.02	-	1	0.02	BCPG41C2606T	0.32	0.03	9,705	0.31
AMR	0.57	(0.01)	2,098	0.58	DELTA19C2506C	-	-	-	-	BGRIM	10.80	0.20	139,201	10.70
BLISS	-	-	-	-	DELTA19C2507A	0.04	-	572	0.04	BGRIM01C2505A	0.02	0.01	1	0.02
DIF	7.90	0.10	62,292	7.86	DELTA19C2507E	0.09	-	2,420	0.08	BGRIM01C2506A	-	-	-	-
DITTO	10.80	0.50	36,495	10.60	DELTA19C2507C	0.31	(0.03)	71,372	0.32	BGRIM01C2507A	0.04	0.01	12,100	0.04
DITTO-W1	0.02	0.01	5,763	0.02	DELTA19C2508A	0.60	(0.01)	285,591	0.61	BGRIM01C2508A	0.13	-	65,011	0.13
DTCENT	0.85	0.02	5,776	0.84	DELTA19P2505A	-	-	-	-	BGRIM01C2509A	0.19	-	73,933	0.19
FORTH	7.85	(0.10)	646	7.88	DELTA19P2506A	-	-	-	-	BGRIM01C2606T	0.15	0.03	9,080	0.15
GABLE	3.28	(0.12)	28,625	3.26	DELTA19P2507A	0.69	(0.09)	34,135	0.69	BGRIM01P2505A	-	-	-	-
HUMAN	7.85	0.10	8,099	7.82	DELTA19P2509A	0.80	-	61,320	0.79	BGRIM01P2507A	-	-	-	-
ICN	1.75	0.02	3,361	1.74	DELTA41C2505A	0.01	-	27,850	0.01	BGRIM11C2507A	0.21	0.01	44,187	0.20
ILINK	5.50	-	3,594	5.50	DELTA41C2506A	-	-	-	-	BGRIM13C2505A	-	-	-	-
INET	4.28	0.10	22,398	4.24	DELTA41C2507A	0.06	(0.02)	80	0.07	BGRIM13C2505B	-	-	-	-
INSET	1.73	0.07	37,957	1.71	DELTA41C2508A	0.23	-	12,537	0.24	BGRIM13C2506A	-	-	-	-
ITEL	1.28	0.01	16,366	1.29	DELTA41C2608T	0.25	-	32,001	0.26	BGRIM13C2507A	-	-	-	-
JAS	1.36	(0.01)	230,856	1.37	DELTA41C2612T	0.05	-	510	0.05	BGRIM13C2507B	0.09	0.01	39,102	0.08
JAS-W4	0.28	(0.01)	32,908	0.29	DELTA41P2505A	1.75	(0.53)	400	1.76	BGRIM13C2508A	0.20	0.02	209,275	0.18
JAS13C2505A	-	-	-	-	DELTA41P2507A	0.27	0.01	12,014	0.27	BGRIM13P2505A	-	-	-	-
JAS13C2507A	-	-	-	-	HANA	18.10	1.00	136,891	17.75	BGRIM13P2506A	0.51	(0.08)	5	0.53
JAS19C2505A	-	-	-	-	HANA01C2505A	0.01	(0.01)	1,384	0.01	BGRIM19C2505A	-	-	-	-
JAS19C2507A	0.08	-	2,590	0.08	HANA01C2505B	0.01	-	4,000	0.01	BGRIM19C2506A	-	-	-	-
JAS41C2605T	0.09	(0.01)	12,950	0.09	HANA01P2505A	-	-	-	-	BGRIM19C2507A	-	-	-	-
JMART	7.75	0.25	64,470	7.64	HANA06C2504A	-	-	-	-	BGRIM19C2507B	0.09	0.01	67,650	0.09
JMART-W5	0.18	0.01	371	0.18	HANA13C2505A	0.02	0.01	50	0.02	BGRIM19C2508A	0.42	(0.01)	3	0.42
JMART13C2506A	-	-	-	-	HANA13C2505B	0.01	-	50	0.01	BGRIM19P2506A	-	-	-	-
JMART13C2507A	0.05	0.01	7,385	0.04	HANA13C2506A	-	-	-	-	BGRIM41C2505A	-	-	-	-
JMART19C2506A	-	-	-	-	HANA13C2507A	0.09	0.04	4,403	0.09	BGRIM41C2506A	-	-	-	-
JMART19C2508A	-	-	-	-	HANA13C2508A	0.40	0.09	151,814	0.36	BGRIM41C2608T	0.19	0.01	26,000	0.19
JMART19C2508B	0.19	0.01	30,319	0.19	HANA13P2505A	-	-	-	-	BIOTEC	0.20	0.01	6,396	0.20
JMART41C2606T	-	-	-	-	HANA13P2507A	0.25	(0.03)	1,445	0.26	BIOTEC-P	-	-	-	-
JMART41C2609T	0.32	0.01	43,400	0.32	HANA19C2505A	-	-	-	-	BIOTEC-Q	-	-	-	-
JTS	33.25	1.00	3,758	32.74	HANA19C2505B	-	-	-	-	BIOTEC-W2	0.03	-	277	0.02
MFEC	5.85	0.05	685	5.83	HANA19C2507A	0.07	0.02	1,503	0.07	BPP	7.05	0.15	25,845	7.00
MSC	7.95	-	28	7.81	HANA19C2508A	0.37	0.08	69,155	0.33	BRRGIF	3.84	-	224	3.84
PT	11.50	0.30	2,833	11.27	HANA41C2505A	-	-	-	-	BSRC	5.55	0.10	15,007	5.56
ROCTEC	0.57	0.06	53,265	0.54	HANA41C2606T	0.14	0.02	48,332	0.12	BSRC13C2506A	0.11	0.01	15,466	0.11
ROCTEC-W3	0.01	-	8	0.01	HANA41C2608T	0.51	0.05	81,752	0.49	CKP	2.68	(0.04)	29,427	2.71
ROCTEC-W5	0.03	0.01	88,284	0.02	KCE	17.00	0.20	102,849	16.92	CV	-	-	-	-
SAMART	6.25	0.10	35,519	6.15	KCE01C2505A	-	-	-	-	CV-W1	-	-	-	-
SAMTEL	5.50	0.40	1,254	5.14	KCE01C2507A	-	-	-	-	EA	2.16	0.12	880,368	2.14
SAMTEL-W2	1.00	0.06	660	0.97	KCE13C2505A	-	-	-	-	EA-W1	0.26	0.05	219,132	0.24
SDC	0.03	(0.01)	55,516	0.03	KCE13C2505B	-	-	-	-	EA13C2505A	-	-	-	-
SIS	21.00	0.50	6,702	20.75	KCE13C2506A	0.03	-	50	0.03	EA13C2505B	-	-	-	-
SKY	16.00	(0.20)	3,724	16.05	KCE13C2507A	0.12	0.01	26,262	0.11	EA13C2506A	-	-	-	-
SPREME	1.47	0.03	1,614	1.46	KCE13C2508A	0.20	0.01	181,467	0.19	EA13C2506B	0.02	0.01	40	0.02
SVOA	1.03	0.02	665	1.03	KCE13C2508B	0.33	(0.67)	182,276	0.31	EA13C2507A	0.06	0.02	8,754	0.05
SYMC	4.26	0.20	2,204	4.23	KCE13P2505A	0.14	(0.03)	8,704	0.13	EA13C2508A	0.14	0.03	146,014	0.14
SYNEX	10.80	-	2,639	10.81	KCE13P2508A	0.34	(0.02)	66,143	0.35	EA13C2508B	0.27	(0.73)	101,193	0.24
THCOM	8.30	0.20	167,748	8.41	KCE19C2505A	-	-	-	-	EA19C2505A	0.01	-	20,499	0.01
TKC	8.10	0.05	60	8.06	KCE19C2506A	-	-	-	-	EA19C2506A	-	-	-	-
TRUE	11.60	(0.10)	298,889	11.69	KCE19C2507A	0.09	0.01	4,120	0.10	EA19C2506B	-	-	-	-
TRUE01C2505A	-	-	-	-	KCE19C2508A	0.22	0.01	122,492	0.22	EA19C2508A	0.17	0.03	31,462	0.17
TRUE01C2507A	0.06	(0.01)	83	0.06	KCE19P2505A	0.25	(0.03)	10	0.26	EA19C2508B	0.25	0.04	56,780	0.24
TRUE01C2508A	0.23	(0.01)	111	0.23	KCE41C2505A	-	-	-	-	EA19P2505A	-	-	-	-
TRUE01P2505A	-	-	-	-	KCE41C2606T	-	-	-	-	EA41C2606T	0.09	0.01	1,575	0.09
TRUE01P2507A	0.25	(0.02)	1,750	0.25	METCO	168.50	1.00	3	168.33	EASTW	2.00	0.08	1,401	1.98
TRUE13C2505A	-	-	-	-	SMT	1.01	0.01	11,192	1.01	EGATIF	5.85	-	2,388	5.81
TRUE13C2507A	0.15	-	291	0.15	SVI	7.80	(0.05)	5,280	7.82	EGCO	96.50	0.75	12,415	95.83
TRUE13P2506A	0.07	-	1,132	0.07	TEAM	2.62	0.06	675	2.60	EP	1.40	(0.04)	4,286	1.40
TRUE19C2507A	-	-	-	-	Energy & Utilitie	-	-	-	-	EP-W4	-	-	-	-
TRUE19C2507B	0.19	(0.01)	675	0.20	ACC	0.35	0.01	6,095	0.35	ETC	1.56	0.06	7,414	1.57
TRUE19P2506A	-	-	-	-	ACC-W2	0.32	-	306	0.32	GPSC	28.50	0.75	118,943	28.66
TRUE19P2507A	0.28	0.02	12,286	0.27	ACE	1.28	-	60,197	1.28	GPSC01C2505A	-	-	-	-
TRUE41C2505A	-	-	-	-	AE	0.10	-	18,517	0.10	GPSC01C2507A	0.16	0.02	45,293	0.17
TRUE41C2604T	0.59	(0.01)	314	0.59	AGE	0.74	(0.01)	2,151	0.75	GPSC01C2508A	0.32	0.02	28,602	0.33
TRUE41C2612T	-	-	-	-	AI	3.28	0.04	699	3.27	GPSC01P2506A	0.15	(0.04)	7,177	0.16
TWZ	0.03	-	18,053	0.03	AIE	1.23	0.03	29,691	1.21	GPSC13C2505A	-	-	-	-
TWZ-W8	-	-	-	-	BAFS	7.20	0.20	5,834	7.18	GPSC13C2505B	-	-	-	-
TWZ-W9	-	-	-	-	BANPU	4.34	0.06	262,203	4.31	GPSC13C2506A	0.04	-	12,441	0.05
Electronic Componer	-	-	-	-	BANPU01C2506A	-	-	-	-	GPSC13C2507A	0.19	0.02	101,625	0.19
CCET	5.40	0.30	428,411	5.28	BANPU01C2507A	0.16	-	27,150	0.16	GPSC13P2505A	-	-	-	-
CCET13C2505A	0.02	-	1	0.02	BANPU01C2508A	0.40	0.01	39,966	0.38	GPSC13P2506A	0.10	(0.03)	19,553	0.10
CCET13C2505B	-	-	-	-	BANPU01C2606T	0.31	0.02	19,382	0.30	GPSC19C2505A	-	-	-	-
CCET13C2506A	-	-	-	-	BANPU13C2505A	-	-	-	-	GPSC19C2506A	-	-	-	-
CCET13C2507A	0.03	-	2,125	0.03	BANPU13C2506A	-	-	-	-	GPSC19C2506B	-	-	-	-
CCET13C2507B	0.15	0.03	76,076	0.13	BANPU13C2506A	-	-	-	-	GPSC19C2507A	0.16	0.01	50,372	0.17
CCET19C2506A	-	-	-	-	BANPU13C2507A	0.25	0.01	22,824	0.24	GPSC19P2506A	0.17	(0.05)	10,956	0.16
CCET19C2506B	0.02	-	200	0.02	BANPU19C2506A	-	-	-	-	GPSC41C2505A	-	-	-	-
CCET19C2506C	0.01	-	35,002	0.02	BANPU19C2507A	0.15	0.01	28,726	0.15	GPSC41C2606T	0.13	-	46,500	0.14
CCET19C2507A	-	-	-	-	BANPU19C2508A	0.37	0.02	99,603	0.36	GREEN	0.75	0.03	112	0.72
CCET19C2507B	0.16	0.03	106,037	0.15	BANPU41C2505A	-	-	-	-	GULF	46.50	(0.75)	252,406	46.62
CCET41C2505A	-	-	-	-	BANPU41C2605T	0.10	-	1	0.10	GULF01C2508A	-	-	-	-
CCET41C2506A	0.03	0.01	20	0.03	BBDI	3.10	(0.02)	4,569	3.07	GULF13C2508A	0.16	(0.02)	100,057	0.17
CCET41C2609T	0.29	0.02	15,200	0.27	BCP	36.50	(0.25)	13,612	36.84	GULF13C2508B	0.46	(0.03)	72,917	0.46
DELTA	66.00	(0.25)	153,096	66.20	BCP01C2505A	0.16	0.01	6,249	0.16	GULF19C2509A	0.54	(0.05)	10,050	0.56
DELTA01C2505A	0.02	0.01</												

## Main Board Quotation

Issue Date :

Thursday April 17, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OR13C2506A	-	-	-	-	MONO	1.25	0.07	452,463	1.23	SAWAD13C2508A	0.13	-	12,667	0.12
OR13C2507A	0.16	(0.01)	34,953	0.18	NATION	0.02	-	22,473	0.02	SAWAD13C2508B	0.24	-	189,350	0.23
OR13C2508A	-	-	-	-	NATION-W4	-	-	-	-	SAWAD19C2505A	-	-	-	-
OR19C2505A	-	-	-	-	ONEE	2.54	(0.02)	7,339	2.56	SAWAD19C2506A	-	-	-	-
OR19C2506A	0.12	0.01	1,850	0.12	PLANB	5.35	0.05	61,990	5.29	SAWAD19C2507A	-	-	-	-
OR19C2508A	-	-	-	-	PLANB13C2508A	0.12	-	32,684	0.12	SAWAD19C2508A	0.18	-	135,129	0.18
OR41C2505A	-	-	-	-	PLANB19C2508A	0.11	-	28,381	0.11	SAWAD41C2505A	-	-	-	-
OR41C2605T	0.06	0.01	10	0.06	PLANB41C2606T	0.15	-	24,000	0.15	SAWAD41C2609T	0.25	-	26,000	0.25
OR41C2608T	0.35	(0.01)	17,782	0.36	PRAKIT	11.60	0.10	114	11.57	SCAP	1.41	0.10	186,678	1.44
PRIME	0.04	(0.01)	1,767,195	0.04	PTECH	0.89	(0.03)	24	0.87	SGC	0.81	0.08	282,781	0.77
PTG	6.55	-	37,226	6.55	SE-ED	1.94	0.01	903	1.95	SGC-W1	0.08	(0.01)	10,693	0.08
PTT	30.75	(0.25)	171,123	30.94	TKS	5.40	0.05	307	5.37	SGC-W2	0.25	0.02	1,444	0.24
PTT01C2505A	-	-	-	-	VGI	2.14	0.02	774,584	2.13	SM	0.82	0.04	1,194	0.78
PTT01C2508A	0.16	(0.01)	10,472	0.16	VGI-W3	0.03	-	30,255	0.03	TH	0.57	0.01	5,145	0.57
PTT13C2508A	0.14	(0.01)	108,479	0.15	VGI-W4	0.47	0.02	47,552	0.47	TH-W3	0.02	-	82	0.02
PTT19C2505A	-	-	-	-	VGI01C2505A	-	-	-	-	THANI	1.55	0.01	213,983	1.56
PTT41C2606T	0.25	-	13,333	0.25	VGI01C2507A	0.07	0.01	9,100	0.06	TIDLOR	14.60	0.30	18,280	14.40
PTTEP	103.50	0.50	53,400	104.00	VGI13C2505A	0.01	-	99	0.01	TIDLOR01C2506A	-	-	-	-
PTTEP01C2505A	0.02	-	1	0.02	VGI13C2507A	0.03	0.01	32,110	0.02	TIDLOR13C2505A	-	-	-	-
PTTEP01C2507A	0.11	0.01	3,443	0.11	VGI13C2508A	0.07	(0.01)	18,430	0.07	TIDLOR19C2505A	0.02	0.01	6,200	0.02
PTTEP01P2506A	0.29	(0.10)	400	0.31	VGI13C2508B	0.24	0.01	64,282	0.24	TIDLOR19C2505B	-	-	-	-
PTTEP13C2505A	-	-	-	-	VGI19C2505A	-	-	-	-	TIDLOR41C2605T	-	-	-	-
PTTEP13C2507A	0.05	-	10,536	0.05	VGI19C2507A	0.03	0.01	198	0.03	TK	3.56	0.14	2,035	3.54
PTTEP13C2507B	0.12	-	7,494	0.13	VGI19C2508A	0.08	-	3,600	0.08	TNITY	2.96	0.18	1,245	2.95
PTTEP13C2508A	0.43	-	38,261	0.44	VGI19C2509A	0.37	-	51,133	0.37	TNL	-	-	-	-
PTTEP13P2506A	0.40	(0.02)	638	0.38	VGI41C2505A	-	-	-	-	UOBKH	5.50	-	1	5.50
PTTEP19C2505A	-	-	-	-	VGI41C2606T	0.12	-	400	0.12	XPG	0.80	(0.01)	83,319	0.80
PTTEP19C2507A	0.09	-	500	0.09	WORK	4.52	-	336	4.51	Food & Beverage	-	-	-	-
PTTEP19C2508A	0.07	-	217	0.07	ZAA	0.65	0.04	841	0.63	AAI	4.24	0.02	62,584	4.19
PTTEP19C2509A	0.52	(0.48)	45,813	0.53	Finance & Secur	-	-	-	-	APURE	3.38	0.02	222	3.31
PTTEP41C2505A	0.01	(0.03)	1,012	0.01	AEOINTS	108.50	0.50	2,753	108.87	ASIAN	7.25	(0.15)	21,911	7.21
PTTEP41C2507A	0.10	-	3,200	0.10	AMANAHA	0.79	-	7,508	0.79	BR	1.58	-	1,739	1.58
PTTEP41C2604T	0.07	0.01	48	0.06	ASAP	1.41	0.01	258	1.41	BR-W1	0.03	-	118	0.03
PTTEP41C2609T	0.42	0.01	79,626	0.42	ASK	6.95	0.20	2,685	6.88	BRR	4.62	-	4,523	4.62
PTTEP41P2506A	0.30	(0.04)	11,030	0.30	ASP	1.95	0.02	2,621	1.94	BRR-W2	0.12	(0.01)	113	0.12
RATCH	25.75	0.25	13,651	25.71	BAM	6.40	0.20	165,899	6.34	BTG	19.90	1.00	20,324	19.47
RATCH19C2506A	-	-	-	-	BAM01C2506A	0.12	0.02	51,650	0.12	CBG	62.00	1.50	29,699	61.36
RPC	0.25	-	3,021	0.25	BAM13C2505A	-	-	-	-	CBG01C2506A	-	-	-	-
SCG	2.38	-	61	2.42	BAM13C2506A	0.12	0.02	45,124	0.12	CBG01C2507A	0.11	-	15,052	0.11
SCN	0.39	0.01	5,017	0.39	BAM19C2505A	-	-	-	-	CBG01C2508A	0.34	0.03	33,036	0.33
SCN-W2	0.03	-	7	0.03	BAM19C2506A	0.15	0.03	49,290	0.15	CBG01P2506A	-	-	-	-
SEAOL	2.40	0.02	86	2.41	BAM41C2505A	-	-	-	-	CBG01P2507A	0.49	(0.04)	5,069	0.49
SGP	6.85	0.15	413	6.80	BAM41C2612T	0.33	0.02	46,000	0.32	CBG13C2505A	-	-	-	-
SKE	0.19	(0.01)	5,056	0.19	BYD	0.33	0.01	118,014	0.34	CBG13C2506A	0.01	-	100	0.01
SKE-W1	0.03	-	1,004	0.03	CGH	0.45	-	6,258	0.44	CBG13C2507A	0.14	0.02	27,872	0.13
SOLAR	0.21	0.01	6,079	0.21	CGH-W5	-	-	-	-	CBG13C2508A	0.46	0.05	71,575	0.44
SPCG	7.65	0.35	3,088	7.53	CHASE	0.69	0.05	38,937	0.67	CBG19C2506A	0.02	-	10	0.02
SPRC	5.10	0.16	59,367	5.10	CHASE-W1	0.36	0.01	8,291	0.35	CBG19C2506B	0.04	-	2,000	0.04
SPRC13C2506A	0.04	-	300	0.04	CHAYO	2.04	0.07	45,163	1.99	CBG19C2508A	0.29	0.04	44,332	0.26
SPRC19C2505A	-	-	-	-	CHAYO-W3	0.07	-	8,303	0.06	CBG19P2507A	0.48	(0.08)	30,956	0.52
SPRC41C2606T	0.17	0.02	15,500	0.17	EAST	0.83	(0.01)	1,421	0.83	CBG41C2505A	-	-	-	-
SSP	4.84	0.06	4,357	4.86	FNS	0.98	(0.05)	3,776	0.98	CBG41C2608T	0.25	0.02	41,000	0.24
SSP-W2	-	-	-	-	FSX	1.30	(0.07)	396	1.34	CFRESH	0.97	0.02	645	0.96
SUPER	0.13	-	171,232	0.13	GBX	0.46	(0.01)	2,895	0.47	CH	1.98	0.01	102	1.97
SUPEREIF	5.40	-	3,343	5.36	GL	0.04	(0.01)	395,355	0.04	CHAO	5.25	0.65	171,033	5.24
SUSCO	2.84	0.02	1,272	2.83	HENG	1.02	-	9,845	1.01	CHOTI	62.75	-	3	62.67
TAE	0.63	-	574	0.63	IFS	2.26	0.06	95	2.24	CM	1.65	0.03	61	1.65
TCC	0.22	-	2,032	0.22	JMT	12.50	0.20	95,420	12.39	COCOCO	6.40	0.30	76,811	6.25
TCC-W5	0.14	-	2	0.13	JMT13C2506A	0.02	-	10	0.02	COCOCO13C2505A	-	-	-	-
TGE	1.41	(0.03)	3,343	1.44	JMT13C2507A	0.09	0.01	23,063	0.09	COCOCO19C2506A	-	-	-	-
TGE-W2	0.10	0.01	1,242	0.09	JMT19C2506A	-	-	-	-	CPF	25.00	(0.50)	271,329	24.96
TOP	24.10	0.60	119,868	23.98	JMT19C2507A	0.13	0.01	16,478	0.13	CPF01C2508A	0.67	(0.09)	250	0.67
TOP01C2505A	0.01	-	1	0.01	JMT41C2505A	-	-	-	-	CPF13C2505A	-	-	-	-
TOP01C2506A	-	-	-	-	JMT41C2608T	0.22	-	42,724	0.22	CPF13C2506A	-	-	-	-
TOP01C2507A	0.36	0.03	33,355	0.35	KCAR	3.78	0.04	53	3.76	CPF13C2508A	0.17	(0.01)	3,070	0.16
TOP01C2508A	0.14	0.01	22,802	0.14	KGI	4.26	0.04	14,155	4.25	CPF19C2505A	-	-	-	-
TOP01P2506A	-	-	-	-	KTC	45.00	(0.50)	37,302	44.56	CPF19C2509A	0.20	(0.02)	950	0.20
TOP01P2508A	-	-	-	-	KTC01C2507A	0.11	(0.03)	17,110	0.11	CPF41C2505A	-	-	-	-
TOP13C2505A	-	-	-	-	KTC01C2508A	0.26	0.03	36,165	0.24	CPF41C2505B	-	-	-	-
TOP13C2505B	-	-	-	-	KTC13C2506A	-	-	-	-	CPF41C2612T	-	-	-	-
TOP13C2505C	-	-	-	-	KTC19C2507A	-	-	-	-	CPI	2.70	0.10	303	2.66
TOP13C2506A	0.25	0.03	28,251	0.24	KTC41C2606T	0.23	0.02	30,000	0.22	F&D	42.75	0.50	186	42.45
TOP13C2507A	0.08	-	1,034	0.08	MFC	26.25	1.25	508	25.95	FM	3.86	(0.12)	59,571	3.88
TOP13P2505A	-	-	-	-	MICRO	0.83	0.03	15,480	0.86	GLOCON	0.13	(0.01)	55,455	0.13
TOP13P2505B	-	-	-	-	ML	0.32	0.01	811	0.31	HTC	16.10	-	810	16.09
TOP13P2508A	0.30	(0.05)	3,721	0.31	MST	7.25	(0.10)	88	7.30	ICI	12.00	0.20	26,948	11.89
TOP19C2505A	0.01	-	1	0.01	MTC	43.25	0.50	36,327	43.15	ITC	13.60	0.20	47,897	13.41
TOP19C2505B	0.01	(0.01)	600	0.01	MTC01C2506A	0.10	-	38,572	0.11	ITC01C2506A	-	-	-	-
TOP19C2508A	0.15	0.01	7,512	0.15	MTC01C2508A	0.36	-	41,162	0.36	ITC01C2606T	0.26	0.01	25,858	0.25
TOP19P2505A	-	-	-	-	MTC01P2506A	0.19	-	111	0.17	ITC13C2506A	-	-	-	-
TOP41C2505A	-	-	-	-	MTC13C2505A	-	-	-	-	ITC13C2508A	0.19	0.01	24,002	0.18
TOP41C2506B	-	-	-	-	MTC13C2506A	-	-	-	-	ITC19C2505A	-	-	-	-
TOP41C2609T	0.38	0.03	23,632	0.37	MTC13C2508A	0.35	0.01	16,372	0.35	ITC19C2506A	0.02	(0.01)	300	0.02
TOP41P2505A	-	-	-	-	MTC13P2506A	0.10	-	8,249	0.10	ITC41C2505A	-	-	-	-
TPIPP	2.12	-	9,964	2.11	MTC19C2506A	0.06	-	390	0.06	ITC41C2612T	0.27	0.01	69,600	0.26
TSE	0.35	0.01	8,319	0.34	MTC19C2508A	0.31	0.02	24,613	0.30	JDF	1.94	0.14	402	1.84
TTW	8.75	-	11,153	8.73	MTC19P2506A	0.11	(0.01)	25,917	0.12	KBS	5.20	0.05	3,202	5.17
UBE	0.47	-	9,320	0.47	MTC19P2509A	0.42	(0.01)	11,315	0.43	KCG	8.05	0.05	4,077	8.05
WHAUP	3.48	0.16	26,687	3.43	MTC41C2505A	-	-	-	-	KSL	1.46	0.06	4,342	1.44
WP	3.40	-	215	3.39	MTC41C2606T	0.27	0.01	6						

## Main Board Quotation

Issue Date :

Thursday April 17, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP13C2506B	-	-	-	-	NKT	4.76	(0.02)	3,820	4.77	BGC	5.25	-	530	5.19
OSP13C2507A	-	-	-	-	NTV	26.75	0.75	55	26.62	CSC	43.00	0.75	18	42.44
OSP13C2508A	0.25	(0.01)	49,341	0.24	PHG	14.00	0.10	300	13.95	CSC-P	-	-	-	-
OSP19C2506A	0.01	-	5,254	0.01	PR9	23.70	0.50	26,888	23.70	CSC-Q	-	-	-	-
OSP19C2506B	-	-	-	-	PR901C2507A	0.25	0.02	19,296	0.25	NEP	0.22	(0.01)	3,394	0.22
OSP19C2506C	-	-	-	-	PR913C2505A	-	-	-	-	PJW	2.20	-	551	2.19
OSP41C2505A	0.01	-	3,329	0.01	PR913C2506A	-	-	-	-	PTL	10.50	0.30	4,706	10.37
OSP41C2606T	-	-	-	-	PR919C2506A	-	-	-	-	SCGP	12.60	-	95,350	12.73
PB	-	-	-	-	PR941C2609T	0.45	0.02	41,000	0.45	SCGP01C2506A	-	-	-	-
PLUS	3.06	0.02	653	3.05	PRINC	2.22	0.02	4,451	2.21	SCGP01C2507A	0.03	-	340	0.03
PM	10.00	-	1,701	10.08	RAM	18.00	0.10	776	18.07	SCGP01C2508A	0.12	(0.01)	31,559	0.13
PQS	2.38	-	1,103	2.38	RJH	13.40	0.20	2,783	13.24	SCGP01P2507A	-	-	-	-
PRG	7.90	(0.20)	16	7.95	RPH	5.35	0.15	2,690	5.28	SCGP13C2506A	-	-	-	-
PRG-W2	3.36	(0.04)	45	3.37	SAFE	8.85	0.15	902	8.85	SCGP13C2506B	-	-	-	-
PRG-W3	-	-	-	-	SKR	7.05	(0.20)	2,354	7.05	SCGP13C2507A	0.07	(0.01)	7,547	0.07
PRG-W4	3.00	(0.30)	9	3.00	THG	9.70	-	2,640	9.68	SCGP13C2508A	0.19	-	68,875	0.20
PRG-W5	2.10	0.08	5	2.10	VIBHA	1.54	0.01	10,898	1.52	SCGP13P2506A	0.38	(0.06)	1	0.38
RBF	4.34	0.02	28,228	4.36	VIBHA-W4	0.01	-	391	0.01	SCGP19C2505A	-	-	-	-
RBF13C2507A	-	-	-	-	VIH	7.00	0.05	667	6.98	SCGP19C2506A	-	-	-	-
RBF19C2505A	-	-	-	-	VIH-W1	-	-	-	-	SCGP19C2506B	-	-	-	-
RBF19C2508A	0.03	-	100	0.03	WPH	8.95	0.45	7,922	8.89	SCGP19C2507A	0.13	(0.01)	59,341	0.14
SAPPE	38.50	0.50	13,806	38.48	Tourism & Leisu	-	-	-	-	SCGP19P2505A	-	-	-	-
SAPPE13C2507A	0.10	0.01	1,213	0.09	ASIA	4.94	0.18	60	4.84	SCGP41C2505A	-	-	-	-
SAPPE19C2508A	0.35	-	14,687	0.36	BEYOND	6.35	0.35	890	6.23	SCGP41C2606T	0.13	0.01	1	0.13
SAUCE	38.50	-	915	38.48	CENTEL	26.25	(0.75)	46,716	26.25	SFLEX	3.12	0.04	140,434	3.14
SNNP	11.50	-	5,770	11.48	CENTEL01C250E	0.06	(0.01)	1,300	0.06	SFLEX-W2	0.05	0.01	17,627	0.05
SNP	10.60	-	957	10.60	CENTEL13C250E	0.02	-	1,200	0.02	SITHAI	1.26	(0.01)	14,458	1.27
SORKON	4.40	0.06	317	4.40	CENTEL13C250E	0.08	(0.02)	30,760	0.08	SLP	0.37	-	2,825	0.35
SSF	5.90	0.50	28	5.51	CENTEL19C250E	0.04	-	4,000	0.04	SMPG	8.60	0.10	31	8.60
SST	1.96	(0.03)	3	1.97	CENTEL19C250E	0.14	(0.01)	70,523	0.14	SPACK	1.36	0.07	10	1.38
SUN	3.00	0.02	2,830	3.00	CENTEL41C260E	0.18	(0.01)	19,400	0.17	TCOAT	-	-	-	-
TC	5.80	(0.05)	626	5.76	CSR	85.00	1.00	1	85.00	TFI	0.05	-	502	0.04
TFG	4.70	(0.10)	144,098	4.70	DUSIT	8.20	(0.05)	500	8.20	TFI-W1	-	-	-	-
TFG-W4	0.78	0.01	8,403	0.77	ERW	2.46	0.08	201,751	2.43	THIP	25.25	-	38	25.25
TFMAMA	198.00	(1.00)	18	198.33	ERW01C2507A	0.02	-	614	0.02	TMD	24.10	0.10	11	24.04
TIPCO	9.20	(0.10)	1,108	9.19	ERW13C2505A	-	-	-	-	TOPP	-	-	-	-
TKN	7.60	0.15	11,016	7.50	ERW13C2507A	-	-	-	-	TPAC	7.15	(0.10)	1,335	7.21
TU	10.80	0.10	142,504	10.53	ERW13C2508A	0.12	0.02	41,171	0.12	TPBI	3.84	0.10	860	3.81
TU01C2505A	-	-	-	-	ERW19C2506A	-	-	-	-	TPP	-	-	-	-
TU01C2506A	-	-	-	-	ERW19C2508A	0.14	0.02	100,283	0.13	Personal Products	-	-	-	-
TU01C2508A	0.08	(0.04)	11,011	0.07	ERW41C2606T	-	-	-	-	APCO	3.22	0.04	159	3.22
TU13C2505A	-	-	-	-	GRAND	0.03	-	95,301	0.03	BIZ	3.24	0.10	1,065	3.23
TU13C2508A	0.15	0.01	214,325	0.13	LRH	37.50	(0.25)	2	36.63	BLC	3.70	(0.02)	20,641	3.69
TU19C2505A	-	-	-	-	MANRIN	24.90	2.90	1	24.90	DDD	6.15	0.05	5	6.21
TU19C2506A	-	-	-	-	MINT	26.25	(0.25)	106,815	26.43	IP	3.42	0.20	28,314	3.42
TU41C2506A	-	-	-	-	MINT01C2506A	0.32	(0.06)	96	0.32	IP-W2	0.06	0.04	114,655	0.06
TU41C2609T	0.21	0.01	4,200	0.21	MINT01C2507A	-	-	-	-	JCT	-	-	-	-
TVO	22.10	0.40	10,319	22.06	MINT13C2505A	-	-	-	-	KISS	3.58	0.04	11,004	3.55
TWPC	2.26	0.04	750	2.23	MINT13C2506A	-	-	-	-	NAM	4.24	0.12	440	4.21
XBIO	0.12	0.01	28,574	0.11	MINT13C2506B	0.08	-	11,139	0.08	NEO	32.00	0.50	9,748	31.33
XBIO-W6	0.02	-	1	0.02	MINT19C2506A	0.24	-	12	0.24	NV	0.67	(0.01)	240	0.68
XBIO-W7	0.01	-	2,012	0.01	MINT19C2508A	0.12	(0.01)	41,750	0.12	OCC	9.75	0.35	18	9.49
ZEN	6.30	0.25	7	6.26	MINT41C2604T	-	-	-	-	S&J	-	-	-	-
Health Care Services	-	-	-	-	MINT41C2612T	0.23	-	4,200	0.23	SNPS	4.84	0.02	877	4.83
AHC	14.20	0.50	88	13.97	OHTL	-	-	-	-	STGT	7.50	(0.05)	85,402	7.52
BCH	14.60	0.10	28,836	14.59	ROH	1.78	-	4	1.72	STGT13C2506A	0.04	(0.01)	100	0.04
BCH01C2508A	0.11	-	28,958	0.11	SHANG	-	-	-	-	STGT13C2508A	0.28	(0.01)	62,243	0.29
BCH13C2507A	-	-	-	-	SHR	1.75	0.05	28,432	1.73	STGT19C2509A	0.37	(0.01)	18,845	0.38
BCH13C2508A	0.23	-	26,274	0.23	SPA	4.02	0.06	22,573	4.01	STGT41C2606T	0.17	-	8,000	0.17
BCH19C2505A	-	-	-	-	VRANDA	4.52	-	100	4.48	TMAN	10.60	0.40	4,667	10.48
BCH19C2505B	-	-	-	-	Home & Office P	-	-	-	-	TNR	7.45	0.10	178	7.36
BCH19C2508A	0.12	-	2,492	0.12	AJA	0.09	-	6,468	0.09	TOG	7.90	(0.10)	812	7.80
BCH41C2506A	-	-	-	-	DTCI	-	-	-	-	Professional Service	-	-	-	-
BCH41C2609T	0.34	0.01	80,000	0.33	FANCY	0.43	(0.01)	1,669	0.43	BWG	0.28	0.02	457,014	0.28
BDMS	23.10	(0.20)	193,986	23.24	FTI	1.86	(0.02)	850	1.88	BWG-W6	0.01	-	32	0.01
BDMS01C2506A	-	-	-	-	KYE	290.00	(2.00)	6	291.33	GENCO	0.29	-	113	0.29
BDMS01C2508A	0.07	-	110	0.07	L&E	1.17	(0.03)	35	1.17	PRTR	3.66	-	1,464	3.66
BDMS01C2509A	0.41	(0.01)	26,635	0.42	MODERN	2.20	-	753	2.20	SISB	18.80	0.10	10,918	18.80
BDMS13C2505A	-	-	-	-	OGC	9.80	(0.10)	7	9.86	SISB13C2506A	-	-	-	-
BDMS13C2508A	0.27	(0.01)	33,602	0.28	ROCK	12.60	0.30	5	12.84	SISB13C2506B	-	-	-	-
BDMS19C2505A	-	-	-	-	SIAM	0.72	-	46	0.69	SISB13C2508A	0.41	-	7,340	0.41
BDMS19C2508A	0.32	(0.01)	53,708	0.34	TCMC	0.41	0.01	9,475	0.42	SISB19C2507A	0.03	-	262	0.03
BDMS41C2505A	-	-	-	-	TSR	0.18	0.01	4,849	0.18	SO	4.00	-	435	4.00
BDMS41C2609T	0.19	(0.01)	10,105	0.20	TSR-W2	-	-	-	-	WAVE	0.04	-	8,351	0.03
BH	171.00	-	20,055	170.05	Insurance	-	-	-	-	WAVE-W3	-	-	-	-
BH-P	-	-	-	-	AYUD	32.00	0.25	39	31.90	WAVE-W4	-	-	-	-
BH-Q	-	-	-	-	BKIH	280.00	3.00	381	279.68	Property Developer	-	-	-	-
BH01C2505A	-	-	-	-	BLA	16.50	(0.20)	24,441	16.50	A	4.90	-	3	4.89
BH01C2506A	-	-	-	-	BLA01C2508A	0.09	(0.01)	9,644	0.10	A5	2.24	(0.04)	242	2.25
BH01C2507A	0.33	(0.01)	61,104	0.31	BLA13C2507A	-	-	-	-	A5-W4	0.03	0.01	111	0.02
BH01P2507A	0.35	(0.03)	102	0.35	BLA19C2506A	-	-	-	-	AKS	0.01	-	49,731	0.01
BH13C2505A	-	-	-	-	BLA41C2606T	0.19	(0.01)	55,000	0.20	AMATA	14.80	0.30	262,289	14.67
BH13C2506A	0.11	(0.01)	30,745	0.11	BUI	21.40	0.70	5,352	21.32	AMATA01C2507A	-	-	-	-
BH13C2508A	0.53	(0.01)	53,435	0.51	CHARAN	15.50	(0.30)	74	15.12	AMATA01C2508A	0.07	-	415	0.07
BH19C2505A	-	-	-	-	INSURE	95.75	0.25	3	95.75	AMATA13C2505A	0.02	0.01	8,811	0.02
BH19C2506A	-	-	-	-	KWI	-	-	-	-	AMATA13C2506A	-	-	-	-
BH19C2506B	-	-	-	-	MTI	107.00	-	1	107.00	AMATA13C2506B	-	-	-	-
BH19C2508A	0.43	(0.01)	68,980	0.42	NKI	22.10	-	1	22.10	AMATA13C2508A	0.04	-	4,565	0.04
BH41C2505A	-	-	-	-	TGH	12.70	2.70	35	12.18	AMATA13C2508B	0.17	0.01	143,779	0.17
BH41C2605T	-	-	-	-	THRE	0.38	0.01	16,016	0.36	AMATA13C2508C	0.44	0.02	95,022	0.43
BH41C2609T	0.29	0.01	34,000	0.28	THREL	1.38	0.03	4,875	1.36	AMATA19C2505A	-	-	-	-
BH41P2508A	-	-	-	-	TIPH	18.20	0.70	5,427	18.06	AMATA19C2508A	0.02	-	5,532	0.02
BKGI	1.86	0.07	19,502	1.84	TLI	11.70	0.20	35,659	11.67	AMATA19C2509A	0.52	0.02	135,508	0.50
CHG	1.74	0.02	87,893	1.73	TLI01C2507A	0.16	-	6,492	0.17	AMATA				

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Thursday April 17, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AWC01C2508A	0.03	(0.01)	17,529	0.03	BTNC	11.80	(0.10)	3	11.80	TSTE	13.20	-	173	13.15
AWC13C2506A	-	-	-	-	CPH	7.00	(0.05)	342	7.00	TTA	4.10	0.12	32,882	4.07
AWC13C2508A	0.04	(0.01)	1,625	0.04	CPL	0.73	-	446	0.73	WICE	2.48	-	3,367	2.49
AWC19C2506A	-	-	-	-	NC	2.26	(0.08)	84	2.23	Automotive	-	-	-	-
AWC41C2606T	0.05	(0.01)	301	0.05	PAF	0.71	0.01	289	0.72	ACG	0.68	(0.01)	61	0.68
BLAND	0.41	-	65,847	0.41	PDJ	1.60	-	86	1.60	AH	11.20	0.20	572	11.18
BRI	1.92	0.02	4,122	1.89	PG	7.60	(0.10)	1	7.60	CWT	0.53	0.01	1,540	0.52
BROCK	1.46	(0.22)	13	1.43	SABINA	18.70	-	2,985	18.71	EASON	1.01	0.02	1,542	1.00
CGD	0.22	-	1,206	0.21	SAWANG	9.65	(0.85)	1	9.65	GYT	172.00	2.00	3	172.00
CI	0.31	0.01	15,339	0.31	SUC	29.00	0.25	115	28.89	HFT	3.56	(0.02)	4,184	3.55
CMC	0.78	(0.04)	511	0.78	TR	29.00	-	10	29.00	IHL	1.44	-	624	1.43
CPN	47.75	(1.25)	70,764	47.78	TTI	-	-	-	-	INGRS	0.22	-	2,801	0.21
CPN01C2505A	-	-	-	-	TTT	50.00	(1.50)	1	50.00	IRC	11.00	-	16	10.98
CPN01C2506A	-	-	-	-	UPF	27.50	0.50	2	27.50	MGC	3.14	0.10	473	3.16
CPN01C2606T	0.23	(0.02)	53,466	0.23	WACOAL	19.30	(0.20)	7	19.11	NEX	0.58	0.04	55,691	0.57
CPN13C2505A	-	-	-	-	WFX	0.85	0.03	287	0.85	PCSGH	2.80	0.34	11,611	2.62
CPN13C2507A	0.09	(0.02)	33,181	0.10	Transportation &	-	-	-	-	POLY	6.95	0.05	37	6.74
CPN19C2505A	-	-	-	-	AAV	1.39	-	314,508	1.38	SAT	11.20	0.20	3,484	11.22
CPN19C2508A	0.15	(0.01)	90,163	0.16	AAV13C2506A	0.01	(0.01)	1	0.01	SPG	-	-	-	-
CPN41C2505A	-	-	-	-	AAV13C2508A	0.14	-	94,823	0.13	STANLY	221.00	-	45	220.96
CPN41C2608T	0.28	(0.01)	38,900	0.28	AAV19C2505A	-	-	-	-	TKT	1.02	0.04	497	0.98
ESTAR	0.18	-	12,527	0.18	AAV19C2507A	0.02	(0.01)	491	0.02	TNPC	0.80	-	1,691	0.78
EVER	0.06	-	36,932	0.06	AAV41C2505A	-	-	-	-	TRU	3.28	-	277	3.27
FPT	6.55	0.05	167	6.55	AAV41C2608T	-	-	-	-	TSC	12.40	(0.10)	37	12.40
GLAND	0.86	(0.01)	64	0.86	ANI	2.66	-	52	2.65	Industrial Materials	-	-	-	-
J	0.85	0.02	981	0.85	AOT	37.75	(0.50)	324,387	37.60	AKR	1.01	0.02	24,304	1.01
J-W3	0.09	-	403	0.09	AOT01C2506A	-	-	-	-	ALLA	1.30	0.01	2,370	1.30
J-W4	-	-	-	-	AOT01C2507A	0.05	(0.01)	326	0.05	ASEFA	3.06	0.06	1,285	3.05
JCK	0.15	-	7,687	0.15	AOT01C2507B	0.14	(0.02)	35,312	0.14	CPT	0.93	-	1,399	0.92
KC	0.03	-	2,942	0.04	AOT01C2606T	0.20	(0.02)	9,820	0.20	CRANE	0.49	0.01	2,827	0.49
KUN	1.18	0.02	19	1.19	AOT01P2507A	1.49	(0.32)	20	1.46	CTW	2.66	(0.02)	7	2.62
KUN-W2	-	-	-	-	AOT01P2507B	0.44	0.03	19	0.44	FMT	-	-	-	-
KUN-W3	0.03	(0.01)	609	0.03	AOT11C2507A	0.11	(0.01)	11,297	0.11	FTE	1.61	(0.01)	224	1.61
LALIN	5.00	-	663	4.99	AOT13C2506A	-	-	-	-	HTECH	3.12	0.08	6,602	3.08
LH	4.34	0.04	246,334	4.30	AOT13C2507A	0.01	-	298	0.01	KKC	-	-	-	-
LH19C2510A	0.45	0.01	27,259	0.43	AOT13C2507B	-	-	-	-	PCC	2.56	-	3,974	2.55
LPN	1.99	0.02	11,032	1.97	AOT13C2507C	-	-	-	-	PK	0.33	(0.01)	1,311	0.33
MBK	15.70	-	6,990	15.70	AOT13C2508A	0.14	(0.01)	29,806	0.15	PSP	4.08	0.04	2,067	4.06
MBK-W4	12.60	0.10	203	12.64	AOT13P2507A	-	-	-	-	QTC	3.50	0.02	108	3.47
MBK19C2508A	-	-	-	-	AOT13P2507B	0.29	-	23,624	0.30	SCI	1.01	(0.01)	8,145	0.99
MJD	0.56	0.01	716	0.56	AOT19C2506A	0.01	-	30	0.01	SE	0.40	-	888	0.40
MK	1.44	0.02	2	1.44	AOT19C2507A	-	-	-	-	SELIC	2.72	0.02	194	2.72
NCH	0.64	-	2,065	0.63	AOT19C2507B	-	-	-	-	SNC	5.45	(0.10)	527	5.45
NNCL	1.54	0.02	1,029	1.53	AOT19C2508A	0.14	(0.02)	5,140	0.14	TCJ	2.64	(0.10)	3	2.64
NOBLE	2.06	0.04	6,002	2.04	AOT19P2507A	-	-	-	-	TPCS	12.20	-	2	11.95
NVD	1.12	-	1	1.12	AOT41C2505A	-	-	-	-	VARO	4.52	0.02	6	4.52
ORI	1.94	0.06	129,166	1.92	AOT41C2507A	-	-	-	-	Property Fund & REI	-	-	-	-
ORN	0.66	0.01	955	0.66	AOT41C2605T	-	-	-	-	AIMCG	2.14	0.04	1,695	2.14
PEACE	2.20	(0.16)	21	2.20	AOT41C2609T	0.25	(0.02)	48,002	0.26	AIMIRT	9.85	(0.10)	3,389	9.89
PF	0.10	0.01	21,041	0.10	AOT41P2606T	-	-	-	-	ALLY	4.72	(0.06)	1,723	4.72
PIN	6.45	0.15	21,879	6.40	ASIMAR	1.31	0.03	291	1.30	AMATAR	6.05	(0.05)	364	6.03
PLAT	1.32	0.03	6,038	1.31	B	0.04	-	74,487	0.04	AXTRART	11.80	(0.20)	8,808	11.90
PRECHA	0.33	0.02	36	0.32	B-W8	0.01	-	29	0.01	B-WORK	4.52	-	649	4.52
PRIN	1.55	(0.07)	32	1.56	BA	16.70	0.40	28,931	16.52	BAREIT	9.05	(0.10)	5,344	9.06
PROUD	1.27	0.07	61	1.27	BA01C2508A	0.13	0.01	29,853	0.13	BOFFICE	4.76	-	6,992	4.78
PSH	4.82	0.18	7,561	4.77	BA13C2506A	0.03	-	250	0.03	CPNCG	5.95	-	986	5.96
QH	1.59	0.05	173,743	1.57	BA19C2507A	-	-	-	-	CPNREIT	11.90	0.10	11,370	11.90
RABBIT	0.28	-	13,442	0.28	BA41C2606T	0.11	-	37,500	0.11	CPTREIT	4.38	(0.04)	307	4.40
RABBIT-P	0.52	-	1,663	0.51	BEM	5.85	0.10	297,269	5.81	CTARAF	4.60	0.02	1	4.60
RABBIT-Q	-	-	-	-	BEM13C2505A	-	-	-	-	DREIT	5.00	-	169	5.00
RICHY	0.30	(0.01)	852	0.30	BEM13C2506A	0.02	-	200	0.02	FTREIT	9.25	(0.25)	5,289	9.32
RML	0.15	-	2,036	0.15	BEM13C2508A	0.18	0.02	27,341	0.17	FUTURERT	9.35	(0.10)	377	9.36
ROJNA	5.40	0.15	38,697	5.33	BEM19C2505A	-	-	-	-	GAHREIT	6.40	-	186	6.40
S	0.62	0.01	10,891	0.62	BEM41C2606T	0.13	0.02	4,000	0.13	GROREIT	8.40	0.05	785	8.35
SA	7.40	-	448	7.37	BTS	4.84	0.12	401,950	4.77	GVREIT	6.60	(0.05)	2,879	6.59
SA-W1	-	-	-	-	BTS-W8	0.02	(0.01)	11,247	0.02	HPF	4.54	(0.02)	2,364	4.54
SAMCO	0.68	(0.02)	920	0.69	BTS01C2507A	-	-	-	-	HYDROGEN	8.70	-	14	7.81
SC	2.24	0.04	26,784	2.21	BTS01C2508A	0.10	0.02	1	0.10	IMPACT	9.50	(0.05)	1,106	9.53
SENA	1.86	0.05	1,501	1.83	BTS01P2505A	-	-	-	-	INETREIT	8.65	-	5,626	8.67
SIRI	1.45	(0.02)	255,649	1.45	BTS13C2505A	-	-	-	-	ISSARA	8.20	(0.05)	90	8.02
SIRI13C2508A	0.09	-	30	0.09	BTS13C2507A	-	-	-	-	KPNREIT	-	-	-	-
SIRI19C2508A	0.11	0.01	15,022	0.11	BTS13C2508A	0.09	0.01	218	0.08	KBSTMR	5.95	-	165	5.95
SIRI41C2606T	0.20	0.01	20,000	0.20	BTS13P2505A	0.09	(0.04)	25,327	0.11	LHHOTEL	13.00	-	5,215	13.02
SPALI	17.00	0.20	17,296	16.91	BTS19C2505A	-	-	-	-	LHRREIT	4.94	(0.02)	51	4.90
SPALI13C2507A	0.17	0.01	11,851	0.16	BTS19C2508A	0.07	-	389	0.07	LHSC	11.70	0.10	5,022	11.62
SPALI19C2509A	0.32	0.02	12,400	0.31	BTS19P2508A	0.33	(0.04)	41,701	0.35	LUXF	8.00	-	40	8.00
SPALI41C2609T	0.29	(0.01)	6,000	0.29	BTS41C2608T	0.12	0.01	32,000	0.12	M-PAT	3.76	(0.02)	36	3.76
STELLA	0.21	-	30,333	0.20	BTS5GIF	2.80	0.02	2,914	2.78	M-STOR	7.15	-	15	7.17
STELLA-W5	-	-	-	-	DMT	9.90	0.10	1,541	9.85	MII	5.25	(0.05)	503	5.27
STELLA-W6	0.09	-	1	0.09	ETL	0.54	0.01	2,244	0.55	MIPF	13.50	3.10	2	12.35
UV	0.94	(0.01)	4,128	0.92	III	5.05	0.11	4,999	5.00	MIT	0.31	(0.04)	2	0.31
WHA	2.84	0.08	1,348,580	2.80	KEX	0.92	0.01	37,151	0.93	MJLF	3.92	(0.02)	1,452	3.92
WHA01C2506A	0.02	(0.03)	6	0.01	KIAT	0.30	(0.01)	2,344	0.30	MNIT	-	-	-	-
WHA01C2507A	0.02	(0.01)	1,102	0.02	KWC	-	-	-	-	MNIT2	4.98	0.02	100	4.98
WHA01C2508A	0.09	0.02	1,502	0.08	MENA	0.91	-	2,090	0.91	MNRF	2.04	0.02	53	2.02
WHA13C2505A	-	-	-	-	NYT	3.36	-	28,492	3.36	POPF	5.65	-	2,416	5.62
WHA13C2506A	-	-	-	-	PORT	0.76	(0.12)	7,163	0.78	PROSPECT	8.00	-	974	7.93
WHA13C2506B	-	-	-	-	PRM	5.65	0.05	79,049	5.54	QHBREIT	3.76	0.12	1,487	3.67
WHA13C2507A	0.03	-	29,300	0.02	PSL	5.80	-	24,874	5.77	QHRRREIT	6.55	(0.05)	58	6.56
WHA13C2507B	0.05	0.01	8,577	0.05	RCL	23.30	(0.30)	19,491	23.37	QHOP	3.32	(0.06)	889	3.15
WHA13C2508A	0.18	0.02	94,380	0.17	RCL01C2505A	-	-	-	-	SIRIPRT	-	-	-	-
WHA13C2508B	0.39	0.03	58,663	0.38	RCL01C2507A	0.12	(0.01)	40,048	0.12	SPRIME	3.96	(0.04)	542	3.96
WHA19C2506A	-	-	-	-	RCL13C2506A	-	-	-	-	SRIPANWA	5.20	-	178	5.13
WHA														

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

Issue Date :

Thursday April 17, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHART	9.25	(0.15)	4,254	9.30	DJI41C2506A	0.07	(0.02)	6,093	0.07	MCA5041C2506A	-	-	-	-
Steel and Metal Prod	-	-	-	-	DJI41C2506B	0.35	(0.07)	6,232	0.34	MCA5041P2506A	0.54	(0.01)	1	0.54
2S	2.12	-	170	2.10	DJI41P2506A	1.00	0.03	6,123	1.02	MEITUA28C2504A	-	-	-	-
AMC	2.24	-	2,706	2.22	GEELY41C2506A	0.11	(0.03)	1	0.11	MEITUA28C2507A	0.06	-	3,354	0.04
BSBM	0.72	0.04	44,939	0.74	H5IO6C2504A	0.10	(0.04)	124,469	0.10	MEITUA28P2504B	0.37	(0.03)	8,266	0.39
CEN	1.78	(0.02)	80	1.79	H5IO6C2504B	0.42	(0.03)	342,877	0.41	MEITUA41C2504A	-	-	-	-
CEN-W5	0.06	-	558	0.06	H5IO6C2504C	0.20	(0.02)	10	0.20	MEITUA41C2506A	0.04	(0.01)	1,001	0.04
CITY	1.45	(0.12)	451	1.45	H5IO6C2504D	0.09	-	384	0.09	NDX28C2506A	-	-	-	-
CSP	0.46	0.06	17,033	0.49	H5IO6C2504E	0.02	(0.01)	2,037	0.02	NDX28C2506B	0.23	(0.06)	45	0.25
GJS	0.15	-	25,176	0.16	H5IO6C2504F	0.20	(0.01)	83,151	0.20	NDX28C2506C	0.15	(0.03)	6	0.14
GSTEEL	-	-	-	-	H5IO6C2505B	0.10	-	5,743	0.10	NDX28C2509A	0.60	0.01	3	0.60
INOX	0.44	0.03	165,912	0.44	H5IO6C2505C	0.13	0.04	214	0.13	NDX28C2509B	0.39	(0.61)	90	0.39
LHK	3.20	0.02	396	3.20	H5IO6C2505D	0.06	(0.01)	66	0.06	NDX28P2506A	0.78	0.03	13	0.78
MCS	7.85	-	19,284	7.88	H5IO6C2505E	0.53	(0.03)	153,392	0.52	NDX28P2509A	0.65	0.01	633	0.67
MILL	0.10	0.01	39,394	0.10	H5IO6C2505F	0.77	0.09	10,186	0.75	NDX28P2509B	-	-	-	-
PAP	1.55	-	1,686	1.57	H5IO6C2506A	0.51	(0.01)	46,455	0.50	NDX41C2506A	0.05	-	500	0.05
PERM	0.42	0.02	44,581	0.42	H5IO6C2506B	0.92	(0.04)	11,514	0.92	NDX41C2506B	0.07	(0.01)	50	0.07
SAM	0.15	0.01	5,697	0.14	H5IO6C2506C	0.23	(0.01)	34,019	0.23	NDX41C2506C	0.19	(0.04)	24,319	0.18
SMIT	3.78	0.06	249	3.73	H5IO6C2506D	0.08	-	3,883	0.08	NDX41C2506D	0.57	(0.07)	12,183	0.56
SSSC	2.18	-	1,254	2.18	H5IO6C2506E	0.09	0.01	84	0.08	NDX41C2509T	1.21	(0.09)	366	1.21
TGPRO	0.07	0.01	35,550	0.06	H5IO6C2507A	0.12	(0.01)	21,853	0.12	NDX41P2506A	1.01	0.02	11,516	1.02
THE	0.60	0.01	924	0.58	H5IO6C2508A	0.35	(0.01)	12,309	0.35	NDX41P2506B	0.48	-	2,246	0.49
TMT	3.18	0.16	766	3.15	H5IO6P2504A	-	-	-	-	NDX41P2509T	4.10	0.08	370	4.12
TSTH	0.67	0.16	180,536	0.63	H5IO6P2504B	0.02	-	5,627	0.01	NIKKEI28C2506A	0.20	-	1,498	0.20
TWP	0.94	0.01	77	0.94	H5IO6P2504C	0.06	(0.03)	89,782	0.07	NIKKEI28C2506B	-	-	-	-
TYCN	1.66	-	130	1.66	H5IO6P2504D	0.15	(0.06)	94,494	0.16	NIKKEI28C2506C	-	-	-	-
Construction Service	-	-	-	-	H5IO6P2504E	0.25	(0.06)	150,871	0.27	NIKKEI28P2506A	0.29	(0.02)	113	0.29
APCS	1.48	0.01	1	1.48	H5IO6P2504F	0.48	(0.23)	39,165	0.49	NIKKEI28P2506B	0.51	(0.03)	13	0.51
BJCHI	0.66	-	2,815	0.66	H5IO6P2504G	0.67	(0.44)	1	0.67	NIKKEI28P2506C	-	-	-	-
BKD	1.13	(0.04)	2,719	1.13	H5IO6P2504H	1.40	(1.18)	4	0.74	NIKKEI41C2506A	0.05	0.01	5,710	0.05
CIVIL	1.51	0.01	725	1.51	H5IO6P2505A	0.31	(0.06)	109,713	0.33	NIKKEI41C2506B	0.02	0.01	40	0.02
CK	15.30	0.80	50,250	15.03	H5IO6P2505B	0.63	(0.46)	5,801	0.64	NIKKEI41C2509A	0.23	0.01	11,010	0.23
CNT	0.97	0.04	471	0.95	H5IO6P2505C	-	-	-	-	NIKKEI41C2509B	0.14	-	6	0.14
DEMCO	1.71	0.03	3,061	1.69	H5IO6P2505D	-	-	-	-	NIKKEI41C2509C	0.34	0.02	14,004	0.32
EMC	0.06	-	2,084	0.05	H5IO6P2505E	-	-	-	-	NIKKEI41P2506A	0.51	(0.04)	200	0.52
EMC-W7	0.04	-	63	0.04	H5IO6P2505F	-	-	-	-	NIKKEI41P2506B	0.27	(0.03)	10,503	0.27
ITD	0.18	(0.01)	83,093	0.18	H5IO6P2506A	0.26	(0.06)	15,757	0.26	NIKKEI41P2509A	0.72	(0.02)	8,322	0.72
JR	1.53	-	2,576	1.53	H5IO6P2506B	0.46	(0.06)	24,426	0.48	NIKKEI41P2509B	0.55	(0.04)	714	0.55
NL	0.93	-	1,796	0.93	H5IO6P2506C	-	-	-	-	NIKKEI41P2509C	0.88	(0.02)	206	0.88
NWR	-	-	-	-	H5IO6P2506D	-	-	-	-	NTE541C2506A	0.26	0.05	108	0.25
PLE	0.21	-	802	0.20	H5IO6P2506E	-	-	-	-	PINGAN41C2504A	-	-	-	-
PREB	3.66	-	367	3.65	H5IO6P2506F	-	-	-	-	PINGAN41C2507A	0.15	-	18	0.15
PYLON	1.82	(0.02)	419	1.82	H5IO6P2507A	-	-	-	-	POP41C2506A	0.97	0.07	115	0.95
RT	0.25	0.01	8,001	0.25	H5IO6P2508A	1.38	(0.16)	20	1.38	POP41C2507A	0.45	0.03	270	0.44
SEAFCO	2.00	0.02	3,429	2.00	H5I28C2504A	0.03	-	5,270	0.02	SET01C2505A	0.02	-	239	0.01
SQ	0.71	0.01	2,008	0.71	H5I28C2504B	0.09	-	1,942	0.09	SET01C2506A	0.01	-	897	0.01
SRICHA	3.94	-	1,721	3.94	H5I28C2504C	0.38	-	55,105	0.37	SET01C2506B	0.03	-	17	0.03
STECON	7.35	0.20	61,168	7.24	H5I28C2504D	0.01	-	1,450	0.01	SET01C2507A	0.14	0.01	6,200	0.13
STI	2.50	(0.08)	351	2.49	H5I28C2504E	0.02	-	5,350	0.02	SET01P2505A	-	-	-	-
STPI	2.36	(0.02)	7,253	2.34	H5I28C2504F	0.02	0.01	1,001	0.01	SET01P2506A	1.31	-	6	1.31
SYNTEC	1.57	(0.01)	508	1.57	H5I28C2505A	0.10	-	4,331	0.10	SET01P2507A	1.14	(0.03)	859	1.15
TEAMG	3.04	0.10	33,536	3.01	H5I28C2505B	0.07	(0.01)	6,000	0.07	SET5001C2505A	0.02	-	361	0.01
TEAMG-W1	0.16	-	5,914	0.17	H5I28C2505C	0.05	0.01	200	0.05	SET5001C2506A	0.02	-	1	0.02
TEKA	1.90	(0.02)	983	1.90	H5I28C2505D	0.08	(0.01)	43,424	0.08	SET5001C2506F	0.02	-	2,001	0.01
TPOLY	0.38	0.01	1,189	0.37	H5I28C2505E	0.14	(0.01)	35,215	0.14	SET5001C2506G	0.03	-	10	0.03
TRC	0.58	(0.02)	2,948	0.57	H5I28C2505F	0.29	-	45	0.28	SET5001C2507A	0.11	-	2,426	0.11
TRITN	0.09	-	109,575	0.08	H5I28C2505G	0.21	(0.01)	139,087	0.21	SET5001C2509F	0.26	(0.01)	9,961	0.28
TRITN-W7	0.01	-	10	0.01	H5I28C2505H	0.45	(0.01)	377,788	0.45	SET5001P2505A	-	-	-	-
TTCL	1.03	0.04	7,069	0.99	H5I28C2506A	0.17	(0.02)	18,741	0.18	SET5001P2506A	-	-	-	-
UNIQ	2.00	(0.04)	7,509	2.00	H5I28C2506B	0.10	-	6,818	0.09	SET5001P2506F	-	-	-	-
WGE	0.70	(0.03)	231	0.69	H5I28C2506C	0.14	-	2,614	0.14	SET5001P2506G	-	-	-	-
Unit Trust	-	-	-	-	H5I28C2506D	1.23	0.14	1,816	1.23	SET5001P2507A	0.83	(0.07)	1,882	0.88
SCBSET	-	-	-	-	H5I28C2506E	0.84	0.02	7,820	0.82	SET5001P2509F	1.61	0.19	5	1.64
VAYU1	10.10	-	11,353	10.10	H5I28C2506F	0.60	-	4,164	0.58	SET5006C2506A	-	-	-	-
ETF	-	-	-	-	H5I28C2507A	0.16	(0.01)	11,637	0.16	SET5006C2506B	0.30	-	56,302	0.29
1DIV	9.96	0.08	531	9.90	H5I28C2507B	0.73	-	17,819	0.73	SET5006C2506C	0.38	(0.01)	150,809	0.38
ABFTH	1,346.00	(27.00)	1	1,346.00	H5I28C2507C	0.56	0.02	104,885	0.55	SET5006C2506D	0.35	(0.01)	171,683	0.34
BMSCG	6.99	0.13	5	6.98	H5I28C2508A	0.24	-	26,344	0.24	SET5006C2506E	0.45	-	21,328	0.44
BMSCITH	8.56	-	90	8.55	H5I28C2508B	0.33	(0.01)	25,290	0.33	SET5006C2506F	0.65	0.01	9,868	0.62
BSET100	7.85	0.08	314	7.83	H5I28P2504A	-	-	-	-	SET5006C2509A	0.40	-	57,309	0.40
CHINA	5.61	0.02	85	5.59	H5I28P2504B	-	-	-	-	SET5006P2506A	-	-	-	-
ENGY	4.05	0.06	41	4.05	H5I28P2504C	0.05	(0.17)	2,997	0.05	SET5006P2506B	-	-	-	-
GLD	4.50	0.04	48,747	4.53	H5I28P2504D	0.10	(0.04)	5	0.10	SET5006P2506C	-	-	-	-
TDEX	7.12	0.05	5,314	7.10	H5I28P2504E	0.19	(0.09)	2,155	0.19	SET5006P2506D	0.91	(0.07)	62	0.93
UBOT	11.20	(0.30)	4	11.18	H5I28P2504F	0.40	(0.05)	838,411	0.42	SET5006P2506E	-	-	-	-
UHERO	8.24	0.05	52	8.19	H5I28P2504G	-	-	-	-	SET5006P2506F	0.71	(0.03)	141,679	0.72
Warrant Foreign	-	-	-	-	H5I28P2504H	1.45	(0.77)	846	1.48					

## Main Board Quotation

Issue Date :

Thursday April 17, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5013P2506H	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2506I	0.42	(0.02)	12,636	0.46	0	-	-	-	-	0	-	-	-	-
SET5013P2506J	0.38	(0.02)	8,688	0.38	0	-	-	-	-	0	-	-	-	-
SET5013P2506K	0.58	(0.17)	507	0.67	0	-	-	-	-	0	-	-	-	-
SET5013P2506L	0.79	0.18	417	0.69	0	-	-	-	-	0	-	-	-	-
SET5013P2506M	0.81	(0.39)	24	0.83	0	-	-	-	-	0	-	-	-	-
SET5013P2506N	0.11	-	352,906	0.11	0	-	-	-	-	0	-	-	-	-
SET5013P2506O	0.18	-	101,358	0.18	0	-	-	-	-	0	-	-	-	-
SET5013P2506P	0.42	(0.01)	1,524,602	0.43	0	-	-	-	-	0	-	-	-	-
SET5013P2506Q	0.57	(0.02)	1,146,824	0.58	0	-	-	-	-	0	-	-	-	-
SET5013P2506T	3.18	(0.12)	36	3.18	0	-	-	-	-	0	-	-	-	-
SET5013P2509A	0.26	(0.01)	588,048	0.27	0	-	-	-	-	0	-	-	-	-
SET5013P2509B	0.73	(0.01)	213,140	0.74	0	-	-	-	-	0	-	-	-	-
SET5019C2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506E	0.01	-	2,470	0.01	0	-	-	-	-	0	-	-	-	-
SET5019C2506F	0.04	0.01	223	0.02	0	-	-	-	-	0	-	-	-	-
SET5019C2506G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506H	0.03	0.02	3,000	0.03	0	-	-	-	-	0	-	-	-	-
SET5019C2506I	0.12	0.05	3	0.09	0	-	-	-	-	0	-	-	-	-
SET5019C2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506K	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506L	0.15	(0.03)	20	0.15	0	-	-	-	-	0	-	-	-	-
SET5019C2506M	0.21	-	156	0.21	0	-	-	-	-	0	-	-	-	-
SET5019C2506N	0.18	(0.31)	41	0.18	0	-	-	-	-	0	-	-	-	-
SET5019C2506O	0.61	(0.04)	1,105	0.65	0	-	-	-	-	0	-	-	-	-
SET5019C2506P	1.32	-	2,366	1.30	0	-	-	-	-	0	-	-	-	-
SET5019C2506Q	0.54	(0.01)	463,505	0.54	0	-	-	-	-	0	-	-	-	-
SET5019C2509A	0.96	-	373,317	0.96	0	-	-	-	-	0	-	-	-	-
SET5019P2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506G	0.85	0.02	40	0.83	0	-	-	-	-	0	-	-	-	-
SET5019P2506H	0.67	0.02	40	0.66	0	-	-	-	-	0	-	-	-	-
SET5019P2506I	0.84	0.03	9	0.84	0	-	-	-	-	0	-	-	-	-
SET5019P2506J	0.60	0.05	95	0.53	0	-	-	-	-	0	-	-	-	-
SET5019P2506K	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506L	0.43	(0.01)	319,156	0.44	0	-	-	-	-	0	-	-	-	-
SET5019P2506M	0.86	(0.02)	539,578	0.87	0	-	-	-	-	0	-	-	-	-
SET5019P2509A	0.75	-	402,072	0.76	0	-	-	-	-	0	-	-	-	-
SET5041C2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506B	0.03	-	50	0.03	0	-	-	-	-	0	-	-	-	-
SET5041C2506C	0.17	-	20,514	0.17	0	-	-	-	-	0	-	-	-	-
SET5041C2506D	0.55	(0.02)	445,099	0.55	0	-	-	-	-	0	-	-	-	-
SET5041C2506E	0.60	(0.01)	1,013,741	0.60	0	-	-	-	-	0	-	-	-	-
SET5041C2506F	0.37	0.01	991,577	0.36	0	-	-	-	-	0	-	-	-	-
SET5041C2506G	0.56	0.02	245,630	0.54	0	-	-	-	-	0	-	-	-	-
SET5041C2506H	0.53	0.02	58,104	0.53	0	-	-	-	-	0	-	-	-	-
SET5041C2506I	1.47	(0.09)	1	1.47	0	-	-	-	-	0	-	-	-	-
SET5041C2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506K	0.27	-	127,340	0.27	0	-	-	-	-	0	-	-	-	-
SET5041C2506T	0.02	-	1,002	0.01	0	-	-	-	-	0	-	-	-	-
SET5041C2509T	0.07	(0.01)	442	0.08	0	-	-	-	-	0	-	-	-	-
SET5041C2509U	0.29	-	4,764	0.29	0	-	-	-	-	0	-	-	-	-
SET5041C2509V	0.70	-	117,609	0.69	0	-	-	-	-	0	-	-	-	-
SET5041P2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2506B	1.89	(0.09)	1,321	1.94	0	-	-	-	-	0	-	-	-	-
SET5041P2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2506D	0.44	(0.05)	215	0.46	0	-	-	-	-	0	-	-	-	-
SET5041P2506E	0.70	(0.08)	601	0.70	0	-	-	-	-	0	-	-	-	-
SET5041P2506F	0.34	(0.02)	626,460	0.34	0	-	-	-	-	0	-	-	-	-
SET5041P2506T	1.91	(0.06)	45,565	1.94	0	-	-	-	-	0	-	-	-	-
SET5041P2509A	0.60	0.01	665,134	0.59	0	-	-	-	-	0	-	-	-	-
SET5041P2509T	0.51	-	39,273	0.52	0	-	-	-	-	0	-	-	-	-
SPX28C2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2506B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2509A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28P2506A	0.73	0.03	13	0.73	0	-	-	-	-	0	-	-	-	-
SPX28P2506B	0.44	0.02	46	0.41	0	-	-	-	-	0	-	-	-	-
SPX41C2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX41C2506B	0.09	(0.02)	2,500	0.09	0	-	-	-	-	0	-	-	-	-
SPX41C2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX41C2506D	0.54	(0.10)	525	0.53	0	-	-	-	-	0	-	-	-	-
SPX41C2509T	1.39	(0.13)	270	1.39	0	-	-	-	-	0	-	-	-	-
SPX41P2506A	0.91	0.02	2,752	0.93	0	-	-	-	-	0	-	-	-	-
SPX41P2506B	0.44	0.01	2,796	0.44	0	-	-	-	-	0	-	-	-	-
SPX41P2509T	3.94	0.04	10	3.94	0	-	-	-	-	0	-	-	-	-
TENCEN28C2508A	0.64	0.14	1	0.64	0	-	-	-	-	0	-	-	-	-
TENCEN28C2509A	0.21	0.02	8,673	0.21	0	-	-	-	-	0	-	-	-	-
TENCEN28P2509A	0.50	(0.07)	4,111	0.50	0	-	-	-	-	0	-	-	-	-
TENCEN41C2504A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
TENCEN41C2504B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
TENCEN41C2505A	0.04	-	10	0.04	0	-	-	-	-	0	-	-	-	-
TENCEN41C2506A	0.56	0.05	19,469	0.57	0	-	-	-	-	0	-	-	-	-
TENCEN41P2506A	0.48	(0.07)	34	0.47	0	-	-	-	-	0	-	-	-	-
TRIPDC41C2506A	0.40	0.07	22	0.39	0	-	-	-	-	0	-	-	-	-
XIAOMI28C2504A	1.73	0.25	14	1.76	0	-	-	-	-	0	-	-	-	-
XIAOMI28C2508A	0.47	(0.09)	19	0.61	0	-	-	-	-	0	-	-	-	-
XIAOMI28C2509A	0.21	(0.02)	8,031	0.22	0	-	-	-	-	0	-	-	-	-
XIAOMI28P2505A	0.03	-	101	0.03	0	-	-	-	-	0	-	-	-	-
XIAOMI28P2509A	0.18	(0.01)	1,005	0.18	0	-	-	-	-	0	-	-	-	-
XIAOMI28P2510A	0.84	0.06	4	0.84	0	-	-	-	-	0	-	-	-	-
XIAOMI41C2504A	0.56	(0.46)	17	0.56	0	-	-	-	-	0	-	-	-	-
XIAOMI41C2506A	0.46	0.03	84	0.46	0	-	-	-	-	0	-	-	-	-
XIAOMI41C2506B	0.08	(0.03)	338	0.08	0	-	-	-	-	0	-	-	-	-
XIAOMI41C2507A	0.05	(0.01)	1,017	0.06	0	-	-	-	-	0	-	-	-	-
XIAOMI41P2506A	0.72	(0.05)	259	0.72	0	-	-	-	-	0	-	-	-	-





## Main Board Quotation

Issue Date :

Thursday April 17, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Agro & Food Indust			-		UBIS	1.14	-	261	00 1.1	LEO	1.84	0.01	253	00 1.8
APO	1.49	(0.01)	2,363	00 1.4	UEC	0.68	0.01	1,582	00 0.6	LTMH	4.70	(0.04)	21,141	00 4.7
AU	9.85	-	7,715	00 9.7	UKEM	0.47	(0.01)	11,416	00 0.4	MCA	1.07	0.10	40,406	00 1.0
CFARM	0.78	0.05	78,978	00 0.7	UREKA	0.72	-	21,781	00 0.7	MEB	21.30	0.20	991	00 21.1
JCKH	0.12	-	38,732	00 0.1	YUASA	10.00	(0.80)	276	00 10.0	MORE	0.02	(0.01)	63,781	00 0.0
KASET	0.58	0.01	1,370	00 0.5	ZIGA	0.82	-	13,170	00 0.8	MOTHER	0.77	0.08	36,665	00 0.7
MAGURO	17.50	0.50	3,137	00 17.3	ZIGA-W2	0.07	-	1,711	00 0.0	MPJ	3.34	0.02	1,202	00 3.3
MUD	-	-	-	00 0.0	Property					MVP	0.50	-	3,057	00 0.4
NTSC	5.40	-	860	00 5.4	24CS	0.97	0.09	15,486	00 0.9	NCL	0.21	0.03	7,006	00 0.1
TACC	4.50	0.06	5,637	00 4.4	24CS-W1	0.08	-	43,750	00 0.0	NCP	1.07	0.01	537	00 1.0
TMILL	1.71	0.02	598	00 1.7	24CS-W2	0.10	0.01	21,631	00 0.1	NEWS	0.01	-	217,153	00 0.0
WINNER	1.97	0.01	467	00 1.9	ARIN	0.42	0.03	8,112	00 0.4	PEER	0.11	0.01	22,848	00 0.1
XO	15.30	0.10	3,288	00 15.2	ARROW	5.00	-	297	00 4.9	PEER-W2	0.02	-	2,847	00 0.0
Consumer Products					BC	0.95	(0.01)	129	00 0.9	PICO	-	-	-	00 0.0
ALPHAX	0.40	(0.01)	7,934	00 0.4	BC-W2	0.01	(0.01)	8,420	00 0.0	PLT	0.58	0.02	905	00 0.5
BGT	0.37	-	1,162	00 0.3	BLESS	0.20	0.01	684	00 0.1	QLT	3.08	0.04	212	00 3.0
DOD	1.21	-	583	00 1.2	BSM	0.71	(0.02)	187	00 0.6	RP	0.85	(0.02)	130	00 0.8
ECF	0.09	-	41,475	00 0.0	BTW	0.19	-	986	00 0.1	SONIC	1.59	0.01	4,826	00 1.5
ECF-W5	-	-	-	00 0.0	CAZ	1.73	0.01	219	00 1.7	THMUI	0.35	(0.03)	3,574	00 0.3
EFORL	0.15	-	6,494	00 0.1	CHEWA	0.24	(0.01)	1,042	00 0.2	TNDT	0.19	-	1,549	00 0.1
EFORL-W6	-	-	-	00 0.0	CPANEL	2.90	0.10	68	00 2.8	TNDT-W1	-	-	-	00 0.0
EURO	4.32	(0.04)	1,110	00 4.3	CPANEL-W1	0.06	0.02	11,438	00 0.0	TNH	35.75	2.75	6	00 35.7
HPT	0.42	0.01	25,769	00 0.4	CRD	0.33	-	745	00 0.3	TNP	2.56	0.06	1,491	00 2.5
ITTHI	1.50	-	134	00 1.4	DHOUSE	0.62	-	691	00 0.6	TPL	0.48	(0.01)	4,511	00 0.4
JSP	1.79	-	1,867	00 1.7	DIMET	0.11	-	31,673	00 0.0	TRP	6.30	(0.05)	18,161	00 6.2
JSP-W2	0.03	-	671	00 0.0	DPAIN	0.67	0.01	9,686	00 0.6	TURTLE	-	-	-	00 0.0
JUBILE	7.20	(0.10)	2,533	00 7.2	FLOYD	0.90	0.01	1,045	00 0.8	TVDH	0.14	-	3,320	00 0.1
LTS	6.00	0.35	13,289	00 5.8	HYDRO	1.35	-	201	00 1.3	TVDH-W3	-	-	-	00 0.0
MGI	10.40	0.45	4,070	00 10.3	HYDRO-W2	-	-	-	00 0.0	TVT	0.29	0.04	13,484	00 0.2
MGI-W1	2.38	0.12	11,334	00 2.3	IND	0.84	0.01	3,816	00 0.8	UBA	0.95	0.02	6,457	00 0.9
MOONG	1.89	(0.01)	109	00 1.8	JAK	-	-	-	00 0.0	VL	0.87	0.04	1,786	00 0.8
NPK	10.00	-	2	00 10.0	K	1.30	-	20	00 1.3	VS	-	-	-	00 0.0
SEI	3.04	(0.02)	806	00 3.0	K-W3	0.19	(0.03)	131	00 0.1	YGG	0.41	-	11,288	00 0.4
SMD100	3.84	(0.02)	801	00 3.8	META	0.08	0.01	5,792	00 0.0	Technology				
TM	0.66	(0.03)	3,105	00 0.6	PANEL	1.16	0.01	390	00 1.1	APP	1.78	0.05	951	00 1.7
TM-W1	0.01	-	9	00 0.0	PPS	0.16	(0.01)	5,692	00 0.1	BBIK	28.00	0.75	5,171	00 27.6
WARRIX	2.94	0.10	12,441	00 2.8	PRI	5.60	0.40	1,037	00 5.4	BE8	10.30	0.35	5,438	00 10.0
WINMED	1.19	0.06	1,393	00 1.1	PROS	0.89	0.02	43,948	00 0.9	BE8-W1	0.65	(0.07)	263	00 0.7
Financials					PROS-W1	0.06	-	3,984	00 0.0	BVG	1.80	0.03	586	00 1.7
ACAP	-	-	-	00 0.0	PSG	0.27	0.02	419,346	00 0.2	COMAN	0.58	0.02	991	00 0.5
AF	0.32	-	133	00 0.3	QTCG	0.13	-	864	00 0.1	I2	0.92	-	1,247	00 0.9
AIRA	-	-	-	00 0.0	SENX	0.22	-	2,411	00 0.2	IIG	2.50	0.12	651	00 2.4
ASN	1.04	0.01	6	00 1.0	SK	0.61	-	1,603	00 0.6	IRCP	0.37	-	717	00 0.3
BTC	0.32	-	56,693	00 0.3	SMART	0.65	0.01	7,662	00 0.6	ITNS	1.40	(0.01)	1,357	00 1.4
BTC-W7	0.10	-	1	00 0.1	STC	0.49	0.02	317	00 0.4	NAT	3.82	0.04	398	00 3.7
GCAP	0.21	-	11,252	00 0.2	STX	1.17	0.01	1,102	00 1.1	NETBAY	18.90	0.30	5,429	00 18.8
KCC	1.74	0.07	126	00 1.6	SVR	0.60	(0.01)	430	00 0.6	PIS	4.36	0.12	5,173	00 4.3
LIT	0.43	0.01	160	00 0.4	TAPAC	-	-	-	00 0.0	PLANET	1.73	-	21,104	00 1.7
MITSIB	0.52	-	612	00 0.5	THANA	1.02	0.02	7	00 1.0	PLANET-W2	0.79	0.04	691	00 0.7
SGF	0.15	0.01	18,678	00 0.1	TIGER	0.41	(0.02)	158	00 0.4	PROEN	1.25	-	307,203	00 1.2
SGF-P1	-	-	-	00 0.0	TITLE	4.00	(0.14)	2,166	00 3.9	PROEN-W2	0.38	0.01	41,171	00 0.3
SGF-Q1	-	-	-	00 0.0	WELL	-	-	-	00 0.0	READY	5.00	0.14	209	00 4.9
TQR	4.74	0.14	115	00 4.6	YONG	0.88	0.01	3,527	00 0.8	SECURE	11.30	0.30	328	00 11.1
Industrials					Resources					SICT	3.06	0.06	967	00 3.0
ADB	0.53	0.01	571	00 0.5	ABM	0.68	-	750	00 0.6	SIMAT	1.06	0.05	7,066	00 1.0
BM	2.54	(0.02)	2,111	00 2.5	GTV	0.07	0.01	244,351	00 0.0	SIMAT-W3	-	-	-	00 0.0
BM-W3	1.10	0.03	99	00 0.7	PSTC	0.42	-	4,596	00 0.4	SPV1	1.28	0.02	2,367	00 1.2
BPS	0.52	-	821	00 0.5	PSTC-W2	0.01	-	29	00 0.0	SRS	3.56	0.04	164	00 3.4
CHO	0.02	(0.01)	3,353	00 0.0	PSTC-W3	0.10	0.02	118	00 0.0	TBN	6.30	-	2	00 6.3
CHO-W4	-	-	-	00 0.0	PTC	0.88	(0.01)	631	00 0.8	TERA	1.19	-	1,581	00 1.1
CHOW	1.37	0.05	1,571	00 1.3	SAAM	6.00	(0.45)	706	00 6.0	TPS	3.82	(0.02)	1,611	00 3.8
CIG	0.03	(0.01)	7,565	00 0.0	SR	0.48	(0.01)	26	00 0.4	VCOM	2.26	0.02	815	00 2.2
CIG-W10	-	-	-	00 0.0	STOWER	0.04	-	1,378	00 0.0	-	-	-	-	-
CIG-W9	0.02	-	7	00 0.0	TAKUNI	0.34	0.02	57,763	00 0.3	-	-	-	-	-
COLOR	1.08	-	2	00 1.0	TPCH	2.76	(0.04)	3,256	00 2.7	-	-	-	-	-
CPR	2.70	-	191	00 2.6	UMS	0.33	-	270	00 0.2	-	-	-	-	-
FPI	1.50	(0.04)	191	00 1.5	Services					-	-	-	-	-
GTB	0.74	0.01	234	00 0.7	ADD	3.32	(0.02)	176	00 3.3	-	-	-	-	-
HARN	2.12	-	1,214	00 2.1	AKP	0.65	-	5,795	00 0.6	-	-	-	-	-
KCM	0.20	-	1,416	00 0.1	AMA	3.98	0.04	1,533	00 3.9	-	-	-	-	-
KJL	6.70	0.10	201	00 6.5	AMARC	1.29	0.11	4,781	00 1.2	-	-	-	-	-
KUMWEL	1.05	0.01	59	00 1.0	ARIP	0.40	0.02	570	00 0.3	-	-	-	-	-
KWM	1.03	-	2,010	00 1.0	ATP30	0.84	-	4,768	00 0.8	-	-	-	-	-
MBAX	1.34	0.02	91	00 1.3	AUCT	7.10	0.05	1,814	00 7.1	-	-	-	-	-
MGT	1.73	0.02	20	00 1.7	BIS	3.08	0.40	1,686	00 2.7	-	-	-	-	-
MTW	1.20	0.03	64,292	00 1.1	BOL	4.90	0.02	285	00 4.8	-	-	-	-	-
MTW-W1	-	-	-	00 0.0	CEYE	1.99	(0.05)	58	00 1.9	-	-	-	-	-
NDR	1.17	0.08	247	00 1.1	CHIC	0.30	0.02	1,556	00 0.2	-	-	-	-	-
PACO	1.42	(0.01)	400	00 1.4	CMO	0.61	0.09	255	00 0.5	-	-	-	-	-
PACO-W1	0.03	-	12,196	00 0.0	D	2.34	(0.02)	1,770	00 2.3	-	-	-	-	-
PDG	2.60	0.04	52	00 2.5	DEXON	1.29	(0.02)	11,822	00 1.2	-	-	-	-	-
PHOL	2.80	(0.04)	3,564	00 2.7	DV8	0.55	0.03	6,876	00 0.5	-	-	-	-	-
PIMO	1.19	-	3,392	00 1.1	DV8-W2	0.09	0.03	25	00 0.0	-	-	-	-	-