

## Main Board Quotation

Issue Date :

Tuesday April 22, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	GEL-W5	-	-	-	-	COM713C2506A	0.02	-	2	0.02
Agribusiness					PPP	1.04	0.01	25	1.03	COM713C2507A	-	-	-	-
EE	0.28	(0.01)	31,129	0.29	Q-CON	7.75	0.10	1,623	7.58	COM713C2508A	0.34	0.04	21,658	0.32
GFPT	9.65	0.65	104,067	9.38	SCC	150.50	1.50	22,305	149.67	COM719C2505A	-	-	-	-
LEE	2.22	(0.02)	476	2.22	SCC01C2505A	-	-	-	-	COM719C2507A	0.13	0.03	9,620	0.12
NER	4.36	-	46,379	4.36	SCC01C2505B	-	-	-	-	COM719C2508A	0.30	0.05	31,575	0.27
NER-W2	0.20	0.01	3,605	0.19	SCC01C2507A	0.17	0.05	1	0.17	COM719P2508A	0.38	(0.06)	18,054	0.42
PCE	2.88	(0.06)	85,072	2.91	SCC01C2508A	0.40	0.02	177	0.40	COM741C2505A	-	-	-	-
PPPM	0.40	-	2,923	0.40	SCC13C2508B	0.46	-	44,022	0.45	COM741C2606T	0.18	0.01	22,438	0.17
PPPM-W6	0.21	-	50	0.21	SCC01C2606T	-	-	-	-	COM741C2609T	0.32	0.03	72,924	0.31
STA	13.40	0.10	19,454	13.36	SCC01P2507A	0.29	(0.03)	613	0.30	CPALL	50.75	1.00	366,799	50.17
STA01C2506A	0.03	(0.02)	800	0.03	SCC13C2505A	-	-	-	-	CPALL01C2505A	-	-	-	-
STA13C2505A	-	-	-	-	SCC13C2505B	0.01	-	1,096	0.01	CPALL01C2507A	0.23	0.02	49,736	0.21
STA13C2506A	-	-	-	-	SCC13C2507A	0.25	0.02	77,385	0.24	CPALL01C2606T	0.29	0.01	12,023	0.28
STA13C2508A	0.27	-	12,593	0.27	SCC13P2505A	0.04	0.01	1	0.04	CPALL01P2505A	-	-	-	-
STA19C2505A	-	-	-	-	SCC13P2508A	0.54	(0.05)	62,122	0.56	CPALL01P2507A	0.28	(0.06)	242	0.31
STA19C2506A	0.05	-	1	0.05	SCC19C2505A	-	-	-	-	CPALL06C2504A	-	-	-	-
STA41C2505A	-	-	-	-	SCC19C2505B	-	-	-	-	CPALL13C2505A	0.01	-	500	0.01
STA41C2612T	0.31	-	32,000	0.31	SCC19C2506A	-	-	-	-	CPALL13C2505B	0.01	-	750	0.01
TEGH	2.92	0.04	2,342	2.90	SCC19C2507A	0.29	(0.01)	2,610	0.29	CPALL13C2506A	0.03	-	5,263	0.03
TFM	8.90	0.30	876	8.82	SCC19C2509A	0.55	(0.02)	11,111	0.55	CPALL13C2506B	0.10	0.01	4,812	0.09
TRUBB	0.61	-	3,575	0.61	SCC19P2505A	-	-	-	-	CPALL13C2508A	0.26	0.03	88,476	0.24
UPOIC	6.35	(0.15)	1,015	6.28	SCC19P2508A	-	-	-	-	CPALL13P2505A	-	-	-	-
UVAN	9.10	0.05	1,446	9.11	SCC19P2509A	0.59	(0.03)	15,321	0.62	CPALL13P2506A	0.09	0.02	4,008	0.09
VPO	0.45	0.01	4,009	0.45	SCC41C2505A	-	-	-	-	CPALL19C2505A	-	-	-	-
Banking					SCC41C2608T	0.42	-	73,000	0.41	CPALL19C2505B	-	-	-	-
BAY	22.10	0.20	1,862	21.90	SCC41P2508A	-	-	-	-	CPALL19C2506A	0.01	(0.01)	1	0.01
BBL	142.00	(1.50)	114,150	142.42	SCCC	149.00	2.00	101	148.15	CPALL19C2506B	-	-	-	-
BBL11C2507A	0.10	(0.02)	26,155	0.10	SCGD	4.02	0.04	419	3.98	CPALL19C2508A	0.22	0.03	57,564	0.20
BBL13C2507A	-	-	-	-	SCP	6.20	-	58	6.19	CPALL19P2505A	-	-	-	-
BBL13C2508A	0.15	(0.01)	33,972	0.16	SKN	5.55	(0.05)	156	5.59	CPALL19P2505B	-	-	-	-
BBL19C2506A	-	-	-	-	STECH	0.91	(0.01)	1,169	0.92	CPALL41C2505A	-	-	-	-
BBL19C2508A	0.11	(0.04)	5	0.11	TASCO	14.70	(0.10)	19,462	14.71	CPALL41C2506A	-	-	-	-
BBL41C2506A	-	-	-	-	TASCO19C2507	0.08	(0.01)	27	0.08	CPALL41C2605T	0.16	0.02	40,001	0.14
BBL41C2609T	0.30	(0.01)	42,001	0.30	TOA	10.20	-	36,946	10.18	CPALL41P2504A	-	-	-	-
CIMBT	0.63	(0.01)	16,307	0.63	TPPL	0.94	0.03	15,090	0.92	CPALL41P2508A	0.21	(0.03)	2,900	0.23
CREDIT	19.00	-	456	18.87	UMI	0.68	0.02	854	0.68	CPAXT	25.25	0.25	65,885	24.99
KBANK	149.00	0.50	165,006	147.73	VNG	2.16	-	304	2.14	CPW	1.84	-	1,640	1.84
KBANK01C2506A	0.10	(0.01)	18,894	0.10	WIJK	0.90	0.02	237	0.89	CRC	23.50	0.40	125,741	23.23
KBANK01C2508A	0.59	(0.02)	28	0.59	WIJK-W3	-	-	-	-	CRC01C2506A	-	-	-	-
KBANK01P2507A	0.36	(0.01)	8,927	0.39	WINDOW	0.70	-	1,021	0.70	CRC13C2506A	0.01	-	1	0.01
KBANK13C2505A	-	-	-	-	Petrochemicals &					CRC13C2508A	-	-	-	-
KBANK13C2507A	0.22	(0.02)	35	0.22	BCT	48.00	-	17	47.62	CRC19C2506A	-	-	-	-
KBANK13C2508A	0.55	0.01	158,358	0.53	CMAN	2.16	(0.02)	2,967	2.13	CRC19C2508A	0.06	(0.01)	2	0.06
KBANK13P2507A	0.22	-	6,544	0.23	GC	4.70	-	347	4.68	CRC41C2608T	-	-	-	-
KBANK19C2505A	-	-	-	-	GGC	4.20	0.02	75	4.19	CSS	0.84	-	11,541	0.84
KBANK19C2507A	-	-	-	-	IVL	19.20	0.20	120,780	19.05	DOHOME	5.00	0.06	120,583	4.95
KBANK19C2507B	0.15	(0.05)	19	0.15	IVL01C2506A	-	-	-	-	DOHOME01C2507A	0.04	-	4,010	0.03
KBANK41C2505A	-	-	-	-	IVL01C2507A	0.18	0.01	67,484	0.17	DOHOME01C2508A	0.14	0.01	29,774	0.13
KBANK41C2604T	0.68	0.01	59,725	0.66	IVL01C2509A	0.32	0.01	45,342	0.31	DOHOME13C2505A	-	-	-	-
KBANK41C2609T	0.37	(0.01)	12,020	0.37	IVL01P2506A	-	-	-	-	DOHOME13C2506A	-	-	-	-
KBANK41P2606T	0.39	-	10,350	0.39	IVL13C2505A	0.01	-	10	0.01	DOHOME13C2508A	0.13	-	37,287	0.13
KKP	49.50	(0.50)	36,293	49.80	IVL13C2507A	0.09	-	12,629	0.08	DOHOME19C2506A	-	-	-	-
KKP-W6	0.88	-	112	0.87	IVL13C2508A	0.21	0.01	84,328	0.20	DOHOME19C2506B	0.01	(0.01)	3,740	0.01
KKP13C2508A	0.32	(0.68)	44,397	0.32	IVL13P2508A	0.48	(0.03)	47,290	0.50	DOHOME19C2508A	0.15	0.01	13,887	0.13
KKP19C2507A	0.08	(0.02)	13,167	0.09	IVL19C2505A	-	-	-	-	DOHOME19C2509T	0.23	0.01	33,064	0.23
KTB	20.10	(0.10)	716,298	19.95	IVL19C2506A	0.01	(0.01)	400	0.01	FN	0.50	-	1,466	0.49
KTB-P	-	-	-	-	IVL19C2507A	0.11	-	17,809	0.11	GLOBAL	7.05	0.30	104,634	6.86
KTB-Q	-	-	-	-	IVL19C2508A	0.23	0.01	83,881	0.22	GLOBAL01C2507A	-	-	-	-
KTB01C2506A	0.07	(0.01)	21,373	0.07	IVL19P2508A	0.51	0.01	6,070	0.52	GLOBAL13C2506A	0.01	(0.01)	1	0.01
KTB13C2505A	0.02	-	2,370	0.02	IVL41C2505A	-	-	-	-	GLOBAL13C2507A	0.08	(0.01)	4,466	0.07
KTB13C2507A	0.06	(0.01)	1,648	0.06	IVL41C2605T	0.15	0.01	48,003	0.14	GLOBAL13C2508A	0.28	0.04	18,018	0.24
KTB13C2508A	0.27	(0.01)	65,737	0.26	IVL41P2605T	-	-	-	-	GLOBAL19C2507A	0.11	0.01	10,238	0.11
KTB13P2507A	0.28	-	20,089	0.30	NFC	1.50	-	129	1.45	GLOBAL19C2509A	0.37	0.02	49,719	0.34
KTB19C2505A	-	-	-	-	PATO	7.05	0.05	253	7.00	GLOBAL41C2606T	0.12	-	40,000	0.12
KTB19C2506A	-	-	-	-	PMTA	-	-	-	-	HMPRO	8.55	(0.35)	496,000	8.49
KTB19C2508A	0.28	(0.01)	45,204	0.27	PTTGC	18.10	0.20	324,626	17.90	HMPRO01C2507A	0.07	(0.03)	32	0.07
KTBA1C2506A	-	-	-	-	PTTGC01C2505/	-	-	-	-	HMPRO01C2508A	0.33	(0.02)	47,390	0.32
LHFG	0.78	-	28,816	0.78	PTTGC01C2506/	-	-	-	-	HMPRO13C2506A	0.06	(0.01)	19,326	0.05
SCB	112.00	(0.50)	170,955	111.77	PTTGC01C2507/	0.17	0.01	34,725	0.15	HMPRO13C2508A	0.39	(0.02)	81,707	0.38
SCB01C2505A	0.02	-	200	0.02	PTTGC01C2508/	0.40	0.02	38,470	0.38	HMPRO19C2506A	0.07	(0.01)	2,424	0.05
SCB01C2507A	0.15	(0.02)	24,624	0.15	PTTGC01P2506/	0.43	(0.02)	500	0.43	HMPRO19C2508A	0.50	(0.04)	410	0.51
SCB01P2507A	0.41	0.02	1,103	0.42	PTTGC13C2505/	-	-	-	-	HMPRO41C2606T	0.17	0.01	16,502	0.17
SCB13C2505A	-	-	-	-	PTTGC13C2506/	0.02	-	20	0.02	ICC	33.00	(1.00)	8	33.34
SCB13C2508A	0.15	(0.01)	55,404	0.15	PTTGC13C2507/	0.14	0.01	300	0.13	ILM	14.20	0.40	857	14.02
SCB13P2507A	0.18	-	55,910	0.19	PTTGC13C2507E	0.34	0.02	195,577	0.32	IT	3.56	0.08	332	3.51
SCB19C2507A	-	-	-	-	PTTGC13P2506/	0.20	(0.03)	30,274	0.24	KAMART	8.90	0.20	13,495	8.74
SCB19C2509A	0.25	-	92	0.25	PTTGC19C2505/	-	-	-	-	LOXLEY	1.06	-	474	1.06
SCB41C2505A	-	-	-	-	PTTGC19C2506/	0.02	-	100	0.02	MC	9.95	0.05	8,410	9.89
SCB41C2609T	0.28	(0.02)	4,010	0.29	PTTGC19C2508/	0.26	0.01	61,036	0.24	MEGA	27.25	0.25	7,214	27.20
TCAP	47.00	-	15,610	46.86	PTTGC41C2505/	-	-	-	-	MIDA	0.32	(0.01)	2,681	0.32
TCAP-P	-	-	-	-	PTTGC41C2506/	-	-	-	-	MOSHI	42.50	-	7,142	42.31
TCAP-Q	-	-	-	-	PTTGC41C2608/	0.38	0.01	66,186	0.37	RS	0.54	0.01	43,635	0.53
TCAP13C2508A	0.20	-	13,315	0.20	PTTGC41P2506/	0.27	(0.03)	25,108	0.31	RS-W5	0.16	-	2,964	0.15
TISCO	99.75	(0.25)	58,288	99.77	SUTHA	2.46	0.06	41	2.46	RSP	1.71	-	13,972	1.71
TISCO-P	-	-	-	-	TPA	-	-	-	-	SABUY	0.44	(0.02)	53,215	0.44
TISCO-Q	-	-	-	-	UAC	2.46	-	993	2.45	SCM	0.49	(0.01)	183,732	0.50
TISCO41C2606T	-	-	-	-	UP	16.80	0.10	9	16.80	SCM-W2	0.02	-	45,576	0.01
TTB	1.81	(0.01)	5,462,690	1.81	XYZ	0.49	0.01	5,241	0.48	SINGER	6.30	0.15	32,859	6.26

## Main Board Quotation

Issue Date :

Tuesday April 22, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ADVANC19C2505A	-	-	-	-	DELTA13C2506E	-	-	-	-	BCP19C2507A	0.09	-	1	0.09
ADVANC19C2506A	-	-	-	-	DELTA13C2507F	0.11	0.01	57,559	0.10	BCP41C2505A	-	-	-	-
ADVANC19C2507A	0.21	0.01	9,000	0.21	DELTA13C2507E	0.06	0.01	3,538	0.05	BCP41C2609T	-	-	-	-
ADVANC19P2508A	0.26	0.01	21,649	0.26	DELTA13C2507C	0.28	0.01	132,378	0.27	BCPG	7.10	0.25	89,590	6.99
ADVANC41C2505A	-	-	-	-	DELTA13C2508F	0.61	0.03	270,847	0.59	BCPG01C2506A	0.21	0.03	22,801	0.19
ADVANC41C2606T	0.29	(0.01)	18,530	0.30	DELTA13P2505A	-	-	-	-	BCPG01C2508A	-	-	-	-
ADVANC41P2508A	-	-	-	-	DELTA13P2505E	-	-	-	-	BCPG01P2506A	-	-	-	-
AIT	4.10	(0.02)	12,837	4.11	DELTA13P2506F	0.97	(0.06)	508	1.04	BCPG13C2507A	0.17	0.03	50,828	0.15
ALT	0.75	0.01	756	0.75	DELTA13P2507F	0.64	(0.05)	13,327	0.68	BCPG13C2507B	0.44	-	10	0.44
AMR	0.65	0.04	48,444	0.64	DELTA13P2507E	0.23	(0.03)	98,665	0.25	BCPG19C2505A	-	-	-	-
BLISS	-	-	-	-	DELTA19C2506F	0.01	-	100	0.01	BCPG19C2508A	0.22	0.04	52,912	0.19
DIF	8.10	0.15	181,982	8.04	DELTA19C2506E	-	-	-	-	BCPG41C2606T	0.34	0.01	44,000	0.33
DITTO	11.50	0.50	28,753	11.32	DELTA19C2506C	0.01	-	175	0.01	BGRIM	11.20	0.50	153,977	11.09
DITTO-W1	0.01	-	6,012	0.01	DELTA19C2507F	0.05	0.02	40	0.05	BGRIM01C2505A	-	-	-	-
DTCENT	0.86	-	5,894	0.86	DELTA19C2507E	0.10	0.01	1	0.10	BGRIM01C2506A	-	-	-	-
FORTH	9.25	0.35	1,842	9.15	DELTA19C2507C	0.36	0.02	62,193	0.35	BGRIM01C2507A	0.05	0.01	5,200	0.05
GABLE	3.42	0.16	9,731	3.38	DELTA19C2508F	0.68	0.04	243,063	0.65	BGRIM01C2508A	0.16	0.04	146,035	0.14
HUMAN	7.60	(0.10)	3,724	7.57	DELTA19P2505A	-	-	-	-	BGRIM01C2509A	0.23	0.04	105,027	0.22
ICN	1.77	0.02	679	1.77	DELTA19P2506A	-	-	-	-	BGRIM01C2606T	0.16	0.02	37,548	0.16
ILINK	5.55	-	6,883	5.51	DELTA19P2507A	0.55	(0.05)	43,142	0.58	BGRIM01P2505A	-	-	-	-
INET	4.40	0.10	12,594	4.36	DELTA19P2509A	0.70	(0.03)	62,824	0.72	BGRIM01P2507A	0.28	(0.08)	6,782	0.30
INSET	1.82	0.07	37,266	1.80	DELTA41C2505A	-	-	-	-	BGRIM11C2507A	0.25	0.05	42,143	0.24
ITEL	1.33	0.02	9,025	1.32	DELTA41C2506F	-	-	-	-	BGRIM13C2505A	-	-	-	-
JAS	1.54	0.14	1,066,873	1.51	DELTA41C2507F	-	-	-	-	BGRIM13C2505B	-	-	-	-
JAS-W4	0.33	0.03	404,961	0.33	DELTA41C2508F	0.25	0.01	98,180	0.25	BGRIM13C2506A	0.01	-	1	0.01
JAS13C2505A	0.02	0.01	1,515	0.02	DELTA41C2608T	0.27	-	73,031	0.27	BGRIM13C2507A	0.02	-	39,882	0.02
JAS13C2507A	0.17	0.06	32,053	0.16	DELTA41C2612T	0.06	-	653	0.05	BGRIM13C2507B	0.10	0.03	68,513	0.09
JAS19C2505A	-	-	-	-	DELTA41P2505A	-	-	-	-	BGRIM13C2508A	0.22	0.04	95,433	0.21
JAS19C2507A	0.13	0.05	61,753	0.13	DELTA41P2507A	0.23	(0.01)	4,005	0.24	BGRIM13P2505A	-	-	-	-
JAS19C2509A	0.55	0.14	73,010	0.52	HANA	18.00	-	70,771	17.83	BGRIM13P2506A	-	-	-	-
JAS41C2605T	0.12	0.03	47,681	0.12	HANA01C2505A	-	-	-	-	BGRIM19C2505A	0.02	-	1	0.02
JMART	8.25	0.30	88,980	8.09	HANA01C2505B	-	-	-	-	BGRIM19C2506A	-	-	-	-
JMART-W5	0.19	0.02	330	0.18	HANA01P2505A	-	-	-	-	BGRIM19C2507A	-	-	-	-
JMART13C2506A	-	-	-	-	HANA06C2504A	-	-	-	-	BGRIM19C2507B	0.11	0.03	11,542	0.10
JMART13C2507A	0.05	-	3,641	0.05	HANA13C2505A	-	-	-	-	BGRIM19C2508A	0.49	0.01	25	0.49
JMART13C2508A	0.39	0.06	37,558	0.37	HANA13C2505B	-	-	-	-	BGRIM19P2506A	-	-	-	-
JMART19C2506A	-	-	-	-	HANA13C2506A	-	-	-	-	BGRIM41C2505A	-	-	-	-
JMART19C2508A	0.09	0.01	330	0.09	HANA13C2507A	0.07	(0.01)	12,372	0.07	BGRIM41C2506A	-	-	-	-
JMART19C2508B	0.25	0.04	35,933	0.23	HANA13C2508A	0.37	-	196,026	0.36	BGRIM41C2608T	0.21	0.02	59,900	0.20
JMART41C2606T	0.11	-	28,200	0.11	HANA13P2505A	-	-	-	-	BIOTEC	0.20	0.01	3,490	0.19
JMART41C2609T	0.36	0.02	30,501	0.35	HANA13P2507A	0.22	(0.01)	9,610	0.23	BIOTEC-P	-	-	-	-
JTS	34.25	(0.25)	2,948	34.60	HANA19C2505A	-	-	-	-	BIOTEC-Q	-	-	-	-
MFEC	5.95	0.05	887	5.96	HANA19C2505B	-	-	-	-	BIOTEC-W2	0.03	-	175	0.03
MSC	7.55	0.05	147	7.39	HANA19C2507A	-	-	-	-	BPP	6.90	0.05	13,573	6.89
PT	11.60	0.10	2,576	11.39	HANA19C2508A	0.35	-	73,992	0.34	BRRGIF	3.84	-	229	3.84
ROCTEC	0.62	0.08	486,457	0.63	HANA41C2505A	-	-	-	-	BSRC	5.40	0.05	7,381	5.35
ROCTEC-W3	0.01	-	18,806	0.01	HANA41C2606T	0.13	(0.01)	14,921	0.13	BSRC13C2506A	0.07	(0.01)	2,300	0.07
ROCTEC-W5	0.02	-	901,279	0.03	HANA41C2608T	0.50	-	78,000	0.50	CKP	2.80	0.08	41,028	2.77
SAMART	6.35	0.15	42,531	6.28	KCE	16.90	0.20	42,296	16.74	CV	-	-	-	-
SAMTEL	6.00	0.35	3,366	5.83	KCE01C2505A	-	-	-	-	CV-W1	-	-	-	-
SAMTEL-W2	1.13	0.08	3,377	1.12	KCE01C2507A	-	-	-	-	EA	2.18	0.10	413,816	2.13
SDC	0.03	(0.01)	55,525	0.03	KCE13C2505A	-	-	-	-	EA-W1	0.28	0.01	81,227	0.28
SIS	21.60	-	4,085	21.51	KCE13C2505B	-	-	-	-	EA13C2505A	-	-	-	-
SKY	15.20	-	13,662	15.06	KCE13C2506A	0.02	(0.01)	1	0.02	EA13C2505B	-	-	-	-
SPREME	1.44	(0.02)	845	1.44	KCE13C2507A	0.09	(0.01)	2,164	0.09	EA13C2506A	-	-	-	-
SVOA	1.07	0.03	1,454	1.06	KCE13C2508A	0.18	0.01	19,146	0.17	EA13C2506B	-	-	-	-
SYMC	4.34	(0.10)	1,880	4.30	KCE13C2508B	0.29	-	117,470	0.28	EA13C2507A	0.04	-	10,612	0.04
SYNEX	11.60	-	10,842	11.49	KCE13P2505A	0.10	(0.02)	5,120	0.11	EA13C2508A	0.13	0.02	56,749	0.12
THCOM	8.80	0.20	99,938	8.61	KCE13P2508A	0.33	(0.01)	47,661	0.34	EA13C2508B	0.25	0.05	89,883	0.22
TKC	7.70	(0.05)	217	7.74	KCE19C2505A	-	-	-	-	EA19C2505A	-	-	-	-
TRUE	12.00	-	682,531	11.96	KCE19C2506A	-	-	-	-	EA19C2506A	0.02	-	3	0.02
TRUE01C2505A	-	-	-	-	KCE19C2507A	0.08	-	1,000	0.08	EA19C2506B	-	-	-	-
TRUE01C2507A	-	-	-	-	KCE19C2508A	0.20	0.01	41,603	0.19	EA19C2508A	0.16	0.02	73,089	0.15
TRUE01C2508A	0.24	-	15,506	0.25	KCE19P2505A	-	-	-	-	EA19C2508B	0.24	0.02	38,944	0.22
TRUE01P2505A	-	-	-	-	KCE41C2505A	-	-	-	-	EA19P2505A	-	-	-	-
TRUE01P2507A	-	-	-	-	KCE41C2606T	0.10	-	3,000	0.10	EA41C2606T	-	-	-	-
TRUE13C2505A	-	-	-	-	METCO	171.00	1.00	27	171.28	EASTW	1.90	-	899	1.91
TRUE13C2507A	0.16	0.01	6,610	0.16	SMT	1.00	(0.02)	1,549	1.01	EGATIF	5.80	(0.10)	11,252	5.81
TRUE13P2506A	0.05	-	20	0.05	SVI	7.75	(0.05)	5,224	7.69	EGCO	101.00	5.75	18,157	98.93
TRUE19C2507A	-	-	-	-	TEAM	2.54	0.06	462	2.49	EP	1.45	0.03	234	1.44
TRUE19C2507B	0.21	0.01	33,064	0.21	Energy & Utilitie	-	-	-	-	EP-W4	-	-	-	-
TRUE19P2506A	-	-	-	-	ACC	0.41	-	59,144	0.41	ETC	1.70	0.03	7,962	1.70
TRUE19P2507A	0.22	(0.01)	16,794	0.22	ACC-W2	0.36	0.02	108	0.36	GPSC	30.75	2.00	145,268	30.30
TRUE41C2505A	-	-	-	-	ACE	1.35	-	35,562	1.35	GPSC01C2505A	-	-	-	-
TRUE41C2604T	-	-	-	-	AE	0.10	-	37,700	0.09	GPSC01C2507A	0.23	0.07	35,502	0.22
TRUE41C2612T	0.32	-	17,000	0.32	AGE	0.79	(0.01)	3,098	0.79	GPSC01C2508A	0.40	0.06	100	0.40
TWZ	0.03	-	85,851	0.03	AI	3.30	(0.04)	936	3.32	GPSC01P2506A	0.09	(0.05)	625	0.10
TWZ-W8	-	-	-	-	AIE	1.31	0.10	78,955	1.28	GPSC13C2505A	-	-	-	-
TWZ-W9	0.01	-	3	0.01	BAFS	7.80	0.20	1,107	7.74	GPSC13C2505B	-	-	-	-
Electronic Componer	-	-	-	-	BANPU	4.24	0.04	292,314	4.18	GPSC13C2506A	0.07	0.03	4,701	0.07
CCET	5.35	0.15	304,772	5.27	BANPU01C2506	-	-	-	-	GPSC13C2507A	0.26	0.07	127,417	0.24
CCET13C2505A	-	-	-	-	BANPU01C2507	0.12	(0.01)	36,895	0.11	GPSC13P2505A	0.05	(0.05)	200	0.05
CCET13C2505B	-	-	-	-	BANPU01C2508	0.33	(0.01)	36,774	0.32	GPSC13P2506A	0.05	(0.04)	13,323	0.06
CCET13C2506A	-	-	-	-	BANPU01C2606	0.28	-	44,328	0.27	GPSC19C2505A	-	-	-	-
CCET13C2507A	0.02	-	3,750	0.02	BANPU13C2505	-	-	-	-	GPSC19C2506A	-	-	-	-
CCET13C2507B	0.13	0.01	21,530	0.12	BANPU13C2506	-	-	-	-	GPSC19C2506B	-	-	-	-
CCET13C2508A	0.26	0.02	21,069	0.24	BANPU13C2506I	0.04	(0.04)	900	0.04	GPSC19C2507A	0.22	0.06	101,955	0.21
CCET19C2506A	-	-	-	-	BANPU13C2507	0.20	-	16,189	0.18	GPSC19P2506A	0.09	(0.05)	19,761	0.10
CCET19C2506B	-	-	-	-	BANPU19C2506	0.02	-	1,001	0.01	GPSC41C2505A	-	-	-	-
CCET19C2506C	-	-	-	-	BANPU19C2507	0.12	-	27,633	0.11	GPSC41C2606T	0.15	0.02	49,428	0.15
CCET19C2507A	-	-	-											

## Main Board Quotation

Issue Date :

Tuesday April 22, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBSPIF	7.30	-	632	7.24	AS	2.30	0.02	6,723	2.29	S11	2.90	0.24	893	2.78
LANNA	15.00	-	1,870	14.93	BEC	3.96	0.06	628	3.93	SAK	4.08	0.10	7,628	4.04
MDX	2.84	0.06	670	2.82	FE	-	-	-	-	SAWAD	31.25	1.00	58,577	30.63
NOVA	6.85	(0.65)	6	6.73	GPI	1.56	(0.04)	1,684	1.56	SAWAD-W2	0.21	0.01	1,050	0.20
OR	13.10	0.20	210,971	13.06	GRAMMY	5.00	(0.05)	293	5.00	SAWAD01C2506A	-	-	-	-
OR01C2505A	-	-	-	-	JKN	-	-	-	-	SAWAD01C2508A	0.10	0.01	4,075	0.10
OR01C2507A	0.22	0.02	33,525	0.22	MAJOR	10.40	-	12,473	10.11	SAWAD01C2508B	0.31	0.04	46,160	0.28
OR01C2508A	0.39	0.02	5,675	0.38	MATCH	1.13	(0.03)	60	1.15	SAWAD01P2505A	0.31	(0.20)	5	0.32
OR13C2506A	0.05	0.01	6,041	0.05	MATI	-	-	-	-	SAWAD13C2505A	-	-	-	-
OR13C2507A	0.21	0.02	86,937	0.20	MCOT	4.88	(0.06)	92,780	4.87	SAWAD13C2506A	-	-	-	-
OR13C2508A	0.38	0.04	3	0.38	MONO	1.47	0.17	1,615,796	1.44	SAWAD13C2507A	0.07	0.01	3,101	0.07
OR19C2505A	-	-	-	-	NATION	0.03	-	1,448	0.02	SAWAD13C2508A	0.18	0.02	35,174	0.16
OR19C2506A	0.16	0.03	39,411	0.14	NATION-W4	-	-	-	-	SAWAD13C2508B	0.31	0.03	84,847	0.28
OR19C2508A	-	-	-	-	ONEE	2.44	0.02	9,684	2.43	SAWAD19C2505A	-	-	-	-
OR41C2505A	-	-	-	-	PLANB	5.35	(0.10)	116,348	5.33	SAWAD19C2506A	-	-	-	-
OR41C2605T	0.07	0.01	302	0.06	PLANB13C2508A	0.12	(0.01)	2,824	0.12	SAWAD19C2507A	0.11	0.02	9,938	0.11
OR41C2608T	0.40	0.02	71,163	0.39	PLANB19C2508A	0.11	(0.01)	3,720	0.12	SAWAD19C2508A	0.25	0.04	72,328	0.23
PRIME	0.05	-	18,360	0.05	PLANB41C2606T	0.15	(0.01)	21,600	0.15	SAWAD41C2505A	-	-	-	-
PTG	6.70	0.10	17,018	6.64	PRAKIT	11.50	0.10	226	11.38	SAWAD41C2609T	0.30	0.02	35,000	0.28
PTT	30.50	(0.25)	222,458	30.51	PTECH	0.95	0.12	205	0.98	SCAP	1.55	0.08	253,581	1.49
PTT01C2505A	-	-	-	-	SE-ED	1.95	-	304	1.95	SGC	0.87	0.02	219,801	0.87
PTT01C2508A	0.13	(0.01)	11,167	0.13	TKS	5.50	0.10	1,288	5.43	SGC-W1	0.09	-	9,843	0.08
PTT13C2508A	0.12	(0.01)	64,173	0.12	VGI	2.30	0.14	1,254,488	2.25	SGC-W2	0.31	0.03	1,420	0.30
PTT19C2505A	-	-	-	-	VGI-W3	0.03	-	81,964	0.03	SM	0.80	-	646	0.80
PTT41C2606T	-	-	-	-	VGI-W4	0.85	0.28	255,635	0.75	TH	0.60	0.02	9,309	0.59
PTTEP	100.50	-	87,726	100.55	VGI01C2505A	0.01	-	15	0.01	TH-W3	0.01	-	111	0.01
PTTEP01C2505A	-	-	-	-	VGI01C2507A	0.08	0.02	2,288	0.07	THANI	1.49	(0.01)	36,200	1.47
PTTEP01C2507A	0.07	-	3,071	0.07	VGI01C2509A	0.39	0.04	61,818	0.37	TIDLOR	14.70	-	57,220	14.43
PTTEP01C2509A	0.43	-	38,884	0.43	VGI13C2505A	0.01	-	16,000	0.01	TIDLOR01C2506A	-	-	-	-
PTTEP01P2506A	0.34	(0.02)	10	0.34	VGI13C2507A	0.03	-	7,855	0.03	TIDLOR13C2505A	0.01	(0.01)	73	0.01
PTTEP13C2505A	-	-	-	-	VGI13C2508A	0.09	0.02	2,372	0.08	TIDLOR19C2505A	0.01	-	5,157	0.01
PTTEP13C2507A	0.04	-	14,321	0.03	VGI13C2508B	0.28	0.04	95,578	0.27	TIDLOR19C2505B	-	-	-	-
PTTEP13C2507B	0.08	-	21,500	0.08	VGI19C2505A	-	-	-	-	TIDLOR41C2605T	-	-	-	-
PTTEP13C2508A	0.37	-	49,743	0.37	VGI19C2507A	0.03	-	17,012	0.03	TK	3.56	(0.02)	63	3.56
PTTEP13P2506A	0.46	(0.03)	45	0.45	VGI19C2508A	0.09	0.01	3,000	0.09	TNITY	2.94	-	84	2.94
PTTEP19C2505A	-	-	-	-	VGI19C2509A	0.42	0.05	156,818	0.40	TNL	-	-	-	-
PTTEP19C2507A	0.06	(0.01)	1,500	0.06	VGI41C2505A	-	-	-	-	UOBKH	-	-	-	-
PTTEP19C2508A	0.07	0.01	327	0.07	VGI41C2606T	0.14	0.01	64,000	0.13	XPG	0.82	0.01	33,882	0.81
PTTEP19C2509A	0.45	0.01	42,600	0.45	WORK	4.68	0.06	919	4.61	Food & Beverage	-	-	-	-
PTTEP41C2505A	0.01	(0.01)	80	0.01	ZAA	0.67	-	1,210	0.65	AAI	4.26	0.06	24,049	4.21
PTTEP41C2507A	-	-	-	-	Finance & Securi	-	-	-	-	APURE	3.34	-	114	3.31
PTTEP41C2604T	0.06	-	5	0.06	AEONTS	109.50	-	3,734	110.09	ASIAN	7.45	0.05	6,748	7.43
PTTEP41C2609T	0.38	-	42,401	0.38	AMANAHA	0.80	0.02	6,416	0.79	BR	1.59	-	847	1.58
PTTEP41P2506A	0.35	(0.02)	1,203	0.35	ASAP	1.33	(0.02)	2,289	1.36	BR-W1	0.04	-	1,726	0.03
RATCH	26.00	1.00	40,038	25.95	ASK	7.10	0.05	3,643	7.03	BRR	4.70	(0.02)	5,546	4.73
RATCH19C2506A	0.05	-	8,490	0.05	ASP	1.92	-	11,186	1.91	BRR-W2	0.17	(0.01)	25,931	0.20
RPC	0.27	0.01	8,472	0.27	BAM	6.50	0.05	174,431	6.45	BTG	20.40	0.40	30,436	20.19
SCG	2.36	0.06	97	2.39	BAM01C2506A	0.12	-	56,564	0.12	CBG	63.00	0.25	20,097	62.85
SCN	0.44	0.05	28,202	0.43	BAM13C2505A	-	-	-	-	CBG01C2506A	-	-	-	-
SCN-W2	0.04	-	4,202	0.04	BAM13C2506A	0.12	-	74,899	0.12	CBG01C2507A	0.11	-	23,125	0.11
SEAOL	2.42	-	612	2.42	BAM19C2505A	-	-	-	-	CBG01C2508A	0.36	-	28,276	0.35
SGP	6.85	-	84	6.79	BAM19C2506A	0.17	0.01	27,419	0.16	CBG01P2506A	-	-	-	-
SKE	0.20	-	3,641	0.20	BAM41C2505A	0.01	(0.06)	110	0.01	CBG01P2507A	0.40	(0.01)	1,917	0.41
SKE-W1	0.03	-	1,102	0.02	BAM41C2612T	0.34	-	62,400	0.33	CBG13C2505A	-	-	-	-
SOLAR	0.22	(0.01)	8,939	0.22	BYD	0.33	-	49,375	0.33	CBG13C2506A	0.01	(0.01)	1	0.01
SPCG	7.65	0.15	1,627	7.53	CGH	0.45	0.01	1,629	0.44	CBG13C2507A	0.14	-	11,771	0.13
SPRC	5.15	0.15	83,338	5.07	CGH-W5	-	-	-	-	CBG13C2508A	0.48	0.01	53,412	0.46
SPRC13C2506A	0.03	0.01	300	0.03	CHASE	0.72	0.05	41,822	0.70	CBG19C2506A	-	-	-	-
SPRC13C2508A	0.21	0.02	43,734	0.19	CHASE-W1	0.37	0.02	1,135	0.38	CBG19C2506B	-	-	-	-
SPRC19C2505A	-	-	-	-	CHAYO	2.08	0.04	22,511	2.06	CBG19C2508A	0.30	0.01	14,160	0.29
SPRC41C2606T	0.17	0.01	42,000	0.16	CHAYO-W3	0.08	-	4,748	0.07	CBG19P2507A	0.42	(0.02)	14,682	0.43
SSP	4.80	(0.02)	3,228	4.80	EAST	0.84	0.02	2,222	0.84	CBG41C2505A	-	-	-	-
SSP-W2	-	-	-	-	FNS	1.02	0.01	69	1.03	CBG41C2608T	-	-	-	-
SUPER	0.13	-	989,517	0.13	FSX	1.30	0.02	146	1.28	CFRESH	1.01	0.01	1,195	1.00
SUPEREIF	5.25	(0.05)	3,255	5.26	GBX	0.46	(0.01)	151	0.47	CH	2.00	-	557	2.00
SUSCO	2.62	0.04	9,697	2.56	GL	0.03	0.01	1,093,594	0.02	CHAO	5.65	-	86,374	5.67
TAE	0.63	-	142	0.62	HENG	1.02	0.01	2,152	1.01	CHOTI	62.75	(0.75)	2	62.63
TCC	0.23	-	3,966	0.23	IFS	2.20	-	272	2.19	CM	1.66	-	195	1.66
TCC-W5	-	-	-	-	JMT	13.10	0.50	121,084	12.92	COCOCO	6.45	0.10	67,712	6.43
TGE	1.44	0.03	2,710	1.43	JMT13C2506A	0.02	-	2	0.02	COCOCO13C2505A	-	-	-	-
TGE-W2	0.10	0.02	5,760	0.10	JMT13C2507A	0.11	0.02	24,290	0.11	COCOCO19C2506A	0.01	(0.01)	2	0.01
TOP	24.70	1.10	156,942	24.19	JMT19C2506A	0.03	-	1	0.03	CPF	24.90	-	272,701	24.87
TOP01C2505A	-	-	-	-	JMT19C2507A	0.14	-	48,696	0.15	CPF01C2508A	0.62	(0.02)	4	0.62
TOP01C2506A	-	-	-	-	JMT41C2505A	-	-	-	-	CPF01C2509A	0.17	(0.01)	21,916	0.17
TOP01C2507A	0.39	0.08	40,308	0.32	JMT41C2608T	0.24	0.01	45,080	0.23	CPF13C2505A	0.04	(0.01)	1,401	0.04
TOP01C2508A	0.15	0.03	24,771	0.13	KCAR	3.86	0.04	294	3.84	CPF13C2506A	-	-	-	-
TOP01P2506A	0.10	(0.06)	2	0.11	KGI	3.94	(0.02)	25,632	3.95	CPF13C2508A	0.15	(0.01)	30,778	0.15
TOP01P2508A	0.31	(0.02)	50	0.31	KTC	46.50	1.00	23,881	45.88	CPF19C2505A	-	-	-	-
TOP13C2505A	-	-	-	-	KTC01C2507A	0.12	0.01	74,528	0.12	CPF19C2509A	0.19	(0.01)	11,107	0.19
TOP13C2505B	-	-	-	-	KTC01C2508A	0.29	0.02	95,007	0.27	CPF41C2505A	-	-	-	-
TOP13C2505C	-	-	-	-	KTC13C2506A	-	-	-	-	CPF41C2505B	-	-	-	-
TOP13C2506A	0.27	0.07	73,494	0.22	KTC19C2507A	-	-	-	-	CPF41C2612T	0.62	(0.03)	58,170	0.61
TOP13C2507A	0.08	0.01	90	0.08	KTC41C2606T	0.24	0.01	10,000	0.24	CPI	2.66	0.04	169	2.66
TOP13P2505A	-	-	-	-	MFC	25.50	(0.25)	6	25.71	F&D	40.25	(2.50)	60	41.76
TOP13P2505B	-	-	-	-	MICRO	0.86	0.02	1,160	0.84	FM	3.86	0.04	48,717	3.84
TOP13P2508A	0.27	(0.04)	8,311	0.31	ML	0.34	0.01	3,399	0.34	GLOCON	0.12	0.01	244,220	0.11
TOP19C2505A	-	-	-	-	MST	7.35	-	218	7.26	HTC	16.30	0.20	503	16.20
TOP19C2505B	-	-	-	-	MTC	43.50	0.25	35,488	43.32	ICHI	12.00	0.20	47,569	11.76
TOP19C2508A	0.16	0.03	30,787	0.14	MTC01C2506A	0.10	-	45,035	0.10	ITC	13.10	-	57,578	12.95
TOP19P2505A	-	-	-	-										

## Main Board Quotation

Issue Date :

Tuesday April 22, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
M	18.30	0.30	22,445	18.42	BH41P2508A	-	-	-	-	TIPH	19.00	0.30	5,340	18.77
MALEE	6.70	0.10	3,230	6.56	BKGI	1.87	0.03	2,822	1.85	TLI	12.10	0.10	137,775	12.09
NRF	0.36	-	19,169	0.35	CHG	1.76	(0.01)	187,104	1.76	TLI01C2507A	0.20	0.02	31,168	0.20
NSL	29.50	-	6,385	29.24	CHG19C2505A	-	-	-	-	TLI13C2505A	-	-	-	-
OKJ	9.30	0.50	98,161	9.22	CMR	1.21	0.01	508	1.21	TLI19C2506A	0.15	0.01	22,468	0.14
OSP	14.80	0.50	94,428	14.72	EKH	6.25	0.10	2,154	6.20	TLI41C2606T	0.30	-	26,019	0.30
OSP01C2507A	0.05	0.01	2,347	0.05	KDH	85.00	-	2	85.00	TQM	15.80	1.10	9,081	15.36
OSP01C2507B	0.10	0.01	33,504	0.10	LPH	3.62	0.02	474	3.61	TSI	0.05	-	17,006	0.04
OSP01C2508A	0.28	0.03	48,536	0.28	M-CHAI	18.70	0.40	53	18.54	TVH	8.15	0.05	44	8.06
OSP01P2507A	0.20	(0.03)	130	0.20	MASTER	21.60	1.00	19,326	21.30	Packaging	-	-	-	-
OSP13C2505A	-	-	-	-	MEZEZE	7.35	0.30	27,796	7.24	AJ	2.00	(0.06)	6,433	1.99
OSP13C2506A	0.01	-	1,000	0.01	NEW	-	-	-	-	ALUCON	180.00	(1.00)	14	180.00
OSP13C2506B	-	-	-	-	NKT	4.74	-	5,476	4.75	BGC	5.30	0.05	1,561	5.26
OSP13C2507A	0.10	0.01	6,368	0.10	NTV	26.50	(0.25)	55	26.61	CSC	43.50	-	6	43.42
OSP13C2508A	0.28	0.04	70,504	0.27	PHG	14.00	0.10	17	14.01	CSC-P	-	-	-	-
OSP19C2506A	-	-	-	-	PR9	23.70	(0.10)	22,825	23.81	CSC-Q	-	-	-	-
OSP19C2506B	-	-	-	-	PR901C2507A	0.24	(0.01)	11,203	0.24	NEP	0.23	-	12	0.23
OSP19C2506C	-	-	-	-	PR913C2505A	-	-	-	-	PJW	2.22	-	467	2.22
OSP41C2505A	-	-	-	-	PR913C2506A	-	-	-	-	PTL	10.60	0.10	1,238	10.49
OSP41C2606T	0.14	0.01	8,020	0.14	PR919C2506A	-	-	-	-	SCGP	13.20	0.30	86,260	13.08
PB	53.25	(0.50)	13	53.50	PR941C2609T	0.45	-	50,000	0.45	SCGP01C2506A	-	-	-	-
PLUS	3.28	0.04	443	3.21	PRINC	2.18	(0.04)	3,231	2.21	SCGP01C2507A	0.03	-	510	0.03
PM	10.30	-	4,146	10.25	RAM	18.20	-	131	18.10	SCGP01C2508A	0.14	0.02	41,998	0.14
PQS	2.40	-	1,954	2.43	RJH	13.20	0.20	3,320	13.05	SCGP01P2507A	-	-	-	-
PRG	8.05	(0.05)	72	7.87	RPH	5.35	-	1,738	5.31	SCGP13C2506A	0.01	-	4	0.01
PRG-W2	-	-	-	-	SAFE	8.70	-	89	8.69	SCGP13C2506B	0.01	(0.01)	194	0.01
PRG-W3	-	-	-	-	SKR	7.10	0.05	309	7.08	SCGP13C2507A	0.07	-	90	0.07
PRG-W4	2.98	(0.02)	1	2.98	THG	9.60	(0.05)	5,358	9.66	SCGP13C2508A	0.23	0.03	65,452	0.22
PRG-W5	2.70	0.20	59	2.61	VI8A	1.55	-	4,963	1.54	SCGP13P2506A	0.28	(0.10)	290	0.28
RBF	4.30	(0.06)	27,666	4.32	VI8A-W4	-	-	-	-	SCGP19C2505A	-	-	-	-
RBF13C2507A	-	-	-	-	VIH	7.10	(0.10)	801	7.09	SCGP19C2506A	-	-	-	-
RBF19C2505A	-	-	-	-	VIH-W1	-	-	-	-	SCGP19C2506B	-	-	-	-
RBF19C2508A	-	-	-	-	WPH	8.70	(0.05)	2,480	8.63	SCGP19C2507A	0.16	0.02	51,724	0.15
SAPPE	36.50	(1.50)	15,177	35.54	Tourism & Leisu	-	-	-	-	SCGP19P2505A	-	-	-	-
SAPPE13C2507A	0.07	(0.01)	10	0.07	ASIA	5.10	(0.20)	124	5.02	SCGP41C2505A	-	-	-	-
SAPPE19C2508A	0.35	0.02	12,214	0.33	BEYOND	6.45	0.10	94	6.36	SCGP41C2606T	0.13	-	11,200	0.13
SAUCE	38.75	-	88	38.71	CENTEL	26.75	1.50	38,319	26.45	SFLEX	3.16	0.02	51,434	3.16
SNNP	11.50	-	5,047	11.46	CENTEL01C250E	-	-	-	-	SFLEX-W2	0.04	(0.01)	5,279	0.04
SNP	10.90	0.10	233	10.89	CENTEL13C250E	-	-	-	-	SITTHAI	1.21	0.01	1,296	1.21
SORKON	4.44	0.02	1,011	4.44	CENTEL13C250E	0.09	0.02	5,180	0.08	SLP	0.36	(0.02)	1,423	0.36
SSF	-	-	-	-	CENTEL19C250E	-	-	-	-	SMPC	8.30	(0.10)	1,429	8.33
SST	1.89	(0.07)	54	1.92	CENTEL19C250E	0.14	0.03	24,995	0.13	SPACK	1.40	0.04	9	1.41
SUN	3.02	0.06	3,284	3.00	CENTEL41C260E	0.18	0.02	38,201	0.18	TCOAT	24.70	1.50	1	24.70
TC	5.90	0.10	532	5.85	CSR	-	-	-	-	TFI	0.05	-	225	0.04
TFG	4.92	0.14	207,016	4.87	DUSIT	8.40	-	174	8.40	TFI-W1	-	-	-	-
TFG-W4	0.90	0.10	28,144	0.88	ERW	2.38	0.08	133,562	2.35	THIP	25.25	-	58	25.23
TFMAMA	198.00	0.50	169	199.94	ERW01C2507A	-	-	-	-	TMD	-	-	-	-
TIPCO	9.25	-	379	9.28	ERW13C2505A	0.01	-	1	0.01	TOPP	-	-	-	-
TKN	7.65	0.10	3,714	7.61	ERW13C2507A	-	-	-	-	TPAC	7.80	0.10	304	7.72
TU	10.90	-	111,869	10.87	ERW13C2508A	0.09	0.01	7,037	0.08	TPBI	3.80	(0.02)	818	3.79
TU01C2505A	-	-	-	-	ERW19C2506A	-	-	-	-	TPP	-	-	-	-
TU01C2506A	-	-	-	-	ERW19C2508A	0.11	0.02	25,261	0.10	Personal Products	-	-	-	-
TU01C2508A	-	-	-	-	ERW41C2606T	-	-	-	-	APCO	3.26	0.02	152	3.22
TU13C2505A	-	-	-	-	GRAND	0.04	-	431	0.03	BIZ	3.20	-	398	3.18
TU13C2508A	0.14	(0.01)	7,708	0.14	LRH	-	-	-	-	BLC	3.58	(0.06)	25,052	3.60
TU19C2505A	-	-	-	-	MANRIN	-	-	-	-	DDD	6.20	0.10	228	6.03
TU19C2506A	-	-	-	-	MINT	26.25	0.25	63,712	26.14	IP	3.46	0.08	9,231	3.43
TU41C2506A	-	-	-	-	MINT01C2506A	-	-	-	-	IP-W2	0.04	(0.01)	11,170	0.04
TU41C2609T	0.21	-	6,700	0.21	MINT01C2507A	-	-	-	-	JCT	77.25	(1.00)	4	77.25
TVO	22.10	-	3,476	22.17	MINT13C2505A	-	-	-	-	KISS	3.54	0.02	4,072	3.50
TWPC	2.22	-	2,806	2.20	MINT13C2506A	0.14	(0.05)	1	0.14	NAM	4.30	0.04	129	4.28
XBIO	0.11	-	59,263	0.11	MINT13C2506B	0.06	-	4,044	0.06	NEO	32.00	0.25	7,747	31.84
XBIO-W6	0.03	0.01	4,248	0.02	MINT19C2506A	0.18	(0.02)	18	0.18	NV	0.67	0.02	765	0.68
XBIO-W7	0.01	(0.01)	868	0.01	MINT19C2508A	0.11	-	60,017	0.10	OCC	10.90	0.30	5	10.90
ZEN	6.30	-	2	6.30	MINT41C2604T	-	-	-	-	S&J	-	-	-	-
Health Care Services	-	-	-	-	MINT41C2612T	0.21	(0.01)	6,000	0.21	SNPS	4.90	0.02	887	4.88
AHC	14.70	0.10	48	14.68	OHTL	-	-	-	-	STGT	6.90	0.05	24,548	6.88
BCH	14.80	0.10	14,324	14.73	ROH	1.78	(0.01)	7	1.75	STGT13C2506A	-	-	-	-
BCH01C2508A	0.11	(0.01)	5,112	0.11	SHANG	-	-	-	-	STGT13C2508A	0.25	-	38,116	0.24
BCH13C2507A	-	-	-	-	SHR	1.81	0.05	7,198	1.79	STGT19C2509A	0.34	(0.01)	14,038	0.34
BCH13C2508A	0.24	0.01	3,542	0.24	SPA	3.98	-	37,645	3.96	STGT41C2606T	0.15	(0.01)	1,000	0.15
BCH19C2505A	-	-	-	-	VRANDA	4.52	0.02	23	4.51	TMAN	10.70	-	1,836	10.65
BCH19C2505B	-	-	-	-	Home & Office P	-	-	-	-	TNR	7.40	(0.05)	183	7.49
BCH19C2508A	0.12	-	5,532	0.12	AJA	0.09	(0.01)	18,142	0.09	TOG	7.85	(0.10)	315	7.89
BCH41C2506A	-	-	-	-	DTCI	-	-	-	-	Professional Service	-	-	-	-
BCH41C2609T	0.34	-	7,300	0.34	FANCY	0.41	(0.02)	242	0.40	BWG	0.28	-	185,639	0.28
BDMS	23.80	0.20	340,590	23.71	FTI	1.87	0.05	199	1.84	BWG-W6	0.01	-	15	0.01
BDMS01C2506A	0.08	-	31	0.08	KYE	289.00	-	10	288.50	GENCO	0.28	-	329	0.27
BDMS01C2508A	-	-	-	-	L&E	1.20	-	100	1.20	PRTR	3.70	(0.02)	446	3.69
BDMS01C2509A	0.46	0.02	8,065	0.45	MODERN	2.16	(0.02)	21	2.18	SISB	18.40	(0.10)	19,301	18.32
BDMS13C2505A	-	-	-	-	OGC	10.30	0.30	4	10.15	SISB13C2506A	-	-	-	-
BDMS13C2508A	0.31	0.01	19,635	0.30	ROCK	-	-	-	-	SISB13C2506B	-	-	-	-
BDMS19C2505A	-	-	-	-	SIAM	0.71	-	267	0.70	SISB13C2508A	0.36	(0.01)	19,292	0.36
BDMS19C2508A	0.37	0.02	12,305	0.35	TCMC	0.46	0.01	3,635	0.45	SISB19C2507A	-	-	-	-
BDMS41C2505A	-	-	-	-	TSR	0.18	0.01	6,867	0.17	SO	4.02	(0.02)	97	4.03
BDMS41C2609T	0.21	-	4,410	0.21	TSR-W2	-	-	-	-	WAVE	0.04	0.01	33,432	0.03
BH	171.00	0.50	21,306	170.93	Insurance	-	-	-	-	WAVE-W3	-	-	-	-
BH-P	-	-	-	-	AYUD	32.50	0.25	30	32.21	WAVE-W4	0.02	-	1	0.02
BH-Q	-	-	-	-	BKIH	280.00	-	206	280.57	Property Developme	-	-	-	-
BH01C2505A	-	-	-	-	BLA	16.40	(0.20)	27,411	16.12	A	4.88	(0.02)	2	4.88
BH01C2506A	-	-	-	-	BLA01C2508A	0.10	-	6,350	0.10	A5	2.24	0.02	1,024	2.20
BH01C2507A	0.30	(0.03)	31,305	0.30	BLA13C2507A	0.03	-	2	0.03	A5-W4	0.03	-	49,751	0.02
BH01P2507A	0.32	(0.04)	1,001	0.33	BLA19C2506A	-	-	-	-	AKS	0.01	-	592	0.01
BH13C2505A	-	-	-	-	BLA41C2606T	0.21	0.01	62,543	0.20	AMATA	14.60	0.20	221,624	14.19
BH13C2506A	0.10	0.01	8,562	0.10	BUI	13.70	(0.80)	1,207	13.86	AMATA01C25				

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

Issue Date :

Tuesday April 22, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AMATA19C2505A	-	-	-	-	WHA13C2507B	0.05	-	9,151	0.05	NYT	3.44	0.02	24,607	3.43
AMATA19C2508A	-	-	-	-	WHA13C2508A	0.19	0.02	39,683	0.18	PORT	0.79	0.01	327	0.78
AMATA19C2509A	0.49	0.01	63,325	0.46	WHA13C2508B	0.40	0.02	53,085	0.39	PRM	5.95	0.15	70,483	5.87
AMATA41C2505A	-	-	-	-	WHA19C2506A	-	-	-	-	PSL	5.85	0.05	55,552	5.81
AMATA41C2508A	0.25	-	42,083	0.23	WHA19C2507A	0.04	-	110	0.03	RCL	22.90	0.10	12,426	22.92
AMATA41C2608T	-	-	-	-	WHA19C2509A	0.26	0.02	45,015	0.26	RCL01C2505A	-	-	-	-
AMATAV	3.08	-	136	3.08	WHA41C2605T	-	-	-	-	RCL01C2507A	0.10	-	2,100	0.10
ANAN	0.50	-	35,840	0.50	WHA41C2608T	0.11	0.01	11,047	0.10	RCL13C2506A	-	-	-	-
AP	8.10	0.10	110,944	8.05	WIN	0.33	0.01	2,827	0.33	RCL13C2507A	0.33	0.01	12,130	0.33
AP01C2507A	0.17	0.01	69,624	0.17	Paper & Printing	-	-	-	-	RCL19C2507A	0.11	-	1,266	0.11
ASW	6.30	-	347	6.25	UTP	7.70	-	1,690	7.70	RCL41C2505A	-	-	-	-
AWC	2.22	0.08	1,008,378	2.19	Fashion	-	-	-	-	RCL41C2608T	0.39	0.01	4,000	0.39
AWC01C2506A	0.02	-	10	0.02	AFC	3.74	(0.10)	5	3.75	SAV	16.20	(0.10)	2,249	16.13
AWC01C2508A	0.03	-	250	0.03	AURA	17.00	0.20	35,564	17.15	SINO	0.90	(0.02)	312	0.90
AWC13C2506A	-	-	-	-	BTNC	-	-	-	-	SJWD	7.15	0.20	12,854	7.12
AWC13C2508A	-	-	-	-	CPH	7.15	0.05	145	7.14	TFFIF	5.95	0.05	39,445	5.92
AWC19C2506A	-	-	-	-	CPL	0.77	0.01	182	0.77	THAI	-	-	-	-
AWC41C2606T	0.05	-	10,000	0.05	NC	2.44	0.04	91	2.48	TSTE	13.20	-	30	13.20
BLAND	0.42	0.01	102,866	0.41	PAF	0.71	0.01	276	0.70	TTA	4.04	0.06	7,486	4.02
BRI	1.95	0.02	3,432	1.95	PDJ	1.57	(0.01)	217	1.57	WICE	2.42	(0.06)	3,438	2.44
BROCK	1.49	(0.03)	2	1.41	PG	7.70	0.05	110	7.63	Automotive	-	-	-	-
CGD	0.20	-	3,312	0.20	SABINA	18.80	0.10	2,521	18.69	ACG	0.68	-	121	0.69
CI	0.31	-	30,329	0.31	SAWANG	-	-	-	-	AH	11.70	0.10	479	11.60
CMC	0.82	0.01	188	0.82	SUC	28.75	(0.25)	49	28.82	CWT	0.78	(0.05)	79,940	0.82
CPN	48.50	0.50	39,026	48.17	TR	30.00	1.00	1	30.00	EASON	1.00	(0.01)	3,017	1.00
CPN01C2505A	-	-	-	-	TTI	-	-	-	-	GYT	-	-	-	-
CPN01C2506A	0.07	(0.01)	6	0.07	TTT	51.75	-	2	51.63	HFT	3.60	-	18,592	3.62
CPN01C2606T	0.24	0.01	13,991	0.23	UPF	26.50	(0.75)	10	26.50	IHL	1.52	0.03	157	1.49
CPN13C2505A	0.01	(0.01)	1	0.01	WACOAL	19.00	(0.20)	7	18.83	INGRS	0.23	-	5,009	0.22
CPN13C2507A	0.09	-	9,080	0.09	WFX	0.83	0.02	256	0.80	IRC	11.20	0.10	11	11.17
CPN19C2505A	-	-	-	-	Transportation &	-	-	-	-	MGC	3.16	-	93	3.05
CPN19C2508A	0.16	0.01	11,124	0.15	AAV	1.37	0.06	487,668	1.34	NEX	0.59	0.01	14,749	0.58
CPN41C2505A	-	-	-	-	AAV13C2506A	-	-	-	-	PCSGH	3.12	0.10	465	3.22
CPN41C2608T	0.29	-	42,000	0.29	AAV13C2508A	0.12	0.02	71,489	0.11	POLY	6.80	(0.25)	39	6.84
ESTAR	0.19	-	433	0.19	AAV19C2505A	0.01	(0.01)	2	0.01	SAT	11.40	(0.20)	6,068	11.33
EVER	0.07	0.01	3,718	0.06	AAV19C2507A	0.01	(0.01)	511	0.01	SPG	12.20	(1.10)	1	12.20
FPT	6.80	-	286	6.65	AAV41C2505A	-	-	-	-	STANLY	223.00	(1.00)	14	223.07
GLAND	0.84	-	26	0.84	AAV41C2608T	-	-	-	-	TKT	1.07	0.02	101	1.07
J	0.90	0.01	1,672	0.90	ANI	2.70	0.06	185	2.67	TNPC	-	-	-	-
J-W3	0.09	(0.03)	15,926	0.09	AOT	37.50	0.25	400,780	36.99	TRU	3.28	-	150	3.27
J-W4	-	-	-	-	AOT01C2506A	-	-	-	-	TSC	12.50	-	2	12.45
JCK	0.17	-	8,570	0.16	AOT01C2507A	0.04	-	1,000	0.04	Industrial Materials	-	-	-	-
KC	0.04	0.01	1,406	0.04	AOT01C2507B	0.12	(0.02)	30,569	0.11	AKR	1.01	-	16,370	1.01
KUN	1.24	0.06	10	1.19	AOT01C2509A	0.24	-	88,914	0.23	ALLA	1.31	-	2,800	1.31
KUN-W2	-	-	-	-	AOT01C2606T	0.19	(0.01)	46,698	0.19	ASEFA	3.12	0.02	2,343	3.10
KUN-W3	0.04	-	46,274	0.03	AOT01P2507A	-	-	-	-	CPT	0.95	0.02	3,723	0.94
LALIN	5.00	0.02	539	5.03	AOT01P2507B	-	-	-	-	CRANE	0.48	(0.01)	3,219	0.49
LH	4.34	(0.02)	399,097	4.32	AOT11C2507A	0.10	-	3,489	0.09	CTW	2.70	0.02	70	2.69
LH19C2510A	0.44	(0.01)	33,920	0.44	AOT13C2506A	-	-	-	-	FMT	26.25	(0.25)	39	26.98
LPN	2.04	-	3,039	2.03	AOT13C2507A	-	-	-	-	FTE	1.60	-	237	1.60
MBK	16.00	0.50	9,574	15.69	AOT13C2507B	0.04	-	200	0.04	HTECH	3.12	0.04	1,312	3.11
MBK-W4	-	-	-	-	AOT13C2507C	-	-	-	-	KKC	-	-	-	-
MBK19C2508A	-	-	-	-	AOT13C2508A	0.12	-	35,098	0.11	PCC	2.56	(0.02)	1,706	2.54
MJD	0.56	-	200	0.56	AOT13P2507A	-	-	-	-	PK	0.35	0.02	15,152	0.36
MK	1.35	(0.04)	1	1.35	AOT13P2507B	0.28	(0.02)	103,626	0.30	PSP	4.08	0.06	10,874	4.07
NCH	0.64	-	390	0.64	AOT19C2506A	-	-	-	-	QTC	3.56	0.04	75	3.55
NNCL	1.54	(0.02)	276	1.53	AOT19C2507A	-	-	-	-	SCI	0.95	0.06	1,155	0.91
NOBLE	2.10	0.02	3,720	2.07	AOT19C2507B	0.05	0.01	1	0.05	SE	0.40	(0.01)	4,571	0.39
NVD	1.14	-	46	1.13	AOT19C2508A	0.13	0.01	43,896	0.12	SELIC	2.90	-	437	2.90
ORI	2.02	0.07	41,623	2.01	AOT19P2507A	-	-	-	-	SNC	5.45	-	217	5.41
ORN	0.66	0.01	10,058	0.65	AOT41C2505A	-	-	-	-	TCJ	2.72	0.02	70	2.60
PEACE	2.34	(0.04)	42	2.32	AOT41C2507A	-	-	-	-	TPCS	12.30	0.10	3	12.27
PF	0.09	(0.01)	19,677	0.10	AOT41C2605T	-	-	-	-	VARO	4.42	0.06	5	4.40
PIN	6.50	0.05	19,716	6.47	AOT41C2609T	0.24	(0.01)	123,769	0.24	Property Fund & REI	-	-	-	-
PLAT	1.40	-	1,613	1.38	AOT41P2606T	0.64	(0.02)	3	0.64	AIMCG	2.10	-	755	2.10
PRECHA	0.34	-	750	0.31	ASIMAR	1.33	-	260	1.32	AIMIRT	9.55	(0.05)	4,287	9.59
PRIN	1.49	(0.02)	2,205	1.49	B	0.04	-	7,744	0.04	ALLY	4.62	(0.04)	5,478	4.63
PROUD	1.25	(0.03)	1,246	1.28	B-W8	0.01	-	3	0.01	AMATAR	6.10	0.05	187	6.05
PSH	5.10	0.16	5,470	5.03	BA	15.80	0.40	51,383	15.59	AXTRART	12.00	0.20	11,931	11.95
QH	1.60	0.02	93,210	1.58	BA01C2508A	0.09	0.01	3,680	0.09	B-WORK	4.54	(0.02)	1,935	4.56
RABBIT	0.31	0.02	99,012	0.31	BA13C2506A	0.01	(0.02)	1	0.01	BAREIT	9.25	-	6,168	9.26
RABBIT-P	0.51	0.01	2,021	0.51	BA19C2507A	-	-	-	-	BOFFICE	4.76	-	3,629	4.74
RABBIT-Q	-	-	-	-	BA41C2606T	0.09	(0.02)	1	0.09	CPNCG	6.00	-	1,724	5.98
RICHY	0.32	0.01	248	0.31	BEM	5.95	0.10	448,658	5.89	CPNREIT	11.70	(0.10)	5,627	11.70
RML	0.15	-	18,631	0.15	BEM13C2505A	-	-	-	-	CPTREIT	4.42	(0.02)	754	4.38
ROJNA	5.50	0.15	33,627	5.46	BEM13C2506A	0.01	(0.01)	2	0.01	CTARAF	4.56	(0.04)	219	4.56
S	0.65	0.02	8,808	0.65	BEM13C2508A	0.18	-	78,572	0.17	DREIT	4.94	-	330	4.94
SA	7.40	(0.05)	585	7.39	BEM19C2505A	-	-	-	-	FTREIT	9.05	0.05	3,366	9.08
SA-W1	-	-	-	-	BEM41C2606T	0.13	-	12,000	0.13	FUTURERT	9.45	0.05	513	9.41
SAMCO	0.71	-	63	0.71	BTS	5.05	0.33	761,134	4.95	GAHREIT	6.45	-	50	6.48
SC	2.24	(0.06)	40,792	2.24	BTS-W8	0.03	0.01	48,912	0.03	GROREIT	8.40	-	5,781	8.34
SENA	1.92	0.02	2,689	1.90	BTS01C2507A	-	-	-	-	GVREIT	6.65	-	1,072	6.64
SIRI	1.46	0.01	361,358	1.47	BTS01C2508A	0.10	-	2,502	0.10	HPF	4.56	0.02	326	4.54
SIRI13C2508A	-	-	-	-	BTS01C2509A	0.72	0.18	32,019	0.61	HYDROGEN	8.80	0.10	7	8.80
SIRI19C2508A	0.11	0.01	10,366	0.11	BTS01P2505A	-	-	-	-	IMPACT	9.40	-	6,128	9.46
SIRI41C2606T	0.20	-	12,000	0.20	BTS13C2505A	-	-	-	-	INETREIT	8.80	0.10	11,711	8.76
SPALI	16.90	(0.10)	57,645	16.82	BTS13C2507A	0.04	0.01	501	0.03	ISSARA	8.05	(0.15)	104	8.01
SPALI13C2507A	0.15	(0.01)	22,278	0.15	BTS13C2508A	0.10	0.02	6,786	0.09	KPNREIT	-	-	-	-
SPALI19C2509A	0.30	-	16,552	0.30	BTS13C2508B	0.56	(0.44)	148,115	0.50	KTBSTMR	5.80	(0.10)	1,937	5.83
SPALI41C2609T	0.29	(0.01)	36,000	0.29	BTS13P2505A	-	-	-	-	LHHOTEL	13.00	-	1,104	13.02
STELLA	0.19	-	34,141	0.19	BTS19C2505A	-	-	-	-	LHRREIT	5.10	0.16	72	5.29
STELLA-W5	-	-	-	-	BTS19C2508A	0.08	0.03	37,176	0.06	LHSC	11.70	-	2,207	11.65
STELLA-W6	0.09	0.01	1	0.09	BTS19P2508A	0.27	(0.07)	40,991	0.30	LUX				

## Main Board Quotation

Issue Date :

Tuesday April 22, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PROSPECT	8.00	(0.10)	1,891	7.99	BABA41C2504A	-	-	-	-	HSI28P2505G	-	-	-	-
QHBREIT	3.66	-	692	3.64	BABA41C2504B	0.01	-	64	0.01	HSI28P2506A	0.14	(0.06)	1,773	0.15
QHHRREIT	6.50	(0.05)	567	6.50	BABA41C2505A	0.04	-	109	0.04	HSI28P2506B	0.21	(0.02)	28,758	0.22
QHOP	3.40	0.02	2	3.39	BABA41C2506A	0.17	-	1,438	0.18	HSI28P2506C	0.32	(0.08)	7,489	0.34
SIRIPRT	6.70	0.10	1	6.70	BABA41C2507A	0.38	(0.62)	35,645	0.38	HSI28P2506D	0.79	(0.23)	110	0.82
SPRIME	3.90	-	1,007	3.90	BABA41P2504A	-	-	-	-	HSI28P2506E	-	-	-	-
SRIPANWA	5.20	-	40	5.16	BABA41P2506A	0.43	(0.04)	1,611	0.42	HSI28P2506F	-	-	-	-
SSPF	-	-	-	-	BABA41P2507A	1.10	(0.08)	74	1.10	HSI28P2507A	0.93	0.03	2	0.93
SSTR1T	4.58	(0.06)	54	4.59	BIDU41C2504A	0.05	0.03	242	0.01	HSI28P2507B	0.24	(0.07)	25,829	0.26
TIFI	6.95	0.05	5	6.95	BIDU41C2506A	0.31	(0.01)	3,354	0.31	HSI28P2508A	-	-	-	-
TLHPF	2.78	0.08	3,042	2.77	BIDU41P2507A	0.66	0.01	202	0.66	HSI28P2508B	0.32	(0.06)	100,648	0.32
TNPF	-	-	-	-	BYDCOM28C250	1.20	0.02	3	1.20	HSTECH28C2506A	0.59	(0.04)	16	0.57
TPRIME	6.75	0.05	6	6.86	BYDCOM28C251	0.41	0.02	26,001	0.40	HSTECH28C2506B	-	-	-	-
TTLPF	12.20	0.10	88	12.20	BYDCOM28P251	0.27	(0.02)	14,008	0.27	HSTECH28C2506C	0.24	(0.03)	31	0.24
TU-PF	0.95	-	10	0.95	BYDCOM41C250	1.20	0.07	303	1.17	HSTECH28P2506A	-	-	-	-
WHABT	6.60	0.05	44	6.59	BYDCOM41C250	0.21	0.01	3	0.21	HSTECH28P2506B	0.63	(0.08)	9,000	0.63
WHAIR	4.64	(0.02)	11,795	4.63	BYDCOM41P250	0.31	(0.69)	604	0.31	HSTECH28P2506C	1.06	(0.04)	9	1.06
WHART	9.00	(0.10)	11,859	8.95	DJI28C2506A	-	-	-	-	JD41C2506A	0.09	(0.12)	2,089	0.09
Steel and Metal Prod	-	-	-	-	DJI28C2509A	0.44	(0.04)	6,333	0.43	KUAI5H41C2506A	0.64	(0.02)	1,018	0.65
2S	2.10	(0.02)	626	2.10	DJI28P2506A	1.63	0.08	2,536	1.63	KUAI5H41C2506B	0.07	-	19	0.07
AMC	2.22	-	54	2.21	DJI41C2506A	0.04	-	3	0.04	MCA5041C2506A	0.25	-	95	0.25
BSBM	0.71	0.01	556	0.71	DJI41C2506B	0.16	(0.04)	21,052	0.16	MCA5041P2506A	0.49	(0.03)	1	0.49
CEN	1.69	(0.01)	127	1.68	DJI41P2506A	1.34	0.05	2,380	1.38	MEITUA28C2504A	-	-	-	-
CEN-W5	0.06	-	4,007	0.05	GEEY41C2506A	0.10	(0.01)	5	0.10	MEITUA28C2507A	0.05	(0.01)	1,331	0.04
CITY	-	-	-	-	HSI06C2504A	0.10	0.02	22,967	0.08	MEITUA28P2504B	0.49	0.12	6,700	0.53
CSP	0.45	0.01	584	0.44	HSI06C2504B	0.45	0.03	268,715	0.39	MEITUA41C2504A	0.01	(0.06)	14,100	0.01
GJS	0.16	0.01	15,082	0.15	HSI06C2504C	-	-	-	-	MEITUA41C2506A	0.04	-	40	0.04
GSTEEL	-	-	-	-	HSI06C2504D	0.21	(0.01)	20	0.02	MEITUA41C2507A	0.21	(0.79)	2,628	0.21
INOX	0.44	0.02	3,968	0.43	HSI06C2504E	0.02	-	675	0.01	NDX28C2506A	0.06	(0.08)	500	0.06
LHK	3.24	(0.02)	353	3.23	HSI06C2505A	0.21	0.08	74,814	0.18	NDX28C2506B	0.15	(0.04)	16	0.15
MCS	7.50	0.05	4,848	7.41	HSI06C2505B	0.11	0.06	3,701	0.10	NDX28C2506C	0.09	(0.01)	4	0.09
MILL	0.09	-	1,030	0.08	HSI06C2505C	0.12	0.06	251	0.07	NDX28C2509A	0.47	(0.01)	101	0.47
PAP	1.47	0.01	637	1.47	HSI06C2505D	0.07	0.02	131	0.05	NDX28C2509B	0.31	-	385	0.29
PERM	0.40	-	1,031	0.39	HSI06C2505E	0.55	0.02	47,182	0.49	NDX28P2506A	0.87	0.03	357	0.86
SAM	0.14	(0.01)	204	0.14	HSI06C2505F	0.80	0.03	67,248	0.75	NDX28P2509A	0.72	-	5,545	0.74
SMIT	3.76	0.08	82	3.72	HSI06C2506A	0.53	0.03	100,196	0.49	NDX28P2509B	0.55	0.02	13	0.54
SSSC	2.18	0.02	1,164	2.15	HSI06C2506B	0.94	0.02	506	0.92	NDX41C2506A	-	-	-	-
TGPRO	0.07	-	24,719	0.06	HSI06C2506C	0.23	0.02	38,082	0.21	NDX41C2506B	0.04	(0.01)	520	0.04
THE	0.63	-	36	0.60	HSI06C2506D	0.09	0.07	5,488	0.08	NDX41C2506C	0.11	-	3,820	0.11
TMT	3.14	(0.02)	4	3.14	HSI06C2506E	0.11	0.02	201	0.11	NDX41C2506D	0.39	(0.03)	27,726	0.37
TSTH	0.65	(0.02)	46,029	0.66	HSI06C2507A	0.14	0.02	15,719	0.13	NDX41C2509T	1.00	(0.03)	247	1.00
TWP	1.02	0.02	235	1.07	HSI06C2508A	0.37	0.02	16,292	0.36	NDX41P2506A	1.17	0.01	10,822	1.19
TYCN	1.67	-	2	1.67	HSI06P2504A	-	-	-	-	NDX41P2506B	0.54	-	4,432	0.55
Construction Service	-	-	-	-	HSI06P2504B	0.01	(0.01)	112	0.01	NDX41P2509T	4.48	0.06	387	4.49
APCS	1.46	-	72	1.46	HSI06P2504C	0.04	(0.02)	1,921	0.04	NIKKEI28C2506A	0.18	-	30	0.18
BJCHI	0.70	0.02	1,718	0.69	HSI06P2504D	0.09	(0.03)	60,906	0.11	NIKKEI28C2506B	-	-	-	-
BKD	1.13	(0.01)	1,001	1.14	HSI06P2504E	0.18	(0.07)	23,083	0.20	NIKKEI28C2506C	-	-	-	-
CIVIL	1.51	(0.04)	692	1.51	HSI06P2504F	0.36	(0.13)	216,918	0.39	NIKKEI28P2506A	0.28	(0.01)	20	0.28
CK	15.50	(0.10)	22,234	15.48	HSI06P2504G	0.57	(0.10)	1,255	0.57	NIKKEI28P2506B	-	-	-	-
CNT	0.95	0.01	1,124	0.95	HSI06P2504H	-	-	-	-	NIKKEI28P2506C	-	-	-	-
DEMCO	1.68	(0.01)	350	1.68	HSI06P2505A	0.27	(0.06)	82,206	0.29	NIKKEI41C2506A	-	-	-	-
EMC	0.06	0.01	22,077	0.05	HSI06P2505B	0.52	(0.11)	32,019	0.56	NIKKEI41C2506B	-	-	-	-
EMC-W7	0.04	-	1,458	0.03	HSI06P2505C	0.70	(0.33)	403	0.71	NIKKEI41C2509A	0.22	0.01	53,182	0.21
ITD	0.19	0.02	91,565	0.19	HSI06P2505D	-	-	-	-	NIKKEI41C2509B	0.13	(0.02)	1	0.13
JR	1.84	0.14	11,114	1.82	HSI06P2505E	-	-	-	-	NIKKEI41C2509C	0.32	0.01	32,039	0.32
NL	0.94	-	257	0.93	HSI06P2505F	-	-	-	-	NIKKEI41P2506A	-	-	-	-
NWR	0.04	0.01	122,546	0.03	HSI06P2506A	0.21	0.04	35,252	0.22	NIKKEI41P2506B	0.26	(0.01)	1	0.26
PLE	0.21	-	1,036	0.21	HSI06P2506B	0.40	(0.06)	98,072	0.42	NIKKEI41P2509A	0.72	-	12,170	0.73
PREB	3.68	0.02	145	3.62	HSI06P2506C	-	-	-	-	NIKKEI41P2509B	0.55	(0.02)	4,610	0.56
PYLON	1.82	-	1,295	1.80	HSI06P2506D	-	-	-	-	NIKKEI41P2509C	0.88	(0.02)	144	0.88
RT	0.30	0.01	105,416	0.31	HSI06P2506E	-	-	-	-	NTES41C2506A	0.24	(0.02)	206	0.24
SEAFCO	1.99	0.01	772	1.98	HSI06P2506F	-	-	-	-	PINGAN41C2504A	-	-	-	-
SQ	0.73	0.01	726	0.72	HSI06P2507A	0.87	(0.35)	1,000	0.90	PINGAN41C2507A	0.17	0.02	155	0.17
SRICHA	4.00	0.06	1,430	3.94	HSI06P2508A	1.23	(0.15)	1,000	1.28	POP41C2506A	1.13	0.16	462	1.13
STECON	7.70	-	34,256	7.80	HSI28C2504A	0.01	(0.01)	24,128	0.01	POP41C2507A	0.51	0.06	894	0.51
STI	2.50	0.02	18	2.51	HSI28C2504B	-	-	-	-	SET01C2505A	0.02	-	1	0.02
STPI	2.44	0.06	5,798	2.43	HSI28C2504C	0.30	0.10	113,299	0.25	SET01C2506A	0.01	(0.01)	423	0.01
SYNTEC	1.49	(0.01)	2,325	1.49	HSI28C2504D	0.01	-	12,651	0.01	SET01C2506B	0.01	(0.01)	119	0.02
TEAMG	3.14	0.04	34,661	3.13	HSI28C2504E	-	-	-	-	SET01C2507A	0.15	0.03	2,745	0.14
TEAMG-W1	0.16	-	8,095	0.17	HSI28C2504F	0.01	(0.01)	52,837	0.01	SET01C2509A	0.73	0.04	9,114	0.69
TEKA	1.94	0.03	60	1.93	HSI28C2505A	0.09	(0.01)	38,931	0.08	SET01P2505A	4.02	(0.50)	10	4.02
TPOLY	0.40	-	4,509	0.39	HSI28C2505B	0.06	(0.01)	9,000	0.06	SET01P2506A	1.51	0.01	7	1.57
TRC	0.58	-	1,717	0.57	HSI28C2505C	0.03	-	13	0.03	SET01P2507A	0.90	(0.09)	1,113	0.96
TRITN	0.08	-	171,038	0.08	HSI28C2505D	0.08	-	671	0.07	SET5001C2505A	0.02	0.01	2,852	0.01
TRITN-W7	0.01	-	110	0.01	HSI28C2505E	0.13	(0.01)	4,168	0.12	SET5001C2506A	0.02	0.01	55,124	0.01
TTCL	1.00	0.02	4,887	0.99	HSI28C2505F	0.28	(0.01)	3,441	0.27	SET5001C2506F	-	-	-	-
UNIQ	1.88	(0.12)	12,599	1.92	HSI28C2505G	0.19	(0.02)	23,674	0.18	SET5001C2506G	0.03	-	1	0.03
WGE	0.80	0.04	2,505	0.79	HSI28C2505H	0.45	-	522,678	0.41	SET5001C2507A	0.10	-	8,693	0.09
Unit Trust	-	-	-	-	HSI28C2506A	0.17	-	46,221	0.17	SET5001C2509A	0.61	0.04	32,631	0.57
SCBSET	-	-	-	-	HSI28C2506B	0.08	(0.04)	10,617	0.09	SET5001C2509F	0.25	(0.02)	6,020	0.27
VAYU1	10.10	-	14,906	10.10	HSI28C2506C	0.12	(0.02)	382	0.12	SET5001P2505A	-	-	-	-
ETF	-	-	-	-	HSI28C2506D	1.21	(0.01)	23	1.17	SET5001P2506A	1.45	0.02	8	1.45
IDIV	9.76	0.01	1,103	9.69	HSI28C2506E	0.86	0.03	2,547	0.84	SET5001P2506F	-	-	-	-
ABFTH	-	-	-	-	HSI28C2506F	0.61	0.31	52,106	0.58	SET5001P2506G	2.42	0.81	1	2.42
BMSCG	7.01	0.08	10	6.94	HSI28C2507A	0.16	0.01	6,461	0.16	SET5001P2507A	0.61	(0.18)	963	0.78
BMSCITH	8.53	0.04	426	8.50	HSI28P2507B	0.76	0.03	54,874	0.72	SET5001P2509F	1.63	0.03	624	

## Main Board Quotation

Issue Date :

Tuesday April 22, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5013C2506D	0.01	-	6,374	0.01	SPX41C2506B	-	-	-	-	0	-	-	-	-
SET5013C2506E	-	-	-	-	SPX41C2506C	0.12	-	700	0.12	0	-	-	-	-
SET5013C2506F	0.01	-	421	0.01	SPX41C2506D	0.36	(0.04)	28,765	0.34	0	-	-	-	-
SET5013C2506G	0.03	-	295	0.03	SPX41C2509T	1.19	(0.02)	85	1.19	0	-	-	-	-
SET5013C2506H	0.02	(0.01)	14,122	0.02	SPX41P2506A	1.06	0.04	367	1.07	0	-	-	-	-
SET5013C2506I	0.03	-	5,416	0.03	SPX41P2506B	0.50	0.02	846	0.50	0	-	-	-	-
SET5013C2506J	0.05	-	11,274	0.04	SPX41P2509T	4.36	0.14	1	4.36	0	-	-	-	-
SET5013C2506K	0.07	0.01	121,396	0.07	TENCEN28C250	-	-	-	-	0	-	-	-	-
SET5013C2506L	0.13	0.03	679,043	0.11	TENCEN28C250	0.20	(0.02)	10,487	0.19	0	-	-	-	-
SET5013C2506M	0.21	0.04	449,819	0.18	TENCEN28P250	0.48	(0.02)	6,000	0.49	0	-	-	-	-
SET5013C2506N	0.09	0.01	129,635	0.08	TENCEN41C250	-	-	-	-	0	-	-	-	-
SET5013C2506O	0.43	0.05	1,885,634	0.39	TENCEN41C250	-	-	-	-	0	-	-	-	-
SET5013P2506P	0.54	0.06	1,592,618	0.49	TENCEN41C250	-	-	-	-	0	-	-	-	-
SET5013C2506Q	0.28	0.03	935,010	0.26	TENCEN41C250	0.56	-	16,224	0.55	0	-	-	-	-
SET5013C2506T	0.01	-	15	0.01	TENCEN41P250	0.46	(0.02)	486	0.46	0	-	-	-	-
SET5013C2509A	0.62	0.06	255,519	0.58	TRIPDC41C2506	0.32	(0.08)	806	0.32	0	-	-	-	-
SET5013C2509T	0.27	(0.73)	37,767	0.24	XIAOMI28C2504	2.20	0.47	6	2.11	0	-	-	-	-
SET5013P2506A	1.92	(0.12)	82	2.04	XIAOMI28C2508	0.84	0.16	14	0.78	0	-	-	-	-
SET5013P2506B	1.66	(0.62)	6	2.19	XIAOMI28C2509	0.28	0.01	5,999	0.27	0	-	-	-	-
SET5013P2506C	2.98	0.32	5	2.98	XIAOMI28P2505	-	-	-	-	0	-	-	-	-
SET5013P2506D	-	-	-	-	XIAOMI28P2509	0.15	(0.03)	5	0.15	0	-	-	-	-
SET5013P2506E	0.85	0.31	14	0.91	XIAOMI28P2510	0.74	(0.10)	9	0.74	0	-	-	-	-
SET5013P2506F	0.70	(0.01)	632	0.71	XIAOMI41C2504	0.68	0.12	20	0.68	0	-	-	-	-
SET5013P2506G	0.44	(0.09)	62,459	0.55	XIAOMI41C2506	0.58	0.12	789	0.56	0	-	-	-	-
SET5013P2506H	2.20	0.22	1	2.20	XIAOMI41C2506	0.12	0.02	3,747	0.10	0	-	-	-	-
SET5013P2506I	0.22	(0.04)	27,914	0.29	XIAOMI41C2507	0.06	-	420	0.08	0	-	-	-	-
SET5013P2506J	0.29	(0.04)	22,296	0.36	XIAOMI41P2506	0.60	(0.12)	1,019	0.59	0	-	-	-	-
SET5013P2506K	0.33	(0.13)	835	0.39	0	-	-	-	-	0	-	-	-	-
SET5013P2506L	0.61	(0.20)	20	0.75	0	-	-	-	-	0	-	-	-	-
SET5013P2506M	0.71	(0.28)	4	0.71	0	-	-	-	-	0	-	-	-	-
SET5013P2506N	0.08	(0.01)	436,243	0.09	0	-	-	-	-	0	-	-	-	-
SET5013P2506O	0.15	(0.02)	69,462	0.16	0	-	-	-	-	0	-	-	-	-
SET5013P2506P	0.34	(0.07)	1,715,335	0.38	0	-	-	-	-	0	-	-	-	-
SET5013P2506Q	0.48	(0.08)	1,484,346	0.53	0	-	-	-	-	0	-	-	-	-
SET5013P2506R	0.59	(0.10)	2,057,775	0.66	0	-	-	-	-	0	-	-	-	-
SET5013P2506T	3.14	(0.10)	7	3.16	0	-	-	-	-	0	-	-	-	-
SET5013P2509A	0.24	(0.03)	776,760	0.27	0	-	-	-	-	0	-	-	-	-
SET5013P2509B	0.68	(0.07)	914,237	0.73	0	-	-	-	-	0	-	-	-	-
SET5013P2509T	0.40	(0.60)	16,792	0.43	0	-	-	-	-	0	-	-	-	-
SET5019C2506A	0.01	-	18	0.01	0	-	-	-	-	0	-	-	-	-
SET5019C2506B	0.02	0.01	30	0.02	0	-	-	-	-	0	-	-	-	-
SET5019C2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506D	0.02	0.01	100	0.02	0	-	-	-	-	0	-	-	-	-
SET5019C2506E	0.01	-	11	0.01	0	-	-	-	-	0	-	-	-	-
SET5019C2506F	0.03	(0.03)	31	0.06	0	-	-	-	-	0	-	-	-	-
SET5019C2506G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506H	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506I	0.10	(0.88)	6	0.10	0	-	-	-	-	0	-	-	-	-
SET5019C2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506K	0.08	(0.03)	2,097	0.08	0	-	-	-	-	0	-	-	-	-
SET5019C2506L	0.14	0.03	3,880	0.12	0	-	-	-	-	0	-	-	-	-
SET5019C2506M	0.22	-	41	0.22	0	-	-	-	-	0	-	-	-	-
SET5019C2506N	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506O	0.59	0.11	1,289	0.53	0	-	-	-	-	0	-	-	-	-
SET5019C2506P	1.27	(0.13)	15,463	1.18	0	-	-	-	-	0	-	-	-	-
SET5019C2506Q	0.51	0.05	379,687	0.47	0	-	-	-	-	0	-	-	-	-
SET5019C2509A	0.96	0.06	312,067	0.92	0	-	-	-	-	0	-	-	-	-
SET5019P2506A	2.70	0.20	2	3.24	0	-	-	-	-	0	-	-	-	-
SET5019P2506B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506G	0.90	-	4	0.90	0	-	-	-	-	0	-	-	-	-
SET5019P2506H	0.62	-	48	0.63	0	-	-	-	-	0	-	-	-	-
SET5019P2506I	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506K	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506L	0.38	(0.05)	270,505	0.42	0	-	-	-	-	0	-	-	-	-
SET5019P2506M	0.78	(0.07)	519,777	0.84	0	-	-	-	-	0	-	-	-	-
SET5019P2506N	0.76	(0.24)	415,869	0.84	0	-	-	-	-	0	-	-	-	-
SET5019P2509A	0.71	(0.06)	313,874	0.75	0	-	-	-	-	0	-	-	-	-
SET5041C2506A	0.02	0.01	265	0.01	0	-	-	-	-	0	-	-	-	-
SET5041C2506B	0.02	-	1	0.02	0	-	-	-	-	0	-	-	-	-
SET5041C2506C	0.12	-	6,241	0.10	0	-	-	-	-	0	-	-	-	-
SET5041C2506D	0.49	0.04	216,410	0.41	0	-	-	-	-	0	-	-	-	-
SET5041C2506E	0.54	0.06	543,139	0.47	0	-	-	-	-	0	-	-	-	-
SET5041C2506F	0.33	0.04	135,222	0.27	0	-	-	-	-	0	-	-	-	-
SET5041C2506G	0.50	0.06	642,929	0.42	0	-	-	-	-	0	-	-	-	-
SET5041C2506H	0.53	0.08	221,716	0.45	0	-	-	-	-	0	-	-	-	-
SET5041C2506I	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506J	1.26	(0.05)	66	1.26	0	-	-	-	-	0	-	-	-	-
SET5041C2506K	0.24	0.02	2,431	0.24	0	-	-	-	-	0	-	-	-	-
SET5041C2506T	0.02	0.01	5	0.02	0	-	-	-	-	0	-	-	-	-
SET5041C2509T	0.07	(0.01)	5,095	0.07	0	-	-	-	-	0	-	-	-	-
SET5041C2509U	0.28	0.02	9,298	0.27	0	-	-	-	-	0	-	-	-	-
SET5041C2509V	0.69	0.03	128,654	0.64	0	-	-	-	-	0	-	-	-	-
SET5041P2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2506B	1.73	(0.22)	6,814	1.92	0	-	-	-	-	0	-	-	-	-
SET5041P2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2506D	0.34	(0.02)	13	0.34	0	-	-	-	-	0	-	-	-	-
SET5041P2506E	0.45	(0.23)	12	0.55	0	-	-	-	-	0	-	-	-	-
SET5041P2506F	0.29	(0.05)	1,006,373	0.33	0	-	-	-	-	0	-	-	-	-
SET5041P2506T	1.86	(0.10)	793	1.93	0	-	-	-	-	0	-	-	-	-
SET5041P2509A	0.57	(0.04)	888,521	0.61	0	-	-	-	-	0	-	-	-	-
SET5041P2509T	0.48	(0.06)	121,079	0.52	0	-	-	-	-	0	-	-	-	-
SPX28C2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2506B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SPX28C2506C	0.18	(0.02)	101	0.14	0	-	-	-	-	0	-	-	-	-
SPX28C2509A	0.57	(0.32)	2	0.57	0	-	-	-	-	0	-	-	-	-
SPX28P2506A	0.79	0.06	293	0.79	0	-	-	-	-	0	-	-	-	-
SPX28P2506B	0.45	0.01	4	0.45	0	-	-	-	-	0	-	-	-	-
SPX41C2506A	0.05	-	55	0.05	0	-	-	-	-	0	-	-	-	-





## Main Board Quotation

Issue Date :

Tuesday April 22, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Agro & Food Indust			-		UBIS	1.25	0.02	5 00	1.2	LDC	0.42	0.01	4,920 00	0.4
APO	1.48	-	3,995 00	1.4	UEC	0.69	0.01	71 00	0.6	LEO	1.87	0.01	3,297 00	1.8
AU	9.80	(0.10)	9,933 00	9.8	UKEM	0.50	0.02	21,257 00	0.4	LTMH	4.76	(0.02)	4,263 00	4.7
CFARM	0.86	0.01	82,814 00	0.8	UREKA	0.76	0.01	19,302 00	0.7	MCA	1.16	0.02	23,094 00	1.1
JCKH	0.15	0.04	27,869 00	0.1	YUASA	10.20	0.10	26 00	10.2	MEB	22.20	0.30	1,301 00	22.0
KASET	0.59	0.01	156 00	0.5	ZIGA	1.05	0.17	156,233 00	1.0	MORE	0.03	0.01	9,565 00	0.0
MAGURO	17.80	0.40	15,089 00	17.5	ZIGA-W2	0.10	0.03	343,467 00	0.0	MOTHER	0.75	-	13,814 00	0.7
MUD	1.19	(0.01)	10 00	1.1	Property	-	-	-	-	MPJ	3.46	0.08	3,140 00	3.4
NTSC	5.70	0.05	106 00	5.6	24CS	1.05	0.02	17,459 00	1.0	MVP	0.55	0.02	23,278 00	0.5
TACC	4.48	-	8,901 00	4.4	24CS-W1	0.10	0.02	18,679 00	0.0	NCL	0.22	0.01	1,182 00	0.2
TMILL	1.75	(0.01)	445 00	1.7	24CS-W2	0.10	-	8,425 00	0.1	NCP	1.11	0.01	966 00	1.1
WINNER	1.96	-	1,346 00	1.9	ARIN	0.46	(0.01)	12,155 00	0.4	NEWS	0.01	-	106,677 00	0.0
XO	15.60	0.10	2,509 00	15.4	ARROW	5.00	-	103 00	4.9	PEER	0.10	(0.01)	20,464 00	0.1
<b>Consumer Products</b>														
ALPHAX	0.41	0.01	22,390 00	0.4	BC	0.93	-	246 00	0.9	PEER-W2	0.02	-	3,599 00	0.0
BGT	0.40	(0.01)	18 00	0.4	BC-W2	0.01	-	3,312 00	0.0	PICO	-	-	-	0.0
DOD	1.18	(0.02)	564 00	1.1	BKA	2.46	0.66	2,332,244 00	2.4	PLT	0.58	0.02	930 00	0.5
ECF	0.17	0.04	155,298 00	0.1	BLESS	0.20	0.01	1,125 00	0.1	QLT	3.16	(0.02)	62 00	3.1
ECF-W5	0.02	0.01	81,835 00	0.0	BSM	0.78	0.06	259 00	0.7	RP	0.85	-	254 00	0.7
EFORL	0.14	-	44,103 00	0.1	BTW	0.18	-	4,049 00	0.1	SONIC	1.60	0.01	3,922 00	1.5
EFORL-W6	-	-	-	0.0	CAZ	1.76	0.01	387 00	1.7	THMUI	0.36	(0.02)	50 00	0.3
EURO	4.38	-	2 00	4.3	CHEWA	0.26	-	169 00	0.2	TNDT	0.19	0.01	798 00	0.1
HPT	0.43	-	21,750 00	0.4	CPANEL	2.68	(0.06)	140 00	2.7	TNDT-W1	-	-	-	0.0
ITTHI	1.41	(0.06)	806 00	1.4	CPANEL-W1	0.64	(0.01)	10,668 00	0.0	TNH	34.00	-	1 00	34.0
JSP	1.94	0.01	3,417 00	1.8	CRD	0.32	0.01	1,041 00	0.3	TNP	2.68	(0.02)	476 00	2.6
JSP-W2	0.03	-	1,176 00	0.0	DHOUSE	0.62	-	210 00	0.6	TPL	0.48	-	4,846 00	0.4
JUBILE	7.35	0.10	697 00	7.2	DIMET	0.10	(0.01)	26,640 00	0.0	TRP	6.25	(0.05)	8,598 00	6.2
LTS	6.00	0.05	4,343 00	5.9	DPAINT	0.65	-	35,114 00	0.6	TURTLE	-	-	-	0.0
MGI	10.50	0.20	4,941 00	10.4	FLOYD	0.91	0.03	2,057 00	0.8	TVDH	0.14	-	30,231 00	0.1
MGI-W1	2.44	0.06	8,630 00	2.4	HYDRO	1.12	(0.26)	245 00	1.2	TVDH-W3	-	-	-	0.0
MOONG	1.89	-	186 00	1.8	HYDRO-W2	0.10	(0.01)	2 00	0.4	TVT	0.30	0.01	9,804 00	0.2
NPK	-	-	-	0.0	IND	0.84	(0.01)	3,812 00	0.8	UBA	0.96	-	7,603 00	0.9
SEI	3.18	-	588 00	3.1	JAK	0.91	0.01	236 00	1.0	VL	0.88	0.03	1,626 00	0.8
SMD100	3.82	-	1,571 00	3.8	K	1.36	0.09	2,768 00	1.2	VS	0.33	0.01	213 00	0.3
TM	0.70	0.01	620 00	0.6	K-W3	0.19	(0.01)	25 00	0.1	YGG	0.42	-	10,701 00	0.4
TM-W1	-	-	-	0.0	META	0.08	-	5,398 00	0.0	Technology	-	-	-	-
WARRIX	3.00	0.12	9,363 00	2.9	PANEL	1.17	0.01	1,483 00	1.1	APP	1.75	(0.02)	325 00	1.7
WINMED	1.15	-	118 00	1.1	PPS	0.16	(0.01)	27,368 00	0.1	BBIK	28.25	0.50	2,415 00	27.8
<b>Financials</b>														
ACAP	-	-	-	0.0	PRI	5.45	0.10	138 00	5.3	BE8	10.50	0.30	6,460 00	10.3
AF	0.33	0.01	293 00	0.3	PROS	0.90	0.03	37,237 00	0.9	BE8-W1	0.65	0.01	15 00	0.6
AIRA	1.25	-	4 00	1.2	PROS-W1	0.07	0.01	7,194 00	0.0	BVG	1.84	0.04	384 00	1.8
ASN	0.96	(0.08)	8 00	0.8	PSG	0.46	(0.01)	895,862 00	0.4	COMAN	0.62	0.01	345 00	0.6
BTC	0.34	-	172,766 00	0.3	QTCG	0.15	0.01	376 00	0.1	I2	0.94	-	1,594 00	0.9
BTC-W7	0.11	0.01	10,066 00	0.1	SENX	0.23	0.01	3,721 00	0.2	IIG	2.54	0.06	760 00	2.4
GCAP	0.23	0.02	19,163 00	0.2	SK	0.60	-	9,110 00	0.6	IRCP	0.37	(0.01)	2,673 00	0.3
KCC	1.68	-	769 00	1.6	SMART	0.66	0.02	3,325 00	0.6	ITNS	1.38	(0.06)	939 00	1.3
LIT	0.44	0.01	950 00	0.4	STC	0.47	(0.01)	350 00	0.4	NAT	3.86	0.04	514 00	3.7
MITSIB	0.53	0.01	385 00	0.5	STX	1.21	0.01	679 00	1.1	NETBAY	20.20	0.90	12,978 00	19.8
SGF	0.17	0.03	47,377 00	0.1	SVR	0.60	-	150 00	0.6	PIS	4.82	0.04	4,137 00	4.8
SGF-P1	-	-	-	0.0	TAPAC	-	-	-	0.0	PLANET	1.65	(0.03)	21,111 00	1.6
SGF-Q1	-	-	-	0.0	THANA	1.00	(0.01)	184 00	0.9	PLANET-W2	0.75	0.02	311 00	0.7
TQR	4.78	(0.04)	64 00	4.7	TIGER	0.45	-	23 00	0.4	PROEN	1.28	0.04	137,909 00	1.2
<b>Industrials</b>														
ADB	0.59	0.07	32,921 00	0.5	TITLE	3.98	0.04	604 00	3.9	PROEN-W2	0.40	0.03	23,229 00	0.3
BM	2.56	-	451 00	2.5	WELL	-	-	-	0.0	READY	4.82	(0.02)	60 00	4.8
BM-W3	0.66	(0.08)	664 00	0.6	YONG	0.91	-	4,420 00	0.9	SECURE	11.50	0.10	138 00	11.3
BPS	0.51	-	812 00	0.5	<b>Resources</b>					SICT	3.06	-	456 00	3.0
CHO	0.03	-	2,921 00	0.0	ABM	0.71	-	2 00	0.6	SIMAT	1.00	0.02	8,105 00	0.9
CHO-W4	-	-	-	0.0	GTV	0.07	0.01	139,595 00	0.0	SIMAT-W3	0.01	-	5 00	0.0
CHOW	1.23	(0.02)	372 00	1.2	PSTC	0.42	(0.01)	4,544 00	0.4	SPVI	1.33	-	1,703 00	1.3
CIG	0.03	(0.01)	7,464 00	0.0	PSTC-W2	0.01	-	360 00	0.0	SRS	3.52	0.02	4 00	3.5
CIG-W10	0.05	(0.01)	1 00	0.0	PSTC-W3	0.10	-	580 00	0.0	TBN	6.15	(0.25)	575 00	6.1
CIG-W9	0.02	-	1 00	0.0	PTC	0.89	-	1,229 00	0.8	TERA	1.21	-	279 00	1.2
COLOR	1.08	(0.01)	6 00	1.0	SAAM	6.00	0.05	352 00	5.8	TPS	3.92	0.02	29,051 00	3.8
CPR	2.84	0.10	1,403 00	2.8	SR	0.47	(0.03)	29 00	0.4	VCOM	2.46	(0.10)	7,314 00	2.4
FPI	1.51	(0.01)	602 00	1.5	STOWER	0.04	-	5,295 00	0.0	-	-	-	-	-
GTB	0.73	-	75 00	0.7	TAKUNI	0.37	0.03	46,413 00	0.3	-	-	-	-	-
HARN	2.14	-	320 00	2.1	TPCH	2.82	0.02	2,735 00	2.7	-	-	-	-	-
KCM	0.19	(0.01)	5,546 00	0.1	UMS	0.32	0.01	471 00	0.3	-	-	-	-	-
KJL	6.70	0.05	37 00	6.6	<b>Services</b>					-	-	-	-	-
KUMWEL	1.07	0.02	124 00	1.0	ADD	3.38	0.06	16 00	3.3	-	-	-	-	-
KWM	1.04	-	1,876 00	1.0	AKP	0.67	0.01	2,089 00	0.6	-	-	-	-	-
MBAX	1.32	(0.05)	26 00	1.3	AMA	4.02	-	1,068 00	4.0	-	-	-	-	-
MGT	1.76	0.01	338 00	1.7	AMARC	1.35	(0.02)	1,515 00	1.3	-	-	-	-	-
MTW	1.21	-	34,675 00	1.1	ARIP	0.40	0.02	1,443 00	0.3	-	-	-	-	-
MTW-W1	-	-	-	0.0	ATP30	0.84	-	3,395 00	0.8	-	-	-	-	-
NDR	1.11	(0.01)	519 00	1.1	AUCT	7.00	(0.20)	8,634 00	7.0	-	-	-	-	-
PACO	1.43	0.03	583 00	1.4	BIS	2.80	0.04	120 00	2.7	-	-	-	-	-
PACO-W1	0.02	(0.01)	261 00	0.0	BOL	5.00	-	478 00	5.0	-	-	-	-	-
PDG	2.64	-	1 00	2.6	CEYE	1.98	0.01	26 00	1.9	-	-	-	-	-
PHOL	2.80	(0.02)	2,091 00	2.7	CHIC	0.31	-	424 00	0.3	-	-	-	-	-
PIMO	1.18	(0.01)	986 00	1.1	CMO	0.63	0.02	12 00	0.6	-	-	-	-	-
PMC	0.74	-	4,242 00	0.7	D	2.36	0.02	7,624 00	2.3	-	-	-	-	-
PPM	1.77	(0.02)	207 00	1.7	DEXON	1.35	-	2 00						