Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Thursday May 08, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-
Agribusiness			-	
EE	0.39	(0.02)	96,006	0.39
GFPT	9.70	(0.25)	20,748	9.81
LEE	2.24	(0.04)	159	2.26
NER	4.08	(0.02)	62,097	4.09
NER-W2	0.17	(0.02)	8,947	0.18
PCE	2.80	0.02	22,484	2.78
PPPM	0.40	-	957	0.40
PPPM-W6	0.22	0.04	1	0.22
STA	13.60	(0.30)	29,666	13.80
STA01C2506A	-	-	-	-
STA13C2506A	-	-	-	-
STA13C2508A	0.26	(0.02)	50,919	0.27
STA19C2506A	-	-	-	-
STA41C2612T	-	-	-	-
TEGH	2.88	-	2,342	2.87
TFM	4.82	(0.12)	2,604	4.85
TRUBB	0.62	0.01	2,039	0.61
UPOIC	6.50	-	110	6.49
UVAN	9.25	-	791	9.22
VPO	0.44	(0.01)	2,308	0.45
Banking			-	
BAY	22.70	-	1,655	22.70
BBL	143.00	-	45,350	142.87
BBL11C2507A	0.13	-	5,734	0.13
BBL13C2507A	-	-	-	-
BBL13C2508A	0.18	(0.01)	75,347	0.19
BBL13C2509A	0.48	(0.01)	44,531	0.48
BBL19C2506A	-	-	-	-
BBL19C2508A	-	-	-	-
BBL41C2506A	-	-	-	-
BBL41C2609T	0.35	-	67,021	0.35
CIMBT	0.55	-	13,858	0.55
CREDIT	19.50	(0.20)	955	19.56
KBANK	165.00	0.50	79,697	164.94
KBANK01C2506A	0.24	-	12,317	0.24
KBANK01C2508A	-	-	-	-
KBANK01C2509A	0.63	-	12,434	0.63
KBANK01P2507A	0.12	-	12,807	0.12
KBANK01P2509A	0.42	(0.02)	32,913	0.43
KBANK13C2505A	-	-	-	-
KBANK13C2507A	0.40	-	49,119	0.40
KBANK13C2508A	0.82	0.02	2,022	0.83
KBANK13P2507A	0.05	-	206	0.04
KBANK13P2509A	0.42	(0.01)	2,664	0.41
KBANK19C2507A	-	-	-	-
KBANK19C2507B	0.37	-	20	0.37
KBANK41C2604T	0.91	0.01	11,565	0.92
KBANK41C2609T	0.49	-	6,400	0.49
KBANK41P2606T	0.30	(0.02)	60	0.30
KKP	47.00	(0.50)	27,692	46.93
KKP-W6	0.73	-	341	0.72
KKP13C2508A	0.25	(0.03)	8,524	0.25
KKP19C2507A	-	-	-	-
KKP19C2509A	0.41	(0.02)	42,099	0.42
KTB	22.50	(0.30)	330,133	22.54
KTB-P	-	-	-	-
KTB-Q	-	-	-	-
KTB01C2506A	0.17	(0.03)	15,430	0.18
KTB01C2509A	0.67	(0.03)	11,875	0.68
KTB01P2509A	0.38	-	5,714	0.38
KTB13C2505A	-	-	-	-
KTB13C2507A	-	-	-	-
KTB13C2508A	0.41	(0.03)	113,571	0.41
KTB13P2507A	-	-	-	-
KTB19C2506A	-	-	-	-
KTB19C2508A	0.43	(0.03)	8,088	0.44
KTB41C2506A	-	-	-	-
KTB41C2609T	0.53	(0.01)	82,501	0.53
LHFG	0.78	-	19,108	0.78
SCB	120.50	0.50	92,326	120.46
SCB01C2505A	-	-	-	-
SCB01C2507A	0.22	(0.01)	18,549	0.23
SCB01C2509A	0.37	-	12,716	0.38
SCB01P2507A	0.20	-	22,392	0.20
SCB13C2505A	-	-	-	-
SCB13C2508A	0.23	0.01	59,097	0.23
SCB13P2507A	-	-	-	-
SCB19C2507A	-	-	-	-
SCB19C2509A	0.32	-	44,587	0.32
SCB41C2609T	0.36	-	29,120	0.36
SCB41P2509A	-	-	-	-
TCAP	48.75	-	12,831	48.51
TCAP-P	-	-	-	-
TCAP-Q	-	-	-	-
TCAP13C2508A	0.20	(0.01)	9,752	0.20
TISCO	98.25	0.25	35,555	98.13
TISCO-P	-	-	-	-
TISCO-Q	-	-	-	-
TISCO41C2606T	0.35	-	20,000	0.35
TTB	1.88	(0.01)	3,106,898	1.88
TTB-W1	-	-	-	-
TTB01C2507A	0.04	0.02	129	0.04
TTB13C2506A	0.04	-	10	0.04
TTB13C2507A	-	-	-	-
TTB19C2508A	0.11	-	3,034	0.11
Construction Materia			-	
CCP	0.20	(0.01)	16,096	0.20
DCC	1.58	(0.02)	10,908	1.59
DCON	0.25	-	6,627	0.24
DCON-W3	0.01	-	99	0.01
DCON-W4	0.03	-	104	0.02
DRT	5.70	-	6,069	5.70
EPG	2.44	(0.10)	29,967	2.48
GEL	0.05	-	3,036	0.05
GEL-W5	-	-	-	-
PPP	1.05	(0.02)	440	1.05
Q-CON	7.60	-	479	7.60
SCC	168.00	(4.00)	42,817	168.81
SCC01C2505A	0.01	-	998	0.01
SCC01C2505B	-	-	-	-
SCC01C2507A	0.20	(0.13)	300	0.23
SCC01C2508A	0.66	(0.12)	2,598	0.71
SCC01C2508B	0.69	(0.11)	18,196	0.72
SCC01C2606T	0.55	(0.05)	17,797	0.57
SCC01P2507A	0.09	0.02	2,240	0.08
SCC01P2508A	0.43	0.03	15,256	0.42
SCC13C2505B	-	-	-	-
SCC13C2507A	0.46	(0.12)	49,786	0.51
SCC13C2509A	0.60	(0.08)	100,615	0.62
SCC13P2505A	-	-	-	-
SCC13P2508A	0.23	0.03	41,925	0.22
SCC19C2506A	0.08	(0.02)	55	0.06
SCC19C2507A	0.61	(0.15)	60	0.61
SCC19C2509A	0.86	(0.10)	4,792	0.86
SCC19C2509B	0.58	(0.42)	54,117	0.60
SCC19P2508A	0.34	0.04	27,572	0.32
SCC19P2509A	0.32	0.04	40,593	0.31
SCC41C2608T	0.56	(0.05)	61,331	0.59
SCC41P2508A	-	-	-	-
SCCC	151.50	(1.00)	481	151.49
SCGD	4.16	(0.02)	4,301	4.14
SCP	6.20	-	234	6.19
SKN	5.85	0.25	4,907	5.84
STECH	0.95	-	547	0.94
TASCO	15.40	(0.20)	29,255	15.54
TASCO19C2507A	-	-	-	-
TOA	10.30	(0.30)	34,531	10.28
TPIPL	1.01	(0.03)	34,795	1.02
UMI	0.71	0.01	2,716	0.70
VNG	2.26	(0.02)	468	2.22
WIIK	0.89	0.03	3,161	0.89
WIIK-W3	0.03	-	15,950	0.03
WINDOW	0.78	-	736	0.78
Petrochemicals &			-	
BCT	47.75	0.25	20	47.51
CMAN	2.32	0.02	1,836	2.30
GC	4.70	0.02	993	4.68
GGC	4.66	0.08	73	4.63
IVL	19.40	(0.70)	276,204	19.47
IVL01C2506A	-	-	-	-
IVL01C2507A	0.14	(0.05)	79,579	0.15
IVL01C2509A	0.31	(0.06)	85,441	0.32
IVL01P2506A	0.45	0.08	22	0.46
IVL13C2505A	-	-	-	-
IVL13C2507A	0.06	(0.03)	1,974	0.06
IVL13C2508A	0.19	(0.05)	110,565	0.19
IVL13C2509A	0.35	(0.07)	132,034	0.37
IVL13P2508A	0.37	0.05	73,078	0.37
IVL19C2506A	-	-	-	-
IVL19C2507A	0.08	(0.04)	6,715	0.08
IVL19C2508A	0.21	(0.05)	183,568	0.22
IVL19P2508A	0.39	0.06	45,491	0.38
IVL41C2605T	0.15	(0.02)	24,400	0.15
IVL41P2605T	-	-	-	-
NFC	1.55	0.02	102	1.54
PATO	7.15	-	33	7.15
PMTA	8.00	(0.10)	101	8.08
PTTGC	18.00	(0.40)	206,488	18.16
PTTGC01C2505A	0.01	-	220	0.01
PTTGC01C2506A	-	-	-	-
PTTGC01C2507A	0.12	(0.02)	30,510	0.13
PTTGC01C2508A	0.34	(0.04)	43,295	0.36
PTTGC01P2506A	0.28	0.03	901	0.27
PTTGC13C2506A	0.01	(0.01)	26,900	0.01
PTTGC13C2507A	-	-	-	-
PTTGC13C2507B	0.26	(0.04)	156,109	0.28
PTTGC13P2506A	0.10	0.01	26,437	0.10
PTTGC19C2506A	-	-	-	-
PTTGC19C2508A	0.21	(0.03)	110,673	0.22
PTTGC41C2506A	-	-	-	-
PTTGC41C2608T	0.36	(0.02)	124,052	0.38
PTTGC41P2506A	0.22	0.02	1,377	0.20
SUTHA	-	-	-	-
TPA	-	-	-	-
UAC	2.72	-	756	2.71
UP	17.80	-	55	17.84
XYZ	0.44	(0.03)	16,215	0.45
Commerce			-	
ADVICE	4.84	(0.04)	15,584	4.85
B52	0.23	(0.01)	544	0.24
B52-W4	0.03	(0.01)	274	0.03
BEAUTY	0.36	-	100,401	0.36
BIG	0.34	-	36,599	0.34
BJC	24.10	(0.30)	22,007	24.21
BJC13C2508A	0.47	(0.04)	36,565	0.48
BJC41C2606T	0.34	-	14,000	0.34
COM7	21.30	(0.10)	69,068	21.37
COM701C2506A	-	-	-	-
COM701C2508A	0.41	(0.02)	49,877	0.42
COM713C2505A	-	-	-	-
COM713C2506A	-	-	-	-
COM713C2507A	-	-	-	-
COM713C2508A	0.43	(0.01)	80,351	0.43
COM719C2507A	0.16	(0.01)	44,075	0.17
COM719C2508A	0.40	(0.01)	72,505	0.40
COM719P2508A	0.21	-	31,173	0.21
COM741C2606T	0.23	-	53,000	0.23
COM741C2609T	0.39	-	91,710	0.39
CPALL	52.75	0.50	386,907	52.84
CPALL01C2505A	0.01	(0.01)	2,600	0.01
CPALL01C2507A	0.31	0.03	52,657	0.30
CPALL01C2606T	0.34	0.01	36,501	0.35
CPALL01P2505A	-	-	-	-
CPALL01P2507A	0.15	(0.02)	34,597	0.15
CPALL13C2506A	0.03	0.01	4,685	0.03
CPALL13C2506B	0.11	0.01	5,331	0.10
CPALL13C2508A	0.34	0.02	56,192	0.33
CPALL13P2506A	-	-	-	-
CPALL19C2506A	-	-	-	-
CPALL19C2506B	-	-	-	-
CPALL19C2508A	0.27	0.01	117,303	0.27
CPALL41C2506A	-	-	-	-
CPALL41C2605T	0.19	-	18,102	0.19
CPALL41P2508A	-	-	-	-
CPAXT	25.50	(0.25)	79,743	25.64
CPW	2.20	-	25,762	2.26
CRC	20.70	(1.10)	388,527	20.92
CRC01C2506A	-	-	-	-
CRC13C2506A	-	-	-	-
CRC13C2508A	0.02	(0.01)	10,705	0.03
CRC13C2509A	0.31	(0.09)	78,886	0.33
CRC19C2506A	-	-	-	-
CRC19C2508A	0.03	(0.01)	130	0.03
CRC41C2608T	0.06	(0.01)	4,233	0.06
CSS	0.82	0.01	2,970	0.82
DOHOME	4.94	(0.41)	155,406	5.03
DOHOME01C2507A	0.02	(0.02)	19,923	0.02
DOHOME01C2508A	0.11	(0.05)	38,604	0.12
DOHOME13C2506A	0.01	-	6,000	0.01
DOHOME13C2508A	0.10	(0.06)	73,212	0.12
DOHOME19C2506A	-	-	-	-
DOHOME19C2506B	-	-	-	-
DOHOME19C2508A	0.11	(0.06)	18,546	0.13
DOHOME41C2609T	0.22	(0.04)	63,002	0.23
FN	0.51	0.01	29,384	0.55
GLOBAL	6.00	(0.45)	292,125	6.16
GLOBAL01C2507A	0.02	(0.08)	4,250	0.02
GLOBAL13C2506A	-	-	-	-
GLOBAL13C2507A	-	-	-	-
GLOBAL13C2508A	0.10	(0.05)	63,116	0.11
GLOBAL19C2507A	-	-	-	-
GLOBAL19C2509A	0.18	(0.06)	145,808	0.20
GLOBAL41C2606T	0.08	(0.03)	2,000	0.08
HMPRO	7.80	(0.05)	392,859	7.82
HMPRO01C2507A	0.02	-	2,300	0.02
HMPRO01C2508A	0.17	(0.01)	25,168	0.17
HMPRO13C2506A	-	-	-	-
HMPRO13C2508A	0.19	(0.02)	18,980	0.20
HMPRO19C2506A	0.02	-	12	0.02
HMPRO19C2508A	0.26	(0.02)	23,137	0.26
HMPRO41C2606T	-	-	-	-
ICC	29.50	-	80	29.83
ILM	14.60	0.10	6,265	14.59
IT	3.40	(0.28)	4,282	3.47
KAMART	9.45	(0.40)	24,070	9.58
LOXLEY	1.07	(0.01)	312	1.07
MC	10.10	(0.10)	12,901	10.16
MEGA	29.50	(1.00)	7,369	29.72
MIDA	0.30	(0.05)	104,579	0.36
MOSHI	43.75	(0.50)	2,575	44.05
RS	0.57	(0.03)	134,730	0.58
RS-W5	0.22	(0.02)	11,296	0.23
RSP	1.55	(0.01)	3,947	1.55
SABUY	0.40	(0.02)	125,340	0.42
SCM	0.41	(0.02)	278,190	0.42
SCM-W2	0.02	-	2	0.02
SINGER	6.55	-	59,105	6.64
SPC	58.75	(1.00)	26	58.95
SPI	49.00	(16.00)	289	46.68
SVT	1.32	0.05	10,875	1.30
TAN	4.62	(0.34)	4,276	4.66
Information & Comm			-	
3BBIF	6.05	-	150,291	6.00
ADVANC	305.00	1.00	103,172	304.81
ADVANC01C2506A	0.11	-	57,888	0.12
ADVANC01C2508A	0.50	0.01	53,953	0.51
ADVANC01P2505A	-	-	-	-
ADVANC01P2507A	0.18	(0.01)	34,760	0.19
ADVANC13C2507A	0.31	0.02	175,418	0.31
ADVANC13C2509A	0.39	(0.61)	41,871	0.40
ADVANC13P2507A	0.09	-	19,584	0.09
ADVANC13P2509A	0.52	(0.48)	39,436	0.51
ADVANC19C2506A	0.08	(0.01)	1,698	0.08
ADVANC19C2507A	0.31	0.01	23,860	0.31
ADVANC19P2508A	0.10	(0.01)	28,856	0.10
ADVANC41C2606T	0.40	-	60,450	0.40
ADVANC41P2508A	-	-	-	-
AIT	4.28	-	19,221	4.28
ALT	0.82	(0.01)	1,334	0.80
AMR	0.64	-	42,867	0.66
BLISS	-	-	-	-
DIF	8.15	(0.05)	119,557	8.16
DITTO	12.30	0.20	41,731	12.30
DITTO-W1	-	-	-	-
DTCENT	0.92	-	1,264	0.92
FORTH	9.45	(0.05)	602	9.41
GABLE	3.10	(0.08)	9,512	3.12

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Thursday May 08, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
HUMAN	7.90	(0.10)	6,159	7.84
ICN	1.94	0.01	8,514	1.98
ILINK	5.25	(0.10)	6,784	5.28
INET	4.80	0.10	23,286	4.77
INSET	1.91	0.04	71,446	1.91
ITEL	1.32	(0.01)	21,442	1.33
JAS	1.58	(0.05)	393,575	1.60
JAS-W4	0.42	(0.01)	111,833	0.42
JAS13C2507A	-	-	-	-
JAS13C2509A	0.37	(0.05)	25,359	0.40
JAS19C2507A	0.11	(0.02)	15,383	0.12
JAS19C2509A	0.56	(0.05)	19,685	0.58
JAS41C2605T	-	-	-	-
JMART	8.80	(0.25)	115,328	8.93
JMART-W5	0.13	(0.01)	3,018	0.13
JMART13C2506A	-	-	-	-
JMART13C2507A	-	-	-	-
JMART13C2508A	0.43	(0.06)	89,980	0.46
JMART19C2506A	-	-	-	-
JMART19C2508A	0.10	(0.02)	6,639	0.11
JMART19C2508B	0.27	(0.04)	52,939	0.29
JMART41C2606T	0.13	(0.01)	4,000	0.13
JMART41C2609T	0.40	(0.02)	117,225	0.42
JTS	46.00	0.75	1,227	45.35
MFEC	5.45	(0.05)	1,275	5.52
MSC	7.95	-	91	7.82
PT	12.30	-	7,387	12.18
ROCTEC	0.63	-	74,171	0.64
ROCTEC-W3	0.01	-	500	0.01
ROCTEC-W5	0.03	(0.01)	115,342	0.03
SAMART	6.60	0.05	36,960	6.53
SAMTEL	6.00	(0.15)	261	5.96
SAMTEL-W2	1.18	(0.02)	816	1.17
SDC	0.04	0.01	2,629	0.03
SIS	21.90	(0.10)	2,145	21.95
SKY	14.10	(0.30)	6,005	14.21
SPREME	1.40	(0.03)	6,046	1.41
SVOA	1.46	0.24	117,011	1.43
SYMC	4.72	(0.06)	2,655	4.74
SYNEX	12.00	0.30	11,884	11.98
THCOM	9.15	(0.10)	65,107	9.22
TKC	7.30	(0.20)	82	7.37
TRUE	12.50	(0.10)	1,343,732	12.62
TRUE01C2505A	0.01	(0.05)	34,000	0.02
TRUE01C2507A	0.09	0.02	1	0.09
TRUE01C2508A	0.28	-	6,137	0.30
TRUE01P2505A	-	-	-	-
TRUE01P2507A	0.13	-	8,589	0.13
TRUE13C2507A	0.16	(0.01)	76,996	0.18
TRUE13P2506A	-	-	-	-
TRUE19C2507A	0.10	0.01	32,239	0.10
TRUE19C2507B	0.23	-	85,436	0.25
TRUE19P2506A	0.02	(0.02)	40	0.02
TRUE19P2507A	0.13	-	18,572	0.13
TRUE41C2604T	0.65	(0.04)	8,252	0.68
TRUE41C2612T	0.35	(0.01)	35,400	0.36
TWZ	0.03	-	37,726	0.04
TWZ-W8	-	-	-	-
TWZ-W9	0.01	-	3	0.01
Electronic Componer			-	
CCET	7.00	0.55	2,013,992	6.85
CCET13C2506A	0.01	-	500	0.01
CCET13C2507A	0.09	0.04	25,943	0.09
CCET13C2507B	0.35	0.10	148,992	0.33
CCET13C2508A	0.59	0.14	70,025	0.53
CCET19C2506A	0.01	-	10	0.02
CCET19C2506B	-	-	-	-
CCET19C2506C	0.02	-	762	0.02
CCET19C2507A	0.10	0.04	67,742	0.11
CCET19C2507B	0.38	0.12	103,004	0.32
CCET19C2509A	0.62	0.12	12,845	0.58
CCET41C2506A	0.03	0.01	950	0.03
CCET41C2609T	0.44	0.06	189,621	0.41
DELTA	101.00	(3.50)	145,702	102.69
DELTA01C2505A	0.01	-	26,491	0.01
DELTA01C2506A	0.05	(0.02)	171	0.05
DELTA01C2507A	1.57	(0.16)	4,466	1.67
DELTA01C2509A	1.23	(0.11)	12,015	1.29
DELTA11C2507A	1.01	(0.12)	6,363	1.10
DELTA13C2506A	0.01	-	2,773	0.01
DELTA13C2506B	0.02	-	769	0.02
DELTA13C2507A	0.60	(0.09)	6,572	0.65
DELTA13C2507B	0.25	(0.05)	30,308	0.28
DELTA13C2507C	1.32	(0.12)	1,752	1.34
DELTA13C2508A	2.08	(0.16)	363	2.19
DELTA13C2509A	0.37	(0.03)	98,620	0.39
DELTA13C2509B	0.59	(0.06)	62,231	0.63
DELTA13P2505B	-	-	-	-
DELTA13P2506A	0.09	0.01	27	0.09
DELTA13P2507A	0.08	-	124,380	0.08
DELTA13P2507B	0.04	-	1,634	0.04
DELTA13P2508A	0.29	0.02	125,274	0.28
DELTA19C2506A	0.01	(0.01)	300	0.01
DELTA19C2506B	-	-	-	-
DELTA19C2506C	-	-	-	-
DELTA19C2507A	0.20	(0.06)	19,870	0.23
DELTA19C2507B	0.51	(0.12)	1,223	0.56
DELTA19C2507C	1.54	(0.07)	20	1.58
DELTA19C2508A	-	-	-	-
DELTA19C2509A	0.61	(0.07)	52,021	0.64
DELTA19P2506A	-	-	-	-
DELTA19P2507A	0.06	(0.01)	749	0.06
DELTA19P2509A	0.22	0.01	13,828	0.22
DELTA19P2509E	0.40	0.02	3,424	0.39
DELTA19P2509C	0.54	0.03	67,527	0.52
DELTA19P2509D	0.74	0.05	22,159	0.71
DELTA41C2506A	-	-	-	-
DELTA41C2507A	-	-	-	-
DELTA41C2508A	0.66	(0.05)	2,921	0.69
DELTA41C2608T	0.50	(0.02)	37,840	0.51
DELTA41C2612T	0.14	(0.02)	5,715	0.15
DELTA41P2507A	0.06	0.01	1,362	0.06
DELTA41P2509A	0.47	0.01	21	0.47
HANA	19.10	(0.20)	222,441	19.09
HANA01C2505A	0.01	(0.01)	900	0.02
HANA01C2505B	-	-	-	-
HANA01C2509A	0.40	(0.01)	76,948	0.41
HANA01P2505A	-	-	-	-
HANA13C2506A	0.02	(0.01)	525	0.02
HANA13C2507A	0.07	(0.01)	169,077	0.06
HANA13C2508A	0.42	(0.02)	178,224	0.43
HANA13C2509A	0.30	(0.02)	134,951	0.30
HANA13P2507A	0.12	-	51,578	0.12
HANA19C2507A	0.06	-	300	0.06
HANA19C2508A	0.39	(0.03)	160,818	0.39
HANA41C2606T	0.15	-	30,500	0.16
HANA41C2608T	0.56	-	125,810	0.56
KCE	17.50	(0.20)	99,314	17.65
KCE01C2505A	-	-	-	-
KCE01C2507A	-	-	-	-
KCE13C2506A	-	-	-	-
KCE13C2507A	-	-	-	-
KCE13C2508A	0.18	(0.01)	155,690	0.18
KCE13C2508B	0.29	(0.03)	87,857	0.31
KCE13P2508A	0.23	0.01	26,629	0.23
KCE19C2506A	-	-	-	-
KCE19C2507A	-	-	-	-
KCE19C2508A	0.19	(0.02)	39,362	0.21
KCE41C2606T	0.12	0.01	7,332	0.12
KCE41C2609T	0.43	0.01	59,900	0.42
METCO	166.00	(3.00)	103	166.99
SMT	1.21	0.01	2,490	1.20
SVI	7.75	(0.15)	6,997	7.78
TEAM	2.72	-	2,145	2.72
Energy & Utilitie			-	
ACC	0.32	(0.01)	53,580	0.33
ACC-W2	0.30	(0.03)	1,001	0.30
ACE	1.30	(0.02)	33,863	1.30
AE	0.16	0.04	569,599	0.15
AGE	0.82	0.04	6,955	0.82
AI	3.46	-	2,736	3.45
AIE	1.40	0.05	205,151	1.42
BAFS	7.75	(0.10)	1,867	7.75
BANPU	4.70	0.18	1,039,808	4.65
BANPU01C2506A	-	-	-	-
BANPU01C2507A	0.20	0.06	128,834	0.19
BANPU01C2508A	0.50	0.09	68,747	0.47
BANPU01C2606T	0.36	0.04	35,823	0.35
BANPU13C2505A	-	-	-	-
BANPU13C2506A	-	-	-	-
BANPU13C2506B	-	-	-	-
BANPU13C2507A	0.30	0.07	81,174	0.28
BANPU13C2509A	0.61	0.09	182,097	0.58
BANPU19C2506A	-	-	-	-
BANPU19C2507A	0.18	0.05	34,998	0.17
BANPU19C2508A	0.47	0.09	66,839	0.43
BANPU41C2605T	0.13	0.02	58,760	0.12
BBGI	3.04	(0.12)	32,993	3.09
BCP	37.75	(0.25)	41,543	37.84
BCP01C2505A	-	-	-	-
BCP01C2507A	0.14	(0.01)	19,719	0.15
BCP01P2505A	-	-	-	-
BCP13C2505A	-	-	-	-
BCP13C2507A	0.14	(0.01)	21,633	0.16
BCP13C2508A	0.12	(0.01)	23,802	0.14
BCP13C2509A	0.35	(0.01)	33,367	0.36
BCP19C2506A	0.12	(0.01)	11,703	0.13
BCP19C2507A	0.09	(0.01)	9,384	0.10
BCP41C2609T	0.33	-	4,128	0.33
BCPG	6.85	(0.05)	34,746	6.83
BCPG01C2506A	0.11	(0.03)	36,628	0.12
BCPG01C2508A	0.35	(0.02)	1	0.35
BCPG01P2506A	-	-	-	-
BCPG13C2507A	0.10	(0.01)	20,378	0.10
BCPG13C2507B	-	-	-	-
BCPG19C2508A	0.14	(0.01)	38,333	0.14
BCPG41C2606T	0.31	(0.01)	1,006	0.31
BGRIM	12.00	0.30	216,508	11.86
BGRIM01C2505A	0.01	-	395	0.01
BGRIM01C2506A	-	-	-	-
BGRIM01C2507A	-	-	-	-
BGRIM01C2508A	0.19	0.02	85,045	0.18
BGRIM01C2509A	0.29	0.03	74,358	0.26
BGRIM01C2606T	0.19	0.01	43,596	0.18
BGRIM01P2505A	-	-	-	-
BGRIM01P2507A	0.16	(0.03)	41,908	0.18
BGRIM11C2507A	0.32	0.05	7,098	0.28
BGRIM13C2505B	-	-	-	-
BGRIM13C2506A	-	-	-	-
BGRIM13C2507A	0.02	-	5,751	0.02
BGRIM13C2507B	0.11	0.01	161,478	0.10
BGRIM13C2508A	0.27	0.03	204,823	0.26
BGRIM13P2506A	0.18	(0.07)	4	0.18
BGRIM19C2506A	-	-	-	-
BGRIM19C2507A	-	-	-	-
BGRIM19C2507B	0.12	0.01	21,018	0.12
BGRIM19C2508A	-	-	-	-
BGRIM19C2509A	0.31	0.03	110,167	0.29
BGRIM19P2506A	0.32	(0.06)	300	0.32
BGRIM41C2506A	-	-	-	-
BGRIM41C2608T	0.24	-	62,706	0.23
BIOTEC	0.19	(0.01)	19,121	0.19
BIOTEC-P	-	-	-	-
BIOTEC-Q	-	-	-	-
BIOTEC-W2	0.03	-	12,522	0.02
BPP	7.10	-	90,529	7.11
BRRGIF	3.88	0.02	1,949	3.86
BSRC	5.50	(0.05)	3,273	5.52
BSRC13C2506A	-	-	-	-
CKP	2.76	(0.04)	52,610	2.77
CV	-	-	-	-
CV-W1	-	-	-	-
EA	2.58	(0.06)	934,644	2.58
EA-W1	0.49	-	232,544	0.48
EA13C2505B	-	-	-	-
EA13C2506A	0.01	-	70	0.01
EA13C2506B	0.01	-	1,018	0.01
EA13C2507A	0.07	(0.02)	28,490	0.07
EA13C2508A	0.23	(0.03)	86,410	0.23
EA13C2508B	0.43	(0.06)	4,641	0.42
EA13P2508A	0.50	0.02	45,820	0.50
EA19C2506A	0.01	(0.01)	500	0.01
EA19C2506B	-	-	-	-
EA19C2508A	0.28	(0.02)	70,291	0.28
EA19C2508B	0.41	(0.04)	18,260	0.41
EA19P2509A	0.55	0.02	45,256	0.54
EA41C2606T	0.12	(0.01)	14,000	0.12
EASTW	1.77	0.02	9,473	1.79
EGATIF	5.90	0.05	453	5.87
EGCO	108.00	0.50	4,780	107.03
EP	-	-	-	-
EP-W4	-	-	-	-
ETC	1.63	(0.02)	1,029	1.64
GPSC	33.25	0.75	71,685	32.89
GPSC01C2505A	-	-	-	-
GPSC01C2507A	0.30	0.03	31,757	0.27
GPSC01C2508A	0.53	0.04	1,805	0.52
GPSC01P2506A	0.02	(0.01)	2	0.02
GPSC13C2505B	-	-	-	-
GPSC13C2506A	0.07	-	33,473	0.07
GPSC13C2507A	0.34	0.04	15,626	0.32
GPSC13C2509A	0.27	(0.73)	116,933	0.26
GPSC13P2506A	-	-	-	-
GPSC19C2506A	0.02	-	4	0.02
GPSC19C2506B	0.08	-	49,172	0.07
GPSC19C2507A	0.29	0.02	35,582	0.27
GPSC19P2506A	0.03	-	28,463	0.03
GPSC41C2606T	0.21	0.02	34,000	0.19
GREEN	0.88	0.01	699	0.85
GULF	49.25	(0.75)	296,618	49.71
GULF01C2508A	0.24	(0.02)	95,737	0.25
GULF01C2509A	0.48	(0.03)	41,947	0.49
GULF13C2508A	0.17	(0.02)	132,454	0.19
GULF13C2508B	0.48	(0.03)	237,986	0.50
GULF19C2509A	0.62	(0.04)	3,778	0.66
GULF19C2509B	0.38	(0.02)	59,094	0.39
GULF41C2508A	0.43	(0.02)	90,652	0.44
GUNKUL	1.63	(0.02)	188,684	1.65
GUNKUL13C2509A	0.34	(0.02)	57,206	0.36
GUNKUL19C2510A	0.39	(0.02)	30,583	0.41
IRPC	0.94	-	257,226	0.94
IRPC19C2508A	0.16	(0.01)	88,816	0.16
KBSPIF	7.35	-	703	7.31
LANNA	16.00	0.30	5,109	15.91
MDX	2.90	-	865	2.90
NOVA	-	-	-	-
OR	14.50	(0.20)	288,851	14.48
OR01C2505A	0.01	-	1,500	0.01
OR01C2507A	0.35	(0.02)	1,181	0.35
OR01C2508A	0.57	(0.06)	16,643	0.58
OR01C2606T	0.29	(0.02)	42,428	0.29
OR13C2506A	0.09	(0.03)	50,741	0.09
OR13C2507A	-	-	-	-
OR13C2508A	-	-	-	-
OR13C2509A	0.28	(0.03)	91,895	0.27
OR19C2506A	0.25	(0.11)	500	0.25
OR19C2508A	0.75	-	5	0.75
OR19C2509A	0.25	(0.02)	80,239	0.24
OR41C2605T	0.09	(0.01)	15	0.09
OR41C2608T	0.51	(0.02)	116,010	0.50
PRIME	0.10	0.01	361,413	0.10
PTG	7.20	-	39,071	7.22
PTT	31.00	(0.50)	360,192	31.17
PTT01C2505A	-	-	-	-
PTT01C2508A	0.13	(0.01)	150	0.14
PTT13C2508A	0.12	(0.01)	4,500	0.12
PTT19C2509A	0.19	(0.01)	11,013	0.19
PTT41C2606T	0.24	(0.01)	30	0.24
PTTEP	99.50	(1.00)	93,450	99.27
PTTEP01C2505A	0.01	-	3,120	0.01
PTTEP01C2507A	0.04	-	4,003	0.03
PTTEP01C2509A	0.36	(0.01)	48,954	0.36
PTTEP01C2606T	0.64	-	7,197	0.63
PTTEP01P2506A	0.25	0.01	31,115	0.25
PTTEP13C2507A	0.02	-	555	0.02
PTTEP13C2507B	0.04	(0.01)	700	0.04
PTTEP13C2508A	0.30	(0.02)	48,805	0.29
PTTEP13C2509A	0.91	(0.06)	58,209	0.90
PTTEP13P2506A	0.38	-	50	0.38

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Thursday May 08, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
PTTEP19C2507A	-	-	-	-
PTTEP19C2508A	0.03	-	391	0.03
PTTEP19C2509A	0.38	(0.02)	16,570	0.38
PTTEP41C2507A	-	-	-	-
PTTEP41C2604T	0.05	-	10,000	0.05
PTTEP41C2609T	0.36	(0.02)	98,007	0.36
PTTEP41P2506A	0.30	0.02	1,206	0.31
PTTEP41P2509A	0.33	0.02	4,801	0.34
RATCH	27.25	-	19,417	27.23
RATCH19C2506A	-	-	-	-
RPC	0.30	(0.01)	7,208	0.30
SCG	2.34	(0.06)	214	2.37
SCN	0.47	(0.01)	9,308	0.47
SCN-W2	0.02	(0.01)	4,000	0.02
SEAOIL	2.40	(0.02)	4,687	2.34
SGP	7.00	-	131	6.95
SKE	0.21	-	3,424	0.21
SKE-W1	0.03	-	1,305	0.03
SOLAR	0.31	0.01	5,832	0.31
SPCG	7.90	0.05	1,399	7.89
SPRC	5.45	(0.20)	60,462	5.47
SPRC13C2506A	-	-	-	-
SPRC13C2508A	0.23	(0.04)	97,672	0.24
SPRC19C2510A	0.30	(0.03)	18,610	0.32
SPRC41C2606T	0.20	-	14,000	0.20
SSP	4.70	(0.04)	2,863	4.69
SSP-W2	-	-	-	-
SUPER	0.19	(0.02)	1,953,605	0.20
SUPEREIF	5.15	-	4,130	5.15
SUSCO	2.70	(0.02)	1,665	2.71
TAE	0.63	(0.01)	1,194	0.62
TCC	0.25	0.01	1,360	0.24
TCC-W5	-	-	-	-
TGE	1.43	(0.05)	3,192	1.45
TGE-W2	0.11	-	12,272	0.12
TOP	26.25	(0.75)	99,155	26.54
TOP01C2505A	0.01	-	35,000	0.01
TOP01C2506A	0.03	(0.01)	6,000	0.03
TOP01C2507A	0.47	(0.06)	4,969	0.48
TOP01C2508A	0.18	(0.01)	10,983	0.18
TOP01P2506A	-	-	-	-
TOP01P2508A	0.17	-	53,087	0.17
TOP13C2506A	-	-	-	-
TOP13C2507A	0.11	(0.01)	3,438	0.11
TOP13C2509A	0.25	(0.02)	35,595	0.25
TOP13P2508A	0.15	0.01	3,898	0.15
TOP19C2508A	0.19	(0.02)	61,783	0.19
TOP41C2506B	-	-	-	-
TOP41C2609T	0.45	(0.01)	42,010	0.45
TPIPP	2.14	0.02	32,626	2.14
TSE	0.42	0.01	8,466	0.42
TTW	8.85	(0.05)	8,649	8.88
UBE	0.55	(0.01)	31,996	0.55
WHAUP	3.24	(0.08)	15,044	3.27
WP	3.30	-	74	3.32
Media & Publishing			-	
AMARIN	2.04	-	2	2.04
AQUA	0.16	(0.01)	52,282	0.16
AS	2.34	(0.02)	7,612	2.33
BEC	3.98	(0.04)	1,318	3.99
FE	179.50	(2.50)	2	179.75
GPI	1.56	(0.02)	733	1.56
GRAMMY	4.98	(0.02)	134	4.96
JKN	-	-	-	-
MAJOR	9.35	(0.25)	15,622	9.33
MATCH	1.15	-	46	1.07
MATI	4.86	0.10	17	4.71
MCOT	4.56	(0.10)	57,747	4.63
MONO	1.92	0.02	229,643	1.91
NATION	0.03	0.01	1,195	0.03
NATION-W4	-	-	-	-
ONEE	2.34	(0.04)	28,703	2.35
PLANB	4.16	(0.26)	308,324	4.23
PLANB13C2508A	0.03	(0.01)	708	0.03
PLANB19C2508A	0.03	(0.01)	40	0.03
PLANB41C2606T	0.08	(0.01)	19,520	0.08
PRAKIT	11.10	0.50	208	10.98
PTECH	1.09	-	27	1.09
SE-ED	1.97	0.05	70	1.96
TKS	5.65	(0.05)	2,023	5.55
VGI	2.22	(0.06)	493,026	2.25
VGI-W3	0.04	-	13,377	0.03
VGI-W4	0.70	(0.02)	23,368	0.71
VGI01C2505A	0.01	-	5,330	0.01
VGI01C2507A	-	-	-	-
VGI01C2509A	0.33	(0.03)	28,630	0.34
VGI13C2507A	-	-	-	-
VGI13C2508A	0.07	(0.01)	35,984	0.07
VGI13C2508B	0.22	(0.02)	62,150	0.23
VGI19C2507A	-	-	-	-
VGI19C2508A	0.07	(0.01)	101	0.08
VGI19C2509A	0.37	(0.02)	32,615	0.38
VGI41C2606T	0.13	0.01	431	0.13
WORK	4.48	(0.12)	4,401	4.53
ZAA	0.50	0.02	268	0.49
Finance & Securities			-	
AEONTS	105.50	(1.50)	1,595	105.83
AMANAH	1.04	0.12	227,335	1.04
ASAP	1.35	0.02	133	1.33
ASK	7.10	0.05	15,864	7.18
ASP	2.00	-	8,062	2.02
BAM	6.10	(0.05)	119,560	6.13
BAM01C2506A	0.08	-	9,718	0.08
BAM13C2506A	0.07	-	8,160	0.07
BAM13C2509A	0.20	(0.80)	25,406	0.20
BAM19C2506A	0.10	(0.02)	34,899	0.11
BAM41C2612T	0.33	(0.01)	26,000	0.33
BYD	0.40	(0.04)	68,232	0.41
CGH	0.45	(0.01)	6,482	0.45
CGH-W5	-	-	-	-
CHASE	0.78	-	117,941	0.80
CHASE-W1	0.35	-	29,572	0.37
CHAYO	1.95	(0.05)	78,020	2.03
CHAYO-W3	0.06	(0.01)	23,765	0.07
EAST	0.86	-	53,025	0.88
FNS	1.17	0.07	8,088	1.25
FSX	1.28	(0.04)	5,912	1.34
GBX	0.49	(0.01)	4,260	0.51
HENG	1.06	0.02	77,811	1.10
IFS	2.24	-	742	2.25
JMT	13.40	(0.30)	86,131	13.61
JMT13C2506A	-	-	-	-
JMT13C2507A	0.09	(0.01)	34,326	0.10
JMT19C2506A	-	-	-	-
JMT19C2507A	0.13	(0.01)	33,812	0.14
JMT19C2509A	0.33	(0.67)	29,378	0.35
JMT41C2608T	-	-	-	-
KCAR	3.86	(0.04)	212	3.88
KGI	4.00	0.02	15,057	4.00
KTC	45.75	(0.25)	42,532	45.46
KTC01C2507A	-	-	-	-
KTC01C2508A	0.23	(0.01)	65,759	0.23
KTC13C2506A	-	-	-	-
KTC13C2509A	0.23	(0.01)	51,993	0.23
KTC19C2507A	-	-	-	-
KTC41C2606T	0.22	(0.01)	5,427	0.22
MFC	27.25	-	1,115	27.25
MICRO	0.93	0.07	205,530	0.98
ML	0.45	0.03	49,980	0.49
MST	7.75	-	62	7.80
MTC	43.50	(0.25)	70,439	43.56
MTC01C2506A	0.06	(0.01)	240	0.06
MTC01C2508A	0.34	(0.02)	38,100	0.35
MTC01P2506A	0.07	(0.02)	600	0.08
MTC13C2506A	0.03	-	40,000	0.03
MTC13C2508A	0.31	(0.01)	28,312	0.32
MTC13P2506A	0.02	(0.02)	256	0.02
MTC19C2506A	-	-	-	-
MTC19C2508A	0.26	(0.01)	91,308	0.27
MTC19P2506A	-	-	-	-
MTC19P2509A	0.33	-	34,129	0.33
MTC41C2606T	0.26	(0.01)	48,700	0.27
NCAP	3.70	0.50	533,164	3.58
NTL	11.40	(0.50)	2,526	11.93
PL	1.43	0.29	26,811	1.42
S11	3.08	0.04	2,104	3.10
SAK	3.90	(0.02)	32,177	3.97
SAWAD	26.00	(2.75)	225,467	26.12
SAWAD-W2	0.14	(0.01)	4,237	0.14
SAWAD01C2506	-	-	-	-
SAWAD01C2508	0.05	-	15,032	0.06
SAWAD01C2508	0.17	(0.02)	250,458	0.18
SAWAD01P2505	0.17	(0.16)	575	0.15
SAWAD13C2506	-	-	-	-
SAWAD13C2507	0.02	(0.01)	1,003	0.03
SAWAD13C2508	0.09	-	83,302	0.09
SAWAD13C2508	0.18	(0.01)	177,112	0.20
SAWAD19C2506	-	-	-	-
SAWAD19C2507	0.04	-	13,936	0.05
SAWAD19C2508	0.13	(0.01)	180,525	0.14
SAWAD41C2609	0.23	(0.02)	57,973	0.24
SCAP	1.52	0.05	115,454	1.54
SGC	0.90	0.02	536,283	0.91
SGC-W1	0.05	0.01	79,384	0.04
SGC-W2	0.30	0.02	38,043	0.30
SM	0.79	-	3,046	0.79
TH	0.62	(0.01)	30,279	0.63
TH-W3	0.01	-	61	0.01
THANI	1.55	0.07	639,289	1.57
TK	3.78	0.08	626	3.78
TNITY	2.90	0.04	1,228	2.95
TNL	-	-	-	-
UOBKH	4.90	0.02	56	4.90
XPG	0.81	(0.01)	65,744	0.81
Food & Beverage			-	
AAI	4.04	(0.14)	62,942	4.08
APURE	3.34	-	2,151	3.30
ASIAN	7.20	(0.05)	3,594	7.23
BR	1.60	(0.02)	1,453	1.59
BR-W1	0.04	-	10,883	0.04
BRR	4.34	(0.04)	2,853	4.33
BRR-W2	0.17	-	256	0.17
BTG	24.30	0.30	51,582	24.25
CBG	61.25	(1.50)	31,623	61.52
CBG01C2506A	-	-	-	-
CBG01C2507A	-	-	-	-
CBG01C2508A	0.26	(0.04)	4,612	0.27
CBG01P2506A	0.66	0.02	2,849	0.64
CBG01P2507A	0.35	0.03	38,341	0.35
CBG13C2505A	-	-	-	-
CBG13C2506A	-	-	-	-
CBG13C2507A	-	-	-	-
CBG13C2508A	0.34	(0.05)	25,079	0.35
CBG19C2506A	0.02	-	3	0.02
CBG19C2506B	-	-	-	-
CBG19C2508A	0.20	(0.03)	30,979	0.21
CBG19P2507A	0.36	0.04	17,460	0.36
CBG41C2608T	0.23	(0.01)	23,067	0.23
CFRESH	1.07	0.01	1,843	1.07
CH	1.99	(0.05)	3,296	2.00
CHAO	5.85	(0.10)	24,020	5.93
CHOTI	-	-	-	-
CM	1.67	-	220	1.64
COCOCO	7.15	(0.20)	65,314	7.22
COCOCO13C2505A	-	-	-	-
COCOCO19C2506A	-	-	-	-
CPF	26.00	(0.25)	180,395	25.84
CPF01C2508A	0.84	0.08	101	0.76
CPF01C2509A	-	-	-	-
CPF13C2506A	-	-	-	-
CPF13C2508A	0.18	0.01	23,972	0.17
CPF19C2509A	0.24	0.01	10,033	0.23
CPF19C2509B	0.22	-	7,270	0.22
CPF41C2609T	0.29	0.01	18,843	0.29
CPF41C2612T	-	-	-	-
CPI	2.58	-	431	2.58
F&D	59.25	-	4,646	59.25
FM	4.24	(0.14)	99,552	4.29
GLOCON	0.17	(0.01)	130,427	0.17
HTC	15.90	-	4,614	16.01
ICHI	11.60	(0.20)	47,886	11.62
ITC	12.20	(0.30)	80,106	12.16
ITC01C2506A	-	-	-	-
ITC01C2606T	0.19	(0.01)	19,473	0.19
ITC13C2506A	-	-	-	-
ITC13C2508A	0.08	(0.02)	4,413	0.08
ITC13C2509A	0.23	(0.02)	31,595	0.23
ITC19C2506A	-	-	-	-
ITC41C2612T	0.20	(0.01)	30,001	0.20
JDF	1.84	(0.02)	447	1.85
KBS	5.15	0.05	950	5.12
KCG	8.65	(0.10)	7,095	8.69
KSL	1.53	0.01	5,132	1.54
KTIS	2.44	0.02	40	2.42
LST	4.66	-	440	4.66
M	17.70	(0.30)	8,574	17.73
MALEE	8.10	(0.50)	321,747	8.50
NRF	0.40	(0.01)	14,618	0.39
NSL	32.00	(0.75)	9,580	32.40
OKJ	8.90	-	20,392	8.85
OSP	15.30	(0.60)	124,462	15.39
OSP01C2507A	-	-	-	-
OSP01C2507B	0.11	(0.03)	19,733	0.12
OSP01C2508A	0.33	(0.04)	34,846	0.34
OSP01P2507A	0.10	-	12,500	0.10
OSP13C2506A	0.01	-	3,000	0.01
OSP13C2506B	-	-	-	-
OSP13C2507A	0.10	(0.02)	21,947	0.10
OSP13C2508A	0.31	(0.04)	30,221	0.32
OSP19C2506A	0.01	-	40	0.01
OSP19C2506B	-	-	-	-
OSP19C2506C	-	-	-	-
OSP19C2509A	0.35	(0.03)	106,940	0.36
OSP41C2606T	0.16	(0.01)	42,000	0.16
PB	55.75	1.75	108	54.59
PLUS	2.94	(0.10)	4,355	2.93
PM	10.80	(0.20)	5,082	10.87
PQS	2.62	0.06	2,658	2.54
PRG	7.60	(0.05)	39	7.57
PRG-W2	-	-	-	-
PRG-W3	2.80	(0.28)	5	2.80
PRG-W4	2.50	0.02	10	2.50
PRG-W5	2.04	(0.44)	10	2.27
RBF	4.30	0.04	35,850	4.25
RBF13C2507A	0.02	0.01	1	0.02
RBF19C2508A	0.03	0.01	1	0.03
SAPPE	34.50	(0.25)	8,728	34.27
SAPPE13C2507A	0.04	-	1,004	0.04
SAPPE19C2508A	0.24	(0.01)	6,706	0.24
SAUCE	38.50	-	53	38.27
SNNP	11.60	(0.30)	4,886	11.63
SNP	10.90	(0.10)	154	10.92
SORKON	4.30	(0.14)	714	4.28
SSF	5.40	-	19	5.40
SST	1.86	(0.06)	3	1.90
SUN	3.18	-	2,953	3.19
TC	5.65	(0.10)	374	5.62
TFG	5.35	-	95,208	5.39
TFG-W4	1.32	0.05	56,058	1.36
TFMAMA	199.50	1.00	99	198.99
TIPCO	9.55	(0.05)	1,275	9.59
TKN	7.65	-	12,391	7.66
TU	10.10	(0.10)	268,433	10.03
TU01C2505A	-	-	-	-
TU01C2506A	-	-	-	-
TU01C2508A	0.04	-	1,100	0.04
TU13C2508A	0.07	-	9,892	0.07
TU19C2506A	-	-	-	-
TU41C2506A	-	-	-	-
TU41C2609T	0.16	(0.01)	12,151	0.16
TVO	22.60	(0.50)	3,993	22.88
TWPC	2.16	-	1,472	2.16
XBIO	0.10	-	95,045	0.10
XBIO-W6	0.03	-	402	0.02
XBIO-W7	0.02	-	1,399	0.01
ZEN	5.80	(0.10)	772	5.82
Health Care Services			-	
AHC	14.00	(0.40)	42	14.00
BCH	15.20	(0.70)	80,993	15.38

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date : *Thursday May 08, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
BCH01C2508A	0.13	(0.04)	29,353	0.14
BCH13C2507A	0.07	(0.04)	7,280	0.08
BCH13C2508A	0.27	(0.08)	22,360	0.29
BCH19C2508A	0.13	(0.05)	15,906	0.14
BCH41C2506A	-	-	-	-
BCH41C2609T	0.39	(0.03)	50,400	0.40
BDMS	24.20	(0.50)	263,711	24.47
BDMS01C2506A	0.06	-	1	0.06
BDMS01C2508A	-	-	-	-
BDMS01C2509A	0.48	(0.04)	7,691	0.50
BDMS13C2508A	0.30	(0.04)	10,734	0.33
BDMS19C2508A	0.37	(0.04)	358	0.39
BDMS41C2609T	0.22	(0.01)	4,868	0.22
BH	162.00	(5.50)	56,939	163.28
BH-P	-	-	-	-
BH-Q	-	-	-	-
BH01C2505A	0.01	-	308	0.01
BH01C2506A	-	-	-	-
BH01C2507A	0.14	(0.05)	59,419	0.15
BH01P2507A	0.31	0.04	27,751	0.29
BH13C2505A	-	-	-	-
BH13C2506A	0.02	(0.01)	219	0.02
BH13C2508A	0.30	(0.08)	82,108	0.32
BH19C2506A	-	-	-	-
BH19C2506B	0.02	(0.01)	120	0.02
BH19C2508A	0.22	(0.06)	23,367	0.24
BH19C2509A	0.53	(0.11)	42,533	0.56
BH41C2605T	-	-	-	-
BH41C2609T	0.23	(0.03)	38,600	0.24
BH41P2508A	-	-	-	-
BKGI	1.84	(0.03)	1,791	1.84
CHG	1.84	(0.02)	117,039	1.85
CMR	1.26	(0.01)	910	1.25
EKH	6.00	-	7,493	5.99
KDH	85.75	0.75	44	85.09
LPH	3.66	0.02	206	3.65
M-CHAI	20.80	0.50	80	20.77
MASTER	18.40	(1.60)	34,099	18.95
MEDEZE	7.30	(0.15)	9,034	7.33
NEW	-	-	-	-
NKT	4.44	(0.14)	14,649	4.48
NTV	26.75	(0.25)	26	26.75
PHG	13.80	0.30	106	13.85
PR9	24.80	-	13,196	24.75
PR901C2507A	0.26	(0.01)	2,004	0.26
PR913C2506A	-	-	-	-
PR919C2506A	-	-	-	-
PR941C2609T	0.49	-	4,048	0.49
PRINC	2.18	-	1,450	2.17
RAM	18.40	0.10	115	18.33
RJH	13.20	-	9,818	13.11
RPH	5.35	-	5,862	5.32
SAFE	8.85	(0.55)	1,855	8.81
SKR	6.70	-	3,718	6.64
THG	9.50	(0.20)	2,420	9.59
VIBHA	1.58	0.01	2,384	1.57
VIBHA-W4	0.01	-	45,860	0.01
VIH	7.20	0.10	1,085	7.13
VIH-W1	-	-	-	-
WPH	8.55	0.10	3,599	8.52
Tourism & Leisure			-	
ASIA	4.94	0.04	5	4.86
BEYOND	7.15	-	210	7.09
CENTEL	22.00	(1.70)	144,306	22.54
CENTEL01C2508A	0.02	-	1,450	0.02
CENTEL13C2506A	-	-	-	-
CENTEL13C2508A	0.03	(0.02)	704	0.03
CENTEL19C2506A	-	-	-	-
CENTEL19C2508A	0.04	(0.03)	1,851	0.04
CENTEL41C2606T	0.11	(0.02)	16,260	0.11
CSR	71.00	0.50	2	71.00
DUSIT	7.90	-	913	7.88
ERW	2.30	(0.06)	252,665	2.30
ERW01C2507A	-	-	-	-
ERW13C2507A	-	-	-	-
ERW13C2508A	0.06	(0.01)	1,950	0.06
ERW19C2506A	-	-	-	-
ERW19C2508A	0.07	(0.02)	5,300	0.07
ERW41C2606T	-	-	-	-
GRAND	0.04	0.01	181,507	0.04
LRH	-	-	-	-
MANRIN	-	-	-	-
MINT	24.20	(1.30)	332,962	24.50
MINT01C2506A	0.09	(0.08)	7,899	0.10
MINT01C2507A	0.04	(0.04)	300	0.04
MINT13C2506A	0.03	(0.04)	9,936	0.04
MINT13C2506B	0.02	(0.01)	100	0.02
MINT19C2506A	0.05	(0.03)	6,710	0.05
MINT19C2508A	0.06	(0.03)	317	0.07
MINT41C2604T	-	-	-	-
MINT41C2612T	0.18	(0.03)	27,881	0.19
OHTL	312.00	(6.00)	2	312.00
ROH	1.72	0.03	43	1.72
SHANG	46.25	(0.75)	1	46.25
SHR	1.60	(0.03)	19,581	1.61
SPA	3.60	(0.24)	73,953	3.63
VRANDA	4.46	(0.02)	458	4.40
Home & Office Produ			-	
AJA	0.14	0.03	2,507,485	0.13
DTCI	-	-	-	-
FANCY	0.38	(0.01)	384	0.39
FTI	1.88	-	70	1.88
KYE	302.00	4.00	115	300.51
L&E	1.20	(0.02)	111	1.18
MODERN	2.14	(0.44)	2,116	2.22
OGC	10.50	(0.20)	2	10.25
ROCK	13.90	1.90	1	13.90
SIAM	0.70	(0.01)	932	0.69
TCMC	0.46	0.01	833	0.46
TSR	0.21	0.02	4,420	0.20
TSR-W2	-	-	-	-
Insurance			-	
AYUD	31.75	0.25	106	31.88
BKIH	281.00	(2.00)	166	281.95
BLA	17.40	(0.10)	34,583	17.14
BLA01C2508A	0.11	(0.01)	35,853	0.10
BLA13C2507A	-	-	-	-
BLA19C2506A	-	-	-	-
BLA41C2606T	0.24	-	50,002	0.23
BUI	14.70	(0.10)	112	14.71
CHARAN	13.90	(0.20)	42	14.02
INSURE	81.50	(0.75)	21	81.98
KWI	-	-	-	-
MTI	109.00	-	3	109.00
NKI	-	-	-	-
TGH	-	-	-	-
THRE	0.40	-	2,504	0.39
THREL	1.60	(0.01)	1,968	1.60
TIPH	19.70	0.20	1,304	19.52
TLI	11.70	0.10	60,891	11.62
TLI01C2507A	0.16	(0.01)	25,474	0.16
TLI13C2505A	-	-	-	-
TLI13C2509A	0.23	-	1,000	0.23
TLI19C2506A	0.10	-	19,914	0.10
TLI41C2606T	-	-	-	-
TQM	16.00	0.20	2,810	15.85
TSI	0.05	-	572	0.05
TVH	8.05	(0.45)	301	7.96
Packaging			-	
AJ	3.60	0.44	128,560	3.51
ALUCON	169.50	(0.50)	20	169.75
BGC	5.35	-	1,234	5.26
CSC	43.25	-	31	43.69
CSC-P	-	-	-	-
CSC-Q	-	-	-	-
NEP	0.22	-	145	0.22
PJW	2.26	0.02	756	2.25
PTL	11.10	-	6,050	11.17
SCGP	15.20	(0.30)	122,674	15.32
SCGP01C2506A	-	-	-	-
SCGP01C2507A	-	-	-	-
SCGP01C2508A	0.27	(0.01)	61,142	0.27
SCGP01P2507A	0.21	0.01	56,840	0.21
SCGP13C2506A	-	-	-	-
SCGP13C2506B	-	-	-	-
SCGP13C2507A	0.16	(0.02)	135,350	0.16
SCGP13C2508A	0.41	(0.03)	108	0.41
SCGP13P2506A	0.03	-	30	0.03
SCGP19C2506A	-	-	-	-
SCGP19C2506B	0.02	-	11	0.02
SCGP19C2507A	0.30	(0.04)	3,762	0.32
SCGP41C2606T	0.21	-	40,000	0.21
SCGP41C2609T	0.40	-	118,020	0.40
SFLEX	3.14	(0.10)	72,743	3.19
SFLEX-W2	0.04	(0.01)	6,596	0.04
SITHAI	1.12	(0.01)	5,415	1.10
SLP	0.38	(0.01)	9,954	0.38
SMPC	8.55	(0.05)	711	8.55
SPACK	1.32	0.01	1,145	1.30
TCOAT	-	-	-	-
TFI	0.05	-	19,401	0.04
TFI-W1	-	-	-	-
THIP	24.40	(0.20)	35	24.47
TMD	24.50	-	89	24.50
TOPP	-	-	-	-
TPAC	7.80	(0.40)	436	7.81
TPBI	3.58	-	1,863	3.58
TPP	10.60	(0.20)	99	10.69
Personal Product			-	
APCO	3.22	0.04	774	3.19
BIZ	3.24	(0.06)	2,013	3.25
BLC	3.62	(0.06)	23,815	3.63
DDD	5.90	(0.10)	77	5.97
IP	3.54	(0.10)	9,561	3.56
IP-W2	0.02	(0.01)	14,224	0.02
JCT	-	-	-	-
KISS	3.42	(0.02)	1,714	3.44
NAM	4.30	-	30	4.29
NEO	30.25	(0.50)	5,586	30.49
NV	0.65	0.01	1,527	0.64
OCC	10.20	(0.70)	52	9.74
S&J	32.00	1.00	15	32.00
SNPS	4.48	(0.04)	1,026	4.51
STGT	7.00	(0.15)	27,355	7.08
STGT13C2506A	-	-	-	-
STGT13C2508A	0.23	(0.02)	33,154	0.24
STGT19C2509A	0.35	(0.01)	19,138	0.35
STGT41C2606T	0.17	0.01	2,223	0.16
TMAN	10.30	(0.20)	3,624	10.35
TNR	7.40	-	789	7.35
TOG	8.00	0.05	1,039	7.94
Professional Serv			-	
BWG	0.26	(0.01)	154,476	0.26
BWG-W6	0.01	-	396	0.01
GENCO	0.29	0.01	693	0.28
PRTR	3.72	0.04	1,097	3.68
SISB	17.50	(1.80)	86,760	18.23
SISB13C2506A	0.01	-	50	0.01
SISB13C2506B	-	-	-	-
SISB13C2508A	0.25	(0.14)	31,054	0.29
SISB19C2507A	-	-	-	-
SO	4.32	0.10	53	4.39
WAVE	0.04	-	383,321	0.04
WAVE-W3	-	-	-	-
WAVE-W4	0.02	0.01	2	0.02
Property Developmer			-	
A	4.86	-	1	4.86
A5	2.24	0.04	381	2.23
A5-W4	0.03	0.01	350	0.02
AKS	0.01	-	34,329	0.01
AMATA	16.20	0.40	258,686	16.15
AMATA01C2507A	-	-	-	-
AMATA01C2508A	0.02	0.01	500	0.02
AMATA01C2509A	0.66	0.04	22,381	0.64
AMATA13C2506A	-	-	-	-
AMATA13C2506B	-	-	-	-
AMATA13C2508A	0.04	-	9,998	0.04
AMATA13C2508B	0.20	0.02	194,642	0.20
AMATA13C2508C	0.49	0.02	77,716	0.49
AMATA19C2508A	-	-	-	-
AMATA19C2509A	0.59	0.03	68,189	0.58
AMATA41C2508A	0.34	0.03	72,900	0.33
AMATA41C2608T	0.09	0.02	50	0.09
AMATAV	3.04	-	577	3.01
ANAN	0.49	(0.01)	14,077	0.49
AP	7.05	(0.20)	204,535	7.09
AP01C2507A	0.10	(0.01)	427	0.10
ASW	6.95	0.10	2,006	6.76
AWC	2.04	(0.16)	1,250,628	2.08
AWC01C2506A	0.01	(0.01)	1	0.01
AWC01C2508A	0.02	-	5,650	0.02
AWC13C2506A	0.01	(0.01)	2,610	0.01
AWC13C2508A	0.02	(0.01)	4,892	0.02
AWC19C2506A	-	-	-	-
AWC41C2606T	0.05	(0.01)	10,050	0.05
AWC41C2609T	0.23	(0.02)	100,930	0.25
BLAND	0.51	0.01	331,049	0.51
BRI	1.85	-	1,186	1.85
BROCK	1.78	0.39	6	1.54
CGD	0.17	(0.02)	142,373	0.17
CI	0.31	(0.01)	4,799	0.31
CMC	0.84	0.06	1,564	0.79
CPN	51.25	(1.25)	56,041	51.59
CPN01C2505A	-	-	-	-
CPN01C2506A	0.08	(0.02)	1,000	0.08
CPN01C2606T	0.28	(0.02)	7,539	0.28
CPN13C2507A	0.11	(0.03)	12,612	0.12
CPN19C2508A	0.20	(0.03)	16,496	0.20
CPN41C2608T	0.35	(0.02)	20,000	0.35
ESTAR	0.21	-	49,244	0.21
EVER	0.08	-	19,181	0.08
FPT	6.75	-	29	6.75
GLAND	1.07	(0.02)	141	1.09
J	1.14	0.02	55,892	1.14
J-W3	0.16	-	35,658	0.17
J-W4	0.34	0.01	11,491	0.34
JCK	0.21	-	129,070	0.21
KC	0.06	-	9,899	0.05
KUN	1.21	(0.02)	122	1.21
KUN-W2	0.01	-	213	0.01
KUN-W3	0.04	(0.01)	203	0.04
LALIN	4.96	(0.02)	139	4.97
LH	4.10	(0.06)	215,059	4.12
LH19C2510A	0.39	(0.01)	7,672	0.39
LPN	2.06	-	6,194	2.03
MBK	15.80	(0.30)	8,009	15.83
MBK-W4	-	-	-	-
MBK19C2508A	0.05	0.01	1	0.05
MJD	0.51	(0.04)	8,248	0.51
MK	1.37	-	130	1.32
NCH	0.63	(0.01)	1,093	0.63
NNCL	1.52	0.01	141	1.51
NOBLE	1.97	(0.07)	42,629	1.98
NVD	1.07	-	89	1.08
ORI	1.94	(0.03)	92,316	1.97
ORN	0.69	-	6,963	0.68
PEACE	2.30	(0.04)	75	2.26
PF	0.12	0.01	101,553	0.11
PIN	6.00	(0.85)	53,888	6.04
PLAT	1.38	(0.01)	11,356	1.38
PRECHA	0.49	-	126	0.48
PRIN	1.50	-	106	1.50
PROUD	1.38	-	52	1.37
PSH	4.68	(0.02)	8,362	4.70
QH	1.47	(0.02)	85,232	1.47
RABBIT	0.30	(0.01)	46,643	0.31
RABBIT-P	0.48	(0.01)	4,389	0.48
RABBIT-Q	-	-	-	-
RICHY	0.36	0.02	9,664	0.38
RML	0.18	(0.01)	16,216	0.18
ROJNA	5.10	(0.05)	40,558	5.12
S	0.65	(0.02)	43,327	0.67
SA	7.50	-	496	7.47
SA-W1	0.02	-	36,641	0.02
SAMCO	0.69	(0.01)	1,054	0.69
SC	2.14	-	25,241	2.14
SENA	1.92	0.02	20,123	1.92
SIRI	1.34	(0.01)	299,128	1.34
SIRI13C2508A	-	-	-	-

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Thursday May 08, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
SIRI19C2508A	0.04	(0.07)	100	0.04
SIRI41C2606T	-	-	-	-
SPALI	14.20	(0.90)	153,317	14.49
SPALI13C2507A	0.04	(0.02)	13,480	0.04
SPALI19C2509A	0.15	(0.05)	50	0.15
SPALI41C2609T	0.21	(0.03)	2,420	0.23
STELLA	0.20	(0.01)	49,609	0.20
STELLA-W5	0.01	-	1	0.01
STELLA-W6	0.07	(0.01)	26,420	0.05
UV	0.96	0.01	46,055	0.97
WHA	3.16	0.04	955,653	3.14
WHA01C2506A	-	-	-	-
WHA01C2507A	-	-	-	-
WHA01C2508A	0.14	(0.01)	1,124	0.15
WHA01C2509A	0.60	0.02	33,114	0.59
WHA13C2506A	-	-	-	-
WHA13C2506B	-	-	-	-
WHA13C2507A	0.04	0.01	2,010	0.04
WHA13C2507B	0.08	-	5,340	0.08
WHA13C2508A	0.29	0.01	55,688	0.28
WHA13C2508B	0.53	0.02	53,173	0.52
WHA19C2506A	-	-	-	-
WHA19C2507A	0.05	-	2,021	0.05
WHA19C2509A	0.40	0.02	17,706	0.39
WHA41C2605T	0.03	(0.01)	13	0.03
WHA41C2608T	0.15	-	6,200	0.15
WIN	0.34	-	2,180	0.34
Paper & Printing Mat			-	
UTP	7.70	-	1,514	7.74
Fashion			-	
AFC	3.86	-	20	3.86
AURA	16.30	(0.30)	11,807	16.46
BTNC	-	-	-	-
CPH	7.65	0.10	563	7.68
CPL	0.82	(0.02)	1,186	0.85
NC	2.46	0.06	41	2.46
PAF	0.80	-	827	0.80
PDJ	1.51	(0.01)	240	1.54
PG	7.80	-	30	7.80
SABINA	18.10	(0.20)	1,612	18.12
SAWANG	9.15	0.30	5	9.11
SUC	28.75	(0.25)	554	28.69
TR	30.50	1.50	29	29.84
TTI	-	-	-	-
TTT	-	-	-	-
UPF	27.00	-	3	27.00
WACOAL	24.00	3.90	155	21.80
WFX	0.83	(0.01)	1,537	0.85
Transportation & Log			-	
AAV	1.28	(0.09)	1,313,999	1.30
AAV13C2506A	0.01	(0.01)	5	0.01
AAV13C2508A	0.07	(0.03)	47,242	0.08
AAV19C2507A	0.02	-	86	0.02
AAV41C2608T	0.06	(0.01)	2,250	0.06
ANI	2.46	(0.06)	307	2.48
AOT	38.50	(0.75)	329,894	38.75
AOT01C2506A	0.01	-	800	0.01
AOT01C2507A	0.03	(0.01)	1,830	0.04
AOT01C2507B	0.12	(0.02)	8,488	0.13
AOT01C2509A	0.26	(0.02)	59,672	0.26
AOT01C2606T	0.21	(0.01)	47,433	0.21
AOT01P2507A	1.21	(0.23)	300	1.21
AOT01P2507B	-	-	-	-
AOT11C2507A	0.10	(0.01)	9,226	0.10
AOT13C2506A	0.01	-	50	0.01
AOT13C2507A	0.01	-	1	0.01
AOT13C2507B	-	-	-	-
AOT13C2507C	-	-	-	-
AOT13C2508A	0.12	(0.01)	75,503	0.12
AOT13C2509A	0.26	(0.03)	161,985	0.26
AOT13P2507A	1.14	(0.51)	1,108	1.14
AOT13P2507B	0.17	0.02	18,989	0.16
AOT19C2506A	-	-	-	-
AOT19C2507A	-	-	-	-
AOT19C2507B	-	-	-	-
AOT19C2508A	0.13	(0.01)	73,749	0.13
AOT19C2509A	0.33	(0.04)	6,841	0.34
AOT19P2507A	0.20	0.01	146,158	0.19
AOT41C2507A	-	-	-	-
AOT41C2605T	-	-	-	-
AOT41C2609T	0.26	(0.01)	50,900	0.27
AOT41P2509A	0.26	0.01	10	0.26
AOT41P2606T	0.60	-	10	0.60
ASIMAR	1.37	-	250	1.37
B	0.05	0.01	78,667	0.05
B-W8	0.01	-	2,160	0.01
BA	14.90	(1.00)	128,820	15.21
BA01C2508A	0.05	(0.02)	220	0.05
BA13C2506A	-	-	-	-
BA19C2507A	-	-	-	-
BA41C2606T	-	-	-	-
BEM	6.00	(0.05)	427,624	5.96
BEM13C2506A	-	-	-	-
BEM13C2508A	0.16	(0.01)	10,413	0.16
BEM19C2510A	0.25	-	6,986	0.24
BEM41C2606T	0.13	-	8,600	0.13
BTS	4.88	(0.10)	369,373	4.92
BTS-W8	0.02	-	3,895	0.02
BTS01C2507A	-	-	-	-
BTS01C2508A	-	-	-	-
BTS01C2509A	0.62	0.01	1,350	0.62
BTS01P2505A	-	-	-	-
BTS13C2507A	-	-	-	-
BTS13C2508A	0.07	-	1,080	0.07
BTS13C2508B	0.40	(0.05)	41,342	0.42
BTS13C2509A	0.17	(0.01)	19,203	0.17
BTS19C2508A	-	-	-	-
BTS19C2509A	0.17	(0.02)	9,737	0.18
BTS19P2508A	0.27	0.02	16,775	0.26
BTS41C2608T	-	-	-	-
BTSGIF	2.82	-	29,909	2.80
DMT	9.95	(0.15)	7,383	10.02
ETL	0.60	0.02	1,841	0.59
III	4.58	(0.02)	2,872	4.56
KEX	1.46	-	60,860	1.46
KIAT	0.30	-	3,837	0.30
KWC	296.00	5.00	1	296.00
MENA	0.97	(0.01)	5,980	0.97
NYT	3.06	0.06	22,876	3.05
PORT	0.84	-	608	0.84
PRM	5.60	(0.15)	92,628	5.58
PSL	5.55	(0.35)	36,159	5.61
RCL	22.50	(0.20)	11,520	22.53
RCL01C2505A	-	-	-	-
RCL01C2507A	0.08	0.01	2,000	0.08
RCL13C2506A	-	-	-	-
RCL13C2507A	0.23	(0.01)	2,008	0.23
RCL19C2507A	-	-	-	-
RCL41C2608T	-	-	-	-
SAV	15.30	(0.20)	1,702	15.41
SINO	0.88	0.01	4,534	0.89
SJWD	7.90	0.20	22,205	7.90
TFFIF	6.00	-	19,413	5.96
THAI	-	-	-	-
TSTE	11.80	(1.30)	12	12.03
TTA	3.92	(0.12)	34,885	3.95
WICE	2.40	(0.02)	2,419	2.40
Automotive			-	
ACG	0.75	0.07	1,807	0.76
AH	12.00	(0.10)	2,199	12.09
CWT	0.88	0.01	59,729	0.88
EASON	0.97	-	14,290	0.99
GYT	-	-	-	-
HFT	3.78	0.02	6,369	3.78
IHL	1.60	0.01	113	1.60
INGRS	0.24	(0.01)	135	0.24
IRC	11.40	-	146	11.27
MGC	3.06	-	200	3.01
NEX	0.63	(0.03)	52,308	0.64
PCSGH	3.22	0.06	4,587	3.21
POLY	6.75	0.05	31	6.78
SAT	11.80	(0.10)	6,660	11.91
SPG	12.50	0.10	2	12.50
STANLY	214.00	(3.00)	184	214.56
TKT	1.09	-	172	1.09
TNPC	0.82	0.01	1,544	0.79
TRU	3.06	0.04	375	3.04
TSC	13.50	0.40	523	13.27
Industrial Materi			-	
AKR	1.09	-	76,187	1.08
ALLA	1.25	(0.11)	25,463	1.26
ASEFA	3.24	0.12	1,391	3.18
CPT	0.99	-	506	0.98
CRANE	0.48	(0.01)	3,827	0.49
CTW	3.20	0.02	996	3.20
FMT	24.90	0.90	4	24.73
FTE	1.56	-	1,968	1.56
HTECH	3.08	0.04	12,521	3.07
KKC	-	-	-	-
PCC	2.52	-	680	2.52
PK	0.49	(0.01)	1,804	0.49
PSP	4.14	0.02	3,556	4.13
QTC	3.76	-	14	3.75
SCI	0.96	(0.01)	895	0.92
SE	0.41	(0.01)	1,612	0.41
SELIC	2.76	(0.04)	57	2.77
SNC	6.80	(0.10)	2,768	6.83
TCJ	2.70	0.08	10	2.63
TPCS	-	-	-	-
VARO	4.60	(0.06)	4	4.60
Property Fund &			-	
AIMCG	1.97	(0.03)	9,476	1.98
AIMIRT	9.55	(0.05)	7,101	9.58
ALLY	4.70	0.04	1,440	4.70
AMATAR	5.85	0.05	58	5.88
AXTRART	12.40	0.10	4,403	12.29
B-WORK	4.66	0.06	2,718	4.64
BAREIT	9.45	0.10	2,678	9.36
BOFFICE	4.94	(0.02)	5,177	4.95
CPNCG	6.20	0.10	7,828	6.20
CPNREIT	12.40	-	5,147	12.31
CPTREIT	4.56	0.02	276	4.53
CTARAF	4.56	0.04	1,310	4.54
DREIT	4.94	-	126	4.94
FTREIT	9.05	-	3,216	9.05
FUTURERT	9.75	0.10	1,294	9.67
GAHREIT	6.65	-	20	6.65
GROREIT	8.30	-	505	8.15
GVREIT	6.95	0.05	2,249	6.90
HPF	4.60	(0.04)	160	4.60
HYDROGEN	8.85	-	28	8.77
IMPACT	9.55	-	1,856	9.58
INETREIT	8.90	0.05	14,289	8.89
ISSARA	8.05	(0.05)	44	8.00
KPNREIT	2.28	0.16	2	2.28
KTBSTMR	5.65	0.05	1,406	5.60
KTBSTMR	5.65	0.05	1,406	5.60
LHHOTEL	12.10	(0.10)	17,652	12.04
LHRREIT	4.94	(0.02)	218	4.78
LHSC	11.90	-	2,269	11.90
LUXF	8.00	-	500	8.00
M-PAT	4.00	(0.02)	20	4.00
M-STOR	7.25	-	283	7.25
MII	5.20	-	21	5.19
MIPF	-	-	-	-
MIT	0.33	(0.03)	19	0.35
MJLF	3.98	0.08	2,891	3.95
MNIT	1.84	(0.01)	752	1.84
MNIT2	-	-	-	-
MNRF	2.06	(0.14)	237	2.14
POPF	5.80	(0.05)	6,363	5.78
PROSPECT	7.80	-	3,047	7.78
QHBREIT	3.58	(0.02)	1,220	3.58
QHHRREIT	6.55	0.05	280	6.46
QHOP	3.70	-	23	3.70
SIRIPRT	-	-	-	-
SPRIME	3.94	-	70	3.95
SRIPANWA	5.15	(0.05)	77	5.06
SSPF	3.70	(0.22)	1	3.70
SSTRT	4.46	(0.04)	609	4.46
TIF1	6.80	(0.05)	28	6.80
TLHPF	2.72	(0.14)	85	2.72
TNPF	-	-	-	-
TPRIME	6.90	0.25	5	6.90
TTLPF	12.20	0.10	274	12.15
TU-PF	1.02	0.07	78	1.00
WHABT	6.80	0.15	190	6.80
WHAIR	4.64	-	3,043	4.64
WHART	9.10	0.10	1,558	9.08
Steel and Metal Prod			-	
2S	2.22	0.02	150	2.22
AMC	2.30	0.02	63	2.30
BSBM	0.70	-	1,749	0.70
CEN	1.81	0.01	434	1.80
CEN-W5	0.06	(0.01)	4,391	0.06
CITY	1.47	(0.02)	64	1.43
CSP	0.46	0.01	20	0.46
GJS	0.14	(0.01)	4,822	0.14
GSTEEL	-	-	-	-
INOX	0.41	(0.02)	7,426	0.42
LHK	3.38	0.06	1,566	3.34
MCS	8.55	0.05	9,952	8.58
MILL	0.10	-	25,831	0.10
PAP	1.52	(0.03)	24	1.53
PERM	0.41	-	5,028	0.39
SAM	0.16	-	436	0.16
SMIT	3.70	(0.02)	510	3.70
SSSC	2.38	0.08	21,306	2.35
TGPRO	0.07	0.01	17,318	0.07
THE	0.67	0.03	271	0.66
TMT	3.26	(0.06)	242	3.28
TSTH	0.68	(0.03)	39,642	0.69
TWP	1.19	-	52	1.20
TYCN	-	-	-	-
Construction Service			-	
APCS	1.47	0.11	546	1.44
BJCHI	0.77	-	623	0.76
BKD	1.18	-	110	1.18
CIVIL	1.55	0.01	837	1.52
CK	14.80	0.30	45,627	14.83
CNT	1.06	0.03	2,666	1.05
DEMCO	1.65	0.04	6,746	1.66
EMC	0.06	-	523,911	0.06
EMC-W7	0.03	-	6,201	0.03
ITD	0.32	(0.01)	48,056	0.32
JR	1.96	-	1,249	1.95
NL	0.90	(0.02)	2,016	0.90
NWR	0.05	0.01	485,860	0.04
PLE	0.26	0.03	26,851	0.25
PREB	3.62	0.02	496	3.61
PYLON	1.80	-	338	1.79
RT	0.30	-	22,943	0.30
SEAFCO	1.98	(0.01)	1,799	1.97
SQ	0.72	-	465	0.72
SRICHA	3.98	0.04	1,424	3.94
STECON	7.40	0.10	75,371	7.41
STI	2.44	-	10	2.43
STPI	2.62	0.16	60,077	2.61
SYNTEC	1.59	(0.01)	456	1.59
TEAMG	3.10	(0.10)	37,060	3.10
TEAMG-W1	0.16	(0.01)	1,580	0.16
TEKA	1.72	(0.02)	3,538	1.72
TPOLY	0.42	-	2,840	0.42
TRC	0.64	0.01	1,981	0.63
TRITN	0.06	(0.02)	810,774	0.07
TRITN-W7	0.01	-	1	0.01
TTCL	1.03	(0.02)	2,408	1.02
UNIQ	1.99	0.01	1,637	1.96
WGE	0.77	(0.03)	343	0.78
Unit Trust			-	
SCBSET	-	-	-	-
VAYU1	10.30	0.10	4,029	10.21
ETF			-	
1DIV	10.18	(0.04)	239	10.19
ABFTH	-	-	-	-
BMSCG	7.12	(0.06)	4	7.17
BMSCITH	9.15	(0.09)	819	9.24
BSET100	8.40	(0.07)	214	8.43
CHINA	5.65	0.04	371	5.64

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Thursday May 08, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
ENGY	4.03	(0.05)	45	4.04
GLD	4.37	(0.03)	15,016	4.40
TDEX	7.62	(0.06)	14,773	7.66
UBOT	-	-	-	-
UHERO	9.10	0.10	9	9.02
Warrant Foreign			-	
AIA41C2507A	0.63	(0.04)	277	0.63
BABA28C2506A	-	-	-	-
BABA28C2506B	-	-	-	-
BABA28C2506C	0.60	(0.02)	5	0.60
BABA28C2509A	0.18	(0.01)	895	0.20
BABA28P2507A	-	-	-	-
BABA28P2509A	0.14	-	10	0.14
BABA41C2505A	0.03	(0.03)	391	0.03
BABA41C2506A	0.25	(0.01)	1,200	0.28
BABA41C2507A	0.56	0.01	167	0.57
BABA41P2506A	0.20	-	20	0.20
BABA41P2507A	0.71	-	14	0.71
BIDU41C2506A	0.31	(0.08)	640	0.32
BIDU41P2507A	0.50	0.07	242	0.49
BYDCOM28C2508A	-	-	-	-
BYDCOM28C2510A	0.42	(0.01)	120	0.43
BYDCOM28P2510A	0.22	-	80	0.22
BYDCOM41C2506A	1.30	-	60	1.31
BYDCOM41C2506B	0.22	-	50	0.22
BYDCOM41P2507A	0.23	-	40	0.23
DJI28C2506A	-	-	-	-
DJI28C2509A	0.86	0.05	26	0.86
DJI28C2509B	0.65	0.05	31	0.65
DJI28P2506A	0.62	(0.07)	1,020	0.62
DJI41C2506A	0.05	0.01	403	0.05
DJI41C2506B	0.33	0.04	8,255	0.31
DJI41C2509A	0.73	0.05	5,542	0.73
DJI41P2506A	0.47	(0.06)	9,024	0.48
DJI41P2509A	-	-	-	-
GEELY41C2506A	0.16	0.03	231	0.16
HSI06C2505A	0.22	-	419,790	0.25
HSI06C2505B	0.10	-	201,071	0.11
HSI06C2505C	-	-	-	-
HSI06C2505D	0.01	(0.03)	1,257	0.01
HSI06C2505E	0.53	(0.03)	45,845	0.55
HSI06C2505F	1.05	0.03	12	1.06
HSI06C2506A	0.61	0.02	12,653	0.64
HSI06C2506B	1.19	(0.07)	93	1.19
HSI06C2506C	0.26	0.01	103,632	0.28
HSI06C2506D	0.13	-	37,625	0.14
HSI06C2506E	0.06	0.01	70	0.05
HSI06C2506F	1.62	(0.02)	2	1.62
HSI06C2507A	0.17	(0.01)	18,953	0.19
HSI06C2507B	0.41	0.01	22,782	0.43
HSI06C2508A	0.47	-	27,857	0.49
HSI06C2509A	0.52	(0.48)	16,647	0.53
HSI06P2505A	0.04	(0.02)	12,082	0.04
HSI06P2505B	0.08	(0.02)	250	0.08
HSI06P2505C	0.14	(0.04)	106,916	0.12
HSI06P2505D	0.41	(0.10)	292,797	0.38
HSI06P2505E	0.87	(0.27)	1,624	0.80
HSI06P2505F	1.70	(0.12)	20	1.66
HSI06P2506A	0.06	(0.01)	50	0.06
HSI06P2506B	0.10	(0.01)	1,254	0.10
HSI06P2506C	0.25	(0.04)	32,480	0.22
HSI06P2506D	0.40	(0.07)	67,554	0.38
HSI06P2506E	0.69	(1.37)	17,458	0.67
HSI06P2506F	1.19	(1.49)	1	1.19
HSI06P2507A	0.42	(0.07)	6,020	0.40
HSI06P2507B	0.24	(0.76)	20	0.24
HSI06P2508A	0.64	(0.07)	1,519	0.62
HSI06P2508B	0.36	(0.64)	18,280	0.34
HSI06P2509A	0.48	(0.52)	4,100	0.46
HSI28C2505A	0.06	-	7,406	0.06
HSI28C2505B	0.03	-	2	0.04
HSI28C2505C	0.02	-	100	0.02
HSI28C2505D	0.04	-	554	0.04
HSI28C2505E	0.11	0.01	7,216	0.11
HSI28C2505F	0.29	0.01	23,654	0.31
HSI28C2505G	0.19	0.02	177,240	0.19
HSI28C2505H	0.55	0.04	959,228	0.57
HSI28C2506A	0.18	0.01	30,195	0.18
HSI28C2506B	0.08	-	6,141	0.08
HSI28C2506C	0.13	-	1,105	0.14
HSI28C2506D	1.73	(0.02)	241	1.76
HSI28C2506E	1.20	0.07	1,602	1.22
HSI28C2506F	0.88	0.08	600	0.88
HSI28C2506G	0.48	0.04	31,470	0.48
HSI28C2507A	0.16	-	24,886	0.17
HSI28C2507B	-	-	-	-
HSI28C2507C	0.80	0.05	5	0.80
HSI28C2507D	0.46	0.01	610	0.49
HSI28C2507E	0.34	0.02	5,505	0.35
HSI28C2508A	0.29	0.03	34,853	0.29
HSI28C2508B	0.42	0.02	9,003	0.42
HSI28P2505A	0.02	(0.01)	431	0.01
HSI28P2505B	0.02	-	120	0.02
HSI28P2505C	0.10	(0.03)	5,216	0.09
HSI28P2505D	0.05	(0.03)	4	0.06
HSI28P2505E	0.23	(0.05)	101,947	0.24
HSI28P2505F	0.49	(0.08)	106,591	0.49
HSI28P2505G	0.96	(0.07)	2	0.96
HSI28P2506A	0.05	(0.03)	2,444	0.05
HSI28P2506B	0.06	-	1,236	0.06
HSI28P2506C	0.11	(0.02)	2,426	0.11
HSI28P2506D	0.31	(0.03)	30,188	0.31
HSI28P2506E	0.82	(0.04)	1,002	0.80
HSI28P2506E	0.82	(0.04)	1,002	0.80
HSI28P2506F	0.45	(0.05)	18,843	0.44
HSI28P2507A	0.50	(0.04)	21,424	0.50
HSI28P2507B	0.11	-	9	0.11
HSI28P2507C	0.24	(0.76)	25,288	0.24
HSI28P2507D	-	-	-	-
HSI28P2508A	0.57	(0.03)	21,051	0.56
HSI28P2508B	0.16	(0.01)	97,042	0.16
HSTECH28C250(	0.74	0.03	59	0.76
HSTECH28C250(	-	-	-	-
HSTECH28C250(	-	-	-	-
HSTECH28P250(	-	-	-	-
HSTECH28P250(	0.36	(0.02)	66	0.36
HSTECH28P250(	0.70	(0.02)	6	0.70
JD41C2506A	0.07	(0.01)	1,031	0.07
JD41C2509A	0.39	(0.01)	110	0.41
KUAISH41C250(	0.74	-	100	0.75
KUAISH41C250(	-	-	-	-
MCA5041C2506A	0.20	0.02	2	0.20
MCA5041P2506A	-	-	-	-
MEITUA28C2507	0.04	(0.01)	161	0.04
MEITUA28C2509	0.36	0.02	2,057	0.38
MEITUA41C250(	-	-	-	-
MEITUA41C2507	0.29	0.02	209	0.29
NDX28C2506A	-	-	-	-
NDX28C2506B	-	-	-	-
NDX28C2506C	-	-	-	-
NDX28C2509A	0.99	0.09	11	0.98
NDX28C2509B	0.66	0.05	11	0.65
NDX28P2506A	-	-	-	-
NDX28P2509A	0.44	(0.02)	3	0.44
NDX28P2509B	-	-	-	-
NDX41C2506A	-	-	-	-
NDX41C2506B	0.16	0.02	2	0.16
NDX41C2506C	0.41	0.05	280	0.39
NDX41C2506D	1.04	0.07	1,103	1.04
NDX41C2509A	0.78	0.04	165	0.78
NDX41C2509T	1.92	0.14	14	1.87
NDX41P2506A	0.32	(0.06)	11,454	0.32
NDX41P2506B	-	-	-	-
NDX41P2509A	0.67	(0.06)	2,301	0.67
NDX41P2509T	2.82	(0.16)	37	2.86
NIKKEI28C2506A	-	-	-	-
NIKKEI28C2506I	-	-	-	-
NIKKEI28C2506(	-	-	-	-
NIKKEI28P2506A	-	-	-	-
NIKKEI28P2506I	-	-	-	-
NIKKEI28P2506(	-	-	-	-
NIKKEI41C2506A	-	-	-	-
NIKKEI41C2506I	-	-	-	-
NIKKEI41C2509A	0.38	0.03	455	0.37
NIKKEI41C2509I	0.23	-	347	0.23
NIKKEI41C2509(	0.58	0.04	57	0.56
NIKKEI41P2506A	-	-	-	-
NIKKEI41P2506I	-	-	-	-
NIKKEI41P2509A	0.38	(0.04)	11,360	0.39
NIKKEI41P2509I	-	-	-	-
NIKKEI41P2509(	0.49	(0.04)	28	0.51
NTES41C2506A	0.26	(0.03)	6,260	0.27
PINGAN41C2507	0.21	-	60	0.22
POPMAR41C250	1.17	(0.07)	164	1.19
POPMAR41C250	0.51	(0.06)	1,348	0.52
SET01C2505A	0.01	(0.01)	15	0.02
SET01C2506A	0.01	(0.01)	16,568	0.01
SET01C2506B	0.02	-	3,400	0.01
SET01C2507A	0.25	(0.08)	11,947	0.28
SET01C2509A	0.99	(0.10)	1,365	1.02
SET01C2512T	0.90	(0.05)	2,290	0.91
SET01P2505A	1.36	(0.45)	15	1.36
SET01P2506A	0.30	-	3	0.30
SET01P2507A	0.26	-	2,206	0.27
SET5001C2505A	0.01	(0.01)	25,589	0.01
SET5001C2506A	-	-	-	-
SET5001C2506F	-	-	-	-
SET5001C2506G	-	-	-	-
SET5001C2507A	0.35	0.01	647	0.33
SET5001C2509A	0.97	(0.11)	43,403	1.01
SET5001C2509F	0.54	(0.08)	2,571	0.58
SET5001P2505A	0.76	0.01	1	0.76
SET5001P2506A	0.28	-	1,093	0.28
SET5001P2506F	0.59	0.09	16	0.45
SET5001P2506G	-	-	-	-
SET5001P2507A	0.13	-	821	0.13
SET5001P2509F	0.46	0.03	389	0.46
SET5006C2506A	0.03	-	757	0.03
SET5006C2506B	0.37	(0.11)	125,811	0.41
SET5006C2506C	0.44	(0.13)	60,250	0.47
SET5006C2506D	0.51	(0.11)	250	0.56
SET5006C2506E	-	-	-	-
SET5006C2506F	-	-	-	-
SET5006C2509A	0.75	(0.09)	57,524	0.77
SET5006C2509B	0.43	(0.57)	249,125	0.45
SET5006P2506A	-	-	-	-
SET5006P2506B	0.60	0.04	139,170	0.55
SET5006P2506C	0.37	0.03	291,088	0.34
SET5006P2506D	0.17	0.02	7,073	0.15
SET5006P2506E	0.15	0.02	1,549	0.14
SET5006P2506F	0.11	-	1,086	0.11
SET5006P2506G	-	-	-	-
SET5006P2509A	0.29	0.02	30,373	0.28
SET5006P2509B	0.62	(0.38)	176,983	0.59
SET5013C2506A	-	-	-	-
SET5013C2506B	-	-	-	-
SET5013C2506C	0.01	-	5,000	0.01
SET5013C2506D	0.01	(0.01)	3,104	0.01
SET5013C2506E	0.01	(0.01)	2,583	0.01
SET5013C2506F	0.03	(0.01)	7,295	0.02
SET5013C2506G	0.05	-	3	0.05
SET5013C2506H	0.04	(0.03)	35,380	0.05
SET5013C2506I	0.07	(0.05)	17,121	0.09
SET5013C2506J	0.20	(0.05)	7,612	0.19
SET5013C2506K	0.28	(0.07)	11,900	0.31
SET5013C2506L	0.39	(0.16)	1,006,063	0.44
SET5013C2506M	0.54	(0.21)	179,539	0.63
SET5013C2506N	0.25	(0.10)	289,913	0.28
SET5013C2506O	0.74	(0.16)	918,493	0.79
SET5013C2506P	0.88	(0.18)	175,577	0.93
SET5013C2506Q	0.46	(0.10)	1,927,920	0.49
SET5013C2506R	0.39	(0.11)	1,571,118	0.42
SET5013C2506S	0.28	(0.08)	1,693,872	0.30
SET5013C2506T	-	-	-	-
SET5013C2509A	1.01	(0.13)	120,670	1.06
SET5013C2509B	0.38	(0.05)	347,452	0.39
SET5013C2509T	0.47	(0.07)	592,999	0.50
SET5013P2506A	0.47	0.09	1,110	0.43
SET5013P2506B	0.91	0.68	1	0.91
SET5013P2506C	0.64	(0.09)	102	0.64
SET5013P2506D	0.94	0.51	1	0.94
SET5013P2506E	1.31	0.81	1	1.31
SET5013P2506F	0.13	0.04	477	0.11
SET5013P2506G	0.08	-	13,429	0.09
SET5013P2506H	0.30	(0.20)	13	0.30
SET5013P2506I	0.07	0.02	6,587	0.08
SET5013P2506J	0.07	0.03	3,069	0.06
SET5013P2506K	0.09	(0.01)	428	0.09
SET5013P2506L	0.17	(0.03)	351	0.16
SET5013P2506M	0.19	(0.01)	52	0.12
SET5013P2506N	0.01	-	34,596	0.02
SET5013P2506O	0.03	-	9,670	0.03
SET5013P2506P	0.07	0.01	113,452	0.07
SET5013P2506Q	0.10	0.01	81,240	0.11
SET5013P2506R	0.12	-	139,567	0.12
SET5013P2506S	0.23	0.02	182,048	0.22
SET5013P2506T	1.38	0.12	10	1.33
SET5013P2506U	0.38	0.03	973,968	0.37
SET5013P2506V	0.37	0.04	2,480,143	0.36
SET5013P2509A	0.18	0.01	465,771	0.18
SET5013P2509B	0.33	0.03	245,817	0.32
SET5013P2509C	0.91	(0.09)	766,817	0.90
SET5013P2509T	0.18	0.01	27,487	0.18
SET5019C2506A	-	-	-	-
SET5019C2506B	-	-	-	-
SET5019C2506C	-	-	-	-
SET5019C2506D	-	-	-	-
SET5019C2506E	-	-	-	-
SET5019C2506F	0.09	(0.01)	50	0.09
SET5019C2506G	-	-	-	-
SET5019C2506H	0.09	-	40	0.09
SET5019C2506I	-	-	-	-
SET5019C2506J	-	-	-	-
SET5019C2506K	0.38	-	20	0.38
SET5019C2506L	-	-	-	-
SET5019C2506M	0.45	(0.15)	268,579	0.50
SET5019C2506N	-	-	-	-
SET5019C2506O	-	-	-	-
SET5019C2506P	2.06	(0.28)	35,480	2.14
SET5019C2506Q	0.84	(0.16)	41,645	0.90
SET5019C2509A	1.38	(0.11)	246,976	1.42
SET5019C2509B	0.68	(0.07)	504,775	0.71
SET5019P2506A	-	-	-	-
SET5019P2506B	-	-	-	-
SET5019P2506C	-	-	-	-
SET5019P2506D	1.15	0.53	78	1.12
SET5019P2506E	-	-	-	-
SET5019P2506F	-	-	-	-
SET5019P2506G	0.20	(0.20)	30	0.15
SET5019P2506H	-	-	-	-
SET5019P2506I	-	-	-	-
SET5019P2506J	0.07	-	55	0.05
SET5019P2506K	-	-	-	-
SET5019P2506L	0.11	0.02	22,929	0.09
SET5019P2506M	0.29	0.02	100,209	0.28
SET5019P2506N	0.20	0.02	5,013	0.20
SET5019P2506O	0.21	0.04	172,635	0.19
SET5019P2509A	0.39	0.03	88,900	0.38
SET5019P2509B	0.90	0.07	280,205	0.88
SET5041C2506A	0.01	(0.01)	7	0.01
SET5041C2506B	-	-	-	-
SET5041C2506C	0.22	(0.07)	431,408	0.25
SET5041C2506D	0.72	(0.17)	2,300	0.75
SET5041C2506E	0.70	(0.20)	3,000	0.76
SET5041C2506F	0.65	(0.14)	114	0.67
SET5041C2506G	0.98	(0.24)	339	1.08
SET5041C2506H	-	-	-	-
SET5041C2506I	-	-	-	-
SET5041C2506J	-	-	-	-
SET5041C2506K	0.39	(0.10)	318,758	0.43
SET5041C2506T	-	-	-	-
SET5041C2509A	0.58	(0.08)	2,256	0.59
SET5041C2509T	0.15	(0.02)	8,379	0.17
SET5041C2509U	0.50	(0.05)	7,140	0.50
SET5041C2509V	1.01	(0.08)	43,926	1.03
SET5041P2506A	-	-	-	-
SET5041P2506B	0.67	0.06	509,591	0.64
SET5041P2506C	-	-	-	-
SET5041P2506D	-	-	-	-

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Thursday May 08, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
SET5041P2506E	-	-	-	-
SET5041P2506F	0.09	0.01	111	0.08
SET5041P2506T	1.19	0.09	42,452	1.15
SET5041P2509A	0.27	0.03	21,067	0.26
SET5041P2509B	0.41	0.03	2,140	0.41
SET5041P2509T	0.25	0.02	6,064	0.25
SPX28C2506A	-	-	-	-
SPX28C2506B	-	-	-	-
SPX28C2506C	0.36	0.01	5	0.36
SPX28C2509A	-	-	-	-
SPX28C2509B	-	-	-	-
SPX28P2506A	-	-	-	-
SPX28P2506B	-	-	-	-
SPX28P2509A	0.30	(0.02)	30	0.30
SPX41C2506A	-	-	-	-
SPX41C2506B	0.14	-	10,002	0.14
SPX41C2506C	-	-	-	-
SPX41C2506D	0.90	0.07	38	0.87
SPX41C2509A	-	-	-	-
SPX41C2509T	1.90	0.06	16	1.91
SPX41P2506A	0.32	(0.05)	6,388	0.33
SPX41P2506B	0.14	(0.01)	20	0.14
SPX41P2509A	0.78	(0.22)	794	0.78
SPX41P2509T	3.00	(0.08)	2	3.01
TENCEN28C2508A	0.85	0.04	2	0.87
TENCEN28C2509A	0.28	-	993	0.28
TENCEN28P2509A	0.32	(0.02)	20	0.32
TENCEN41C2505A	-	-	-	-
TENCEN41C2506A	0.82	0.06	990	0.84
TENCEN41P2506A	0.22	(0.03)	51	0.22
TRIPDC41C2506A	0.43	(0.01)	80	0.46
XIAOMI28C2508A	-	-	-	-
XIAOMI28C2509A	0.44	0.02	4,942	0.46
XIAOMI28P2505A	-	-	-	-
XIAOMI28P2509A	-	-	-	-
XIAOMI28P2510A	0.51	(0.01)	103	0.50
XIAOMI41C2506A	0.95	(0.01)	77	0.98
XIAOMI41C2506B	0.21	0.01	2,270	0.22
XIAOMI41C2507A	0.15	0.01	361	0.16
XIAOMI41P2506A	0.30	(0.01)	210	0.28

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date : *Thursday May 08, 2025*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date : *Thursday May 08, 2025*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
0	-	-	-	-	0	-	-	-	-	0	-	-	-	-

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date : *Thursday May 08, 2025*

Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI				
Agro & Food Indust			-	
APO	1.40	(0.02)	1,357	00 1.4
AU	9.00	(0.10)	9,677	00 8.9
CFARM	0.84	-	12,253	00 0.8
JCKH	0.15	-	11,164	00 0.1
KASET	0.68	-	1,225	00 0.6
MAGURO	17.30	(0.30)	8,305	00 17.2
MUD	-	-	-	00 0.0
NTSC	5.65	-	137	00 5.6
TACC	4.42	0.02	2,584	00 4.4
TMILL	1.90	0.02	390	00 1.8
WINNER	1.93	-	271	00 1.9
XO	16.80	(0.20)	4,755	00 16.7
Consumer Products			-	
ALPHAX	0.40	-	18,209	00 0.4
BGT	0.41	-	610	00 0.3
DOD	1.18	-	484	00 1.1
ECF	0.13	(0.02)	101,784	00 0.1
ECF-W5	-	-	-	00 0.0
EFORL	0.17	(0.01)	103,185	00 0.1
EFORL-W6	-	-	-	00 0.0
EURO	4.38	(0.06)	60	00 4.3
HPT	0.42	(0.03)	42,508	00 0.4
ITTHI	1.44	-	231	00 1.4
JSP	1.81	-	1,831	00 1.8
JSP-W2	0.03	-	1,164	00 0.0
JUBILE	7.45	(0.05)	303	00 7.4
LTS	6.55	0.15	12,307	00 6.5
MGI	11.50	0.30	12,269	00 11.3
MGI-W1	2.66	0.08	39,858	00 2.6
MOONG	1.81	(0.01)	166	00 1.8
NPK	10.40	-	13	00 10.4
SEI	3.30	(0.02)	3,022	00 3.3
SMD100	3.98	(0.02)	503	00 3.9
TM	0.70	0.01	411	00 0.6
TM-W1	-	-	-	00 0.0
WARRIX	2.90	(0.02)	2,303	00 2.8
WINMED	1.17	-	372	00 1.1
Financials			-	
ACAP	-	-	-	00 0.0
AF	0.48	0.04	560	00 0.5
AIRA	1.26	0.02	5	00 1.2
ASN	1.08	0.04	603	00 1.0
BTC	0.35	0.01	307,499	00 0.3
BTC-W7	0.16	0.02	22,121	00 0.1
GCAP	0.30	0.03	132,291	00 0.2
KCC	1.70	(0.02)	1,313	00 1.7
LIT	0.54	0.06	19,145	00 0.5
MITSIB	0.53	(0.02)	5,273	00 0.5
SGF	0.17	-	10,679	00 0.1
SGF-P1	-	-	-	00 0.0
SGF-Q1	-	-	-	00 0.0
TQR	4.92	0.18	253	00 4.8
Industrials			-	
ADB	0.56	(0.03)	2,940	00 0.5
BM	2.34	(0.10)	614	00 2.3
BM-W3	0.44	(0.01)	3,267	00 0.3
BPS	0.51	0.01	2,406	00 0.5
CHO	0.12	-	5,710	00 0.1
CHO-W4	-	-	-	00 0.0
CHOW	1.08	-	178	00 1.0
CIG	0.05	(0.01)	57,456	00 0.0
CIG-W10	-	-	-	00 0.0
CIG-W9	0.02	(0.01)	1,743	00 0.0
COLOR	1.05	(0.01)	294	00 1.0
CPR	2.78	-	209	00 2.7
FPI	1.50	-	1,293	00 1.4
GTB	0.77	0.03	22,960	00 0.7
HARN	2.10	-	2,524	35 2.0
KCM	0.17	(0.01)	2,330	00 0.1
KJL	6.35	(0.05)	1,963	00 6.3
KUMWEL	1.03	(0.04)	975	00 1.0
KWM	1.00	(0.01)	1,953	00 1.0
MBAX	1.40	0.05	345	00 1.3
MGT	1.73	-	42	00 1.7
MTW	1.04	-	8,264	00 1.0
NDR	1.19	(0.07)	74	00 1.2
PACO	1.37	-	1,801	00 1.3
PACO-W1	0.03	0.01	3,750	00 0.0
PDG	2.78	-	165	00 2.7
PHOL	2.86	0.02	2,397	00 2.8
PIMO	1.19	-	6,697	00 1.1
PMC	0.72	(0.03)	4,732	00 0.7
PPM	1.70	(0.01)	246	00 1.6
PRAPAT	1.05	-	3,500	00 1.0
RWI	0.28	(0.01)	1,355	00 0.2
SAF	0.47	-	16	00 0.4
SALEE	0.35	-	96	00 0.3
SANKO	0.95	0.02	12,084	00 0.9
SCL	1.06	0.01	12,012	00 1.0
SFT	2.26	0.02	94	00 2.2
STP	10.00	(0.10)	49	00 9.9
SWC	2.76	0.02	92	00 2.7
TATG	0.93	0.01	653	00 0.9
TMC	0.73	-	153	00 0.7
TMC-W2	-	-	-	00 0.0
TMI	0.49	(0.02)	4,547	00 0.4
TMW	52.50	0.50	100	00 51.9
TPLAS	0.98	(0.02)	394	00 0.9
TRT	3.20	-	523	00 3.2
TRV	1.50	(0.06)	4	00 1.5
UBIS	1.24	-	142	00 1.1
UEC	0.75	0.05	6,690	00 0.7
UKEM	0.52	-	16,168	00 0.5
UREKA	0.74	(0.09)	102,818	00 0.7
YUASA	10.10	(0.10)	31	00 10.0
ZIGA	1.31	0.02	65,960	00 1.3
ZIGA-W2	0.11	0.01	27,224	00 0.1
Property			-	
24CS	1.32	(0.01)	20,663	00 1.3
24CS-W1	0.12	-	49,671	00 0.1
24CS-W2	0.16	0.03	47,368	00 0.1
ARIN	0.47	(0.01)	12,265	00 0.4
ARROW	4.90	-	346	00 4.8
BC	0.91	0.01	48	00 0.9
BC-W2	-	-	-	00 0.0
BKA	1.40	(0.01)	116,604	00 1.4
BLESS	0.21	0.01	6,409	00 0.2
BSM	0.83	(0.02)	88	00 0.7
BTW	0.18	-	2,135	00 0.1
CAZ	1.95	(0.05)	561	00 1.9
CHEWA	0.26	-	1,367	00 0.2
CPANEL	2.64	-	84	00 2.5
CPANEL-W1	0.03	-	4,551	00 0.0
CRD	0.35	0.03	6,073	20 0.3
DHOUSE	0.64	-	930	00 0.6
DIMET	0.10	0.01	25,485	00 0.0
DPAINT	0.59	(0.01)	6,403	00 0.5
FLOYD	0.85	-	851	00 0.8
HYDRO	1.09	0.04	674	00 1.0
HYDRO-W2	0.13	(0.03)	2	00 0.1
IND	0.83	0.01	11,631	00 0.8
JAK	0.94	0.01	15	00 0.9
K	1.29	-	83	00 1.2
K-W3	0.21	0.02	383	00 0.2
META	0.09	0.01	49,905	00 0.0
PANEL	1.21	0.03	507	00 1.2
PPS	0.18	-	5,720	00 0.1
PRI	5.35	(0.05)	270	00 5.3
PROS	0.79	(0.01)	5,959	00 0.7
PROS-W1	0.06	-	3,857	00 0.0
PSG	0.34	(0.01)	821,913	00 0.3
QTCG	0.13	(0.01)	12,269	00 0.1
SENX	0.24	(0.01)	12,350	00 0.2
SK	0.58	0.01	5,279	00 0.5
SMART	0.63	-	6,704	00 0.6
STC	0.48	0.02	254	00 0.4
STX	1.22	0.04	6,595	00 1.2
SVR	0.59	(0.02)	815	00 0.5
TAPAC	-	-	-	00 0.0
THANA	1.01	(0.02)	232	00 1.0
TIGER	0.54	0.02	1,396	00 0.5
TITLE	3.86	-	2,725	00 3.8
WELL	-	-	-	00 0.0
YONG	0.86	-	5,512	00 0.8
Resources			-	
ABM	0.66	-	208	00 0.6
GTV	0.10	-	4,229	00 0.0
PSTC	0.44	-	4,846	00 0.4
PSTC-W2	0.01	-	700	00 0.0
PSTC-W3	0.12	-	2,079	00 0.1
PTC	0.92	0.03	663	00 0.8
SAAM	6.75	0.05	2,125	00 6.6
SR	0.47	(0.01)	198	00 0.4
STOWER	0.04	0.01	69,971	00 0.0
TAKUNI	0.44	(0.03)	70,283	00 0.4
TPCH	3.04	0.16	5,568	00 3.0
UMS	0.30	-	97	00 0.2
Services			-	
ADD	3.36	(0.02)	946	00 3.3
AKP	0.66	(0.02)	2,593	00 0.6
AMA	4.12	(0.02)	1,024	00 4.1
AMARC	1.33	-	1,362	00 1.3
ARIP	0.40	(0.02)	1,694	00 0.4
ATP30	0.85	(0.01)	1,860	00 0.8
AUCT	7.30	(0.05)	1,715	00 7.3
BIS	2.70	(0.06)	3	00 2.7
BOL	5.10	0.05	147	00 5.0
CEYE	2.00	-	64	00 1.9
CHIC	0.31	0.01	2,655	00 0.3
CMO	0.64	0.01	1,136	00 0.6
D	2.24	(0.02)	1,349	00 2.2
DEXON	1.39	0.04	335	00 1.3
DV8	1.73	0.40	91,064	00 1.6
DV8-W2	1.10	0.40	32,445	00 0.9
ETE	0.77	-	654	00 0.7
FSMART	6.60	0.30	8,663	00 6.5
FVC	0.44	0.03	9,965	00 0.4
GFC	4.88	(0.08)	457	00 4.8
GLORY	0.81	(0.08)	1,013	00 0.8
GLORY-W1	0.19	-	296	00 0.1
HEALTH	0.25	(0.01)	685	00 0.2
HL	5.75	(0.05)	4,638	00 5.7
IMH	4.00	0.08	163	00 3.9
IROYAL	3.54	-	106	00 3.5
IVF	1.01	-	3,173	00 1.0
JPARK	5.00	(0.10)	4,096	00 5.0
KGEN	0.71	(0.01)	6,040	00 0.7
KGEN-W2	0.11	0.01	3,121	00 0.0
KK	0.69	(0.03)	163	00 0.7
KLINIQ	28.25	0.75	9,937	00 28.0
KOOL	0.24	-	8,252	00 0.2
KTMS	1.56	(0.04)	1,041	00 1.5
LDC	0.40	(0.01)	2,182	00 0.4
LEO	2.02	-	3,381	00 2.0
LTMH	4.66	(0.04)	1,174	00 4.6
MCA	1.16	(0.01)	2,619	00 1.1
MEB	20.90	(0.80)	1,861	00 20.9
MORE	0.02	-	18,110	00 0.0
MOTHER	0.66	(0.03)	96,683	00 0.6
MPJ	2.98	(0.04)	1,723	00 3.0
MVP	0.49	(0.01)	1,349	00 0.4
NCL	0.28	-	2,736	00 0.2
NCP	1.14	(0.02)	257	00 1.1
NEWS	0.01	-	36,648	00 0.0
PEER	0.13	0.01	46,593	00 0.1
PEER-W2	0.03	0.01	10,061	00 0.0
PICO	-	-	-	00 0.0
PLT	0.60	0.01	1,050	00 0.5
QLT	3.00	0.04	6	00 3.0
RP	0.83	0.04	266	00 0.8
SONIC	1.65	0.01	88,845	00 1.6
THMUI	0.35	-	2	00 0.3
TNDT	0.19	-	318	00 0.1
TNDT-W1	0.01	-	1	00 0.0
TNH	33.25	(0.25)	8	00 33.2
TNP	2.74	(0.02)	559	00 2.7
TPL	0.47	(0.01)	1,890	00 0.4
TRP	6.00	(0.15)	2,018	00 6.0
TURTLE	6.70	(0.35)	2	00 6.7
TVDH	0.13	(0.01)	205,378	00 0.1
TVDH-W3	0.01	-	1	00 0.0
TVT	0.30	-	28,758	00 0.3
UBA	0.88	-	2,506	00 0.8
VL	0.86	(0.01)	2,714	00 0.8
VS	0.30	(0.04)	1,667	00 0.2
YGG	0.35	(0.01)	127,196	00 0.3
Technology			-	
APP	1.68	0.01	2,118	00 1.6
BBIK	23.00	(1.20)	19,207	00 23.3
BE8	8.90	(1.05)	30,686	00 9.2
BE8-W1	0.39	(0.01)	486	00 0.3
BVG	1.91	0.07	3,404	00 1.8
COMAN	0.59	-	110	00 0.5
I2	1.01	(0.01)	3,002	00 1.0
IIG	2.54	(0.02)	424	00 2.5
IRCP	0.37	(0.01)	2,948	00 0.3
ITNS	1.46	(0.01)	117	00 1.4
NAT	3.64	(0.06)	750	00 3.6
NETBAY	20.00	(0.30)	7,429	00 20.0
PIS	4.36	(0.10)	5,723	00 4.4
PLANET	1.74	(0.05)	10,155	00 1.7
PLANET-W2	0.73	(0.04)	693	00 0.7
PROEN	1.16	(0.06)	70,896	00 1.1
PROEN-W2	0.38	-	10,946	00 0.3
READY	5.05	-	120	00 5.0
SECURE	10.90	0.10	1,068	00 10.7
SICT	3.06	(0.04)	1,753	00 3.0
SIMAT	1.03	-	16,812	00 1.0
SIMAT-W3	-	-	-	00 0.0
SPVI	2.30	0.50	160,780	00 2.1
SRS	3.60	-	100	00 3.6
TBN	5.80	-	86	00 5.8
TERA	1.21	0.01	1,155	00 1.2
TPS	3.74	0.02	1,930	00 3.7
VCOM	2.44	-	297	00 2.4