

Main Board Quotation

Issue Date :

Wednesday May 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Agribusiness					GEL	0.04	-	9,039	0.04	CPALL	48.25	0.75	349,603	48.25
EE	0.52	0.04	712,233	0.50	GEL-W5	-	-	-	-	CPALL01C2507A	0.10	0.01	550	0.09
GFPT	9.95	0.10	27,729	10.04	PPP	1.05	0.01	235	1.02	CPALL01C2510A	0.29	0.03	36,343	0.28
LEE	2.40	-	448	2.41	Q-CON	7.35	-	213	7.35	CPALL01C2606T	0.26	0.01	3,883	0.25
NER	4.14	0.02	20,729	4.15	SCC	177.00	9.00	85,621	175.19	CPALL01P2507A	0.18	(0.04)	19,268	0.19
NER-W2	0.21	(0.01)	12,420	0.21	SCC01C2507A	0.21	0.09	159,604	0.18	CPALL01P2510A	0.45	(0.03)	14,742	0.45
PCE	2.72	-	20,249	2.72	SCC01C2508A	0.79	0.13	14,567	0.77	CPALL13C2506A	-	-	-	-
PPPM	0.49	(0.02)	3,136	0.49	SCC01C2508B	0.74	0.17	46,070	0.67	CPALL13C2506B	-	-	-	-
PPPM-W6	0.30	(0.04)	479	0.31	SCC01C2511A	0.90	0.15	108,833	0.85	CPALL13C2508A	0.10	0.01	27,127	0.11
STA	12.80	-	39,966	12.83	SCC01C2606T	0.62	0.07	51,283	0.60	CPALL13C2510A	0.30	0.02	30,957	0.30
STA01C2506A	-	-	-	-	SCC01P2507A	0.02	(0.01)	2,290	0.02	CPALL13P2506A	-	-	-	-
STA01C2510A	0.20	-	51,300	0.20	SCC01P2508A	0.26	(0.08)	119,272	0.28	CPALL13P2510A	0.38	(0.03)	5,616	0.40
STA13C2506A	-	-	-	-	SCC13C2507A	0.53	0.22	27,614	0.40	CPALL19C2506A	-	-	-	-
STA13C2508A	0.15	0.01	10,633	0.14	SCC13C2509A	0.65	0.15	409,771	0.62	CPALL19C2506B	-	-	-	-
STA19C2506A	0.01	(0.01)	49,847	0.01	SCC13P2508A	0.10	(0.03)	32,193	0.10	CPALL19C2508A	0.09	-	54,558	0.10
STA41C2612T	0.27	(0.01)	27,100	0.27	SCC19C2506A	-	-	-	-	CPALL19C2510A	0.25	0.02	91,999	0.25
TEGH	2.86	(0.04)	4,855	2.87	SCC19C2507A	-	-	-	-	CPALL41C2506A	-	-	-	-
TFM	4.78	(0.04)	2,912	4.81	SCC19C2509A	0.94	0.20	15,107	0.82	CPALL41C2605T	0.12	0.01	1,010	0.12
TRUBB	0.58	(0.01)	2,770	0.58	SCC19C2509B	0.62	0.15	222,167	0.60	CPALL41P2508A	-	-	-	-
UPOIC	6.55	(0.05)	131	6.60	SCC19P2508A	0.15	(0.07)	43,610	0.17	CPAXT	18.90	0.10	232,180	19.10
UVAN	9.15	-	1,723	9.16	SCC19P2509A	0.17	(0.06)	90,753	0.19	CPW	1.94	(0.01)	131	1.97
VPO	0.46	0.02	2,948	0.45	SCC41C2608T	0.66	0.09	134,959	0.63	CRC	18.50	-	271,798	18.70
Banking					SCC41P2508A	-	-	-	-	CRC01C2506A	0.01	-	867	0.01
BAY	22.10	(0.10)	278	22.06	SCCC	151.00	-	292	151.74	CRC01C2511A	0.37	(0.01)	35,147	0.39
BBL	144.50	(1.00)	82,704	144.65	SCGD	4.02	-	1,663	4.02	CRC13C2506A	-	-	-	-
BBL11C2507A	0.08	(0.01)	6,127	0.08	SCP	6.25	-	1,557	6.32	CRC13C2508A	0.01	-	9,998	0.01
BBL13C2507A	-	-	-	-	SKN	5.65	0.05	11	5.62	CRC13C2509A	0.13	-	45,080	0.14
BBL13C2508A	0.13	(0.02)	37,734	0.13	STECH	1.06	(0.01)	674	1.06	CRC13C2510A	0.34	(0.01)	42,966	0.36
BBL13C2509A	0.42	(0.07)	83,255	0.43	TASCO	14.40	-	17,906	14.42	CRC19C2506A	-	-	-	-
BBL19C2506A	0.01	-	2,150	0.01	TASCO19C2507A	0.03	(0.01)	20	0.03	CRC19C2508A	-	-	-	-
BBL19C2508A	-	-	-	-	TOA	10.70	(0.40)	11,257	10.88	CRC19C2510A	0.30	(0.03)	54,157	0.32
BBL41C2506A	-	-	-	-	TPJPL	0.98	(0.01)	13,367	0.98	CRC41C2608T	0.04	-	2	0.05
BBL41C2609T	0.36	(0.01)	58,500	0.36	UMI	0.69	-	21,152	0.72	CRC41C2609T	0.26	(0.01)	22,534	0.27
CMBT	0.53	-	1,963	0.53	VNG	2.12	(0.04)	607	2.09	CSS	0.81	-	2,290	0.82
CREDIT	18.40	-	125	18.37	WIJK	0.93	0.01	2,916	0.93	DOHOME	3.62	(0.10)	380,686	3.77
KBANK	156.00	(5.00)	298,207	157.00	WIJK-W3	0.05	-	28,517	0.05	DOHOME01C2507A	-	-	-	-
KBANK01C2506A	0.04	(0.04)	20	0.04	WINDOW	0.99	0.14	246,091	0.96	DOHOME01C2508A	0.02	(0.01)	19,800	0.03
KBANK01C2508A	0.60	(0.27)	1,339	0.64	Petrochemicals & Plastics	-	-	-	-	DOHOME01C2510A	0.23	(0.03)	105,937	0.27
KBANK01C2509A	0.43	(0.09)	123,730	0.45	BCT	47.25	-	17	47.03	DOHOME13C2506A	-	-	-	-
KBANK01P2507A	0.08	0.02	3,782	0.07	CMAN	2.22	0.02	808	2.21	DOHOME13C2508A	0.02	-	5	0.02
KBANK01P2509A	0.41	0.05	170,856	0.40	GC	4.58	-	1,131	4.56	DOHOME13C2509A	0.11	(0.01)	70,928	0.14
KBANK13C2507A	0.13	(0.08)	80,873	0.14	GGC	4.56	0.06	3	4.56	DOHOME13C2510A	0.41	(0.04)	354,500	0.50
KBANK13C2508A	0.51	(0.12)	91,573	0.53	IVL	20.90	0.50	251,643	20.98	DOHOME19C2506A	-	-	-	-
KBANK13C2509A	0.33	(0.07)	202,786	0.33	IVL01C2506A	-	-	-	-	DOHOME19C2506B	-	-	-	-
KBANK13P2507A	0.02	0.01	839	0.02	IVL01C2507A	0.16	0.02	161,213	0.16	DOHOME19C2508A	0.02	-	1,500	0.02
KBANK13P2509A	0.37	0.05	35,730	0.36	IVL01C2509A	0.40	0.04	133,371	0.41	DOHOME19C2510A	0.21	(0.03)	70,414	0.26
KBANK19C2507A	-	-	-	-	IVL01P2506A	-	-	-	-	DOHOME41C2609T	0.11	(0.01)	38,156	0.13
KBANK19C2507B	0.11	(0.06)	28,556	0.12	IVL01P2510A	0.39	(0.04)	50,818	0.40	FN	0.47	(0.03)	1,686	0.49
KBANK19C2510A	0.27	(0.06)	122,929	0.29	IVL13C2507A	0.05	0.01	3,142	0.05	GLOBAL	5.50	0.15	168,673	5.49
KBANK41C2604T	0.78	(0.08)	129,460	0.79	IVL13C2508A	0.23	0.03	162,909	0.23	GLOBAL01C2507A	-	-	-	-
KBANK41C2609T	0.43	(0.04)	81,820	0.44	IVL13C2509A	0.44	0.05	71,138	0.45	GLOBAL01C2510A	0.21	0.02	67,892	0.21
KBANK41P2606T	-	-	-	-	IVL13P2508A	0.17	(0.03)	43,133	0.17	GLOBAL13C2506A	-	-	-	-
KKP	46.00	(0.25)	21,374	45.94	IVL19C2506A	-	-	-	-	GLOBAL13C2507A	-	-	-	-
KKP-W6	0.66	(0.01)	847	0.65	IVL19C2507A	0.09	-	3,219	0.10	GLOBAL13C2508A	0.03	-	243	0.03
KKP13C2508A	0.15	(0.01)	1,143	0.15	IVL19C2508A	0.25	0.02	307,113	0.26	GLOBAL13C2510A	0.17	0.02	85,647	0.17
KKP19C2507A	-	-	-	-	IVL19P2508A	0.17	(0.03)	72,711	0.17	GLOBAL19C2507A	-	-	-	-
KKP19C2509A	0.31	(0.02)	4,428	0.31	IVL41C2605T	0.19	0.02	24,001	0.19	GLOBAL19C2509A	0.09	0.01	5,575	0.09
KTB	22.50	0.10	154,873	22.50	IVL41P2605T	-	-	-	-	GLOBAL19C2510A	0.19	0.01	92,526	0.21
KTB-P	-	-	-	-	NFC	1.76	0.02	165	1.77	GLOBAL41C2606T	0.06	-	1,200	0.06
KTB-Q	-	-	-	-	PATO	7.15	(0.10)	35	7.17	HMPRO	7.70	0.05	278,111	7.76
KTB01C2506A	0.08	-	204	0.07	PMTA	8.95	0.20	85	8.96	HMPRO01C2507A	-	-	-	-
KTB01C2509A	0.60	(0.01)	4,752	0.60	PTTGC	20.70	0.80	520,709	20.69	HMPRO01C2508A	0.11	(0.01)	24,508	0.13
KTB01P2509A	0.31	(0.01)	16,021	0.32	PTTGC01C2506A	-	-	-	-	HMPRO13C2506A	-	-	-	-
KTB13C2507A	-	-	-	-	PTTGC01C2507A	0.20	0.05	162,036	0.19	HMPRO13C2508A	0.13	-	7,860	0.13
KTB13C2508A	0.31	-	9,445	0.31	PTTGC01C2508A	0.55	0.08	89,621	0.53	HMPRO19C2506A	0.01	(0.01)	1,292	0.01
KTB13P2507A	-	-	-	-	PTTGC01P2506A	0.02	(0.01)	12	0.02	HMPRO19C2508A	0.19	0.01	30,113	0.20
KTB19C2506A	-	-	-	-	PTTGC01P2510A	0.49	(0.06)	67,267	0.50	HMPRO41C2606T	-	-	-	-
KTB19C2508A	0.33	0.01	39,170	0.33	PTTGC13C2506A	-	-	-	-	ICC	28.25	(0.25)	5	28.95
KTB41C2506A	-	-	-	-	PTTGC13C2507A	0.16	0.05	133,572	0.16	ILM	13.60	(0.10)	324	13.64
KTB41C2609T	0.52	-	6,000	0.52	PTTGC13C2507E	0.45	0.09	25,515	0.44	IT	3.14	(0.02)	1,311	3.13
LHFG	0.77	0.01	13,655	0.76	PTTGC13C2510A	0.48	0.06	355,944	0.48	KAMART	7.50	0.10	20,974	7.54
SCB	119.50	(0.50)	59,860	119.67	PTTGC13P2506A	-	-	-	-	LOXLEY	1.02	0.01	807	1.01
SCB01C2507A	0.13	(0.03)	6,921	0.14	PTTGC13P2510A	0.45	(0.06)	37,396	0.46	MC	10.00	-	10,372	10.08
SCB01C2509A	0.32	(0.01)	4,734	0.32	PTTGC19C2506A	-	-	-	-	MEGA	24.50	(0.40)	26,377	24.70
SCB01P2507A	0.12	-	7,101	0.12	PTTGC19C2508A	0.35	0.06	282,858	0.35	MIDA	0.25	(0.01)	1,066	0.25
SCB01P2510A	0.55	0.01	18,562	0.55	PTTGC41C2506A	-	-	-	-	MOSHI	37.00	-	5,999	37.15
SCB13C2508A	0.15	(0.01)	3,610	0										

Main Board Quotation

Issue Date :

Wednesday May 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ADVANC19P2508A	-	-	-	-	DELTA13P2507A	0.02	-	20,374	0.02	BGRIM01C2509A	0.08	0.01	18,764	0.09
ADVANC41C2606T	0.31	(0.01)	71,880	0.32	DELTA13P2507E	0.02	0.01	39,300	0.01	BGRIM01C2606T	0.10	-	8,114	0.11
ADVANC41P2508A	-	-	-	-	DELTA13P2508A	0.14	0.01	68,400	0.13	BGRIM01P2507A	0.33	(0.06)	76,687	0.32
AIT	4.54	-	11,558	4.55	DELTA13P2508E	0.33	0.03	75,668	0.30	BGRIM11C2507A	-	-	-	-
ALT	0.92	0.01	6,106	0.90	DELTA19C2506A	0.01	-	1,500	0.01	BGRIM13C2506A	-	-	-	-
AMR	0.58	(0.01)	13,574	0.60	DELTA19C2506E	-	-	-	-	BGRIM13C2507A	-	-	-	-
BLISS	-	-	-	-	DELTA19C2506C	-	-	-	-	BGRIM13C2507B	-	-	-	-
DIF	8.10	0.05	34,767	8.08	DELTA19C2507A	0.10	(0.03)	25,291	0.12	BGRIM13C2508A	0.07	0.02	86,729	0.06
DITTO	10.20	(0.10)	21,106	10.41	DELTA19C2507E	0.32	(0.09)	2,420	0.36	BGRIM13C2510A	0.14	0.01	51,689	0.15
DTCENT	0.88	(0.03)	2,843	0.88	DELTA19C2507C	-	-	-	-	BGRIM13P2506A	-	-	-	-
FORTH	8.75	0.05	641	8.72	DELTA19C2508A	2.18	(0.14)	2	2.18	BGRIM19C2506A	-	-	-	-
GABLE	2.98	-	2,366	3.00	DELTA19C2509A	0.58	(0.06)	85,629	0.62	BGRIM19C2507A	-	-	-	-
HUMAN	7.55	0.25	3,022	7.31	DELTA19P2506A	-	-	-	-	BGRIM19C2507B	-	-	-	-
ICN	1.91	0.02	998	1.90	DELTA19P2507A	-	-	-	-	BGRIM19C2508A	0.14	0.03	54,313	0.14
ILINK	5.15	(0.05)	408	5.17	DELTA19P2509A	0.14	0.01	15,325	0.13	BGRIM19C2509A	0.10	0.01	69,509	0.11
INET	4.18	0.04	25,480	4.20	DELTA19P2509E	0.26	0.02	22,975	0.24	BGRIM19P2506A	-	-	-	-
INSET	1.62	(0.03)	18,729	1.64	DELTA19P2509C	0.35	0.02	18,033	0.33	BGRIM41C2506A	-	-	-	-
ITEL	1.19	-	19,091	1.20	DELTA19P2509C	0.48	0.03	177,944	0.45	BGRIM41C2608T	0.14	0.01	14,301	0.14
JAS	1.70	(0.04)	881,991	1.73	DELTA41C2506A	0.03	0.02	1,812	0.01	BIOTEC	0.19	-	9,707	0.19
JAS-W4	0.53	(0.04)	1,132,514	0.56	DELTA41C2507A	0.29	(0.05)	2,501	0.32	BIOTEC-P	-	-	-	-
JAS13C2507A	-	-	-	-	DELTA41C2508A	0.67	(0.06)	3,701	0.72	BIOTEC-Q	-	-	-	-
JAS13C2509A	0.41	(0.04)	42,152	0.43	DELTA41C2509A	0.41	(0.02)	19,675	0.43	BIOTEC-W2	0.03	-	918	0.02
JAS19C2507A	0.09	(0.02)	12,256	0.10	DELTA41C2608T	0.51	(0.02)	29,400	0.53	BPP	7.15	(0.05)	17,343	7.21
JAS19C2509A	0.62	(0.05)	17,744	0.65	DELTA41C2612T	0.16	(0.01)	16,510	0.16	BRRGIF	4.00	0.08	9,492	3.98
JAS19C2510A	0.40	(0.04)	61,664	0.43	DELTA41P2507A	-	-	-	-	BSRC	5.10	-	39,004	5.07
JAS41C2605T	0.13	(0.02)	1,789	0.14	DELTA41P2509A	0.40	0.02	111	0.38	BSRC13C2506A	-	-	-	-
JMART	6.45	0.05	86,325	6.58	HANA	18.30	0.50	107,398	18.34	CKP	2.78	-	25,944	2.80
JMART-W5	0.04	(0.01)	10,827	0.04	HANA01C2509A	0.28	0.02	80,469	0.28	CV	-	-	-	-
JMART13C2506A	-	-	-	-	HANA13C2506A	-	-	-	-	CV-W1	-	-	-	-
JMART13C2507A	-	-	-	-	HANA13C2507A	0.02	0.01	11,368	0.02	EA	3.28	0.10	3,726,811	3.29
JMART13C2508A	0.07	-	45,821	0.08	HANA13C2508A	0.26	0.03	128,541	0.27	EA-W1	1.36	(0.07)	1,720,729	1.43
JMART13C2510A	0.25	-	40,348	0.27	HANA13C2509A	0.19	0.02	46,415	0.19	EA13C2506A	0.01	-	135	0.01
JMART19C2506A	-	-	-	-	HANA13P2507A	-	-	-	-	EA13C2506B	-	-	-	-
JMART19C2508A	-	-	-	-	HANA19C2507A	0.02	0.01	51	0.02	EA13C2507A	0.16	0.02	575,047	0.17
JMART19C2508B	0.05	0.01	2,328	0.05	HANA19C2508A	0.26	0.04	149,502	0.24	EA13C2508A	0.51	0.05	61,027	0.52
JMART19C2510A	0.26	0.01	35,888	0.27	HANA19C2510A	0.24	0.03	72,154	0.23	EA13C2508B	0.95	0.10	2,520	0.97
JMART41C2606T	0.06	(0.01)	64	0.06	HANA41C2606T	0.13	0.01	18,000	0.13	EA13C2509A	0.31	0.03	1,209,417	0.31
JMART41C2609T	0.22	-	104,502	0.24	HANA41C2608T	0.51	0.03	84,250	0.50	EA13P2508A	0.21	(0.02)	93,573	0.21
JTS	38.75	(1.25)	4,038	38.82	KCE	15.20	0.40	118,615	15.29	EA19C2506A	-	-	-	-
MFCF	5.30	0.05	551	5.32	KCE01C2507A	-	-	-	-	EA19C2506B	-	-	-	-
MSC	7.85	(0.05)	47	7.85	KCE13C2506A	-	-	-	-	EA19C2508A	0.58	0.06	97,770	0.57
PT	13.10	-	907	13.08	KCE13C2507A	0.01	(0.01)	18	0.01	EA19C2508B	0.82	0.07	12,270	0.81
ROCTEC	0.62	(0.01)	39,183	0.62	KCE13C2508A	0.05	0.02	745	0.04	EA19C2510A	0.51	0.03	149,999	0.52
ROCTEC-W3	-	-	-	-	KCE13C2508B	0.09	0.02	42,868	0.09	EA19P2509A	0.27	(0.03)	64,685	0.27
ROCTEC-W5	0.03	-	22,951	0.02	KCE13C2510A	0.25	0.03	55,058	0.26	EA19P2510A	0.56	(0.44)	58,106	0.56
SAMART	6.20	0.05	16,202	6.16	KCE13P2508A	0.29	(0.04)	74,542	0.28	EA41C2606T	0.19	0.02	104,415	0.19
SAMTEL	5.75	(0.15)	295	5.67	KCE19C2506A	-	-	-	-	EA41C2609T	0.54	0.02	118,024	0.54
SAMTEL-W2	1.00	(0.05)	190	1.00	KCE19C2507A	-	-	-	-	EASTW	1.73	0.01	17,599	1.72
SDC	0.03	-	37,676	0.03	KCE19C2508A	0.06	0.01	151	0.07	EGATIF	5.90	(0.25)	3,585	5.91
SIS	20.20	(0.30)	865	20.30	KCE19C2510A	0.18	0.02	21,567	0.20	EGCO	107.50	-	3,219	107.64
SKY	14.20	0.30	12,079	14.17	KCE19C2510B	0.29	0.02	53,419	0.31	EP	1.38	(0.07)	631	1.37
SPREME	1.32	0.01	1,506	1.32	KCE41C2606T	-	-	-	-	EP-W4	-	-	-	-
SVOA	1.15	(0.02)	1,344	1.15	KCE41C2609T	0.30	0.02	102,254	0.29	ETC	1.31	(0.02)	2,718	1.32
SYMC	4.52	(0.02)	669	4.53	METCO	188.00	2.00	10	187.40	GPSC	32.25	-	42,095	32.62
SYNEX	11.00	0.20	4,888	10.87	SMT	1.25	0.01	3,070	1.24	GPSC01C2507A	-	-	-	-
THCOM	8.35	-	8,042	8.42	SVI	6.75	0.05	3,250	6.69	GPSC01C2508A	-	-	-	-
TKC	10.70	0.30	1,745	10.51	TEAM	2.62	0.02	617	2.62	GPSC01C2510A	0.25	(0.01)	30,992	0.27
TRUE	12.70	-	379,206	12.78	Energy & Utilitie	-	-	-	-	GPSC01P2506A	-	-	-	-
TRUE01C2507A	-	-	-	-	ACC	0.32	0.01	59,635	0.33	GPSC13C2506A	0.01	(0.01)	185	0.01
TRUE01C2508A	0.24	(0.02)	4,546	0.25	ACC-W2	0.24	0.01	208	0.23	GPSC13C2507A	-	-	-	-
TRUE01C2606T	0.19	-	5,998	0.19	ACE	1.31	0.01	14,280	1.31	GPSC13C2509A	0.19	-	59,430	0.21
TRUE01P2507A	0.05	(0.01)	10	0.05	AE	0.12	(0.01)	156,176	0.12	GPSC13P2506A	-	-	-	-
TRUE13C2507A	0.12	-	3,046	0.12	AGE	0.91	(0.01)	3,380	0.93	GPSC19C2506A	-	-	-	-
TRUE13P2506A	-	-	-	-	AI	3.12	0.02	3,670	3.11	GPSC19C2506B	-	-	-	-
TRUE19C2507A	-	-	-	-	AIE	1.13	-	10,596	1.13	GPSC19C2507A	0.19	-	19,496	0.21
TRUE19C2507B	0.19	-	48	0.20	BAFS	8.10	(0.05)	1,180	8.12	GPSC19C2510A	0.27	-	97,626	0.27
TRUE19P2506A	-	-	-	-	BANPU	4.80	0.10	586,319	4.79	GPSC19P2506A	-	-	-	-
TRUE19P2507A	-	-	-	-	BANPU01C2506A	-	-	-	-	GPSC41C2606T	0.18	-	7,001	0.18
TRUE41C2604T	-	-	-	-	BANPU01C2507A	0.13	0.01	88,329	0.13	GREEN	0.87	0.02	1,084	0.84
TRUE41C2612T	0.35	(0.02)	402	0.36	BANPU01C2508A	0.47	0.04	75,111	0.45	GULF	45.25	(1.00)	192,529	45.97
TWZ	0.03	-	119,019	0.03	BANPU01C2606T	0.37	0.02	16,395	0.36	GULF01C2508A	0.10	(0.02)	16,035	0.12
TWZ-W8	-	-	-	-	BANPU01P2510A	0.55	(0.04)	43,623	0.56	GULF01C2509A	0.27	(0.04)	30,439	0.31
TWZ-W9	0.01	-	2	0.01	BANPU13C2506A	-	-	-	-	GULF01C2606T	0.28	(0.02)	16,086	0.29
Electronic Componer	-	-	-	-	BANPU13C2506E	-	-	-	-	GULF01P2510A	0.56	0.02	26,507	0.53
CCET	5.45	(0.10)	590,908	5.59	BANPU13C2507A	0.22	0.03	53,197	0.21	GULF13C2508A	0.06	(0.01)	94,996	0.06
CCET13C2506A	0.01	-	100	0.01	BANPU13C2509A	0.58	0.04	89,088	0.57	GULF13C2508B	0.27	(0.03)	94,782	0.30
CCET13C2507A	0.01	-	4,140	0.01	BANPU13P2510A	0.47	(0.04)	36,813	0.49	GULF13P2510A	0.50	(0.50)	17,260	0.48
CCET13C2507B	0.06	(0.01)	6,884	0.07	BANPU19C2506A	-	-	-	-	GULF19C2509A	0.39	(0.05)	32,078	0.43
CCET13C2508A	0.19	(0.01)	94,184	0.21	BANPU19C2507A	0.11	0.01	16,753	0.11	GULF19C2509B	0.20	(0.02)	55,914	0.22
CCET19C2506A	-	-	-	-	BANPU19C2508A	0.41	0.04	176,647	0.40	GULF41C2508A	0.22	(0.05)	17,520	0.26
CCET19C2506B	-	-	-	-	BANPU41C2605T	0.13	0.01	4,700	0.13	GULF41C2609T	0.36	(0.02)	17,000	0.37
CCET19C2506C	0.01	-	30,000	0.01	BBGJ	3.06	(0.02)	3,846	3.08	GUNKUL	1.57	(0.09)	383,195	1.59
CCET19C2507A	-	-	-	-	BCP	36.75	0.25	26,210	36.84	GUNKUL13C2509A	0.29	(0.02)	27,885	0.31
CCET19C2507B	0.08	-	47	0.08	BCP01C2507A	-	-	-	-	GUNKUL19C2510A	0.37	0.01	5,673	0.38
CCET19C2509A	0.26	(0.01)	44,253	0.28	BCP13C2507A	0.06	-	9,360	0.06	IRPC	0.84	0.01	286,791	0.85
CCET19C2510A	0.15	(0.01)	21,053	0.16	BCP13C2508A	0.07	0.01	10,508	0.07	IRPC19C2508A	0.07	-	6	0.07
CCET41C2506A	-	-	-	-	BCP13C2509A	0.25	-	9,526	0.26	K				

Main Board Quotation

Issue Date :

Wednesday May 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OR41C2608T	0.32	-	21,700	0.32	VGI-W4	0.69	0.01	15,337	0.69	SAWAD41C2609T	0.10	(0.01)	12,500	0.11
PRIME	0.09	0.01	71,431	0.08	VGI01C2507A	-	-	-	-	SAWAD41C2610T	0.32	(0.01)	38,302	0.33
PTG	6.35	(0.05)	26,444	6.37	VGI01C2509A	0.28	-	17,224	0.28	SCAP	1.21	(0.02)	18,293	1.23
PTT	30.25	-	161,062	30.33	VGI13C2507A	-	-	-	-	SGC	0.74	(0.02)	98,291	0.76
PTT01C2508A	0.07	-	1,150	0.07	VGI13C2508A	0.04	0.01	200	0.04	SGC-W1	0.02	-	35,878	0.02
PTT01C2606T	-	-	-	-	VGI13C2508B	0.18	0.01	10,227	0.18	SGC-W2	0.25	(0.01)	5,270	0.25
PTT13C2508A	0.06	(0.02)	1	0.06	VGI13C2509A	0.24	0.01	7,748	0.24	SM	0.84	0.02	50,144	0.88
PTT19C2509A	0.13	-	3,490	0.13	VGI19C2507A	-	-	-	-	TH	0.58	(0.01)	11,406	0.59
PTT41C2606T	-	-	-	-	VGI19C2508A	-	-	-	-	TH-W3	-	-	-	-
PTTPE	99.50	(0.25)	65,141	99.79	VGI19C2509A	0.33	0.02	4,394	0.32	THANI	1.62	(0.01)	24,333	1.63
PTTPE01C2507A	0.03	-	2	0.03	VGI41C2606T	0.12	-	1,000	0.12	TIDLOR	16.10	0.20	99,260	16.08
PTTPE01C2509A	0.29	(0.02)	15,054	0.30	WORK	4.38	-	537	4.34	TK	3.84	(0.02)	427	3.82
PTTPE01C2606T	0.61	(0.01)	26,151	0.62	ZAA	1.05	0.08	954	1.03	TNITY	2.72	0.06	688	2.72
PTTPE01P2506A	-	-	-	-	Finance & Secur	-	-	-	-	TNL	27.50	(1.50)	2	28.25
PTTPE01P2510A	0.57	-	23,675	0.56	AEONTS	102.50	1.00	6,042	102.86	UOBKH	5.50	-	53	5.49
PTTPE13C2507A	0.01	-	1,000	0.01	AMANAHA	0.92	0.01	7,576	0.92	XPG	0.80	-	87,885	0.79
PTTPE13C2507B	-	-	-	-	ASAP	1.30	(0.02)	367	1.31	Food & Beverage	-	-	-	-
PTTPE13C2508A	0.22	(0.01)	62,014	0.23	ASK	7.00	(0.05)	217	7.01	AAI	4.18	(0.02)	20,446	4.21
PTTPE13C2509A	0.74	(0.03)	5,384	0.75	ASP	2.00	-	1,493	2.00	APURE	3.34	(0.06)	110	3.34
PTTPE13P2506A	0.11	(0.11)	306	0.11	BAM	6.30	0.05	86,404	6.28	ASIAN	7.00	-	4,860	7.02
PTTPE13P2510A	0.57	-	44,361	0.56	BAM01C2506A	-	-	-	-	BR	1.60	(0.03)	7,611	1.61
PTTPE19C2507A	-	-	-	-	BAM13C2506A	-	-	-	-	BR-W1	0.04	(0.01)	4,450	0.04
PTTPE19C2508A	-	-	-	-	BAM13C2509A	0.20	0.01	12,365	0.19	BRR	4.24	-	2,113	4.23
PTTPE19C2509A	0.32	-	39,361	0.32	BAM19C2506A	-	-	-	-	BRR-W2	0.14	(0.01)	2,663	0.15
PTTPE41C2507A	-	-	-	-	BAM19C2510A	0.27	0.01	67,188	0.27	BTG	22.50	(0.80)	54,507	22.92
PTTPE41C2604T	0.04	(0.01)	30,010	0.03	BAM41C2612T	0.34	-	18,844	0.34	CBG	57.50	0.50	25,292	57.34
PTTPE41C2609T	0.35	(0.01)	6,224	0.35	BYD	0.56	0.08	1,678,426	0.55	CBG01C2506A	-	-	-	-
PTTPE41P2506A	0.10	(0.12)	1,070	0.10	CGH	0.50	-	7,681	0.49	CBG01C2507A	-	-	-	-
PTTPE41P2509A	0.28	0.01	2,000	0.28	CGH-W5	0.18	0.02	10	0.18	CBG01C2508A	0.11	-	43,376	0.11
RATCH	25.75	-	19,183	25.67	CHASE	0.61	(0.01)	21,928	0.61	CBG01C2510A	0.47	0.01	34,400	0.47
RATCH19C2506A	-	-	-	-	CHASE-W1	0.22	(0.01)	888	0.22	CBG01P2506A	-	-	-	-
RPC	0.28	(0.01)	8,561	0.29	CHAYO	1.60	(0.01)	72,890	1.61	CBG01P2507A	0.32	(0.04)	25,857	0.32
SCG	2.00	(0.02)	101	2.00	CHAYO-W3	0.02	-	9,180	0.02	CBG01P2510A	0.68	(0.02)	23,066	0.68
SCN	0.43	(0.01)	3,473	0.43	CHAYO-W4	0.21	-	72,371	0.21	CBG13C2506A	-	-	-	-
SCN-W2	0.03	-	501	0.03	EAST	0.84	0.01	3,530	0.84	CBG13C2507A	-	-	-	-
SEAOL	2.46	0.06	5,620	2.49	FNS	1.05	(0.01)	206	1.05	CBG13C2508A	0.15	-	36,580	0.15
SGP	6.65	(0.10)	1,826	6.81	FSX	1.02	0.02	827	1.02	CBG13C2509A	0.37	0.01	50,275	0.37
SKE	0.22	0.01	42,799	0.23	GBX	0.45	(0.01)	1,350	0.45	CBG19C2506A	-	-	-	-
SKE-W1	0.04	0.01	25,950	0.03	HENG	0.98	-	32,736	1.00	CBG19C2506B	-	-	-	-
SOLAR	0.25	0.01	19,486	0.23	IFS	1.89	0.01	2,458	2.03	CBG19C2508A	0.08	-	38	0.08
SPCG	8.05	0.05	1,151	7.99	JMT	9.40	(0.15)	144,182	9.61	CBG19C2510A	0.28	-	58,925	0.29
SPRC	5.55	0.10	117,129	5.53	JMT13C2506A	-	-	-	-	CBG19P2507A	0.32	(0.03)	22,782	0.33
SPRC13C2506A	-	-	-	-	JMT13C2507A	-	-	-	-	CBG41C2608T	0.18	(0.02)	3,700	0.18
SPRC13C2508A	0.21	0.02	65,238	0.19	JMT13C2509A	0.04	-	12,014	0.04	CFRESH	0.95	(0.01)	1,883	0.95
SPRC19C2510A	0.28	-	22,532	0.28	JMT13C2509B	0.10	(0.01)	23,304	0.12	CH	1.90	0.02	1,050	1.87
SPRC41C2606T	0.19	-	36,778	0.19	JMT13C2510A	0.45	(0.03)	160,636	0.49	CHAO	5.85	-	8,694	5.82
SSP	4.66	0.02	857	4.65	JMT19C2506A	-	-	-	-	CHOTI	63.75	1.00	4	63.56
SUPER	0.17	-	167,213	0.17	JMT19C2507A	-	-	-	-	CM	1.64	(0.03)	167	1.66
SUPEREIF	4.74	(0.02)	4,121	4.73	JMT19C2509A	0.06	(0.01)	600	0.07	COCOCO	6.05	(0.20)	51,096	6.16
SUSCO	2.74	0.02	1,525	2.73	JMT19C2510A	0.13	(0.01)	33,186	0.15	COCOCO19C2506A	-	-	-	-
TAE	0.63	(0.01)	2,101	0.63	JMT19C2510B	0.45	(0.55)	62,053	0.49	CPF	25.00	(0.25)	174,538	25.11
TCC	0.33	-	9,300	0.33	JMT41C2608T	0.11	-	3,484	0.11	CPF01C2508A	0.59	0.02	25	0.59
TCC-W5	0.17	(0.01)	8,689	0.18	KCAR	4.52	(0.02)	295	4.54	CPF01C2509A	0.17	-	6,638	0.17
TGE	1.57	0.01	1,928	1.57	KGI	3.80	0.08	7,049	3.77	CPF01P2512A	0.39	-	4,906	0.39
TGE-W2	0.13	-	1,489	0.14	KTC	42.50	0.75	118,020	42.45	CPF13C2506A	-	-	-	-
TOP	30.00	0.50	131,717	29.54	KTC01C2507A	-	-	-	-	CPF13C2508A	0.10	(0.01)	6,325	0.11
TOP01C2506A	-	-	-	-	KTC01C2508A	0.12	0.02	12,559	0.11	CPF19C2509A	0.17	(0.01)	13,567	0.18
TOP01C2507A	0.67	0.05	3,780	0.65	KTC13C2506A	-	-	-	-	CPF19C2509B	0.17	-	7,092	0.17
TOP01C2508A	0.24	0.01	20,631	0.23	KTC13C2509A	0.12	0.02	8,348	0.11	CPF41C2609T	0.27	-	7,000	0.27
TOP01P2506A	-	-	-	-	KTC13C2509B	0.29	0.02	56,045	0.29	CPF41C2612T	-	-	-	-
TOP01P2508A	-	-	-	-	KTC19C2507A	-	-	-	-	CPI	2.64	-	269	2.64
TOP13C2506A	-	-	-	-	KTC19C2510A	0.37	0.03	59,276	0.35	F8D	59.50	(0.25)	60	59.50
TOP13C2507A	0.16	0.02	49,214	0.14	KTC41C2606T	0.17	0.01	10,284	0.17	FM	4.30	0.06	26,960	4.30
TOP13C2509A	0.35	0.02	47,946	0.33	MFC	29.50	-	491	29.50	GLOCON	0.16	(0.01)	81,964	0.16
TOP13P2508A	0.05	(0.01)	410	0.05	MICRO	0.88	(0.02)	8,407	0.89	HTC	15.80	-	630	15.79
TOP19C2508A	0.29	0.02	14,397	0.26	ML	0.37	-	972	0.38	ICHI	10.10	(0.20)	107,512	10.20
TOP41C2506B	-	-	-	-	MST	7.60	-	11	7.61	ITC	11.70	0.10	91,522	11.85
TOP41C2609T	0.56	0.02	20,552	0.54	MTC	42.00	(0.25)	20,368	42.22	ITC01C2506A	-	-	-	-
TPIPP	2.24	0.04	6,996	2.23	MTC01C2506A	-	-	-	-	ITC01C2606T	0.17	0.01	15,642	0.18
TSE	0.36	0.01	8,414	0.36	MTC01C2508A	0.24	(0.01)	19,580	0.25	ITC13C2506A	-	-	-	-
TTW	8.75	-	17,888	8.75	MTC01P2506A	-	-	-	-	ITC13C2508A	0.04	-	100	0.05
UBE	0.55	-	6,564	0.55	MTC01P2510A	0.50	0.01	17,938	0.49	ITC13C2509A	0.15	-	35,178	0.17
WHAUP	3.24	(0.06)	15,727	3.26	MTC13C2506A	-	-	-	-	ITC19C2506A	-	-	-	-
WP	3.40	-	415	3.40	MTC13C2508A	0.19	(0.01)	15,828	0.20	ITC41C2612T	0.18	0.01	10,444	0.18
Media & Publishing	-	-	-	-	MTC13P2506A	-	-	-	-	JDF	1.84	-	2	1.85
AMARIN	1.95	(0.07)	1,714	1.91	MTC13P2509A	0.32	-	9,011	0.32	KBS	5.25	(0.05)	2,567	5.22
AQUA	0.15	(0.01)	28,571	0.16	MTC19C2506A	-	-	-	-	KCG	8.50	(0.05)	10,608	8.51
AS	2.44	-	36,754	2.53	MTC19C2508A	0.15	(0.01)	50,660	0.16	KSL	1.47	(0.01)	1,199	1.48
BEC	3.86	(0.02)	839	3.88	MTC19C2510A	0.32	(0.02)	3,636	0.33	KTIS	2.44	0.02	360	2.40
FE	-	-	-	-	MTC19P2506A	-	-	-	-	LST	4.62	-	671	4.59
GPI	1.59	0.01	823	1.58	MTC19P2509A	0.30	-	8,456	0.29	M	14.90	0.10	9,867	14.93
GRAMMY	4.88	(0.04)	5	4.83	MTC41C2606T	0.23	-	1,040	0.24	MALEE	7.35	0.10	9,808	7.30
JKN	-	-	-	-	NCAP	2.50	(0.06)	47,610	2.54	NRF	0.30	-	9,764	0.30
MAJOR	8.90	(0.15)	15,688	8.99	PL	1.23	(0.02)	379	1.21	NSL	30.50	-	3,864	30.69
MATCH	1.21	0.12	660	1.16	S11	3.30	(0.10)	963	3.31	OKJ	6.60	-	24,442	6.67
MATI	4.66	-	225	4.71	SAK	3.96	(0.04)	9,174	4.01	OSP	16.50	0.30	203,315	16.31
MCOT	3.64	(0.08)	12,141	3.74	SAWAD	18.80	(0.20)	190,839	19.09	OSP01C2507A	-	-	-	-
MONO	1.79	(0.07)	1,119,556	1.84	SAWAD-W2	0.17	(0.01)	94,410	0.21	OSP01C2507B	0.13	0.02	66,092	0.11
NATION	0.02	-	12,993	0.02	SAWAD01C2506	-	-	-	-	OSP01C2508A	0.42	0.05	58,606	0.38
NATION														

Main Board Quotation

Issue Date :

Wednesday May 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PQS	2.42	-	1,476	2.39	VIBHA	1.56	-	4,419	1.55	SCGP01P2507A	0.05	(0.02)	3,001	0.04
PRG	7.00	-	131	7.00	VIBHA-W4	-	-	-	-	SCGP13C2506A	0.01	-	1,700	0.01
PRG-W3	-	-	-	-	VIH	7.15	-	366	7.15	SCGP13C2506B	-	-	-	-
PRG-W4	-	-	-	-	VIH-W1	-	-	-	-	SCGP13C2507A	0.27	0.07	71,237	0.23
PRG-W5	-	-	-	-	WPH	8.60	(0.05)	5,088	8.61	SCGP13C2508A	-	-	-	-
RBF	4.16	(0.02)	26,143	4.14	Tourism & Leisu	-	-	-	-	SCGP13C2510A	0.36	0.05	167,071	0.35
RBF13C2507A	-	-	-	-	ASIA	5.10	0.05	11	5.10	SCGP13P2506A	0.01	-	101	0.01
RBF19C2508A	0.01	-	560	0.01	BEYOND	6.65	(0.05)	291	6.68	SCGP19C2506A	-	-	-	-
SAPPE	30.25	(0.25)	6,532	30.55	CENTEL	21.10	1.10	79,891	21.00	SCGP19C2506B	-	-	-	-
SAPPE13C2507A	-	-	-	-	CENTEL01C250E	-	-	-	-	SCGP19C2507A	-	-	-	-
SAPPE19C2508A	0.10	-	2,304	0.10	CENTEL13C250E	-	-	-	-	SCGP19C2510A	0.40	0.06	147,058	0.39
SAUCE	38.50	0.25	60	38.03	CENTEL13C250E	0.02	0.01	1	0.02	SCGP41C2606T	0.28	0.03	37,000	0.27
SNNP	10.70	0.20	2,332	10.63	CENTEL13C251C	0.46	0.09	146,796	0.45	SCGP41C2609T	0.51	0.04	66,032	0.49
SNP	10.00	0.05	185	10.04	CENTEL19C250E	0.01	-	2,600	0.01	SFLEX	2.94	(0.02)	12,253	2.97
SORKON	4.30	(0.02)	406	4.33	CENTEL19C250E	0.03	0.01	1	0.03	SFLEX-W2	0.04	-	22,219	0.04
SSF	5.45	-	6	5.45	CENTEL41C260E	-	-	-	-	SITHAI	1.07	(0.01)	1,685	1.07
SST	1.82	(0.06)	5	1.81	CSR	-	-	-	-	SLP	0.40	0.01	3,218	0.40
SUN	3.16	-	536	3.16	DUSIT	7.40	-	3,041	7.36	SMPC	8.40	(0.10)	1,053	8.45
TC	5.30	-	107	5.33	ERW	2.08	0.06	179,683	2.07	SPACK	1.25	-	666	1.26
TFG	5.10	(0.05)	49,981	5.13	ERW01C2507A	-	-	-	-	TCOAT	-	-	-	-
TFG-W4	1.14	0.04	2,618	1.13	ERW13C2507A	-	-	-	-	TFI	0.05	0.01	3,615	0.04
TFMAMA	193.50	(0.50)	35	193.91	ERW13C2508A	-	-	-	-	TFI-W1	-	-	-	-
TIPCO	9.20	-	395	9.16	ERW13C2510A	0.18	0.02	50,301	0.18	THIP	24.90	0.30	23	24.90
TKN	6.15	(0.05)	27,120	6.20	ERW19C2506A	-	-	-	-	TMD	25.00	-	41	24.75
TU	10.00	-	99,323	10.03	ERW19C2508A	-	-	-	-	TOPP	-	-	-	-
TU01C2506A	-	-	-	-	ERW41C2606T	-	-	-	-	TPAC	7.85	0.05	58	7.77
TU01C2508A	-	-	-	-	ERW41C2611T	0.30	0.02	53,000	0.30	TPBI	3.10	(0.04)	6,094	3.10
TU01C2512A	0.19	-	9,956	0.19	GRAND	0.05	0.01	561	0.04	TPP	11.90	-	42	11.85
TU13C2508A	-	-	-	-	LRH	-	-	-	-	Personal Products	-	-	-	-
TU13C2509A	0.13	(0.01)	5,569	0.14	MANRIN	21.90	0.20	42	20.84	APCO	3.28	0.10	984	3.26
TU19C2506A	-	-	-	-	MINT	25.25	(0.25)	102,763	25.46	BIZ	3.26	0.02	556	3.24
TU41C2506A	-	-	-	-	MINT01C2506A	-	-	-	-	BLC	4.32	(0.16)	14,728	4.42
TU41C2609T	0.16	0.01	4,000	0.16	MINT01C2507A	-	-	-	-	DDD	6.45	0.10	448	6.44
TVO	22.60	0.60	3,258	22.29	MINT01C2606T	0.26	0.01	7,644	0.26	IP	3.10	-	3,285	3.13
TWPC	2.16	-	10,631	2.16	MINT13C2506A	0.01	-	1,500	0.01	IP-W2	-	-	-	-
XBIO	0.17	(0.02)	177,109	0.18	MINT13C2506B	0.01	-	550	0.01	JCT	-	-	-	-
XBIO-W6	0.07	-	19,065	0.06	MINT13C2509A	0.47	(0.04)	52	0.52	KISS	3.50	(0.02)	6,347	3.50
XBIO-W7	0.03	-	8,082	0.02	MINT13C2509B	0.15	-	4,071	0.15	NAM	4.38	-	115	4.38
ZEN	5.45	(0.10)	608	5.40	MINT19C2506A	0.01	-	2,400	0.01	NEO	27.00	0.50	2,260	27.43
Health Care Services	-	-	-	-	MINT19C2508A	0.06	-	400	0.06	NV	0.70	-	2,441	0.69
AHC	14.20	-	22	14.25	MINT41C2604T	-	-	-	-	OCC	-	-	-	-
BCH	13.40	0.10	61,129	13.45	MINT41C2612T	0.21	-	7,000	0.21	S&J	31.00	-	4	31.00
BCH01C2508A	0.03	(0.04)	1,000	0.03	OHTL	311.00	1.00	5	310.20	SNPS	5.05	-	12,274	5.08
BCH13C2507A	-	-	-	-	ROH	1.82	0.05	272	1.79	STGT	6.60	0.10	46,872	6.64
BCH13C2508A	0.08	-	31,889	0.09	SHANG	46.25	1.00	1	46.25	STGT01C2510A	0.27	0.01	31,938	0.27
BCH13C2510A	0.29	(0.71)	31,617	0.30	SHR	1.56	-	40,051	1.58	STGT13C2506A	-	-	-	-
BCH19C2508A	-	-	-	-	SPA	3.00	(0.04)	39,880	3.04	STGT13C2508A	0.12	0.01	31,342	0.12
BCH41C2506A	-	-	-	-	VRANDA	4.40	0.02	138	4.39	STGT19C2509A	0.23	0.02	21,193	0.23
BCH41C2609T	0.27	0.01	32,600	0.28	Home & Office P	-	-	-	-	STGT41C2606T	-	-	-	-
BDMS	21.60	-	259,184	21.64	AJA	0.12	-	83,520	0.12	TMAN	11.30	0.50	10,435	11.28
BDMS01C2506A	-	-	-	-	DTCI	26.75	(1.50)	13	26.27	TNR	7.15	(0.05)	527	7.20
BDMS01C2508A	-	-	-	-	FANCY	0.33	(0.01)	137	0.34	TOG	6.85	-	1,289	6.85
BDMS01C2509A	0.18	(0.01)	17,618	0.19	FTI	1.86	-	394	1.86	Professional Service	-	-	-	-
BDMS13C2508A	0.08	-	3,188	0.08	KYE	320.00	4.00	94	319.52	BWG	0.21	(0.01)	326,561	0.22
BDMS19C2508A	0.08	(0.01)	315	0.08	L&E	1.20	(0.02)	1	1.20	BWG-W6	0.01	-	10,229	0.01
BDMS41C2609T	-	-	-	-	MODERN	2.04	(0.02)	1,104	2.03	GENCO	0.23	-	763	0.23
BH	145.50	(1.50)	31,513	147.18	OGC	-	-	-	-	PRTR	3.42	0.06	1,035	3.42
BH-P	-	-	-	-	ROCK	10.80	(1.20)	1	10.80	SISB	15.90	(0.30)	22,956	16.21
BH-Q	-	-	-	-	SIAM	0.69	(0.02)	186	0.69	SISB13C2506A	-	-	-	-
BH01C2506A	-	-	-	-	TCMC	0.41	(0.01)	2,068	0.41	SISB13C2506B	-	-	-	-
BH01C2507A	0.03	-	1	0.03	TSR	0.17	0.01	3,933	0.17	SISB13C2508A	0.12	-	11,147	0.12
BH01C2510A	0.27	(0.02)	114,571	0.30	TSR-W2	-	-	-	-	SISB19C2507A	-	-	-	-
BH01P2507A	0.34	-	50,512	0.32	Insurance	-	-	-	-	SO	4.10	(0.06)	160	4.14
BH13C2506A	-	-	-	-	AYUD	31.75	-	168	31.91	WAVE	0.04	(0.01)	60,084	0.04
BH13C2508A	0.09	(0.01)	43,301	0.10	BKIH	281.00	(1.00)	483	281.62	WAVE-W3	-	-	-	-
BH13C2510A	0.29	(0.02)	66,695	0.31	BLA	16.30	0.20	19,300	16.41	WAVE-W4	0.02	-	5,489	0.01
BH13P2510A	0.71	0.01	34,024	0.69	BLA01C2508A	-	-	-	-	Property Developmei	-	-	-	-
BH19C2506A	-	-	-	-	BLA13C2507A	-	-	-	-	A	4.88	-	3	4.88
BH19C2506B	-	-	-	-	BLA13C2510A	0.22	0.01	20,718	0.22	A5	2.18	0.02	3,407	2.18
BH19C2508A	-	-	-	-	BLA19C2506A	-	-	-	-	A5-W4	0.03	-	76,737	0.03
BH19C2509A	0.22	(0.02)	15,101	0.24	BLA41C2606T	0.19	0.01	32,000	0.19	A5-W5	0.12	-	94,340	0.12
BH19C2510A	0.41	(0.03)	74,423	0.44	BUI	13.70	0.10	73	13.70	AKS	0.04	-	35,080	0.04
BH19P2510A	0.65	(0.35)	44,493	0.64	CHARAN	14.80	(0.20)	18	14.87	AMATA	14.10	-	138,808	14.23
BH41C2605T	-	-	-	-	INSURE	80.00	0.25	1	80.00	AMATA01C2507A	-	-	-	-
BH41C2609T	0.17	-	11,000	0.17	KWI	-	-	-	-	AMATA01C2508A	-	-	-	-
BH41C2611T	0.45	(0.55)	23,400	0.46	MTI	13.60	-	1,463	13.35	AMATA01C2509A	0.45	-	30,312	0.46
BH41P2508A	-	-	-	-	NKI	-	-	-	-	AMATA13C2506A	-	-	-	-
BKGI	1.51	0.01	6,759	1.52	TGH	-	-	-	-	AMATA13C2506B	-	-	-	-
CHG	1.56	0.02	306,355	1.55	THRE	0.40	(0.01)	4,302	0.40	AMATA13C2508A	0.01	-	10,221	0.01
CHG13C2510A	0.31	(0.69)	38,652	0.30	THREL	1.30	(0.01)	2,351	1.28	AMATA13C2508B	0.08	-	7,950	0.08
CMR	1.21	0.04	1,127	1.21	TIPH	18.60	-	3,933	18.65	AMATA13C2508C	0.31	(0.01)	31,365	0.32
EKH	5.95	0.05	5,126	5.94	TLI	11.10	(0.10)	41,666	11.20	AMATA19C2508A	-	-	-	-
KDH	-	-	-	-	TLI01C2507A	0.08	-	22,833	0.08	AMATA19C2509A	0.39	-	105,664	0.40
LPH	3.64	0.04	210	3.64	TLI13C2509A	0.15	(0.01)	5,404	0.16	AMATA41C2508A	0.21	-	18,400	0.22
M-CHAI	17.60	-	262	17.61	TLI19C2506A	-	-	-	-	AMATA41C2608T	-	-	-	-
MASTER	12.30	(0.10)	14,583	12.45	TLI41C2606T	0.26	-	7,000	0.27	AMATA41C2609T	0.28	-	11,000	0.28
MEDEZE	6.45	-	2,856	6.50	TQM	15.70	0.20	1,989	15.54	AMATAV	2.88	-	142	2.89
NEW	-	-	-	-	TSI	0.05	0.01	7	0.04	ANAN	0.43	0.01	27,445	0.44
NKT	3.98	(0.12)	33,611	4.04	TVH	7.95	0.05	41	7.93	AP	6.60	0.10	107,065	6.61
NTV	24.80	-	139	24.68	Packaging	-	-	-	-	AP01C2507A	-	-	-	-
PHG	13.80	(0.20)	80	13.83	AJ	2.52	(0.02)	8,210	2.51	ASW	6.75	-	200	6.72
PR9	23.20	(0.20)	20,554	23.49	ALUCCON	171.50	0.50	6	171.50	AWC	2.02	0.05	651,667	2.01
PR901C2507A	0.09	(0.01)	25,722	0.10	BGC	4.98	(0.07)	2,414	4.99	AWC01C2506A	-	-	-	-
PR913C2506A	-	-	-	-	CSC	44.50	-	5	44.55	AWC01C2508A	0.01	-	100	0.01</

Main Board Quotation

Issue Date :

Wednesday May 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BLAND	0.49	-	72,481	0.50	CPL	0.73	(0.02)	211	0.76	SINO	1.09	(0.01)	34,902	1.10
BRI	1.53	0.01	1,279	1.53	NC	2.32	0.10	495	2.29	SJWD	8.50	-	26,003	8.57
BROCK	1.46	0.01	6	1.51	PAF	0.80	-	1,707	0.80	TFIF	5.95	(0.15)	4,916	5.96
CGD	0.16	-	26,038	0.16	PDJ	1.52	0.03	1,029	1.51	THAI	-	-	-	-
CI	0.32	(0.01)	31,766	0.33	PG	7.55	0.05	1	7.55	TSTE	11.00	(0.40)	5	11.00
CMC	0.77	-	77	0.77	SABINA	16.10	-	4,081	16.04	TTA	4.18	(0.02)	22,059	4.18
CPN	46.50	0.50	84,186	46.26	SAWANG	8.30	(0.75)	8	8.30	WICE	3.60	(0.10)	24,251	3.70
CPN01C2506A	-	-	-	-	SUC	29.50	-	42	29.51	Automotive	-	-	-	-
CPN01C2606T	0.18	-	19,644	0.19	TR	30.00	(0.50)	18	30.00	ACG	0.71	-	529	0.71
CPN13C2507A	-	-	-	-	TTI	26.50	3.30	3	25.40	AH	13.70	(0.30)	1,724	13.82
CPN13C2510A	0.27	0.01	88,663	0.27	TTT	-	-	-	-	CWT	0.72	(0.02)	9,679	0.73
CPN19C2508A	-	-	-	-	UPF	-	-	-	-	EASON	1.16	0.02	4,667	1.15
CPN41C2608T	0.24	-	37,100	0.24	WACOAL	19.00	-	6	19.02	GYT	181.50	1.00	1	181.50
ESTAR	0.19	-	2,471	0.18	WFX	0.79	(0.02)	614	0.81	HFT	3.86	0.06	2,014	3.84
EVER	0.07	-	4,048	0.07	Transportation 8	-	-	-	-	IHL	1.54	(0.01)	861	1.54
FPT	7.45	-	19	7.35	AAV	1.24	0.06	839,848	1.23	INGRS	0.30	0.01	18,249	0.29
GLAND	0.92	0.12	313	0.90	AAV13C2506A	-	-	-	-	IRC	11.30	(0.20)	221	11.34
J	0.79	(0.06)	15,245	0.81	AAV13C2508A	0.03	-	54,745	0.03	MGC	3.02	(0.12)	2,063	3.05
J-W3	0.08	-	15,118	0.08	AAV13C2509A	0.15	0.03	107,710	0.14	NEX	1.00	(0.01)	1,620,794	1.01
J-W4	0.19	0.02	782	0.20	AAV19C2507A	-	-	-	-	PCSGH	3.20	-	14,794	3.20
JCK	0.18	-	64,218	0.18	AAV19C2510A	0.26	0.05	70,660	0.25	POLY	6.95	0.05	51	6.75
KC	0.06	-	50,454	0.06	AAV41C2608T	0.05	0.01	2,000	0.05	SAT	12.00	(0.20)	4,917	12.10
KUN	1.19	0.01	3	1.17	ANI	3.70	0.64	17,000	3.73	SPG	12.50	(0.50)	1	12.50
KUN-W2	0.01	-	100	0.01	AOT	33.75	0.75	182,871	33.67	STANLY	204.00	1.00	97	203.82
KUN-W3	0.03	(0.02)	2	0.04	AOT01C2506A	-	-	-	-	TKT	1.24	0.01	380	1.23
LALIN	4.90	-	82	4.90	AOT01C2507A	0.02	-	3	0.01	TNPC	0.84	-	502	0.84
LH	3.96	0.04	254,348	3.96	AOT01C2507B	0.01	(0.01)	2	0.02	TRU	3.16	0.02	1,690	3.14
LH19C2510A	0.28	0.01	6,625	0.28	AOT01C2509A	0.09	0.01	21,662	0.09	TSC	13.00	-	123	13.05
LPN	1.99	(0.01)	4,742	1.98	AOT01C2511A	0.23	0.02	22,600	0.22	Industrial Materials	-	-	-	-
MBK	16.90	0.30	6,471	16.75	AOT01C2606T	0.13	-	16,802	0.13	AKR	0.96	-	14,771	0.96
MBK19C2508A	-	-	-	-	AOT01P2507A	1.86	(0.09)	3,845	1.88	ALLA	1.25	-	826	1.25
MJD	0.49	(0.01)	3,880	0.47	AOT01P2507B	0.47	(0.05)	11,681	0.48	ASEFA	3.38	-	902	3.37
MK	1.37	0.01	7,627	1.36	AOT01P2510A	0.37	(0.03)	38,019	0.37	CPT	0.99	-	149	0.98
NCH	0.60	-	746	0.60	AOT11C2507A	-	-	-	-	CRANE	0.39	(0.01)	2,739	0.40
NNCL	1.49	(0.03)	1,956	1.49	AOT13C2506A	-	-	-	-	CTW	2.86	(0.06)	37	2.84
NOBLE	1.76	0.01	16,019	1.78	AOT13C2507A	-	-	-	-	FMT	26.00	0.25	4	26.00
NOBLE-W3	0.08	0.08	2,427,052	0.09	AOT13C2507B	-	-	-	-	FTE	1.56	-	899	1.56
NVD	1.00	(0.03)	163	1.01	AOT13C2507C	-	-	-	-	HTECH	2.66	-	3,890	2.66
ORI	1.78	0.03	51,754	1.79	AOT13C2508A	-	-	-	-	KKC	-	-	-	-
ORI-W2	0.19	-	295,457	0.20	AOT13C2509A	0.08	-	18,028	0.08	PCC	2.54	-	3,769	2.51
ORN	0.68	-	9,146	0.68	AOT13C2509B	0.15	0.02	41,667	0.15	PK	0.62	(0.01)	8,084	0.62
PEACE	-	-	-	-	AOT13P2507A	-	-	-	-	PSP	4.48	0.12	11,735	4.39
PF	0.11	-	22,733	0.11	AOT13P2507B	0.22	(0.05)	52,203	0.23	QTC	3.76	0.14	61	3.74
PIN	4.94	-	12,577	4.93	AOT19C2506A	-	-	-	-	SCI	0.90	(0.02)	572	0.90
PLAT	1.24	(0.01)	11,967	1.25	AOT19C2507A	-	-	-	-	SE	0.41	0.01	19,721	0.40
PRECHA	0.69	0.05	1,135	0.69	AOT19C2507B	0.01	-	1	0.01	SELIC	2.72	-	34	2.71
PRIN	1.50	-	3	1.50	AOT19C2508A	0.03	-	179	0.03	SNC	6.60	0.05	570	6.60
PROUD	1.29	(0.02)	307	1.32	AOT19C2509A	0.13	0.01	40,829	0.13	TCJ	2.86	-	3	2.84
PSH	4.42	0.04	3,553	4.40	AOT19P2507A	0.36	(0.08)	5	0.36	TPCS	-	-	-	-
QH	1.43	0.01	176,782	1.43	AOT41C2507A	-	-	-	-	VARO	5.15	(0.10)	243	5.17
RABBIT	0.37	(0.02)	111,123	0.38	AOT41C2605T	-	-	-	-	Property Fund & REI	-	-	-	-
RABBIT-P	0.48	-	461	0.47	AOT41C2609T	0.17	-	28,530	0.17	AIMCG	1.97	0.02	292	1.98
RABBIT-Q	-	-	-	-	AOT41P2509A	0.39	(0.03)	2,500	0.39	AIMIRT	9.65	-	229	9.65
RICHY	0.34	-	639	0.34	AOT41P2606T	-	-	-	-	ALLY	4.76	0.02	1,334	4.74
RML	0.16	0.01	8,637	0.16	ASIMAR	1.34	0.01	490	1.33	AMATAR	6.05	0.05	999	6.01
ROJNA	4.56	-	7,191	4.60	B	0.04	-	11,710	0.04	AXTRART	12.30	(0.20)	5,172	12.28
S	0.59	-	9,403	0.59	B-W8	0.01	-	1	0.01	B-WORK	4.46	(0.04)	3,787	4.46
SA	7.45	-	495	7.42	BA	13.60	-	66,670	13.72	BAREIT	9.30	-	12,824	9.35
SA-W1	0.01	-	37	0.01	BA01C2508A	-	-	-	-	BOFFICE	4.98	(0.02)	7,614	4.96
SAMCO	0.69	-	174	0.67	BA13C2506A	-	-	-	-	CPNCG	5.90	-	4,230	5.85
SC	1.64	0.01	71,322	1.64	BA13C2510A	0.24	-	143,696	0.25	CPNREIT	11.90	(0.20)	10,711	12.02
SENA	1.72	(0.01)	2,906	1.73	BA19C2507A	-	-	-	-	CPTREIT	4.70	0.06	154	4.68
SIRI	1.34	0.02	322,327	1.34	BA41C2606T	-	-	-	-	CTARAF	4.58	(0.08)	967	4.60
SIRI13C2508A	0.02	-	100	0.02	BEM	5.40	0.05	577,858	5.48	DREIT	4.88	0.02	42	4.87
SIRI19C2508A	-	-	-	-	BEM13C2506A	-	-	-	-	FTREIT	9.65	(0.10)	7,355	9.67
SIRI41C2606T	-	-	-	-	BEM13C2508A	0.06	0.01	15,055	0.06	FUTURET	9.35	-	4,290	9.43
SPALI	14.40	-	39,699	14.41	BEM19C2510A	0.13	0.01	36,379	0.13	GAHREIT	6.45	-	102	6.40
SPALI13C2507A	-	-	-	-	BEM41C2606T	-	-	-	-	GROREIT	8.55	-	448	8.55
SPALI13C2509A	0.23	-	6,106	0.23	BTS	4.56	0.12	371,907	4.54	GVREIT	6.75	(0.10)	4,675	6.74
SPALI19C2509A	0.13	-	2,939	0.13	BTS-W8	0.02	-	24,978	0.02	HPF	4.84	0.02	1,067	4.84
SPALI19C2510A	0.28	-	4,955	0.28	BTS01C2507A	-	-	-	-	HYDROGEN	-	-	-	-
SPALI41C2609T	0.21	-	5,000	0.21	BTS01C2508A	-	-	-	-	IMPACT	10.30	0.10	3,938	10.31
STELLA	0.20	0.01	61,151	0.19	BTS01C2509A	0.32	0.03	59,587	0.32	INETREIT	9.35	(0.05)	16,386	9.36
STELLA-W5	-	-	-	-	BTS13C2507A	-	-	-	-	ISSARA	7.75	(0.30)	286	7.73
STELLA-W6	-	-	-	-	BTS13C2508A	-	-	-	-	KPNREIT	-	-	-	-
UV	0.94	(0.01)	2,980	0.94	BTS13C2508B	0.18	0.02	45,776	0.18	KTBSTMR	5.70	-	367	5.65
WHA	3.12	0.06	883,604	3.12	BTS13C2509A	0.09	0.01	11,516	0.09	LHHOTEL	11.90	(0.30)	33,009	11.79
WHA01C2506A	-	-	-	-	BTS19C2508A	-	-	-	-	LHRREIT	5.05	0.25	5	5.05
WHA01C2507A	0.02	-	37	0.01	BTS19C2509A	-	-	-	-	LHSC	11.80	(0.20)	3,778	11.91
WHA01C2508A	0.10	-	1,898	0.10	BTS19P2508A	0.28	(0.03)	12,006	0.28	LUXF	7.95	-	7	7.95
WHA01C2509A	0.50	0.02	14,410	0.50	BTS41C2608T	-	-	-	-	M-PAT	3.94	0.04	5	3.94
WHA01C2510A	0.37	0.02	14,663	0.37	BTSGIF	2.76	-	10,538	2.76	M-STOR	7.15	0.05	6	7.16
WHA13C2506A	-	-	-	-	DMT	10.10	(0.10)	1,496	10.10	MII	5.35	-	1,183	5.35
WHA13C2506B	-	-	-	-	ETL	0.80	-	12,265	0.80	MIPF	9.90	(0.70)	7	9.74
WHA13C2507A	-	-	-	-	III	4.56	(0.04)	7,357	4.60	MJLF	4.24	(0.04)	1,507	4.24
WHA13C2507B	-	-	-	-	KEX	1.46	-	7,598	1.46	MNIT	1.85	0.03	325	1.85
WHA13C2508A	0.20	0.02	18,837	0.20	KIAT	0.30	-	10,539	0.30	MNIT2	4.84	(0.02)	15	4.83
WHA13C2508B	0.44	0.02	21,814	0.44	KWC	-	-	-	-	MNRF	2.10	-	52	2.09
WHA13C2509A	0.18	0.01	19,218	0.18	MENA	0.89	-	5,102	0.89	POPF	5.65	0.05	4,467	5.60
WHA19C2506A	-	-	-	-	NYT	2.98	-	3,483	2.98	PROSPECT	7.40	-	2,604	7.36
WHA19C2507A	-	-	-	-	PORT	0.80	-	1,799	0.82	QHBREIT	3.44	(0.02)	1,403	3.43
WHA19C2509A	0.34	0.02	35	0.34	PRM	5.70	0.05	59,821	5.74	QHRRREIT	6.70	0.05	1,207	6.66
WHA19C2510A	0.25	0.02	7,098	0.24	PSL	6.25	(0.10)	15,716	6.28	QHOP	3.68	0.02	1	3.68
WHA41C2605T	-	-	-	-	RCL	26.25								

Main Board Quotation

Issue Date :

Wednesday May 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU-PF	0.82	(0.02)	63	0.82	BYDCOM41C250	0.21	(0.04)	8,891	0.21	HSTECH28P2506B	-	-	-	-
WHABT	6.90	0.20	681	6.93	BYDCOM41P250	0.12	0.01	4,000	0.12	HSTECH28P2506C	-	-	-	-
WHAIR	4.94	0.08	2,388	4.93	DJI28C2506A	-	-	-	-	JD41C2506A	-	-	-	-
WHART	9.55	-	8,532	9.55	DJI28C2509A	-	-	-	-	JD41C2509A	0.29	(0.01)	2,300	0.29
Steel and Metal Prod	-	-	-	-	DJI28C2509B	0.69	0.02	150	0.69	KUAI5H41C2506A	-	-	-	-
ZS	2.32	-	146	2.31	DJI28P2506A	0.17	(0.03)	676	0.16	KUAI5H41C2506B	-	-	-	-
AMC	2.10	(0.08)	364	2.14	DJI41C2506A	-	-	-	-	KUAI5H41C2509A	0.44	0.10	8,208	0.43
BSBM	0.69	0.01	1,405	0.68	DJI41C2506B	-	-	-	-	MCA5041C2506A	-	-	-	-
CEN	-	-	-	-	DJI41C2509A	0.74	0.01	2	0.74	MCA5041P2506A	0.20	(0.03)	1	0.20
CEN-W5	0.05	(0.01)	2,858	0.05	DJI41P2506A	0.16	(0.03)	25	0.16	MEITUA28C2507A	0.02	-	13,536	0.01
CITY	1.45	-	75	1.40	DJI41P2509A	0.64	(0.02)	487	0.63	MEITUA28C2509A	0.19	(0.01)	12	0.19
CSP	0.45	0.01	3,505	0.45	GEELY41C2506A	0.10	(0.04)	1,230	0.11	MEITUA41C2506A	0.02	-	900	0.02
GJS	0.13	(0.01)	2,829	0.13	GEELY41C2509A	0.14	(0.02)	1,500	0.15	MEITUA41C2507A	-	-	-	-
GSTEEL	-	-	-	-	HSIO6C2505A	-	-	-	-	MEITUA41P2509A	0.35	(0.65)	1,000	0.35
INOX	0.39	-	1,682	0.39	HSIO6C2505B	0.02	-	118	0.02	NDX28C2506A	0.11	(0.02)	1	0.11
LHK	3.52	0.04	1,139	3.50	HSIO6C2505C	-	-	-	-	NDX28C2506B	-	-	-	-
MCS	8.55	(0.05)	2,255	8.59	HSIO6C2505D	0.01	(0.04)	681	0.01	NDX28C2506C	-	-	-	-
MILL	0.09	-	4,605	0.08	HSIO6C2505E	0.05	(0.12)	393,733	0.06	NDX28C2509A	1.09	0.09	4,003	1.09
PAP	1.90	(0.05)	324	1.90	HSIO6C2505F	-	-	-	-	NDX28C2509B	0.93	0.06	22	0.94
PERM	0.37	(0.01)	3,635	0.37	HSIO6C2506A	0.43	(0.07)	124,008	0.44	NDX28C2509C	0.67	0.04	5	0.69
SAM	0.14	(0.01)	413	0.15	HSIO6C2506B	1.10	(0.50)	50	1.10	NDX28P2506A	-	-	-	-
SMIT	3.74	(0.02)	105	3.73	HSIO6C2506C	0.15	(0.03)	9,154	0.14	NDX28P2509A	0.23	-	3	0.23
SSSC	2.08	(0.02)	247	2.08	HSIO6C2506D	0.06	(0.02)	828	0.06	NDX28P2509B	0.17	-	20	0.17
TGPRO	0.07	0.01	1,880	0.06	HSIO6C2506E	-	-	-	-	NDX28P2509C	-	-	-	-
THE	0.87	0.03	2,647	0.85	HSIO6C2506F	-	-	-	-	NDX41C2506A	-	-	-	-
TMT	3.18	0.02	225	3.17	HSIO6C2507A	0.10	(0.03)	37,175	0.11	NDX41C2506B	0.18	-	5,522	0.18
TSTH	0.67	0.01	39,722	0.68	HSIO6C2507B	0.29	(0.04)	74,082	0.29	NDX41C2506C	-	-	-	-
TWP	1.13	0.02	18	1.12	HSIO6C2507C	0.61	(0.08)	4,998	0.62	NDX41C2506D	-	-	-	-
TYCN	1.79	0.02	37	1.66	HSIO6C2508A	0.34	(0.03)	10,494	0.35	NDX41C2509A	1.13	0.03	1,179	1.14
Construction Service	-	-	-	-	HSIO6C2509A	0.42	(0.03)	4,862	0.43	NDX41C2509B	0.64	(0.36)	16,072	0.65
APCS	1.38	(0.06)	148	1.38	HSIO6P2505A	-	-	-	-	NDX41C2509T	2.56	0.10	2	2.57
BJCHI	0.88	-	5,060	0.89	HSIO6P2505B	0.01	-	4	0.01	NDX41P2506A	0.04	(0.06)	12,370	0.04
BKD	1.20	(0.04)	1,245	1.21	HSIO6P2505C	-	-	-	-	NDX41P2506B	0.02	(0.03)	1,010	0.02
CIVIL	1.40	0.10	3,288	1.36	HSIO6P2505D	0.01	-	10	0.01	NDX41P2509A	0.38	(0.02)	86,813	0.37
CK	15.00	0.80	73,456	14.92	HSIO6P2505E	0.08	(0.04)	310,079	0.08	NDX41P2509T	1.97	(0.07)	777	1.96
CNT	1.04	0.01	13	1.02	HSIO6P2505F	-	-	-	-	NIKKEI28C2506A	-	-	-	-
DEMCO	1.79	(0.10)	4,455	1.81	HSIO6P2506A	0.02	-	101	0.01	NIKKEI28C2506B	-	-	-	-
EMC	0.05	-	29,129	0.05	HSIO6P2506B	-	-	-	-	NIKKEI28C2506C	-	-	-	-
EMC-W7	0.03	-	28,724	0.03	HSIO6P2506C	0.06	-	10	0.06	NIKKEI28P2506A	-	-	-	-
ITD	0.30	-	13,162	0.30	HSIO6P2506D	0.11	-	40,110	0.11	NIKKEI28P2506B	-	-	-	-
JR	1.89	-	803	1.88	HSIO6P2506E	0.30	-	82,615	0.30	NIKKEI28P2506C	0.17	(0.01)	1,330	0.17
NL	0.86	(0.03)	965	0.87	HSIO6P2506F	0.68	0.02	50,567	0.67	NIKKEI41C2506A	-	-	-	-
NWR	-	-	-	-	HSIO6P2507A	0.21	-	162,721	0.21	NIKKEI41C2506B	-	-	-	-
PLE	0.24	(0.01)	6,367	0.25	HSIO6P2507B	0.10	-	540	0.10	NIKKEI41C2509A	0.36	(0.03)	105	0.38
PREB	3.58	-	122	3.56	HSIO6P2507C	0.37	(0.01)	42,220	0.37	NIKKEI41C2509B	-	-	-	-
PYLON	1.87	0.10	4,601	1.83	HSIO6P2507D	0.71	-	10,000	0.70	NIKKEI41C2509C	0.58	(0.01)	141	0.58
RT	0.27	-	24,755	0.27	HSIO6P2508A	0.40	-	5,501	0.40	NIKKEI41P2506A	0.02	(0.02)	203	0.02
SEAFCO	2.02	-	9,733	2.02	HSIO6P2508B	0.19	(0.01)	5,020	0.19	NIKKEI41P2506B	-	-	-	-
SQ	0.72	-	1,709	0.73	HSIO6P2509A	0.28	0.01	7,336	0.28	NIKKEI41P2509A	0.29	-	3,254	0.29
SRICHA	7.15	0.10	5,323	7.11	HSIO6P2509B	0.56	-	12,248	0.56	NIKKEI41P2509B	0.19	(0.02)	46	0.19
STECON	7.40	0.35	114,922	7.42	HSI28C2505A	-	-	-	-	NIKKEI41P2509C	0.39	0.01	1,582	0.37
STI	2.40	0.02	93	2.36	HSI28C2505B	-	-	-	-	NTES41C2506A	0.62	0.07	11,405	0.62
STPI	2.82	0.16	38,064	2.78	HSI28C2505C	-	-	-	-	PINGAN41C2507A	0.17	(0.01)	1,000	0.17
SYNTEC	1.67	(0.01)	287	1.67	HSI28C2505D	-	-	-	-	POPMAR41C2506A	-	-	-	-
TEAMG	2.80	-	17,208	2.83	HSI28C2505E	-	-	-	-	POPMAR41C2507A	0.87	(0.14)	110	0.88
TEAMG-W1	0.15	-	15,362	0.16	HSI28C2505F	0.01	-	6	0.01	POPMAR41C2509A	0.39	(0.11)	15,869	0.40
TEKA	1.70	0.01	1,539	1.69	HSI28C2505G	-	-	-	-	SET01C2506A	0.01	(0.01)	19,276	0.01
TPOLY	0.40	(0.02)	755	0.40	HSI28C2505H	0.08	(0.08)	139,629	0.07	SET01C2506B	0.01	(0.01)	1,549	0.01
TRC	0.58	(0.01)	2,239	0.57	HSI28C2506A	0.07	(0.01)	102	0.07	SET01C2507A	0.06	(0.02)	6,842	0.07
TRITN	0.05	-	19,440	0.05	HSI28C2506B	0.03	-	418	0.03	SET01C2509A	0.58	(0.03)	4,116	0.62
TRITN-W7	-	-	-	-	HSI28C2506C	0.05	(0.01)	126	0.05	SET01C2512T	0.67	(0.01)	409	0.69
TTCL	0.98	0.01	848	0.97	HSI28C2506D	1.64	(0.10)	500	1.63	SET01C2606L	2.12	-	20	2.14
UNIQ	1.94	0.01	1,443	1.93	HSI28C2506E	-	-	-	-	SET01P2506A	0.24	(0.05)	127	0.22
WGE	0.79	-	312	0.79	HSI28C2506F	-	-	-	-	SET01P2507A	0.26	(0.02)	481	0.24
Unit Trust	-	-	-	-	HSI28C2506G	0.32	(0.05)	277,315	0.33	SET5001C2506A	0.02	-	5,660	0.01
SCBSET	-	-	-	-	HSI28C2507A	0.10	(0.01)	104	0.10	SET5001C2506F	-	-	-	-
VAYU1	10.20	-	9,056	10.21	HSI28C2507B	-	-	-	-	SET5001C2506G	0.02	-	413	0.02
ETF	-	-	-	-	HSI28C2507C	0.59	(0.05)	353,459	0.59	SET5001C2507A	0.09	(0.01)	188	0.09
IDIV	10.00	(0.02)	221	10.00	HSI28C2507D	0.39	(0.02)	407	0.39	SET5001C2509A	0.60	(0.03)	42,013	0.65
ABFTH	-	-	-	-	HSI28C2507E	0.26	(0.02)	186,047	0.26	SET5001C2509F	0.29	0.01	289	0.30
BMSCG	6.84	0.09	27	6.81	HSI28C2507F	0.13	(0.02)	28,989	0.13	SET5001P2506A	0.30	(0.02)	213	0.30
BMSCITH	8.75	(0.02)	790	8.77	HSI28C2508A	0.20	(0.02)	683	0.20	SET5001P2506F	0.54	0.02	1,216	0.54
BSET100	8.08	(0.07)	923	8.15	HSI28C2508B	0.33	(0.02)	9,858	0.33	SET5001P2506G	-	-	-	-
CHINA	5.72	-	28	5.73	HSI28C2509A	0.38	(0.03)	28,453	0.39	SET5001P2507A	0.05	0.01	60	0.04
ENGY	3.85	(0.02)	197	3.87	HSI28C2509B	0.31	(0.69)	243,147	0.31	SET5001P2509F	0.50	0.01	5	0.47
GLD	4.32	(0.01)	11,625	4.31	HSI28P2505A	0.01	-	7	0.01	SET5006C2506A	0.04	(0.01)	4	0.03
TDEX	7.41	(0.01)	1,940	7.43	HSI28P2505B	-	-	-	-	SET5006C2506B	-	-	-	-
UBOT	-	-	-	-	HSI28P2505C	-	-	-	-	SET5006C2506C	-	-	-	-
UHERO	8.99	-	15	9.01	HSI28P2505D	-	-	-	-	SET5006C2506D	0.06	(0.02)	22,515	0.06
Warrant Foreign	-	-	-	-	HSI28P2505E	-	-	-	-	SET5006C2506E	0.12	(0.03)	134,721	0.14
AIA41C2507A	0.78	(0.02)	3,352	0.78	HSI28P2505F	-	-	-	-	SET5006C2506F	0.24	(0.05)	83,466	0.27
BABA28C2506A	0.76	(0.08)	2	0.76	HSI28P2505G	0.02	(0.03)	3,515	0.02	SET5006C2509A	0.44	(0.03)	47,779	0.47
BABA28C2506B	-	-	-	-	HSI28P2506A	-	-	-	-	SET5006C2509B	0.23	(0.01)	36,312	0.24
BABA28C2506C	0.26	(0.04)	12	0.26	HSI28P2506B	0.04	-	200	0.04	SET5006P2506A	-	-	-	-
BABA28C2508A	0.33	(0.67)	400	0.34	HSI28P2506C	-	-	-	-	SET5006P2506B	0.39	(0.03)	115,704	0.36
BABA28C2509A	0.10	(0.02)	117	0.11	HSI28P2506D	0.09	(0.01)	3	0.09	SET5006P2506C	0.21	(0.02)	189,833	0.19
BABA28P2507A	-	-	-	-	HSI28P2506E	0.37	0.02	247,602	0.37	SET5006P2506D	-	-	-	-
BABA28P2509A	0.15	0.01	220	0.15	HSI28P2506F	0.15	-	6,065	0.15	SET5006P2506E	-	-	-	-
BABA41C2505A	-	-	-	-	HSI28P2507A	0.28	-	24,564	0.28	SET5006P2506F	-	-		

Main Board Quotation

Issue Date :

Wednesday May 28, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5013C2506L	0.03	(0.02)	575,260	0.04	SET5041P2506T	1.39	0.03	2,690	1.35	0	-	-	-	-
SET5013C2506M	0.06	(0.03)	44,123	0.08	SET5041P2509A	0.32	0.01	103,446	0.30	0	-	-	-	-
SET5013C2506N	0.03	(0.01)	43,959	0.03	SET5041P2509B	0.42	(0.01)	213,685	0.40	0	-	-	-	-
SET5013C2506O	0.19	(0.05)	790,114	0.22	SET5041P2509C	0.66	(0.34)	356,870	0.63	0	-	-	-	-
SET5013C2506P	0.25	(0.04)	338,446	0.29	SET5041P2509T	0.32	0.02	26,537	0.30	0	-	-	-	-
SET5013C2506Q	0.11	(0.02)	129,536	0.13	SPX28C2506A	-	-	-	-	0	-	-	-	-
SET5013C2506R	0.06	(0.01)	9,920	0.06	SPX28C2506B	-	-	-	-	0	-	-	-	-
SET5013C2506S	0.03	(0.02)	29,657	0.04	SPX28C2506C	-	-	-	-	0	-	-	-	-
SET5013C2506T	0.01	-	10	0.01	SPX28C2509A	-	-	-	-	0	-	-	-	-
SET5013C2509A	0.63	(0.04)	1,706,825	0.68	SPX28C2509B	1.02	0.06	3	1.02	0	-	-	-	-
SET5013C2509B	0.20	(0.02)	159,051	0.22	SPX28C2509C	-	-	-	-	0	-	-	-	-
SET5013C2509C	0.26	(0.02)	1,026,058	0.29	SPX28P2506A	-	-	-	-	0	-	-	-	-
SET5013C2509D	0.33	(0.03)	854,889	0.36	SPX28P2506B	-	-	-	-	0	-	-	-	-
SET5013C2509T	0.27	(0.01)	465,663	0.28	SPX28P2509A	0.18	-	26	0.18	0	-	-	-	-
SET5013P2506A	0.50	-	17	0.50	SPX28P2509B	-	-	-	-	0	-	-	-	-
SET5013P2506B	0.18	(0.61)	4	0.44	SPX41C2506A	-	-	-	-	0	-	-	-	-
SET5013P2506C	-	-	-	-	SPX41C2506B	-	-	-	-	0	-	-	-	-
SET5013P2506D	0.33	(0.62)	2	0.34	SPX41C2506C	-	-	-	-	0	-	-	-	-
SET5013P2506E	0.02	(0.62)	1	0.02	SPX41C2506D	-	-	-	-	0	-	-	-	-
SET5013P2506F	0.06	(0.01)	208	0.05	SPX41C2509A	0.92	0.01	1,907	0.93	0	-	-	-	-
SET5013P2506G	0.03	0.01	3,811	0.02	SPX41C2509T	2.30	0.12	17	2.30	0	-	-	-	-
SET5013P2506H	0.25	0.19	1	0.25	SPX41P2506A	0.06	(0.03)	1,150	0.06	0	-	-	-	-
SET5013P2506I	0.01	-	4,899	0.01	SPX41P2506B	-	-	-	-	0	-	-	-	-
SET5013P2506J	0.01	(0.01)	160	0.01	SPX41P2509A	0.48	(0.02)	46,258	0.47	0	-	-	-	-
SET5013P2506K	0.21	(0.01)	140,393	0.20	SPX41P2509T	2.30	(0.06)	1,001	2.30	0	-	-	-	-
SET5013P2506L	0.31	(0.01)	1,295,093	0.29	TENCEN28C250A	-	-	-	-	0	-	-	-	-
SET5013P2506M	0.43	(0.01)	1,918,239	0.39	TENCEN28C250B	0.25	(0.03)	436	0.26	0	-	-	-	-
SET5013P2506N	0.01	-	25,420	0.01	TENCEN28P250A	0.26	0.01	20	0.26	0	-	-	-	-
SET5013P2506O	0.01	-	18,001	0.01	TENCEN41C250A	0.01	(0.02)	1	0.01	0	-	-	-	-
SET5013P2506P	0.03	0.01	21,557	0.02	TENCEN41C250B	-	-	-	-	0	-	-	-	-
SET5013P2506Q	0.03	-	1,439	0.03	TENCEN41C250C	0.27	(0.03)	12,120	0.27	0	-	-	-	-
SET5013P2506R	0.04	-	1,260	0.04	TENCEN41P250A	0.10	-	5	0.10	0	-	-	-	-
SET5013P2506S	0.10	-	4,357	0.09	TENCEN41P250B	0.37	0.02	5,012	0.37	0	-	-	-	-
SET5013P2506T	1.65	0.14	134	1.60	TRIPDC41C2506	0.28	0.02	9,100	0.29	0	-	-	-	-
SET5013P2506U	0.23	(0.01)	272,281	0.22	TRIPDC41C2509	0.45	0.03	8,011	0.46	0	-	-	-	-
SET5013P2506V	0.19	-	327,886	0.18	XIAOMI28C2508	1.26	0.11	1	1.26	0	-	-	-	-
SET5013P2509A	0.18	(0.01)	100,039	0.18	XIAOMI28C2509	0.40	(0.01)	6,292	0.42	0	-	-	-	-
SET5013P2509B	0.34	0.01	200,682	0.32	XIAOMI28P2505	-	-	-	-	0	-	-	-	-
SET5013P2509C	0.92	0.01	1,027,618	0.89	XIAOMI28P2509	-	-	-	-	0	-	-	-	-
SET5013P2509D	0.77	0.02	1,441,083	0.74	XIAOMI28P2510	0.44	0.01	31	0.42	0	-	-	-	-
SET5013P2509T	0.18	0.01	44,778	0.17	XIAOMI41C2506	-	-	-	-	0	-	-	-	-
SET5019C2506A	0.01	-	1	0.01	XIAOMI41C2506	0.16	(0.01)	187	0.18	0	-	-	-	-
SET5019C2506B	-	-	-	-	XIAOMI41C2507	0.11	(0.01)	2,107	0.12	0	-	-	-	-
SET5019C2506C	-	-	-	-	XIAOMI41P2506	0.19	-	5,033	0.17	0	-	-	-	-
SET5019C2506D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506H	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506I	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506K	0.05	(0.05)	10	0.05	0	-	-	-	-	0	-	-	-	-
SET5019C2506L	0.15	(0.37)	1,000	0.15	0	-	-	-	-	0	-	-	-	-
SET5019C2506M	0.08	(0.02)	52,558	0.10	0	-	-	-	-	0	-	-	-	-
SET5019C2506N	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506O	0.37	(0.05)	95,632	0.42	0	-	-	-	-	0	-	-	-	-
SET5019C2506P	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506Q	0.28	(0.04)	215,456	0.32	0	-	-	-	-	0	-	-	-	-
SET5019C2509A	1.03	(0.03)	253,975	1.07	0	-	-	-	-	0	-	-	-	-
SET5019C2509B	0.39	(0.01)	171,487	0.41	0	-	-	-	-	0	-	-	-	-
SET5019C2509C	0.38	(0.03)	302,097	0.42	0	-	-	-	-	0	-	-	-	-
SET5019P2506A	1.64	(0.15)	4	1.66	0	-	-	-	-	0	-	-	-	-
SET5019P2506B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506C	1.06	0.26	60	1.06	0	-	-	-	-	0	-	-	-	-
SET5019P2506D	1.01	(0.21)	2	1.02	0	-	-	-	-	0	-	-	-	-
SET5019P2506E	0.57	0.05	2	0.60	0	-	-	-	-	0	-	-	-	-
SET5019P2506F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506G	0.06	(0.22)	3	0.07	0	-	-	-	-	0	-	-	-	-
SET5019P2506H	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506I	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506J	0.02	(0.01)	500	0.02	0	-	-	-	-	0	-	-	-	-
SET5019P2506K	0.06	(0.12)	1	0.06	0	-	-	-	-	0	-	-	-	-
SET5019P2506L	0.04	(0.01)	50	0.04	0	-	-	-	-	0	-	-	-	-
SET5019P2506M	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506N	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506O	0.12	(0.01)	12,773	0.11	0	-	-	-	-	0	-	-	-	-
SET5019P2509A	0.40	-	144,225	0.39	0	-	-	-	-	0	-	-	-	-
SET5019P2509B	0.95	0.01	604,812	0.91	0	-	-	-	-	0	-	-	-	-
SET5019P2509C	1.20	0.02	107,722	1.15	0	-	-	-	-	0	-	-	-	-
SET5019P2509D	1.12	(0.05)	18	1.11	0	-	-	-	-	0	-	-	-	-
SET5041C2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506B	0.02	-	4	0.04	0	-	-	-	-	0	-	-	-	-
SET5041C2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506D	0.12	(0.02)	40	0.12	0	-	-	-	-	0	-	-	-	-
SET5041C2506E	0.14	(0.01)	950	0.14	0	-	-	-	-	0	-	-	-	-
SET5041C2506F	0.10	(0.03)	529	0.12	0	-	-	-	-	0	-	-	-	-
SET5041C2506G	0.22	(0.04)	7,318	0.25	0	-	-	-	-	0	-	-	-	-
SET5041C2506H	0.30	(0.05)	684	0.33	0	-	-	-	-	0	-	-	-	-
SET5041C2506I	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506K	0.08	(0.01)	6,810	0.09	0	-	-	-	-	0	-	-	-	-
SET5041C2506T	0.02	0.01	6,301	0.01	0	-	-	-	-	0	-	-	-	-
SET5041C2509A	0.33	(0.03)	358,868	0.36	0	-	-	-	-	0	-	-	-	-
SET5041C2509B	0.41	(0.59)	728,884	0.44	0	-	-	-	-	0	-	-	-	-
SET5041C2509T	0.09	-	3,081	0.09	0	-	-	-	-	0	-	-	-	-
SET5041C2509U	0.34	(0.02)	174	0.35	0	-	-	-	-	0	-	-	-	-
SET5041C2509V	0.77	(0.01)	192,546	0.80	0	-	-	-	-	0	-	-	-	-
SET5041P2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2506B	0.59	-	57,318	0.54	0	-	-	-	-	0	-	-	-	-
SET5041P2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2506D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2506F	-	-	-	-	0	-	-	-	-	0	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday May 28, 2025

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
Warrant - MAI														
Agro & Food Indust					UKEM	0.51	0.01	9,212	00 0.5	LTMH	4.86	0.08	653	00 4.8
APO	1.22	-	11,367	00 1.2	UREKA	0.60	(0.02)	13,344	00 0.6	MCA	1.12	(0.02)	14,271	00 1.1
AU	7.15	(0.05)	10,046	00 7.1	YUASA	10.50	-	115	00 10.5	MEB	19.00	(0.10)	2,512	00 19.0
CFARM	0.90	0.08	86,765	00 0.8	ZIGA	1.34	(0.02)	72,809	00 1.3	MORE	0.04	-	194,692	00 0.0
JCHK	0.14	0.01	101	00 0.1	ZIGA-W2	0.12	(0.01)	115,969	00 0.1	MOTHER	1.33	0.10	381,813	00 1.2
KASET	0.59	-	324	00 0.5	Property	-	-	-	-	MPJ	3.26	0.02	3,685	00 3.2
MAGURO	16.00	0.10	1,737	00 16.0	24CS	1.00	(0.04)	437,439	00 1.0	MVP	-	-	-	00 0.0
MUD	1.19	-	1,000	00 1.1	24CS-W1	0.20	(0.02)	23,335	00 0.2	NCL	0.27	(0.01)	4,209	00 0.2
NTSC	5.80	-	81	00 5.7	24CS-W2	0.25	(0.05)	71,866	00 0.2	NCP	1.15	(0.01)	150	00 1.1
TACC	4.46	(0.02)	5,632	00 4.4	ARIN	0.46	0.02	53,279	00 0.4	NEWS	0.01	-	64,158	00 0.0
TMILL	2.06	0.07	300	00 2.0	ARROW	4.84	(0.02)	408	00 4.8	PEER	0.12	0.01	465,499	00 0.1
WINNER	2.00	(0.02)	1,261	00 2.0	BC	0.87	-	322	00 0.8	PEER-W2	0.03	0.01	458,624	00 0.0
XO	15.10	0.20	2,168	00 15.1	BC-W2	-	-	-	00 0.0	PICO	4.40	-	9	00 4.4
Consumer Products					BKA	1.02	(0.02)	14,155	00 1.0	PLT	0.56	-	2,108	00 0.5
ALPHAX	0.40	-	17,235	00 0.4	BLESS	0.28	-	4,693	00 0.2	QLT	2.72	0.02	352	00 2.7
BGT	0.37	-	1,165	00 0.3	BSM	0.79	-	81	00 0.7	RP	0.76	(0.03)	545	00 0.7
DOD	1.75	(0.06)	8,057	00 1.7	BTW	0.18	-	133	00 0.1	SONIC	1.59	0.01	1,196	00 1.5
ECF	0.11	-	6,871	00 0.1	CAZ	1.91	(0.03)	264	00 1.9	THMUI	0.33	(0.01)	731	00 0.3
ECF-W5	0.01	-	1	00 0.0	CHEWA	0.26	-	1,101	00 0.2	TNDT	0.19	0.01	163	00 0.1
EFORL	0.17	0.01	112,170	00 0.1	CPANEL	2.56	0.10	16	00 2.5	TNDT-W1	-	-	-	00 0.0
EFORL-W6	-	-	-	00 0.0	CPANEL-W1	-	-	-	00 0.0	TNH	32.00	(1.00)	106	00 32.4
EURO	4.34	-	295	00 4.3	CRD	0.35	-	108	97 0.3	TNP	2.52	-	552	00 2.5
HPT	0.39	-	18,601	00 0.3	DHOUSE	0.59	0.01	317	00 0.5	TPL	0.76	0.06	38,083	00 0.7
ITTHI	1.40	0.02	464	00 1.3	DIMET	0.09	-	6,455	00 0.0	TRP	5.85	0.05	761	00 5.8
JSP	1.79	(0.01)	861	00 1.7	DPAINT	0.60	0.03	67,629	00 0.6	TURTLE	-	-	-	00 0.0
JSP-W2	0.03	0.01	4,397	00 0.0	FLOYD	0.80	(0.02)	1,120	00 0.8	TVDH	0.12	-	2,937	00 0.1
JUBILE	7.15	(0.05)	558	00 7.1	HYDRO	1.58	(0.02)	315	00 1.6	TVDH-W3	-	-	-	00 0.0
LTS	4.94	(0.21)	9,775	00 5.0	HYDRO-W2	-	-	-	00 0.0	TVT	0.29	-	43	00 0.2
MGI	10.10	0.15	1,348	00 10.0	IND	0.83	0.01	1,270	00 0.8	UBA	0.88	0.01	748	00 0.8
MGI-W1	2.16	0.02	2,778	00 2.1	JAK	-	-	-	00 0.0	VL	0.87	(0.01)	874	00 0.8
MOONG	1.90	0.02	871	00 1.9	K	1.22	(0.01)	20	00 1.1	VS	0.48	-	20	00 0.4
NPK	-	-	-	00 0.0	K-W3	0.19	(0.01)	166	00 0.1	YGG	0.39	-	35,075	00 0.3
SEI	3.12	0.02	837	00 3.1	META	0.07	(0.01)	6,297	00 0.0	Technology	-	-	-	-
SMD100	3.94	0.02	512	00 3.9	PANEL	1.21	0.01	226	00 1.1	APP	2.22	(0.04)	7,420	00 2.2
TM	0.79	0.03	698	00 0.7	PPS	0.18	-	9,747	00 0.1	BBIK	21.60	(0.50)	1,860	00 21.8
WARRIX	2.34	-	4,904	00 2.3	PRI	4.80	(0.06)	946	00 4.8	BE8	6.65	(0.45)	20,178	00 6.7
WINMED	1.22	0.01	1,174	00 1.2	PROS	0.81	(0.04)	72,754	00 0.8	BE8-W1	0.61	(0.02)	3,784	00 0.6
Financials					PROS-W1	0.06	0.01	49,074	00 0.0	BVG	1.85	-	32	00 1.8
ACAP	-	-	-	00 0.0	PSG	1.25	(0.09)	168,048	00 1.2	COMAN	0.58	-	25	00 0.5
AF	0.40	0.01	72	00 0.3	QTCC	0.18	0.04	43,480	00 0.1	I2	0.86	(0.01)	272	00 0.8
AIRA	1.20	(0.09)	39	00 1.2	SENX	0.22	(0.01)	767	00 0.2	IIG	1.78	(0.02)	5,474	00 1.7
ASN	0.97	(0.02)	181	00 0.9	SK	0.60	0.01	21,268	00 0.6	IRCP	0.36	-	5,855	00 0.3
BTC	0.34	(0.02)	89,838	00 0.3	SMART	0.59	(0.01)	3,269	00 0.5	ITNS	1.39	-	214	00 1.3
BTC-W7	0.13	(0.01)	14,472	00 0.1	STC	0.48	0.01	32	00 0.4	NAT	3.18	0.02	211	00 3.1
GCAP	0.30	0.01	1,363	00 0.2	STX	1.25	(0.03)	6,343	00 1.2	NETBAY	17.30	(0.10)	9,698	00 17.4
KCC	1.67	(0.03)	950	00 1.6	SVR	0.58	-	474	00 0.5	PIS	4.00	(0.04)	3,343	00 4.0
LIT	0.63	(0.04)	2,101	00 0.6	TAPAC	-	-	-	00 0.0	PLANET	1.81	-	9,381	00 1.8
MITSIB	0.54	-	513	00 0.5	THANA	0.89	(0.01)	283	00 0.8	PLANET-W2	0.81	0.01	721	00 0.7
SGF	0.17	-	693	00 0.1	TIGER	0.45	(0.03)	52	00 0.4	PROEN	1.17	(0.04)	56,461	00 1.1
SGF-P1	-	-	-	00 0.0	TITLE	3.74	-	1,296	00 3.7	PROEN-W2	0.39	(0.02)	31,463	00 0.4
SGF-Q1	-	-	-	00 0.0	WELL	-	-	-	00 0.0	READY	4.00	0.06	11	00 3.9
TQR	4.98	-	75	00 4.9	YONG	0.81	-	2,390	00 0.8	SECURE	10.40	-	421	00 10.3
Industrials					Resources	-	-	-	-	SICT	2.88	0.06	2,882	00 2.8
ADB	0.54	-	737	00 0.5	ABM	0.64	-	156	00 0.6	SIMAT	0.96	(0.01)	15,297	00 0.9
BM	1.06	(0.21)	131,273	00 1.1	GTV	0.08	-	19,243	00 0.0	SPVI	1.59	0.02	2,558	00 1.5
BM-W3	-	-	-	00 0.0	PSTC	0.41	0.01	632	00 0.4	SRS	2.88	(0.02)	246	00 2.8
BPS	0.50	-	72,215	00 0.5	PSTC-W2	-	-	-	00 0.0	TBN	5.75	(0.10)	8	00 5.7
CHO	0.09	0.01	2,262	00 0.0	PSTC-W3	0.08	(0.01)	2,934	00 0.0	TERA	1.14	-	563	00 1.1
CHO-W4	-	-	-	00 0.0	PTC	0.91	0.01	365	00 0.9	TPS	3.36	0.04	333	00 3.3
CHOW	0.97	-	20	00 0.9	SAAM	6.75	(0.05)	149	00 6.6	VCOM	2.50	(0.06)	3,351	00 2.5
CIG	0.03	-	1,670	00 0.0	SR	0.47	0.02	13	00 0.4	-	-	-	-	-
CIG-W10	-	-	-	00 0.0	STOWER	0.04	-	1,200	00 0.0	-	-	-	-	-
CIG-W9	0.02	-	57	00 0.0	TAKUNI	0.37	(0.01)	19,905	00 0.3	-	-	-	-	-
COLOR	0.99	(0.01)	2,212	00 0.9	TPCH	3.08	-	527	00 3.0	-	-	-	-	-
CPR	2.80	-	541	00 2.8	UMS	0.32	0.01	53	00 0.3	-	-	-	-	-
FPI	1.75	(0.01)	717	00 1.7	Services	-	-	-	-	-	-	-	-	-
GTB	0.72	-	937	00 0.6	ADD	3.16	(0.02)	81	00 3.1	-	-	-	-	-
HARN	2.06	(0.02)	1,403	00 2.0	AKP	0.61	0.01	6,277	00 0.6	-	-	-	-	-
KCM	0.17	-	2,485	00 0.1	AMA	4.12	-	433	00 4.1	-	-	-	-	-
KJL	6.30	-	158	00 6.2	AMARC	1.78	0.06	8,301	00 1.7	-	-	-	-	-
KUMWEL	1.13	0.01	16	00 1.1	ARIP	0.40	-	645	00 0.4	-	-	-	-	-
KWM	1.03	0.03	1,495	00 1.0	ATP30	0.88	(0.01)	2,252	00 0.8	-	-	-	-	-
MBAX	1.48	(0.02)	31	00 1.4	AUCT	5.40	(0.05)	7,565	00 5.4	-	-	-	-	-
MGT	1.80	(0.02)	2,522	00 1.7	BIS	2.58	(0.06)	528	00 2.5	-	-	-	-	-
MTW	0.99	(0.02)	2,659	00 1.0	BOL	5.15	0.05	735	00 5.0	-	-	-	-	-
NDR	1.28	-	238	00 1.2	CEYE	2.04	0.06	276	00 1.9	-	-	-	-	-
PACO	1.33	(0.02)	142	00 1.3	CHIC	0.29	-	2,562	00 0.2	-	-	-	-	-
PACO-W1	0.01	-	5,113	00 0.0	CMO	0.64	0.04	254	00 0.5	-	-	-	-	-
PDG	2.76	-	27	00 2.7	D	2.10	(0.02)	1,643	00 2.1	-	-	-	-	-
PHOL	2.86	0.04	577	00 2.8	DEXON	1.52	0.02	167	00 1.5	-	-	-	-	-
PIMO	1.15	-	4,918	00 1.1	DV8	3.90	(0.02)	18,740	00 3.9	-	-	-	-	-
PMC	0.79	(0.03)	26,987	00 0.8	DV8-W2	1.96	(0.04)	753	00 1.9	-	-	-	-	-
PPM	1.67	0.02	274	00 1.6	ETE	0.74	0.01	967	00 0.7	-	-			