

Main Board Quotation

Issue Date :

Tuesday August 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	10.90	0.10	86,266	11.03	SE-ED	3.02	(0.08)	281	2.98
POMPI	-	-	-	-	ILINK	5.30	(0.05)	3,922	5.32	SMM	0.88	(0.01)	4,270	0.88
SAFARI	-	-	-	-	INET	3.84	(0.02)	1,602	3.85	SPORT	0.39	-	2,960	0.39
VI	-	-	-	-	INTUCH	56.00	-	21,794	55.98	TBSP	15.40	(0.10)	15	15.40
WORLD	-	-	-	-	JAS	5.35	0.10	449,117	5.38	TH	0.73	-	502	0.73
WR	-	-	-	-	JASIF	10.40	-	46,870	10.37	TKS	11.20	0.30	39,188	11.24
Agribusiness	-	-	-	-	JMART	9.50	(0.05)	18,918	9.70	TRITN	0.35	-	698,291	0.35
CHOTI	145.00	(2.00)	1	145.00	JTS	1.60	(0.03)	1,016	1.62	VGI	7.15	-	31,059	7.16
EE	0.67	0.01	11,127	0.67	MFEF	3.50	(0.08)	9,228	3.50	WAVE	2.62	(0.02)	65	2.62
GFPT	15.00	0.10	71,148	14.98	MSC	6.55	-	1,047	6.57	WORK	40.00	(0.75)	18,463	40.46
LEE	2.78	-	472	2.78	PT	6.40	-	6,785	6.41	Finance & Securities	-	-	-	-
STA	12.50	(0.40)	125,635	12.53	SAMART	6.85	-	6,180	6.89	AEC	0.50	-	4,225	0.50
TLUXE	5.70	(0.10)	2,998	5.71	SAMTEL	8.50	(0.05)	44	8.53	AEONTS	177.50	(3.50)	3,194	178.38
TRUBB	1.75	(0.03)	6,254	1.76	SDC	0.26	0.01	21,499	0.25	AMANAHA	1.96	-	175,892	1.97
TWPC	8.95	(0.05)	283	8.96	SIS	8.95	-	1,677	8.86	ASAP	6.05	-	27,110	6.10
UPOIC	4.20	-	75	4.20	SVOA	1.40	0.04	59,522	1.39	ASK	22.90	-	1,082	22.77
UVAN	6.70	-	1,716	6.68	SYMC	5.75	0.10	116	5.68	ASP	3.84	0.02	20,359	3.83
VPO	0.65	0.01	5,816	0.66	SYNEX	12.70	0.10	31,127	12.69	BFIT	25.75	(0.50)	1,730	26.04
Banking	-	-	-	-	THCOM	9.95	0.05	28,035	9.85	CGH	1.05	0.01	1,368	1.06
BAY	40.75	-	3,171	40.91	TRUE	6.60	-	801,675	6.61	CNS	2.56	(0.04)	4,125	2.53
BBL	209.00	(1.00)	26,075	209.93	TWZ	0.13	-	17,932	0.13	ECL	1.94	0.08	218,529	1.92
CIMBT	0.86	0.01	18,789	0.85	Electronic Componen	-	-	-	-	FNS	4.14	0.04	5,366	4.12
KBANK	215.00	(3.00)	33,973	216.71	CCET	1.98	(0.01)	35,022	1.98	FSS	2.36	-	322	2.34
KKP	76.75	0.50	31,356	76.61	DELTA	70.00	0.25	5,278	69.78	GBX	0.68	0.01	4	0.68
KTB	19.50	-	273,891	19.58	EIC	0.05	(0.01)	28,522	0.05	GL	7.80	(0.70)	117,812	7.85
LHFG	1.58	0.01	56,811	1.58	HANA	37.25	(0.25)	7,904	37.48	IFS	3.06	-	351	3.04
SCB	145.50	(2.00)	52,413	146.32	KCE	42.75	(1.25)	58,119	43.22	JMT	12.70	-	7,799	12.84
TCAP	53.50	(0.50)	24,421	53.88	METCO	198.00	2.00	2	197.00	KCAR	12.80	(0.40)	1,825	12.75
TISCO	81.25	(0.50)	30,515	81.41	SMT	2.40	(0.08)	29,233	2.42	KGI	4.36	-	31,794	4.36
TMB	2.20	-	1,066,549	2.20	SPPT	3.76	(0.02)	1,344	3.74	KTC	29.50	(0.25)	178,494	29.98
Construction Materia	-	-	-	-	SVI	5.70	0.15	108,332	5.59	MBKET	12.70	0.10	851	12.62
CCP	0.39	(0.01)	11,604	0.39	TEAM	1.12	0.01	20,966	1.13	MFC	16.00	0.10	587	16.00
COTTO	2.68	(0.02)	11,273	2.69	Energy & Utilities	-	-	-	-	ML	1.05	(0.01)	1,481	1.05
DCC	2.44	(0.02)	242,210	2.48	ABPIF	8.85	0.10	834	8.79	MTC	41.75	0.25	51,356	42.04
DCON	0.58	-	8,108	0.57	AI	-	-	-	-	PE	0.24	(0.01)	1,960	0.23
DRT	5.85	0.05	4,034	5.85	AKR	1.03	0.03	172,040	1.03	PL	3.50	(0.02)	1,790	3.49
EPG	8.80	-	57,273	8.86	BAFS	34.50	0.25	783	34.57	S11	7.45	(0.15)	1,450	7.56
GEL	0.34	-	38,902	0.34	BANPU	20.40	0.40	753,235	20.34	SAWAD	41.25	(0.75)	125,734	41.61
PPP	3.52	0.02	556	3.49	BCP	36.25	0.25	35,750	36.24	THANI	7.65	-	28,227	7.63
Q-CON	5.30	0.05	194	5.22	BCPG	18.70	0.10	45,693	18.74	TK	11.00	-	671	11.03
RCI	3.26	0.02	50,464	3.28	BGRIM	26.25	-	70,342	26.40	TNITY	6.05	-	298	6.03
SCC	452.00	(4.00)	17,622	454.35	BPP	24.70	0.10	18,208	24.68	UOBKH	4.22	(0.06)	1	4.22
SCCC	235.00	(1.00)	746	235.16	BRRGIF	10.00	-	2,508	9.98	ZMICO	1.17	0.02	85,732	1.17
SCP	8.40	-	1,116	8.40	CKP	4.16	-	460,885	4.18	Food & Beverage	-	-	-	-
SKN	4.76	0.10	2,122	4.71	DEMCO	4.08	(0.02)	2,126	4.09	APURE	1.37	0.01	2,298	1.36
TASCO	15.70	0.90	218,813	15.39	EA	38.75	0.25	91,161	38.70	ASIAN	8.95	0.80	462,120	8.78
TCMC	2.60	0.02	4,839	2.60	EARTH	-	-	-	-	BR	5.10	(0.05)	16,451	5.12
TOA	34.75	0.25	45,776	34.47	EASTW	11.00	(0.10)	1,849	11.09	BRR	6.70	-	736	6.70
TPIPL	1.85	-	36,400	1.85	EGATIF	10.90	(0.10)	8,116	10.93	CBG	45.75	(0.50)	21,971	45.90
UMI	1.41	(0.02)	13,037	1.43	EGCO	232.00	(1.00)	6,353	232.05	CFRESH	4.46	-	571	4.46
VNG	7.65	-	665	7.70	ESSO	15.60	(0.20)	107,597	15.66	CM	4.30	0.04	15,762	4.32
WIHK	2.44	-	6,350	2.44	GLOW	93.75	-	9,082	93.89	CPF	26.25	(0.25)	135,183	26.26
Petrochemicals & Ch	-	-	-	-	GPSC	72.00	(0.75)	16,713	72.09	CPI	1.82	0.03	4,814	1.83
BCT	54.50	-	193	54.84	GULF	68.75	(0.50)	20,099	69.08	F&D	-	-	-	-
CMAN	3.14	(0.04)	16,268	3.16	GUNKUL	2.90	-	47,548	2.92	HTC	17.60	-	759	17.71
GC	5.15	0.10	2,550	5.10	IEC	-	-	-	-	ICHI	4.48	0.12	44,956	4.49
GGC	11.50	0.30	141,239	11.47	IFEC	-	-	-	-	KBS	4.30	-	5,888	4.29
GIFT	4.46	(0.02)	2,083	4.47	IRPC	6.70	-	419,017	6.70	KSL	3.24	0.04	6,166	3.23
IVL	59.00	0.50	134,481	59.14	LANNA	15.80	0.10	710	15.80	KTIS	5.90	-	151	5.88
NFC	11.50	-	357	11.53	MDX	4.58	(0.02)	1,774	4.60	LST	4.88	(0.02)	430	4.88
PATO	14.30	(0.10)	211	14.30	PTG	11.80	(0.30)	381,001	12.04	M	71.25	(0.75)	2,660	71.85
PMTA	14.00	0.10	99	13.95	PTT	52.50	0.50	927,893	52.61	MALEE	13.70	0.20	36,527	13.86
PTTGC	81.75	1.00	242,637	81.86	PTTEP	142.50	1.50	90,646	142.56	MINT	38.50	0.75	240,624	38.24
SUTHA	4.18	-	360	4.14	RATCH	52.25	(0.25)	19,355	52.25	OISHI	93.00	0.50	14	92.55
TCCC	35.50	(0.25)	40	35.42	RPC	0.53	(0.01)	20,228	0.54	PB	61.25	(0.75)	46	61.12
TPA	6.30	(0.10)	70	6.33	SCG	4.58	(0.02)	1,541	4.59	PM	8.75	(0.05)	7,042	8.73
UP	26.50	0.50	6	25.88	SCI	3.18	0.02	5,550	3.20	PRG	14.00	0.10	161	14.06
VNT	25.00	-	24,437	25.30	SCN	3.80	0.04	13,985	3.81	SAPPE	23.20	(0.10)	4,220	23.28
WG	-	-	-	-	SGP	11.70	(0.30)	59,689	11.82	SAUCE	22.20	(0.10)	54	22.21
YCI	-	-	-	-	SKE	1.26	(0.02)	15,276	1.27	SFP	-	-	-	-
Commerce	-	-	-	-	SOLAR	2.34	(0.02)	7,138	2.33	SNP	20.60	-	19	20.60
BEAUTY	10.70	(0.10)	2,324,437	10.81	SPCG	20.90	0.30	8,433	20.85	SORKON	-	-	-	-
BIG	1.79	(0.03)	95,047	1.81	SPRC	15.10	(0.10)	122,598	15.19	SSC	-	-	-	-
BJC	57.75	(0.75)	95,950	57.92	SUPER	0.74	0.01	1,721,056	0.74	SSF	8.60	0.15	42	8.64
COL	27.75	(0.25)	5,771	27.76	SUSCO	3.28	-	7,566	3.29	SST	6.05	(0.05)	214	6.03
COM7	19.10	(0.30)	52,968	19.36	TAE	2.36	0.04	29,802	2.34	TC	3.16	(0.02)	1,450	3.16
CPALL	68.75	(0.50)	495,145	68.85	TCC	0.40	0.01	10,382	0.39	TFG	4.34	0.06	36,760	4.34
CSS	2.06	(0.02)	3,582	2.07	TOP	84.25	(1.25)	102,273	84.38	TFMAMA	161.00	(0.50)	9	160.28
FN	2.84	(0.02)	1,933	2.84	TPIPP	6.25	(0.05)	138,873	6.28	TIPCO	9.45	0.45	32,070	9.36
FTE	2.26	-	17,719	2.30	TTW	12.70	(0.20)	34,856	12.76	TKN	15.40	(0.20)	202,104	15.66
GLOBAL	19.30	0.60	213,274	19.16	WHAPU	5.95	0.10	85,003	5.95	TU	17.70	-	98,956	17.72
HMPRO	14.80	0.40	431,673	14.76	WP	7.75	0.25	167,512	7.78	TVO	29.75	(1.25)	12,998	29.92
IT	4.50	(0.04)	9,533	4.48	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.26	(0.04)	12,163	4.28	AMARIN	4.90	(0.02)	537	4.90	AHC	21.00	(0.30)	43	21.10
LOXLEY	2.22	0.02	6,430	2.20	AQUA	0.49	-	169,815	0.48	BCH	19.10	0.30	230,123	18.96
MAKRO	34.25	(0.50)	5,435	34.44	AS	1.14	-	310	1.14	BDMS	27.00	0.25	274,921	26.89
MC	12.60	0.20	8,281	12.51	BEC	7.65	0.05	61,225	7.66	BH	179.00	-	10,685	179.22
MEGA	35.00	(0.75)	30,474	34.98	EPCO	4.04	0.02	15,931	4.04	CHG	2.52	(0.02)	355,489	2.53
MIDA	0.60	0.01	1,342	0.60	FE	-	-	-	-	CMR	3.22	-	1,204	3.22
ROBINS	65.75	1.25	47,291	66.07	GPI	2.74	(0.06)	5,027	2.75	EKH	5.40	0.05	7,132	5.40
RSP	4.14	-	2,760	4.15	GRAMMY	8.05	(0.05)	243	8.03	KDH	97.75	0.25	29	98.34
SINGER	9.20	(0.10)	371	9.18	MACO	1.90	(0.01)	80,083	1.90					

Main Board Quotation

Issue Date :

Tuesday August 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.68	(0.02)	3,866	2.70	MJD	3.44	-	475	3.44	CPT	2.12	(0.02)	158,523	2.15
Tourism & Leisure	-	-	-	-	MK	4.10	(0.02)	27,160	4.11	CRANE	2.86	(0.02)	718	2.84
ASIA	6.60	0.05	241	6.60	NCH	0.92	0.01	1,492	0.91	CTW	9.30	-	798	9.30
CENTEL	39.00	(0.25)	45,523	39.36	NNCL	1.75	-	28,936	1.75	FMT	-	-	-	-
CSR	-	-	-	-	NOBLE	12.20	-	2,393	12.20	HTECH	7.30	0.15	20,888	7.32
DTC	12.00	-	3,528	12.04	NUSA	0.30	-	181,065	0.29	KKC	1.66	-	674	1.66
ERW	7.90	0.15	208,297	7.86	NVD	3.82	0.02	2,634	3.81	PK	3.76	0.18	70,535	3.75
GRAND	1.06	(0.02)	63,830	1.06	ORI	18.60	(0.10)	73,450	18.76	SNC	14.50	0.10	814	14.46
LRH	38.75	0.25	92	38.51	PACE	0.67	0.03	450,777	0.66	TCJ	5.75	0.05	120	5.72
MANRIN	-	-	-	-	PF	1.14	0.01	1,711,768	1.14	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	7.45	0.10	15,694	7.38	Property Fund & REIT	-	-	-	-
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.10	(0.10)	50	10.10
SHANG	77.00	(1.00)	79	76.71	PRECHA	-	-	-	-	AMATAR	10.50	-	1,047	10.50
Home & Office Produ	-	-	-	-	PRIN	1.60	(0.01)	20,308	1.60	B-WORK	10.90	-	4,081	10.90
ACC	0.45	-	1,928	0.45	PRINC	5.50	0.05	10,479	5.52	BKKCP	12.00	(0.10)	332	12.06
AJA	0.40	-	53,042	0.40	PSH	20.40	(0.10)	19,361	20.43	BOFFICE	13.30	(0.10)	135	13.30
DTCI	-	-	-	-	OH	3.44	(0.06)	592,648	3.45	CPNCG	15.30	-	897	15.37
FANCY	0.96	-	3,341	0.96	RICHY	1.78	0.02	13,020	1.77	CPNREIT	26.00	(0.25)	5,554	26.00
KYE	385.00	-	59	384.93	RML	1.33	(0.03)	176,095	1.35	CPTGF	13.80	0.20	526	13.70
L&E	2.70	0.02	2,605	2.71	ROJNA	5.50	0.10	23,099	5.44	CRYSTAL	10.10	-	760	10.00
MODERN	4.48	0.02	3,909	4.49	S	3.04	0.02	210,738	3.04	CTARAF	4.76	-	718	4.76
OGC	38.00	-	36	38.03	SAMCO	2.16	(0.06)	13,309	2.21	DREIT	5.50	-	450	5.47
ROCK	16.30	(0.70)	1	16.30	SC	3.58	0.02	10,360	3.58	ERWPF	5.65	(0.05)	172	5.62
SIAM	1.93	0.02	135	1.92	SENA	3.74	(0.10)	17,665	3.75	FUTUREPF	22.00	-	8,545	22.00
TSR	2.40	(0.04)	7,734	2.40	SF	8.60	0.20	41,173	8.57	GAHREIT	9.65	0.05	10	9.63
Insurance	-	-	-	-	SIRI	1.61	(0.03)	445,227	1.61	GLANDRT	12.50	-	2,956	12.50
AYUD	38.75	0.25	213	38.50	SPALI	24.00	(0.30)	43,494	23.96	GOLDPF	7.20	0.10	21	7.20
BKI	350.00	-	11	350.00	TICON	16.30	0.20	436	16.30	GVREIT	15.50	(0.10)	178	15.57
BLA	32.25	-	3,212	32.44	U	0.03	-	567,033	0.03	HPF	5.40	0.05	15	5.38
BUI	-	-	-	-	UV	8.25	0.25	167,861	8.18	HREIT	6.95	(0.15)	3,491	6.84
CHARAN	33.50	(0.75)	1	33.50	WHA	3.94	-	1,051,990	3.97	IMPACT	18.30	(0.10)	1,017	18.36
INSURE	-	-	-	-	WIN	0.63	0.01	2,525	0.62	KPNPF	9.50	-	266	9.50
MTI	110.50	(1.00)	19	110.55	Paper & Printing Mat	-	-	-	-	LHHOTEL	16.10	(0.10)	137	16.16
NKI	-	-	-	-	UTP	11.30	(0.20)	24,803	11.38	LHPF	8.35	0.05	271	8.33
NSI	81.00	(1.75)	7	81.18	Fashion	-	-	-	-	LHSC	16.10	(0.40)	501	16.16
SMK	39.75	(0.25)	19	40.05	AFC	9.10	-	8	9.10	LUXF	8.20	(0.05)	50	8.20
THRE	1.09	0.02	5,555	1.09	BTNC	22.00	0.50	13	21.58	M-II	8.90	-	2	8.90
THREL	7.95	0.05	4,363	7.90	CPH	-	-	-	-	M-PAT	10.00	-	900	10.00
TIC	39.75	(0.25)	29	39.93	CPL	3.04	(0.06)	7	3.05	M-STOR	-	-	-	-
TIP	25.00	0.20	2,548	24.96	DIGI	0.37	0.01	6,192	0.36	MIPF	-	-	-	-
TSI	0.49	0.01	283	0.48	ICC	39.25	(0.25)	58	39.25	MIT	5.10	0.10	1	5.10
TVI	3.52	-	70	3.52	LTX	104.00	(1.00)	48	104.35	MJLF	12.80	-	762	12.84
Mining	-	-	-	-	NC	15.10	-	1	15.10	MNIT	-	-	-	-
PDI	14.60	0.10	3,833	14.64	PAF	0.93	-	21,064	0.95	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.74	0.10	1,693	2.74	MNRF	3.40	0.02	28	3.38
Packaging	-	-	-	-	PG	7.05	0.05	60	7.03	MONTRI	6.30	0.30	3	6.23
AJ	10.10	(0.10)	379	10.09	SABINA	35.75	(0.25)	264	36.01	POPF	13.60	-	28,156	13.68
ALUCON	192.00	-	14	192.00	SAWANG	-	-	-	-	PPF	-	-	-	-
CSC	45.00	(0.50)	1	45.00	SUC	44.75	(0.25)	2	44.75	QHHR	8.50	-	3,692	8.50
NEP	0.36	-	1,434	0.37	TNL	-	-	-	-	QHOP	3.58	0.04	2	3.57
NPPG	1.07	(0.02)	19,882	1.07	TPCORP	14.80	-	30	14.77	QHPP	12.00	(0.10)	75,065	12.03
PTL	16.20	0.20	6,764	16.15	TR	48.50	0.25	82	48.62	SBPF	2.96	(0.06)	232	2.97
SITHAI	1.26	0.01	2,551	1.27	TTI	28.00	0.25	6	27.08	SHREIT	9.50	0.05	172	9.50
SLP	0.93	-	10,260	0.96	TTL	-	-	-	-	SIRIP	11.30	-	50	11.30
SMPC	13.70	0.10	2,638	13.60	TTTM	175.00	3.00	14	177.25	SPF	23.80	0.10	378	23.70
SPACK	2.00	0.03	24	1.95	UPF	-	-	-	-	SRIPANWA	11.00	(0.10)	5,620	11.00
TCOAT	-	-	-	-	UT	13.50	-	1	13.50	SSPF	10.30	0.30	50	10.30
TFI	0.35	(0.01)	319	0.35	WACOAL	-	-	-	-	SSTPF	6.75	0.05	23	6.71
THIP	34.25	0.25	83	34.09	Transportation & Log	-	-	-	-	SSTRT	6.20	-	200	6.20
TMD	21.80	-	75	21.70	AAV	4.42	0.10	138,953	4.38	TIF1	8.60	(0.10)	71	8.59
TOPP	205.00	(2.00)	1	205.00	AOT	66.00	(0.25)	323,775	66.28	TLGF	19.90	-	4,880	19.90
TPBI	8.30	(0.10)	401	8.20	ASIMAR	2.64	-	12,173	2.65	TLHPF	10.90	-	332	10.90
TPP	-	-	-	-	B	0.60	(0.01)	18,942	0.60	TNPF	3.66	(0.02)	66	3.66
Personal Products &	-	-	-	-	BA	12.70	-	42,402	12.80	TPRIME	13.00	-	378	12.92
APCO	4.42	-	460	4.41	BEM	8.50	-	605,119	8.51	TREIT	11.60	(0.10)	3,477	11.56
DDD	44.00	0.75	11,426	44.60	BTS	9.35	-	354,543	9.35	TTLPF	23.60	0.10	143	23.58
JCT	-	-	-	-	BTSGIF	12.10	(0.10)	16,741	12.12	TU-PF	1.79	0.29	6	1.79
OCC	17.20	0.20	160	17.20	III	6.05	0.20	71,826	6.00	URBNPF	3.26	(0.02)	537	3.28
S & J	-	-	-	-	JUTHA	1.79	(0.02)	119	1.79	WHABT	10.00	-	100	10.00
STHAI	-	-	-	-	JWD	7.65	(0.10)	45,966	7.66	WHART	10.20	(0.10)	6,858	10.24
TNR	13.20	(0.10)	182	13.24	KWC	271.00	(13.00)	1	271.00	Steel	-	-	-	-
TOG	4.82	(0.06)	1,713	4.83	NOK	2.30	-	11,321	2.28	AMC	2.44	0.02	1,469	2.43
Professional Service	-	-	-	-	NYT	5.25	-	24,753	5.31	BSBM	1.13	0.01	2,564	1.14
BWG	1.00	-	104,257	1.00	PRM	7.75	0.10	125,778	7.74	CEN	1.34	0.02	9,920	1.34
GENCO	0.81	-	7,690	0.81	PSL	12.10	0.10	6,165	12.10	CITY	2.70	0.04	226	2.69
PRO	-	-	-	-	RCL	5.55	-	3,650	5.57	CSP	1.40	0.02	2	1.40
TEAMG	2.28	(0.02)	21,964	2.28	THAI	13.20	(0.10)	13,854	13.28	GJS	0.26	-	125,485	0.25
Property Developmer	-	-	-	-	TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	901	6.70	TTA	7.00	(0.05)	11,085	7.04	INOX	1.22	0.01	15,988	1.23
AMATA	20.20	(0.20)	155,886	20.27	WICE	4.74	(0.02)	81,706	4.74	LHK	4.90	-	2,934	4.91
AMATAV	6.60	-	18,986	6.64	Automotive	-	-	-	-	MAX	0.02	-	208,596	0.02
ANAN	4.92	(0.08)	150,067	4.97	AH	33.25	0.50	4,938	33.26	MCS	7.70	0.05	3,352	7.70
AP	9.35	0.15	118,060	9.35	APCS	5.15	-	1,555	5.14	MILL	1.64	0.02	40,914	1.64
APEX	0.20	-	7,174	0.20	BAT-3K	-	-	-	-	PAP	4.08	-	785	4.09
AQ	0.03	-	881,462	0.03	CWT	2.84	-	3,849	2.85	PERM	2.34	(0.02)	1,159	2.34
BLAND														

Main Board Quotation

Issue Date :

Tuesday August 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	UMS	0.73	0.02	420	-	ADVA11C1905A	0.25	-	518	-
ABICO	7.50	0.20	90,368	7.00	UWC	0.08	0.01	16,332	-	ADVA11P1905A	-	-	-	-
AU	7.75	0.05	33,295	7.00	Services (MAI)	-	-	-	-	ADVA13C1809A	0.02	-	1,202	-
FC	0.28	-	16,272	-	ADAM	-	-	-	-	ADVA13C1811A	0.60	0.04	51,501	-
JCKH	1.20	-	1,673	1.00	AKP	1.63	(0.02)	1,207	1.00	ADVA13C1901A	0.32	0.01	21,646	-
KASET	2.18	-	5,622	2.00	AMA	5.80	0.15	5,610	5.00	ADVA13P1809A	-	-	-	-
MM	4.00	(0.02)	553	3.00	ARIP	0.50	-	836	-	ADVA16C1812A	-	-	-	-
SUN	3.24	0.02	12,642	3.00	ATP30	1.72	-	1,804	1.00	ADVA18C1808A	-	-	-	-
TACC	4.02	-	4,989	4.00	AUCT	6.05	0.05	2,923	6.00	ADVA19C1901A	0.64	-	5,302	-
TMILL	3.18	(0.16)	8,338	3.00	BOL	1.94	0.01	3,014	1.00	ADVA23C1902A	0.47	0.01	61,000	-
XO	10.50	(0.20)	31,964	10.00	CHUO	-	-	-	-	ADVA24C1810A	0.32	(0.05)	1,200	-
Consumer Products	-	-	-	-	CMO	1.54	0.02	5,042	1.00	ADVA24P1810A	-	-	-	-
BGT	1.03	-	215	1.00	D	10.80	(0.20)	2,311	10.00	ADVA27C1902A	-	-	-	-
BIZ	2.80	-	1,912	2.00	DCORP	2.82	-	4,917	2.00	ADVA28C1811A	0.49	-	23,414	-
DOD	13.80	(0.20)	134,958	13.00	DNA	0.57	(0.01)	84,344	-	ADVA28C1901A	0.21	0.01	31,511	-
ECF	8.15	(0.05)	86,761	8.00	EFORL	0.08	0.01	64,644	-	ADVA28P1810A	-	-	-	-
HPT	1.08	(0.01)	5,974	1.00	ETE	2.00	-	11,953	2.00	AMAT01C1810A	0.70	-	68,814	-
JUBILE	19.10	0.30	3,966	19.00	FSMART	8.85	0.05	16,341	8.00	AMAT01C1810B	0.39	0.01	80,293	-
MOONG	6.50	0.30	11,573	6.00	FVC	1.20	(0.02)	52,372	1.00	AMAT01P1810A	1.00	(0.01)	9,179	1.00
NPK	27.00	1.25	4	27.00	HARN	2.66	-	4,324	2.00	AMAT06C1809A	-	-	-	-
OCEAN	1.85	(0.06)	279,656	1.00	JKN	10.40	-	9,779	10.00	AMAT08C1809A	-	-	-	-
TM	2.00	-	431	2.00	KIAT	0.47	0.01	7,991	-	AMAT08C1903A	0.44	0.01	87,462	-
Financials (MAI)	-	-	-	-	KOOL	1.85	0.07	174,570	1.00	AMAT11C1903A	0.30	-	16,344	-
ACAP	6.85	0.15	22,748	6.00	LDC	1.16	-	2,039	1.00	AMAT13C1809A	0.01	-	1,111	-
AF	0.73	-	4,041	-	MPG	0.18	-	2,945	-	AMAT13C1812A	0.39	-	144,095	-
AIRA	2.00	0.02	500	2.00	MVP	2.86	(0.04)	30,548	2.00	AMAT19C1811A	0.14	-	22,967	-
ASN	3.24	-	503	3.00	NBC	0.61	-	2,504	-	AMAT19C1902A	0.55	0.02	15,567	-
BROOK	0.55	-	27,830	-	NCL	1.52	(0.02)	19,574	1.00	AMAT23C1810A	0.11	-	200	-
CHAYO	4.48	0.10	188,357	4.00	NEWS	0.01	-	49,307	-	AMAT24C1811A	-	-	-	-
GCAP	4.20	-	5,705	4.00	NINE	2.46	-	23,802	2.00	AMAT27C1902A	0.67	0.02	1,800	-
LIT	8.55	0.05	1,951	8.00	OTO	2.66	(0.04)	566	2.00	ANAN01C1810A	1.06	(0.08)	7,721	1.00
SGF	1.46	(0.01)	284,968	1.00	PHOL	2.32	-	2	2.00	ANAN01C1810B	0.77	(0.13)	3,257	-
Industrials (MAI)	-	-	-	-	PICO	6.10	(0.15)	290	6.00	ANAN08C1808A	-	-	-	-
ZS	3.12	(0.06)	1,989	3.00	PORT	7.05	(0.05)	10,387	7.00	ANAN08C1810A	0.94	(0.09)	322	-
ADB	1.20	(0.02)	17,193	1.00	QLT	4.48	0.02	383	4.00	ANAN08C1906A	0.27	(0.01)	2,520	-
BM	3.36	(0.02)	4,074	3.00	RP	3.02	0.06	3,534	3.00	ANAN13C1901A	0.21	-	25,213	-
CHO	1.23	-	2,827	1.00	SE	2.02	(0.02)	285	2.00	ANAN19C1811A	0.52	(0.06)	16,608	-
CHOW	4.84	0.08	1,028	4.00	SPA	15.30	0.20	11,429	15.00	ANAN23C1901A	0.30	(0.02)	5,150	-
CIG	0.38	-	3,165	-	THMUI	1.68	(0.01)	34,098	1.00	ANAN24C1811A	0.75	(0.16)	1,008	-
COLOR	1.20	-	1,878	1.00	TNDT	5.30	0.10	1,279	5.00	ANAN28C1809A	-	-	-	-
CPR	6.00	-	47,431	6.00	TNH	40.50	0.25	117	40.00	AOT01C1808A	0.15	(0.01)	281,197	-
FPI	2.46	(0.02)	792	2.00	TNP	1.84	0.05	17,247	1.00	AOT01C1808B	0.01	-	44,777	-
GTB	0.65	-	152	-	TSF	0.04	-	151,148	-	AOT01C1810A	0.27	(0.01)	128,152	-
KCM	1.22	-	10,222	1.00	TVD	1.53	0.04	41,686	1.00	AOT01C1902A	0.57	(0.01)	248,191	-
LVT	-	-	-	-	TVT	1.12	(0.02)	18,677	1.00	AOT01C1902B	0.41	(0.01)	101,253	-
MBAX	3.96	(0.04)	578	3.00	WINNER	3.30	(0.02)	844	3.00	AOT01P1808A	0.80	-	10,725	-
MGT	2.16	0.02	1,985	2.00	Technology (MAI)	-	-	-	-	AOT01P1808B	0.01	-	7,120	-
NDR	2.24	-	107	2.00	COMAN	3.40	-	791	3.00	AOT01P1902A	0.82	-	12,979	-
PDG	3.58	(0.04)	265	3.00	ICN	2.22	0.04	7,790	2.00	AOT01P1902B	0.54	(0.01)	44,113	-
PIMO	3.54	0.08	8,184	3.00	IRCP	1.01	-	4,900	1.00	AOT06C1809A	0.01	-	501	-
PJW	2.00	0.34	378,544	2.00	ITEL	3.24	(0.04)	2,732	3.00	AOT06C1903A	0.53	(0.01)	22,422	-
PPM	2.10	0.02	2,121	2.00	NETBAY	33.25	(0.50)	1,704	33.00	AOT06P1903A	0.51	(0.01)	7,462	-
RWI	1.65	0.02	16,639	1.00	PLANET	1.53	(0.01)	120	1.00	AOT07C1902A	0.51	0.01	15,200	-
SALEE	1.13	0.04	3,735	1.00	SIMAT	2.06	(0.02)	6,869	2.00	AOT08C1901A	0.34	-	27,685	-
SANKO	1.24	-	3,543	1.00	SKY	13.60	-	3,159	13.00	AOT08P1903A	0.51	(0.49)	11,202	-
SELIC	1.84	-	11,933	1.00	SPVI	1.46	0.08	239,104	1.00	AOT11C1808A	0.36	(0.02)	22,021	-
SWC	18.30	(1.50)	9,818	18.00	UPA	0.51	0.05	286,224	-	AOT11P1808A	-	-	-	-
TMC	0.90	0.02	168	-	VCOM	3.12	(0.04)	1,498	3.00	AOT13C1809A	0.01	-	1	-
TMI	0.81	0.01	3,965	-	Unit Trust	-	-	-	-	AOT13C1811A	0.16	(0.02)	55,762	-
TMW	69.00	(0.25)	231	69.00	MGE	-	-	-	-	AOT13C1812A	0.33	(0.01)	119,177	-
TPAC	11.90	-	284	11.00	SCBSET	-	-	-	-	AOT13P1810A	0.24	(0.01)	9,077	-
UAC	4.58	0.02	508	4.00	ETF	-	-	-	-	AOT13P1812A	0.13	-	260	-
UBIS	4.84	-	598	4.00	1DIV	13.76	(0.01)	27	13.00	AOT19C1809A	0.06	(0.01)	1,640	-
UEC	1.55	0.19	100,862	1.00	ABFTH	1,210.00	(8.00)	1	1,210.00	AOT19C1901A	0.45	(0.02)	119,286	-
UKEM	0.90	(0.02)	27,384	-	BMSCG	9.11	0.05	513	9.00	AOT24C1811A	-	-	-	-
UREKA	0.74	-	46,573	-	BMSCITH	12.89	0.01	7,323	12.00	AOT24C1901A	0.30	(0.01)	12,121	-
YUASA	17.10	-	579	17.00	BSET100	11.06	0.02	973	11.00	AOT24P1809A	-	-	-	-
ZIGA	3.36	(0.04)	28,182	3.00	CHINA	5.21	0.01	461	5.00	AOT24P1903A	-	-	-	-
Property & Construc	-	-	-	-	EBANK	5.89	(0.04)	142	5.00	AOT27C1902A	0.56	0.01	9,000	-
ARROW	9.05	0.10	52	9.00	ECOMM	-	-	-	-	AOT28C1809A	-	-	-	-
BKD	3.18	0.02	649	3.00	EFOOD	-	-	-	-	AOT28C1812A	0.28	-	111,133	-
BSM	0.67	-	46,980	-	EICT	4.89	0.02	61	4.00	AOT28C1901A	0.23	(0.01)	249,972	-
BTW	1.88	-	9,663	1.00	ENGY	6.56	0.01	6	6.00	AOT28P1812A	0.24	-	49,496	-
CHEWA	1.18	(0.02)	33,237	1.00	ENY	7.77	0.05	3	7.00	AP01C1809A	0.53	0.04	18,754	-
CRD	1.11	-	857	1.00	ESET50	-	-	-	-	AP01C1809B	0.10	0.02	33,081	-
DIMET	1.03	(0.01)	45,017	1.00	GLD	1.69	(0.01)	1,175	1.00	AP08C1810A	0.41	0.04	7,427	-
FLOYD	2.26	(0.02)	4,169	2.00	TDEX	11.22	0.05	2,962	11.00	AP19C1902A	0.40	0.01	6,486	-
FOCUS	1.14	(0.01)	28,115	1.00	TGOLDETF	3.69	0.02	88	3.00	AP23C1901A	0.17	0.02	1,139	-
HYDRO	1.24	0.02	3,349	1.00	TH100	5.00	(0.01)	22	5.00	AP24C1901A	0.27	0.03	870	-
JSP	0.60	-	36,938	-	Warrant Foreign	-	-	-	-	AP42C1901A	0.32	0.03	5,208	-
K	2.82	(0.12)	43	2.00	AAV01C1808A	0.01	-	25,990	-	AP42P1901A	0.29	(0.02)	5,754	-
META	2.12	(0.04)	29,182	2.00</										

Main Board Quotation

Issue Date :

Tuesday August 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP19C1811A	0.16	0.02	18,219	-	BEC13C1808A	-	-	-	-	CBG01C1811A	0.27	(0.02)	27,901	-
BANP23C1901A	0.20	0.02	61,788	-	BEC13C1811A	0.05	0.01	297	-	CBG01C1811B	0.09	(0.01)	6,000	-
BANP24C1808A	-	-	-	-	BEC13C1901A	0.19	0.01	27,564	-	CBG01P1811A	1.18	0.01	18,127	1.00
BANP24C1812A	-	-	-	-	BEC19C1809A	-	-	-	-	CBG01P1811B	0.70	0.02	24,971	-
BANP24P1808A	-	-	-	-	BEC23C1809A	-	-	-	-	CBG06C1809A	-	-	-	-
BANP24P1901A	-	-	-	-	BEC24C1809A	-	-	-	-	CBG06C1903A	0.52	(0.03)	11,479	-
BANP27C1809A	-	-	-	-	BEC24C1812A	0.06	0.01	1,000	-	CBG06P1809A	-	-	-	-
BANP28C1809A	-	-	-	-	BEC28C1809A	-	-	-	-	CBG07C1812A	0.25	(0.02)	1,700	-
BANP28C1810A	0.17	0.03	161,641	-	BEC28C1811A	0.12	0.01	91,870	-	CBG08C1808A	-	-	-	-
BBL06C1902A	0.93	0.02	2,424	-	BEM01C1808A	0.47	-	16,090	-	CBG08C1810A	-	-	-	-
BBL08C1808A	-	-	-	-	BEM01C1808B	-	-	-	-	CBG08C1902A	0.28	(0.03)	62,150	-
BBL08C1809A	0.07	-	5,241	-	BEM01P1808A	-	-	-	-	CBG11C1902A	0.07	(0.01)	301	-
BBL08C1902A	0.71	(0.01)	10,359	-	BEM08C1809A	0.20	(0.02)	28,700	-	CBG13C1808A	-	-	-	-
BBL08P1810A	-	-	-	-	BEM11C1903A	0.28	-	5,198	-	CBG13C1809A	-	-	-	-
BBL11C1903A	0.60	(0.02)	4,116	-	BEM13C1809A	0.19	(0.01)	160,336	-	CBG13C1811A	0.06	-	4,620	-
BBL11P1903A	0.27	-	6,212	-	BEM13C1901A	0.38	-	72,348	-	CBG13C1812A	0.12	(0.02)	16,012	-
BBL13C1810A	-	-	-	-	BEM19C1901A	0.38	(0.01)	46,556	-	CBG13C1901A	0.44	(0.03)	165,329	-
BBL13C1901A	0.33	(0.01)	20,875	-	BEM23C1901A	0.23	0.01	4,000	-	CBG18C1808A	-	-	-	-
BBL19C1901A	0.32	-	29,991	-	BEM24C1809A	-	-	-	-	CBG19C1810A	-	-	-	-
BBL23C1811A	-	-	-	-	BEM24C1902A	0.32	0.01	620	-	CBG19C1901A	0.34	(0.02)	19,874	-
BBL24C1809A	-	-	-	-	BGR10C1901A	1.09	0.06	16,540	1.00	CBG23C1901A	0.07	-	2,201	-
BBL24C1812A	-	-	-	-	BGR10C1901B	0.90	0.03	13,910	-	CBG24C1809A	-	-	-	-
BBL24C1902A	0.27	0.02	100	-	BGR106C1903A	-	-	-	-	CBG24C1811A	-	-	-	-
BBL24P1810A	-	-	-	-	BGR108C1902A	0.79	0.02	36,381	-	CBG24C1901A	0.38	(0.03)	42,420	-
BBL27C1809A	0.08	(0.01)	2	-	BGR113C1812A	0.77	0.02	740	-	CBG28C1811A	-	-	-	-
BBL28C1811A	0.55	(0.03)	7,992	-	BGR113C1812B	0.22	-	65,605	-	CBG28C1812A	0.22	(0.01)	36,214	-
BBL28C1901A	0.27	(0.01)	37,552	-	BGR119C1901A	0.64	0.02	13,013	-	CENTO1C1810A	0.11	-	20,904	-
BCH01C1808A	0.76	0.05	42,795	-	BGR124C1901A	-	-	-	-	CENTO1C1810B	0.01	(0.01)	1	-
BCH01C1808B	0.22	0.03	42,195	-	BGR124C1902A	0.28	0.01	706	-	CENTO1P1810A	1.22	0.02	14,604	1.00
BCH01P1808A	0.01	-	17,169	-	BGR128C1812A	0.71	(0.01)	64,690	-	CENTO8C1809A	-	-	-	-
BCH06C1811A	0.40	0.04	9,906	-	BH01C1811A	0.54	(0.01)	47,057	-	CENTO8C1902A	0.22	(0.02)	18,674	-
BCH08C1901A	0.59	0.04	31,100	-	BH01C1811B	0.13	(0.01)	5,670	-	CENT11C1904A	0.13	(0.01)	4,561	-
BCH11C1905A	0.49	0.03	7,455	-	BH01P1811A	1.33	(0.02)	7,800	1.00	CENT13C1811A	0.03	0.02	10	-
BCH13C1810A	0.26	0.03	36,568	-	BH07C1810A	-	-	-	-	CENT13C1902A	0.28	(0.01)	172,511	-
BCH19C1809A	0.28	0.04	15,088	-	BH08C1811A	0.03	-	90	-	CENT19C1901A	0.21	(0.01)	70,658	-
BCH23C1811A	0.47	-	10,000	-	BH08C1902A	0.53	(0.47)	26,324	-	CENT23C1902A	0.13	-	1,500	-
BCH24C1811A	0.25	0.02	4,500	-	BH11C1902A	-	-	-	-	CENT24C1810A	-	-	-	-
BCH27C1902A	-	-	-	-	BH11C1905A	0.62	0.01	610	-	CENT24C1901A	-	-	-	-
BCH28C1811A	0.44	0.04	38,148	-	BH19C1901A	0.55	-	6,055	-	CHG01C1809A	0.56	(0.01)	42,166	-
BCP01C1810A	0.24	0.02	63,716	-	BH24C1809A	0.01	-	990	-	CHG01C1809B	0.72	(0.06)	6,776	-
BCP01C1810B	0.09	0.02	14,739	-	BH24C1811A	-	-	-	-	CHG01P1809A	0.05	0.01	3,129	-
BCP01P1810A	0.35	(0.02)	2,351	-	BH24C1902A	-	-	-	-	CHG07C1902A	-	-	-	-
BCP08C1901A	0.29	0.02	18,816	-	BIG08C1906A	0.15	-	6,398	-	CHG11C1904A	0.30	(0.01)	4,615	-
BCP11C1811A	0.10	-	4,800	-	BIG13C1808A	-	-	-	-	CHG13C1809A	0.92	0.03	94	-
BCP13C1810A	-	-	-	-	BIG13C1901A	0.07	(0.01)	8,333	-	CHG13C1812A	0.29	(0.01)	101,649	-
BCP19C1902A	0.27	-	4,820	-	BIG19C1811A	-	-	-	-	CHG19C1902A	0.34	(0.01)	9,711	-
BCP24C1808A	-	-	-	-	BIG24C1808A	-	-	-	-	CHG23C1811A	1.15	(0.08)	2,000	1.00
BCP24C1811A	-	-	-	-	BIG24C1812A	-	-	-	-	CHG24C1808A	-	-	-	-
BCP28C1809A	-	-	-	-	BJC01C1812A	0.71	(0.04)	124,696	-	CHG24C1811A	0.21	(0.01)	15,053	-
BCP28C1809B	-	-	-	-	BJC01C1812B	0.56	(0.04)	55,095	-	CHG28C1812A	0.31	(0.01)	82,662	-
BCP28C1901A	0.24	0.01	21,481	-	BJC01P1812A	0.34	0.01	44,040	-	CK01C1809A	0.23	0.04	153,999	-
BCPG01C1811A	0.37	(0.02)	26,484	-	BJC06C1901A	0.30	(0.04)	10,590	-	CK01C1809B	0.16	0.04	108,744	-
BCPG01C1811B	0.15	-	12,702	-	BJC07C1809A	0.01	(0.01)	1	-	CK01P1809A	0.14	(0.04)	10,639	-
BCPG06C1811A	0.20	(0.01)	17	-	BJC08C1809A	0.04	0.01	2	-	CK08C1809A	0.21	0.05	1,641	-
BCPG08C1810A	0.19	-	28,580	-	BJC11C1905A	0.56	(0.02)	24,504	-	CK08C1901A	0.18	0.02	21,966	-
BCPG11C1902A	0.15	0.01	4,863	-	BJC13C1808A	-	-	-	-	CK11C1904A	0.19	0.01	26,226	-
BCPG13C1810A	0.11	-	55,110	-	BJC13C1810A	0.13	(0.01)	61,863	-	CK13C1809A	0.08	0.03	8,000	-
BCPG13C1812A	0.42	0.01	138,733	-	BJC13C1812A	0.49	(0.03)	95,136	-	CK13C1902A	0.26	0.01	99,347	-
BCPG19C1901A	0.43	0.01	14,310	-	BJC19C1809A	0.14	(0.02)	12,978	-	CK16C1812A	-	-	-	-
BCPG23C1902A	0.36	-	7,500	-	BJC19C1902A	0.53	(0.03)	28,849	-	CK19C1811A	0.13	0.01	65,647	-
BCPG24C1810A	0.13	0.01	32,700	-	BJC23C1901A	0.28	(0.03)	22,020	-	CK23C1808A	-	-	-	-
BCPG28C1809A	0.06	0.01	10,000	-	BJC24C1808A	-	-	-	-	CK24C1808A	-	-	-	-
BCPG28C1812A	0.43	-	75,541	-	BJC24C1901A	0.48	0.06	100	-	CK24C1901A	0.13	0.02	2,890	-
BDMS01C1811A	0.24	-	28,716	-	BJC28C1812A	0.47	(0.03)	212,256	-	CK28C1809A	0.26	0.04	50,517	-
BDMS01C1811B	0.11	0.01	29,773	-	BLA01C1812A	0.20	0.01	8,662	-	CK28C1812A	0.09	0.02	6,000	-
BDMS01P1811A	0.24	(0.02)	86,601	-	BLA08C1811A	-	-	-	-	CKP01C1812A	0.48	(0.01)	47,559	-
BDMS06C1811A	0.78	0.07	1,130	-	BLA13C1809A	-	-	-	-	CKP01C1812B	0.34	0.01	22,225	-
BDMS08C1901A	0.17	0.01	13,220	-	BLA28C1810A	-	-	-	-	CKP08C1903A	0.46	-	41,586	-
BDMS11C1811A	0.92	0.05	1,400	-	BLAN01C1809A	0.57	0.02	20,595	-	CKP13C1810A	0.24	(0.01)	68,189	-
BDMS11C1904A	0.13	0.01	2,231	-	BLAN01C1809B	0.03	-	2,000	-	CKP19C1902A	0.40	0.01	11,217	-
BDMS13C1810A	0.50	0.06	50	-	BLAN01P1809A	-	-	-	-	CKP23C1810A	0.29	-	11,500	-
BDMS13C1812A	0.15	0.01	54,750	-	BLAN08C1810A	0.16	-	28,756	-	CKP24C1811A	0.32	0.03	1,450	-
BDMS16C1812A	0.99	0.09	1	-	BLAN11C1902A	0.22	0.02	6,759	-	CKP28C1809A	0.03	0.01	10	-
BDMS19C1901A	0.31	0.01	9,587	-	BLAN19C1902A	0.27	0.01	31,040	-	CKP28C1809B	0.28	(0.01)	27,288	-
BDMS23C1810A	0.55	0.16	1,000	-	BPP01C1811A	0.20	-	12,534	-	COM701C1811A	0.59	(0.05)	22,823	-
BDMS24C1811A	0.30	0.05	10,000	-	BPP01C1811B	-	-	-	-	COM701C1811B	0.34	(0.02)	18,090	-
BDMS24C1812A	-	-	-	-	BPP01P1811A	0.54	(0.01)	4,770	-	COM706C1809A	0.21	(0.03)	12,611	-
BDMS24C1905A	-	-	-	-	BPP06C1809A	0.24	0.01	6,580	-	COM708C1811A	0.15	-	5,181	-
BDMS28C1811A	0.09	0.01	10,093	-	BPP08C1810A	0.13	0.01	49,308	-	COM711C1811A	0.44	(0.01)	12,000	-
BEAU01C1812A	0.09	(0.01)	326,951	-	BPP13C1808A	-	-	-	-	COM713C1809A	0.01	-	25	-
BEAU01C1812B	0.04	-	172,624	-	BPP13C1811A	-	-	-	-	COM713C1812A	0.36	(0.03)	43,094	-
BEAU01P1812A	1.35	0.03	452,196	1.00	BPP13C1901A	0.17	-	46,326	-	COM719C1811A	0.29	(0.02)	72,262	-
BEAU06C1809A	0.01	-	3	-	BPP23C1901A	0.24	0.01	8,000	-	COM723C1901A	0.34	(0.01)	3,036	-
BEAU07C1809A	0.01	-	1,040	-	BPP24C1809A	-	-	-	-	COM724C1811A	0.22	(0.01)	500	-
BEAU08C1808A	-	-	-	-	BPP24C1902A	-	-	-	-	COM727C1902A	0.52	-	2,000	-
BEAU08C1901A	0.09	0.03	7,298	-	BPP28C1812A	0.39	0.01	101,516	-	BPP28C1811A	0.29	(0.03)	32,480	-
BEAU08C1902A	0.94	(0.02)	36,056	-	BTS01C1810A	0.41	-	58,778	-	CPAL01C1808A	0.02	(0.01)	49,963	-
BEAU11C1902A	0.04	-	55,529	-	BTS01C1810B	0.09	0.01	18,000	-	CPAL01C1808B	0.01	-	4,329	-
BEAU13C1811A														

Main Board Quotation

Issue Date :

Tuesday August 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL19C1902A	0.49	(0.01)	54,000	-	EPG01C1809A	0.20	(0.01)	60,646	-	INTU13C1812A	0.41	-	23,229	-
CPAL23C1810A	-	-	-	-	EPG01P1809A	0.39	-	12,944	-	INTU19C1901A	0.36	(0.01)	3,232	-
CPAL24C1808A	0.01	-	160	-	EPG07C1811A	-	-	-	-	INTU24C1901A	-	-	-	-
CPAL24C1811A	0.01	-	1,000	-	EPG08C1810A	-	-	-	-	INTU28C1809A	-	-	-	-
CPAL24C1901A	0.17	(0.01)	17,362	-	EPG08C1810B	0.65	0.02	24,058	-	IRPC01C1808A	0.12	-	11,031	-
CPAL24C1903A	0.41	(0.02)	7,098	-	EPG11C1903A	0.54	-	11,007	-	IRPC01C1810A	0.15	-	19,601	-
CPAL24P1901A	0.52	0.01	19,959	-	EPG13C1808A	-	-	-	-	IRPC01C1810B	0.02	-	1,023	-
CPAL28C1809A	-	-	-	-	EPG13C1811A	0.36	(0.02)	42,200	-	IRPC01P1808A	0.36	-	11,602	-
CPAL28C1811A	0.05	(0.01)	97	-	EPG19C1902A	0.41	(0.01)	20,248	-	IRPC01P1810A	0.32	-	13,894	-
CPF01C1809A	0.93	0.04	11,598	-	EPG23C1808A	-	-	-	-	IRPC01P1810B	-	-	-	-
CPF01C1809B	0.06	-	25,314	-	EPG24C1808A	-	-	-	-	IRPC06C1811A	0.22	-	7,385	-
CPF01C1810A	0.24	0.01	41,736	-	EPG24C1810A	-	-	-	-	IRPC07C1812A	-	-	-	-
CPF01P1809A	0.13	(0.01)	12,376	-	EPG24C1902A	-	-	-	-	IRPC08C1808A	-	-	-	-
CPF06C1809A	-	-	-	-	ERW19C1902A	0.54	0.04	29,556	-	IRPC08C1902A	0.30	-	24,957	-
CPF07C1810A	-	-	-	-	ERW24C1904A	0.53	0.04	13,149	-	IRPC11C1902A	-	-	-	-
CPF08C1809A	0.28	-	9,335	-	ESSO01C1812A	0.55	(0.04)	25,350	-	IRPC11C1905A	0.36	-	1,544	-
CPF08C1901A	0.19	-	15,452	-	ESSO01C1812B	0.37	(0.03)	19,475	-	IRPC13C1811A	0.12	-	43,088	-
CPF11C1902A	0.10	0.02	1,352	-	ESSO01P1812A	0.52	0.02	35,981	-	IRPC13C1812A	0.26	-	88,736	-
CPF11P1902A	0.21	(0.02)	13,388	-	ESSO08C1902A	0.46	(0.54)	24,719	-	IRPC19C1901A	0.33	-	11,504	-
CPF13C1809A	0.41	0.01	10,680	-	ESSO11C1905A	0.73	(0.03)	3,660	-	IRPC23C1810A	-	-	-	-
CPF13C1810A	0.10	-	13,722	-	ESSO13C1811A	0.26	(0.02)	30,930	-	IRPC24C1808A	-	-	-	-
CPF19C1901A	0.23	0.01	17,614	-	ESSO19C1901A	0.42	(0.03)	10,392	-	IRPC24C1809A	-	-	-	-
CPF23C1810A	-	-	-	-	ESSO23C1809A	-	-	-	-	IRPC24C1812A	-	-	-	-
CPF24C1809A	0.16	0.03	9,500	-	ESSO24C1812A	-	-	-	-	IRPC27C1809A	-	-	-	-
CPF24C1901A	-	-	-	-	ESSO24C1902A	0.47	(0.04)	100	-	IRPC28C1811A	-	-	-	-
CPF24C1902A	0.13	-	660	-	ESSO28C1811A	0.25	(0.01)	42,863	-	IRPC28C1812A	0.30	-	50,520	-
CPF28C1811A	0.13	0.01	42,852	-	GFFT08C1906A	0.59	-	120,961	-	ITD01C1808A	0.01	-	7,800	-
CPN01C1808A	0.45	0.09	57,901	-	GFFT19C1811A	0.59	0.01	9,248	-	ITD01C1808B	-	-	-	-
CPN01C1808B	0.01	-	7	-	GFFT24C1812A	-	-	-	-	ITD01P1808A	1.19	(0.20)	20,571	1.00
CPN06C1811A	0.69	0.10	52,115	-	GGC01C1810A	0.13	0.02	66,544	-	ITD08C1810A	0.02	0.01	20,100	-
CPN07C1902A	0.53	0.06	100	-	GGC01C1810B	0.03	-	23,910	-	ITD11C1903A	0.14	0.03	4,456	-
CPN08C1809A	0.04	0.02	190	-	GGC07C1902A	0.22	0.03	1,612	-	ITD13C1809A	-	-	-	-
CPN08C1903A	0.68	(0.32)	129,233	-	GGC08C1906A	0.15	0.01	84,601	-	ITD13C1812A	0.15	0.05	90,156	-
CPN11C1903A	0.43	0.07	1,878	-	GGC13C1811A	0.02	-	500	-	ITD19C1811A	-	-	-	-
CPN11P1903A	0.27	(0.04)	39,778	-	GGC13C1902A	0.26	0.02	267,761	-	ITD23C1808A	-	-	-	-
CPN13C1812A	0.46	0.06	163,888	-	GGC19C1811A	0.02	-	460	-	ITD24C1810A	-	-	-	-
CPN19C1901A	0.71	0.10	44,750	-	GGC23C1901A	0.06	0.01	2,970	-	ITD24C1902A	0.28	0.06	123,151	-
CPN23C1810A	0.29	0.05	14,211	-	GGC24C1812A	-	-	-	-	IVL01C1808A	0.37	0.01	111,635	-
CPN24C1901A	0.45	0.09	300	-	GGC24C1901A	0.28	0.03	45,895	-	IVL01C1808B	0.01	-	4,210	-
CPN28C1810A	0.23	0.04	303,233	-	GGC28C1811A	-	-	-	-	IVL01C1812A	0.54	0.02	160,223	-
DELTO6C1903A	-	-	-	-	GLOB01C1809A	0.73	0.08	61,710	-	IVL01C1812B	0.32	0.01	106,788	-
DELTO8C1811A	0.13	-	8,102	-	GLOB01C1809B	0.32	0.07	118,317	-	IVL01P1808A	0.44	(0.04)	56,100	-
DELTI3C1809A	-	-	-	-	GLOB06C1809A	0.43	0.07	29,160	-	IVL01P1808B	0.01	-	9,750	-
DELTI3C1810A	-	-	-	-	GLOB11C1808A	0.35	0.09	29,725	-	IVL01P1812A	0.74	(0.02)	48,029	-
DELTI3C1811A	-	-	-	-	GLOB13C1901A	0.43	0.05	177,329	-	IVL01P1812B	0.50	(0.02)	38,404	-
DELTI3C1812A	-	-	-	-	GLOB19C1901A	0.58	0.07	35,361	-	IVL06C1901A	0.39	0.02	10,839	-
DTAC01C1808A	0.14	(0.01)	20,231	-	GLOB23C1811A	0.65	0.08	15,000	-	IVL07C1811A	-	-	-	-
DTAC01C1808B	0.01	-	7,500	-	GLOB24C1810A	0.26	0.04	2,308	-	IVL08C1901A	0.53	0.02	64,326	-
DTAC01C1810A	0.49	0.01	57,347	-	GLOB27C1809A	0.10	0.03	9,864	-	IVL08P1809A	-	-	-	-
DTAC01C1810B	0.10	-	26,718	-	GLOW08C1811A	-	-	-	-	IVL08P1903A	0.61	(0.39)	45,185	-
DTAC01C1902A	0.89	0.01	17,297	-	GLOW19C1901A	-	-	-	-	IVL11C1808A	0.89	0.03	14,608	-
DTAC01C1902B	0.76	0.01	19,776	-	GLOW27C1812A	-	-	-	-	IVL11P1808A	-	-	-	-
DTAC01P1808A	0.33	(0.01)	11,813	-	GPSC01C1808A	0.15	(0.03)	11,453	-	IVL13C1809A	0.05	0.01	380	-
DTAC01P1810A	0.85	(0.01)	11,857	-	GPSC01C1808B	0.01	-	1,050	-	IVL13C1810A	0.17	-	33,452	-
DTAC01P1810B	0.34	(0.01)	17,561	-	GPSC01P1808A	0.94	0.01	19,977	-	IVL13C1812A	0.44	0.01	176,826	-
DTAC01P1902A	0.73	(0.01)	4,456	-	GPSC06C1811A	0.26	0.02	3,676	-	IVL13P1809A	-	-	-	-
DTAC01P1902B	0.53	-	13,504	-	GPSC08C1808A	-	-	-	-	IVL13P1811A	0.20	(0.02)	12,309	-
DTAC06C1901A	0.40	0.02	13,324	-	GPSC08C1902A	0.57	(0.43)	26,879	-	IVL19C1809A	0.38	0.03	18,225	-
DTAC06P1809A	0.08	(0.02)	901	-	GPSC11C1808A	0.94	(0.02)	4,016	-	IVL23C1810A	0.45	-	12,000	-
DTAC07C1809A	-	-	-	-	GPSC11C1902A	0.28	(0.01)	3,441	-	IVL24C1808A	-	-	-	-
DTAC07C1902A	-	-	-	-	GPSC13C1812A	0.45	(0.02)	45,434	-	IVL24C1812A	0.19	0.01	810	-
DTAC08C1809A	-	-	-	-	GPSC19C1901A	0.57	-	15,238	-	IVL24C1901A	-	-	-	-
DTAC08C1903A	0.52	(0.48)	33,992	-	GPSC24C1808A	-	-	-	-	IVL27C1902A	0.53	0.01	31,112	-
DTAC08P1902A	0.22	(0.01)	15,838	-	GPSC24C1812A	0.32	(0.02)	12,800	-	IVL28C1811A	0.23	0.01	125,032	-
DTAC11C1904A	-	-	-	-	GPSC27C1902A	0.70	(0.02)	23,286	-	IVL28C1812A	0.51	0.01	131,740	-
DTAC13C1811A	0.14	-	24,060	-	GPSC28C1811A	0.35	(0.01)	14,084	-	IVL28P1811A	0.26	(0.01)	27,202	-
DTAC13C1812A	0.55	-	48,042	-	GUNK01C1808A	0.01	-	5,900	-	KBAN01C1808A	0.20	(0.03)	25,831	-
DTAC13P1811A	0.33	(0.02)	15,027	-	GUNK01C1808B	0.01	-	2,002	-	KBAN01C1808B	0.01	-	8,308	-
DTAC13P1812A	0.10	-	552	-	GUNK08C1902A	0.23	-	20,826	-	KBAN01C1810A	1.31	(0.05)	9,707	1.00
DTAC19C1811A	0.33	0.01	19,895	-	GUNK11C1903A	0.13	-	2,351	-	KBAN01C1901A	1.42	(0.05)	8,635	1.00
DTAC24C1809A	0.05	-	13,900	-	GUNK24C1812A	-	-	-	-	KBAN01C1901B	0.80	(0.05)	15,163	-
DTAC24C1901A	-	-	-	-	GUNK28C1810A	0.16	-	20,280	-	KBAN01P1808A	0.60	0.03	26,439	-
DTAC27C1809A	-	-	-	-	HANA01C1811A	0.43	-	13,699	-	KBAN01P1808B	0.01	-	6,101	-
DTAC27P1809A	-	-	-	-	HANA01C1811B	0.23	(0.01)	1,957	-	KBAN01P1810A	0.07	0.01	3,751	-
DTAC28C1810A	0.05	-	500	-	HANA08C1809A	0.08	0.01	1,430	-	KBAN01P1901A	0.80	0.02	26,261	-
DTAC28C1812A	0.62	0.01	72,398	-	HANA11C1904A	0.25	-	5	-	KBAN01P1901B	0.29	0.01	38,959	-
EA01C1809A	0.76	-	22,406	-	HANA13C1809A	0.07	(0.01)	4,130	-	KBAN06C1811A	-	-	-	-
EA01C1809B	0.30	(0.01)	10,448	-	HANA13C1901A	0.30	-	9,251	-	KBAN07C1811A	-	-	-	-
EA01P1809A	0.48	(0.02)	43,911	-	HANA19C1902A	0.28	0.01	1,400	-	KBAN08C1811A	0.75	(0.03)	2,449	-
EA06C1809A	0.01	(0.01)	4,051	-	HANA23C1811A	0.42	(0.02)	400	-	KBAN08C1903A	0.31	(0.02)	12,544	-
EA07C1810A	-	-	-	-	HANA24C1808A	-	-	-	-	KBAN08P1811A	0.12	0.01	7,160	-
EA08C1809A	0.01	-	1	-	HANA24C1810A	-	-	-	-	KBAN13C1810A	0.13	(0.02)	29,431	-
EA08C1810A	0.21	-	6,284	-	HANA28C1812A	0.33	-	1,100	-	KBAN13C1811A	0.83	(0.06)	16,819	-
EA11C1902A	0.12	0.01	6,388	-	HMPR01C1808A	0.34	0.06	65,720	-	KBAN13C1901A	0.35	(0.01)	17,732	-
EA13C1808B	-	-	-	-	HMPR01C1808B	-	-	-	-	KBAN19C1901A	0.41	(0.03)	38,859	-
EA13C1809A	-	-	-	-	HMPR01P1808A	0.12	(0.08)	38,090	-	KBAN23C1902A	0.67	(0.04)	5,750	-
EA13C1810A	0.02	0.01	2,941	-	HMPR06C1811A	0.11	0.01	2,546	-	KBAN24C1902A	-	-	-	-
EA13C1811A	0.12	-	2,767	-	HMPR08C1810A	0.09	0.01	3	-	KBAN24C1903A	0.34	-	2	-
EA13C1812A	0.24	0.01	62,279											

Main Board Quotation

Issue Date :

Tuesday August 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE11C1904A	0.43	(0.03)	658	-	MINT11P1902A	0.16	(0.01)	38,146	-	PTT27C1809A	0.36	0.02	6,528	-
KCE13C1811A	0.61	(0.07)	1,016	-	MINT13C1810A	0.10	0.02	24,520	-	PTT27P1809A	-	-	-	-
KCE13C1812A	0.32	(0.05)	86,524	-	MINT13C1812A	0.40	0.04	399,009	-	PTT28C1811A	0.07	0.01	1	-
KCE19C1901A	0.43	(0.06)	17,674	-	MINT19C1901A	0.42	0.03	49,497	-	PTT28C1811B	0.22	0.01	128,270	-
KCE23C1901A	0.27	(0.06)	47,837	-	MINT23C1810A	0.08	(0.02)	170	-	PTT28C1812A	0.39	0.02	273,941	-
KCE24C1808A	-	-	-	-	MINT24C1812A	-	-	-	-	PTT28C1901A	0.21	0.02	253,642	-
KCE24C1901A	0.38	(0.06)	6,220	-	MINT24C1901A	0.39	0.05	18,476	-	PTT28P1812A	0.14	(0.01)	128,936	-
KCE27C1902A	0.51	(0.02)	900	-	MINT24C1902A	0.27	0.03	5	-	PTTE01C1808A	1.34	0.05	71,232	1.00
KCE28C1811A	-	-	-	-	MINT28C1811A	0.24	0.03	166,241	-	PTTE01C1808B	0.65	0.09	52,359	-
KKP01C1808A	0.31	0.01	31,040	-	MONO01C1810A	0.02	-	40	-	PTTE01C1901A	0.83	0.01	203,536	-
KKP01C1808B	0.01	-	76,388	-	MONO01C1810B	-	-	-	-	PTTE01C1901B	0.55	0.01	153,440	-
KKP08C1811A	0.49	-	21,903	-	MONO08C1808A	-	-	-	-	PTTE01P1808A	0.01	-	1,002	-
KKP11C1903A	0.39	0.01	8,488	-	MONO08C1906A	0.08	-	4,089	-	PTTE01P1901A	1.04	(0.03)	26,130	1.00
KKP13C1811A	0.37	0.01	76,712	-	MONO13C1811A	0.02	-	734	-	PTTE01P1901B	0.58	(0.02)	91,363	-
KKP19C1901A	0.62	0.01	16,734	-	MONO13C1901A	0.14	0.01	13,160	-	PTTE06C1811A	0.51	0.03	29,144	-
KKP24C1812A	0.41	0.01	4,244	-	MONO19C1811A	0.05	-	4,300	-	PTTE07C1809A	0.19	0.01	6,809	-
KKP28C1810A	0.21	-	40,480	-	MONO23C1809A	-	-	-	-	PTTE08C1811A	0.41	0.02	54,855	-
KTB01C1808A	0.25	-	1,246	-	MONO23C1901A	0.11	(0.01)	12,000	-	PTTE08P1809A	-	-	-	-
KTB01C1810A	0.48	-	12,497	-	MONO24C1812A	-	-	-	-	PTTE08P1811A	0.12	(0.02)	44,986	-
KTB01C1810B	0.23	-	40,291	-	MONO24C1812B	-	-	-	-	PTTE11C1902A	0.72	0.04	43,241	-
KTB01P1808A	0.12	(0.02)	10,019	-	MONO28C1811A	-	-	-	-	PTTE13C1811A	0.34	0.02	120,686	-
KTB06C1902A	0.43	-	2,400	-	MONO28C1901A	-	-	-	-	PTTE13C1812A	0.68	0.03	135,330	-
KTB08C1809A	-	-	-	-	MTC06C1901A	0.66	0.02	28,068	-	PTTE13P1811A	0.09	(0.01)	16,449	-
KTB08C1903A	0.32	-	12,148	-	MTC08C1811A	0.21	-	18,992	-	PTTE13P1901A	0.46	(0.02)	26,192	-
KTB11C1811A	0.22	0.01	5,000	-	MTC08C1902A	0.50	0.01	32,698	-	PTTE19C1811A	0.58	0.03	19,296	-
KTB13C1809A	0.05	-	150	-	MTC11C1904A	0.44	0.01	8,590	-	PTTE23C1901A	0.13	-	13,303	-
KTB13C1901A	0.50	-	5,596	-	MTC13C1809A	0.03	-	8,550	-	PTTE24C1811A	-	-	-	-
KTB19C1901A	-	-	-	-	MTC13C1811A	0.62	0.01	309,314	-	PTTE24C1901A	0.65	0.15	370	-
KTB23C1811A	0.29	(0.01)	10,000	-	MTC19C1901A	0.50	0.01	105,799	-	PTTE24P1809A	-	-	-	-
KTB24C1808A	-	-	-	-	MTC23C1808A	0.04	-	5,000	-	PTTE24P1901A	-	-	-	-
KTB24C1811A	-	-	-	-	MTC24C1808A	-	-	-	-	PTTE27C1809A	0.82	0.03	9,000	-
KTB24P1901A	0.14	(0.01)	1,723	-	MTC24C1810A	0.30	0.03	12,452	-	PTTE27P1809A	-	-	-	-
KTB28C1809A	0.01	(0.01)	39	-	MTC24C1812A	0.59	0.02	5,001	-	PTTE28C1810A	0.24	0.01	64,350	-
KTB28C1811A	0.24	-	24,552	-	MTC28C1809A	0.42	0.03	4,418	-	PTTE28C1811A	0.15	0.01	12,000	-
KTC01C1808A	0.66	(0.07)	17,266	-	ORI11C1811A	0.19	-	63	-	PTTE28P1811A	-	-	-	-
KTC01C1808B	0.01	-	61,649	-	ORI13C1810A	0.36	(0.03)	182,271	-	PTTGO1C1808A	0.02	-	17,795	-
KTC01C1810A	0.24	-	145,091	-	ORI19C1811A	0.22	(0.01)	149,950	-	PTTGO1C1810A	0.17	0.02	119,133	-
KTC01C1810B	0.11	(0.02)	53,823	-	ORI23C1809A	0.04	-	1,000	-	PTTGO1C1810B	0.02	-	10	-
KTC08C1808A	-	-	-	-	ORI24C1810A	0.18	(0.03)	2,000	-	PTTGO1C1811A	0.40	0.02	134,553	-
KTC11C1902A	0.91	-	687	-	PLAN08C1811A	0.19	0.01	14,670	-	PTTGO1C1901A	1.09	0.03	139,351	1.00
KTC13C1809A	0.01	-	43,261	-	PLAN13C1809A	0.06	0.01	280	-	PTTGO1C1901B	0.82	0.06	185,146	-
KTC13C1809B	0.04	(0.02)	6,042	-	PLAN28C1810A	0.12	0.02	56,620	-	PTTGO1P1808A	1.02	(0.10)	32,717	1.00
KTC13C1812A	0.16	-	184,666	-	PRM19C1902A	0.47	0.03	84,667	-	PTTGO1P1811A	1.53	(0.09)	21,872	1.00
KTC13C1812B	0.31	(0.01)	179,883	-	PSH01C1810A	0.31	(0.03)	5,468	-	PTTGO1P1901A	0.86	(0.04)	27,848	-
KTC19C1811A	0.16	(0.01)	24,846	-	PSH01C1810B	0.06	(0.01)	694	-	PTTGO1P1901B	0.60	(0.05)	15,206	-
KTC19C1901A	0.63	(0.01)	25,256	-	PSH01P1810A	0.70	0.03	579	-	PTTG06C1809A	-	-	-	-
KTC23C1809A	0.60	(0.01)	25,640	-	PSH08C1811A	-	-	-	-	PTTG06C1903A	1.06	0.08	32,619	1.00
KTC24C1808A	-	-	-	-	PSH11C1902A	-	-	-	-	PTTG06P1903A	0.43	(0.03)	70	-
KTC24C1810A	0.08	-	4	-	PSH23C1811A	-	-	-	-	PTTG07C1812A	0.36	0.04	31,687	-
KTC28C1809A	0.04	-	205	-	PSL01C1812A	0.36	0.01	49,731	-	PTTG08C1811A	0.05	0.01	7,691	-
KTC28C1810A	0.13	(0.01)	36,136	-	PSL01C1812B	0.27	(0.01)	56,238	-	PTTG08C1902A	0.60	0.05	43,952	-
LH01C1809A	0.35	0.01	13,621	-	PSL11C1905A	0.25	0.01	22,233	-	PTTG08P1811A	0.72	(0.09)	17,776	-
LH01C1809B	0.12	0.01	11,126	-	PSL23C1809A	0.02	-	550	-	PTTG11C1902A	0.12	0.01	17,544	-
LH01P1809A	0.05	(0.02)	1,351	-	PTG01C1811A	0.04	-	85,689	-	PTTG13C1812A	0.23	0.03	146,379	-
LH06C1809A	-	-	-	-	PTG01C1811B	0.01	-	6,519	-	PTTG13C1812B	0.74	0.04	251,498	-
LH07C1810A	-	-	-	-	PTG01P1811A	1.71	0.05	63,357	1.00	PTTG19C1811A	0.20	0.02	108,347	-
LH11C1808A	-	-	-	-	PTG06C1810A	0.03	0.01	112	-	PTTG23C1901A	0.07	-	2,023	-
LH13C1902A	0.29	-	18,102	-	PTG06C1904A	0.20	-	23,448	-	PTTG24C1808A	-	-	-	-
LH19C1901A	0.21	-	2,051	-	PTG08C1902A	0.07	(0.01)	75,098	-	PTTG24C1812A	0.13	0.01	10	-
LH23C1901A	0.12	-	9,175	-	PTG11C1903A	0.04	(0.01)	3,509	-	PTTG24C1901A	0.51	0.04	73,065	-
LH24C1809A	0.03	(0.01)	2	-	PTG13C1809A	-	-	-	-	PTTG24P1808A	-	-	-	-
LPN01C1809A	0.08	-	8,562	-	PTG13C1812A	0.04	(0.01)	41,595	-	PTTG24P1901A	0.31	(0.03)	6,180	-
LPN01C1811A	0.37	-	30,987	-	PTG19C1902A	0.11	(0.02)	814,917	-	PTTG28C1811A	0.16	0.02	36,157	-
LPN01C1811B	0.15	-	122,717	-	PTG23C1808A	-	-	-	-	PTTG28C1812A	0.67	0.06	130,605	-
LPN01P1809A	0.43	(0.01)	18,733	-	PTG24C1809A	-	-	-	-	QH01C1801A	0.57	(0.05)	62,655	-
LPN08C1810A	0.06	(0.01)	4,000	-	PTG24C1902A	0.09	(0.01)	267,411	-	QH01C1810B	0.30	(0.08)	37,987	-
LPN08C1906A	0.23	0.01	3	-	PTG27C1809A	-	-	-	-	QH01P1810A	0.17	0.02	13,701	-
LPN19C1811A	0.17	0.02	2,375	-	PTG27C1902A	0.15	(0.01)	42,202	-	QH08C1808A	0.24	(0.06)	19,128	-
LPN24C1808A	-	-	-	-	PTG28C1812A	0.06	-	18,340	-	QH11C1902A	0.46	(0.04)	6,794	-
LPN24C1812A	0.23	0.01	4,200	-	PTL08C1811A	0.46	0.01	17,611	-	QH19C1901A	0.25	(0.03)	55,553	-
MAJO08C1811A	-	-	-	-	PTL13C1809A	0.12	-	18,537	-	QH23C1808A	-	-	-	-
MAJO11C1902A	0.08	(0.01)	1	-	PTL28C1810A	0.29	0.01	6,101	-	QH24C1812A	0.20	(0.03)	7,051	-
MAJO19C1902A	0.19	-	1	-	PRT01C1808A	0.73	0.02	115,923	-	RATC19C1901A	0.34	0.01	15,018	-
MAJO24C1809A	-	-	-	-	PRT01C1808B	0.02	-	40,857	-	RATC24C1902A	-	-	-	-
MAJO24C1902A	0.45	(0.01)	1,084	-	PRT01C1810A	0.20	0.02	317,751	-	RATC27C1812A	-	-	-	-
MALE01C1812A	0.03	0.01	19,301	-	PRT01C1810B	0.06	0.01	23,894	-	ROBIO1C1809A	0.33	0.07	69,073	-
MALE08C1811A	-	-	-	-	PRT01C1901A	0.73	0.02	230,696	-	ROBIO6C1809A	0.30	0.06	29,503	-
MALE13C1809A	-	-	-	-	PRT01C1901B	0.58	0.02	235,061	-	ROBIO8C1808A	-	-	-	-
MALE27C1812A	-	-	-	-	PRT01P1808A	0.08	(0.04)	72,165	-	ROBII1C1808A	-	-	-	-
MALE28C1810A	-	-	-	-	PRT01P1808B	0.01	-	6,730	-	ROBII1C1901A	0.69	0.07	25,981	-
MC19C1811A	0.11	(0.01)	3,266	-	PRT01P1810A	0.81	(0.05)	71,182	-	ROBII2C1901A	-	-	-	-
MC23C1809A	-	-	-	-	PRT01P1810B	0.23	(0.04)	128,671	-	ROBII2C1903A	0.72	0.09	4,530	-
MC24C1812A	-	-	-	-	PRT01P1901A	0.49	(0.01)	14,599	-	RS08C1901A	0.49	(0.51)	60,302	-
MEGA01C1811A	0.18	(0.01)	16,060	-	PRT01P1901B	0.30	(0.02)	73,799	-	RS13C1901A	0.53	(0.02)	120,022	-
MEGA01C1811B	0.06	(0.01)	16,880	-	PRT06C1811A	0.11	0.02	1	-	RS19C1901A	0.50	(0.01)	12,930	-
MEGA08C1811A	-	-	-	-	PRT06C1901A	0.43	0.02	38,706	-	RS24C1811A	0.45	(0.01)	511	-
MEGA11C1902A	0.09	(0.01)	2,000	-	PRT06P1901A	0.35								

Main Board Quotation

Issue Date :

Tuesday August 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5006C1809A	0.20	0.02	1,760	-	SCC24C1901A	0.52	0.07	90	-	TCAP01C1901B	0.56	(0.03)	11,542	-
S5006C1809B	0.07	-	59,405	-	SCC24C1902A	0.33	(0.05)	7,500	-	TCAP01P1901A	0.31	0.01	6,178	-
S5006C1809C	0.42	0.04	1,150	-	SCC24P1901A	-	-	-	-	TCAP08C1810A	-	-	-	-
S5006C1809D	0.11	0.01	4,808	-	SCC27C1809A	-	-	-	-	TCAP11C1811A	0.14	(0.01)	1,800	-
S5006C1812A	0.70	0.01	16,529	-	SCC27P1809A	0.18	(0.01)	5,000	-	TCAP13C1809A	-	-	-	-
S5006C1812B	0.78	0.01	7,230	-	SCC28C1811A	0.18	-	69,048	-	TCAP13C1901A	0.51	(0.03)	41,395	-
S5006P1809A	0.95	(0.04)	16,876	-	SCC28C1812A	0.46	(0.02)	20,460	-	TCAP19C1901A	0.42	(0.02)	5,730	-
S5006P1809B	0.34	(0.04)	4,496	-	SCCC08C1811A	-	-	-	-	TCAP24C1903A	-	-	-	-
S5006P1809C	0.34	(0.08)	100	-	SCCC13C1809A	-	-	-	-	THAI01C1808A	0.01	-	85	-
S5006P1809D	0.12	(0.02)	2,600	-	SCCC27C1812A	0.08	(0.01)	1,000	-	THAI01C1808B	-	-	-	-
S5006P1812A	0.94	(0.02)	12,849	-	SGP08C1808A	-	-	-	-	THAI01C1901A	0.28	0.01	4,833	-
S5006P1812B	0.32	(0.02)	58,958	-	SGP08C1901A	0.42	(0.03)	24,235	-	THAI01C1901B	0.15	-	1,920	-
S5008C1809A	0.79	(0.01)	108,354	-	SGP11C1904A	-	-	-	-	THAI01P1808A	0.81	(0.02)	3,158	-
S5008P1809A	0.02	(0.01)	2,000	-	SGP13C1811A	0.11	(0.01)	301	-	THAI01P1901A	0.89	-	7,589	-
S5013C1809A	0.09	-	1,633,893	-	SGP13C1812A	0.29	(0.04)	45,640	-	THAI06C1809A	-	-	-	-
S5013C1809B	0.27	(0.01)	314,954	-	SGP19C1811A	0.30	(0.04)	10,162	-	THAI07C1811A	-	-	-	-
S5013C1809C	0.19	-	596,047	-	SGP24C1808A	-	-	-	-	THAI08C1808A	-	-	-	-
S5013C1809D	0.57	(0.01)	3,523,406	-	SGP24C1811A	-	-	-	-	THAI08C1903A	0.24	(0.76)	16,613	-
S5013C1809E	1.14	-	570,665	1.00	SGP24C1902A	-	-	-	-	THAI11C1808A	-	-	-	-
S5013C1809F	0.74	-	446,455	-	SGP28C1809A	-	-	-	-	THAI13C1811A	-	-	-	-
S5013C1812A	1.12	0.01	738,258	1.00	SGP28C1811A	0.13	(0.02)	21,797	-	THAI19C1901A	0.24	-	5,410	-
S5013P1809A	0.63	(0.02)	377,992	-	SIRI01C1808A	0.01	-	40,150	-	THAI23C1901A	-	-	-	-
S5013P1809B	0.22	(0.01)	1,685,171	-	SIRI01C1808B	0.01	-	7,435	-	THAI24C1808A	-	-	-	-
S5013P1809C	0.36	(0.01)	1,417,821	-	SIRI01C1901A	0.38	-	5,185	-	THAI24C1901A	0.14	-	3,032	-
S5013P1809D	0.08	-	960,413	-	SIRI01C1901B	0.15	0.01	1,433	-	THAI27C1809A	-	-	-	-
S5013P1809E	0.02	(0.01)	2,422,579	-	SIRI01P1808A	0.57	(0.01)	200	-	THAN01C1812A	0.39	-	4,695	-
S5013P1809F	0.63	(0.02)	718,876	-	SIRI01P1901A	-	-	-	-	THAN13C1809A	-	-	-	-
S5013P1812A	0.85	(0.03)	933,117	-	SIRI08C1808A	-	-	-	-	THAN24C1903A	-	-	-	-
S5028C1809A	0.19	0.01	548,710	-	SIRI08C1810A	-	-	-	-	THAN28C1810A	0.06	(0.01)	1,500	-
S5028C1809B	1.05	-	722,088	1.00	SIRI11C1902A	-	-	-	-	THCO01C1809A	0.11	(0.01)	5,228	-
S5028C1810A	0.64	0.01	370,590	-	SIRI13C1809A	-	-	-	-	THCO01P1809A	0.39	(0.01)	6,604	-
S5028P1809A	0.20	(0.02)	506,784	-	SIRI19C1902A	-	-	-	-	THCO08C1906A	0.28	-	8,657	-
S5028P1809B	0.04	-	36,165	-	SIRI23C1811A	-	-	-	-	THCO11C1902A	0.18	-	10	-
S5028P1810A	0.68	(0.02)	686,933	-	SIRI24C1809A	-	-	-	-	THCO19C1811A	0.16	(0.01)	1,720	-
SAWA01C1808A	0.01	-	11,781	-	SIRI24C1903A	-	-	-	-	THCO23C1808A	-	-	-	-
SAWA01C1808B	0.01	-	28,862	-	SIRI28C1809A	-	-	-	-	THCO24C1810A	0.26	-	1,002	-
SAWA01C1901A	0.65	(0.03)	111,664	-	SIRI28C1901A	0.31	-	10,240	-	THCO28C1901A	0.40	-	22,892	-
SAWA01C1901B	0.52	(0.04)	71,756	-	SPAL01C1808A	0.37	0.02	4,910	-	TISCO1C1808A	0.14	(0.04)	9,357	-
SAWA01P1808A	1.72	0.07	24,167	1.00	SPAL01C1808B	0.01	-	4,000	-	TISCO1C1808B	0.01	-	200	-
SAWA01P1901A	0.68	0.02	65,259	-	SPAL06C1809A	0.44	-	4,800	-	TISCO7C1902A	0.83	(0.03)	3,400	-
SAWA06C1811A	0.09	-	1,340	-	SPAL08C1808A	-	-	-	-	TISCO8C1808A	-	-	-	-
SAWA06C1903A	0.93	(0.06)	31,729	-	SPAL11C1905A	-	-	-	-	TISCO8C1903A	0.66	(0.35)	67,105	-
SAWA07C1812A	0.51	(0.02)	200	-	SPAL19C1902A	0.43	0.01	3,362	-	TISC11C1903A	0.22	(0.02)	12,550	-
SAWA08C1808A	-	-	-	-	SPAL23C1811A	0.51	0.01	1,600	-	TISC13C1811A	0.26	(0.02)	21,501	-
SAWA08C1811A	0.03	-	4,131	-	SPAL24C1808A	-	-	-	-	TISC13C1812A	0.69	(0.02)	42,153	-
SAWA08C1902A	0.71	(0.05)	46,498	-	SPAL24C1812A	-	-	-	-	TISC19C1901A	0.41	(0.02)	16,201	-
SAWA11C1808A	-	-	-	-	SPRC01C1808A	0.17	(0.02)	3,166	-	TISC24C1812A	0.18	-	2,550	-
SAWA13C1810A	0.01	-	2,000	-	SPRC01C1808B	-	-	-	-	TISC28C1901A	0.67	(0.02)	189,471	-
SAWA13C1811A	0.03	-	5,000	-	SPRC06C1809A	-	-	-	-	TKN01C1808A	0.01	-	13,063	-
SAWA13C1812A	0.25	(0.03)	84,320	-	SPRC06C1902A	-	-	-	-	TKN01C1808B	-	-	-	-
SAWA13C1901A	0.68	(0.07)	25,945	-	SPRC08C1808A	-	-	-	-	TKN01C1901A	0.59	(0.01)	111,020	-
SAWA19C1901A	0.71	(0.05)	24,791	-	SPRC11C1902A	0.15	-	285	-	TKN01C1901B	0.46	-	58,810	-
SAWA24C1808A	-	-	-	-	SPRC13C1808A	-	-	-	-	TKN08C1808A	-	-	-	-
SAWA24C1812A	0.25	(0.03)	7,750	-	SPRC13C1812A	0.39	(0.02)	163,800	-	TKN08C1811A	0.09	-	318	-
SAWA24C1902A	0.62	(0.03)	7	-	SPRC19C1901A	0.46	(0.02)	21,482	-	TKN11C1902A	0.16	(0.01)	12,064	-
SAWA28C1809A	-	-	-	-	SPRC23C1810A	-	-	-	-	TKN13C1808A	-	-	-	-
SAWA28C1810A	-	-	-	-	SPRC24C1808A	-	-	-	-	TKN13C1810A	0.05	-	252	-
SAWA28C1811A	0.28	(0.03)	109,108	-	SPRC24C1903A	0.41	(0.03)	30,191	-	TKN13C1811A	0.06	-	199	-
SAWA28C1812A	0.69	(0.04)	10,732	-	STA01C1812A	0.33	(0.05)	63,180	-	TKN13C1812A	0.30	(0.03)	280,833	-
SCB01C1808A	0.23	(0.05)	13,083	-	STA01C1812B	0.21	(0.05)	54,867	-	TKN19C1811A	0.08	(0.02)	43,730	-
SCB01C1808B	0.01	-	9,219	-	STA13C1808A	-	-	-	-	TKN23C1902A	0.33	(0.01)	13,100	-
SCB01C1810A	0.57	(0.06)	6,920	-	STA13C1812A	0.36	(0.04)	177,716	-	TKN24C1811A	0.20	0.01	59	-
SCB01C1902A	1.06	(0.04)	5,335	1.00	STA19C1811A	0.16	(0.03)	34,002	-	TKN24C1812A	-	-	-	-
SCB01C1902B	0.98	(0.05)	5,526	1.00	STA23C1809A	0.07	(0.04)	12,270	-	TKN28C1811A	-	-	-	-
SCB01P1808A	0.86	0.08	23,274	-	STA24C1808A	-	-	-	-	TKN28C1812A	0.50	(0.02)	18,884	-
SCB01P1808B	0.01	-	1,982	-	STEC01C1809A	0.24	(0.01)	74,953	-	TMB01C1810A	0.16	-	16,842	-
SCB01P1902A	0.43	0.03	20,468	-	STEC01C1809B	0.69	(0.02)	45,335	-	TMB01C1810B	0.04	-	500	-
SCB01P1902B	0.19	0.01	3,203	-	STEC01P1809A	0.60	(0.01)	59,415	-	TMB01P1810A	0.46	(0.02)	3,591	-
SCB06C1811A	0.75	(0.03)	3,038	-	STEC06C1809A	0.27	(0.01)	26,145	-	TMB06C1809A	0.01	-	1	-
SCB08C1901A	0.58	(0.03)	7,948	-	STEC08C1809A	0.16	(0.01)	34,266	-	TMB06C1902A	0.09	-	200	-
SCB11C1901A	0.31	(0.02)	2,670	-	STEC11C1903A	0.56	(0.03)	22,791	-	TMB07C1811A	-	-	-	-
SCB11P1901A	0.32	0.02	9,240	-	STEC13C1809A	0.02	(0.01)	2	-	TMB08C1808A	-	-	-	-
SCB13C1809A	-	-	-	-	STEC19C1901A	0.56	0.01	50,913	-	TMB08C1901A	0.07	-	3,823	-
SCB13C1812A	0.68	(0.07)	34,590	-	STEC23C1808A	-	-	-	-	TMB11C1904A	0.08	-	950	-
SCB13P1812A	0.08	-	56	-	STEC24C1808A	-	-	-	-	TMB13C1811A	0.05	0.01	1,001	-
SCB19C1811A	0.37	(0.04)	68,376	-	STEC24C1901A	0.60	0.01	445	-	TMB13C1901A	0.19	-	13,726	-
SCB24C1901A	-	-	-	-	STEC27C1902A	-	-	-	-	TMB19C1901A	0.11	0.01	5,047	-
SCB24C1902A	-	-	-	-	STEC28C1810A	0.50	(0.01)	65,580	-	TMB23C1810A	-	-	-	-
SCB24P1811A	0.06	(0.01)	2,005	-	STPI08C1811A	0.04	(0.01)	14,461	-	TMB24C1809A	-	-	-	-
SCB27C1902A	-	-	-	-	SUPE08C1808A	-	-	-	-	TMB24C1901A	0.05	-	1,700	-
SCB28C1809A	0.04	(0.02)	100	-	SUPE08C1811A	-	-	-	-	TMB24C1902A	0.17	0.01	1,850	-
SCB28C1812A	0.56	(0.05)	12,277	-	SUPE13C1810A	0.02	(0.01)	2,831	-	TMB28C1809A	-	-	-	-
SCB28P1812A	-	-	-	-	SUPE13C1811A	0.05	-	11	-	TMB28C1901A	0.14	(0.01)	9,840	-
SCC01C1808A	0.15	-	78,529	-	SUPE19C1902A	0.21	(0.01)	810	-	TOA01C1901A	0.32	0.01	84,034	-
SCC01C1808B	0.01	-	18,257	-	SUPE23C1811A	0.09	-	850	-	TOA01C1901B	0.22	-	50,439	-
SCC01C1901A	0.76	(0.01)	59,179	-	SUPE23C1901A	0.07	0.01	500	-	TOA08C1902A	0.15	0.01	34,484	-
SCC01C1901B	0.63	(0.02)	29,355	-	SUPE28C1810A	-	-	-	-	TOA13C1812A	0.22	0.01	176,176	-
SCC01P1808A	0.41	0.02	7,434	-	SUPE28C1811A	-	-	-	-	TOA19C1901A	0.22	0.01	27,898	-
SCC01P1901A	0.30	0.01	4,920	-	TASC01C1809A	0.01								

Main Board Quotation

Issue Date :

Tuesday August 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCC24C1812A	0.06	(0.01)	1,000	-	TCAP01C1901A	0.66	(0.03)	10,015	-	TOP11C1905A	1.08	(0.08)	5,821	1.00

Main Board Quotation

Issue Date :

Tuesday August 28, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP13C1811A	0.08	(0.03)	19,130	-	UNIQ24C1811A	-	-	-	-	ML-W2	0.03	-	1,175	-
TOP13C1901A	0.64	(0.05)	74,783	-	UNIQ28C1809A	-	-	-	-	MONO-W1	0.42	0.01	22,434	-
TOP18C1808A	-	-	-	-	UNIQ28C1811A	0.08	0.01	42,000	-	NEP-W3	-	-	-	-
TOP19C1901A	0.47	(0.05)	41,508	-	UV13C1812A	0.45	0.05	253,645	-	NOK-W1	0.49	(0.04)	5,636	-
TOP23C1811A	0.15	(0.03)	17,000	-	UV19C1902A	0.50	0.04	25,610	-	NPPG-W3	-	-	-	-
TOP24C1901A	0.19	(0.01)	5	-	UV23C1809A	-	-	-	-	NUSA-W3	0.12	(0.02)	104	-
TOP24C1902A	0.65	(0.07)	1,612	-	UV24C1812A	-	-	-	-	NVD-W1	0.20	-	30,025	-
TOP28C1810A	-	-	-	-	VG101C1812A	0.55	-	250	-	ORI-W1	2.64	(0.02)	8,841	2.00
TOP28C1812A	0.58	(0.06)	57,456	-	VG106C1904A	-	-	-	-	PACE-W2	0.26	0.01	15,859	-
TP101C1812A	0.21	(0.01)	103,554	-	VG106C1904B	-	-	-	-	PDI-W1	1.17	(0.02)	3,889	1.00
TP101C1812B	0.14	-	7,446	-	VG106C1904C	-	-	-	-	PDJ-W2	1.50	0.09	403	1.00
TP107C1812A	-	-	-	-	VG108C1811A	-	-	-	-	PDJ-W3	1.44	0.04	18	1.00
TP113C1809A	-	-	-	-	VG123C1905A	-	-	-	-	PDJ-W4	1.40	-	35	1.00
TP119C1901A	0.23	(0.01)	28,935	-	VG123C1911A	-	-	-	-	PLE-W3	0.11	-	52,538	-
TP123C1809A	-	-	-	-	VG127C1812A	0.27	-	1,200	-	RICH-W1	-	-	-	-
TP124C1808A	-	-	-	-	VG128C1810A	0.22	0.02	120	-	RICHY-W1	0.36	0.02	26,800	-
TP124C1902A	-	-	-	-	WHA01C1812A	0.54	-	71,471	-	RICHY-W2	0.19	0.01	527	-
TPIP01C1810A	0.35	-	2,072	-	WHA01C1812B	0.43	0.01	50,521	-	RS-W3	7.50	0.05	97	7.00
TPIP01C1810B	-	-	-	-	WHA01P1812A	0.61	-	25,170	-	S-W1	0.14	0.01	23,558	-
TPIP01P1810A	0.56	(0.01)	4,630	-	WHA06C1809A	0.07	-	8,997	-	SAMART-W2	0.30	0.01	3,999	-
TPIP08C1808A	-	-	-	-	WHA07C1810A	0.13	0.02	200,000	-	SAWAD-W1	5.75	0.10	544	5.00
TPIP11C1811A	-	-	-	-	WHA08C1811A	0.13	0.01	19,092	-	SDC-W1	0.07	0.01	100	-
TPIP13C1811A	0.17	-	6,490	-	WHA11C1903A	0.20	0.01	12,627	-	SMM-W4	0.02	-	5,343	-
TPIP19C1902A	0.38	0.02	1,670	-	WHA13C1812A	0.39	-	98,062	-	SMT-W1	0.10	-	1,669	-
TPIP23C1808A	-	-	-	-	WHA19C1901A	0.39	0.01	28,023	-	SMT-W2	0.69	(0.01)	13,737	-
TPIP24C1901A	0.29	(0.02)	2,600	-	WHA23C1810A	0.18	0.01	6,000	-	SPALI-W4	19.50	-	1,613	19.00
TPIP27C1812A	-	-	-	-	WHA24C1811A	0.08	0.03	1,900	-	SPORT-W5	0.03	-	1,852	-
TRUE01C1808A	0.27	-	110,675	-	WHA28C1809A	0.27	0.01	33,546	-	SUPER-W4	0.09	(0.01)	560,637	-
TRUE01C1808B	0.02	-	5,815	-	WHAU01C1810A	0.17	0.01	78,265	-	SUSCO-W1	0.10	-	17,895	-
TRUE01C1902A	0.55	(0.01)	44,302	-	WHAU01C1810B	-	-	-	-	SVI-W3	2.22	(0.06)	8,082	2.00
TRUE01C1902B	0.45	(0.01)	29,846	-	WHAU24C1812A	-	-	-	-	TCC-W3	0.25	0.06	1	-
TRUE01P1808A	0.11	(0.01)	52,477	-	WHAU24C1902A	-	-	-	-	TCC-W4	0.14	-	37	-
TRUE01P1902A	0.45	-	28,613	-	WORK01C1811A	0.38	(0.02)	26,577	-	TCC-W5	0.16	(0.01)	124	-
TRUE01P1902B	0.32	-	24,127	-	WORK01C1811B	0.20	(0.02)	16,477	-	TCJ-W2	0.93	-	621	-
TRUE06C1811A	0.14	0.02	560	-	WORK08C1809A	-	-	-	-	TCMC-W2	0.32	-	18,124	-
TRUE06C1906A	0.33	-	2,260	-	WORK08C1901A	0.28	(0.02)	52,342	-	TFG-W1	1.70	-	270	1.00
TRUE07C1902A	-	-	-	-	WORK11C1903A	0.08	-	3,155	-	TFG-W2	0.79	-	4,272	-
TRUE08C1809A	0.06	-	11,725	-	WORK13C1809A	-	-	-	-	TH-W2	-	-	-	-
TRUE08C1902A	0.42	-	26,160	-	WORK13C1810A	0.01	(0.01)	22,000	-	THE-W2	0.06	-	20,182	-
TRUE08P1809A	0.03	(0.01)	10,324	-	WORK13C1811A	0.07	-	30	-	TNITY-W1	0.96	0.01	9,143	-
TRUE11C1905A	0.36	-	5,199	-	WORK13C1812A	0.27	(0.04)	60,604	-	TNPC-W1	0.43	(0.03)	10,907	-
TRUE13C1810A	0.04	0.01	12,034	-	WORK19C1811A	0.09	(0.01)	7,054	-	TRITN-W3	0.19	-	89,823	-
TRUE13C1812A	0.28	-	144,494	-	WORK24C1810A	-	-	-	-	TSR-W1	0.63	0.01	19,152	-
TRUE16C1812A	0.32	0.01	2,000	-	WORK24C1812A	0.19	(0.02)	7,954	-	TTA-W5	0.18	-	12,398	-
TRUE19C1901A	0.19	-	9,130	-	WORK28C1809A	-	-	-	-	TTCL-W1	1.13	(0.01)	15,091	1.00
TRUE23C1902A	-	-	-	-	WORK28C1811A	0.06	-	2	-	U-W1	0.01	-	13	-
TRUE27C1809A	-	-	-	-	Preferred/Foreign	-	-	-	-	U-W4	0.01	-	1	-
TRUE27P1809A	0.16	(0.07)	100	-	BH-Q	-	-	-	-	VIBHA-W2	1.39	0.01	467	1.00
TRUE28C1810A	-	-	-	-	CSC-Q	-	-	-	-	VIBHA-W3	0.29	(0.01)	1,469	-
TRUE28C1812A	0.22	(0.01)	83,788	-	JUTHA-Q	-	-	-	-	WAVE-W1	0.38	(0.01)	23,051	-
TTA08C1808A	-	-	-	-	KTB-Q	-	-	-	-	WHA-W1	6.20	-	6,441	6.00
TTA08C1906A	0.27	0.01	19,969	-	SCB-Q	-	-	-	-	WORK-W1	9.00	-	15	9.00
TTA13C1809A	-	-	-	-	TCAP-Q	-	-	-	-	Preferred Shares	-	-	-	-
TTA13C1901A	-	-	-	-	TIC-Q	-	-	-	-	BH-P	-	-	-	-
TTA18C1808A	-	-	-	-	TISCO-Q	-	-	-	-	CSC-P	-	-	-	-
TTA19C1811A	-	-	-	-	U-Q	0.04	-	20,000	-	JUTHA-P	-	-	-	-
TTA23C1808A	-	-	-	-	Warrant	-	-	-	-	KTB-P	-	-	-	-
TTA23C1901A	0.10	-	4,000	-	7UP-W2	0.07	(0.01)	1,053	-	SCB-P	-	-	-	-
TTA24C1809A	-	-	-	-	ACC-W1	0.02	-	4,150	-	TCAP-P	-	-	-	-
TTA24C1902A	-	-	-	-	AJA-W1	0.20	-	47,920	-	TIC-P	-	-	-	-
TTA28C1812A	0.10	0.01	12,010	-	ALT-W1	0.53	(0.02)	1,231	-	TISCO-P	-	-	-	-
TU01C1808A	-	-	-	-	APURE-W2	0.17	-	3,604	-	U-P	0.03	-	70,443	-
TU01C1808B	-	-	-	-	AQ-W4	0.01	-	6	-	Warrant (MAI)	-	-	-	-
TU01C1901A	0.66	(0.01)	51,920	-	AS-W1	0.25	-	312	-	2S-W1	0.15	0.01	1,422	-
TU01C1901B	0.64	(0.02)	34,475	-	AYUD-W1	2.78	0.10	13,717	2.00	ACAP-W2	2.04	-	5,247	2.00
TU01P1808A	0.69	0.02	30,088	-	B-W3	-	-	-	-	AIRA-W2	0.04	-	21	-
TU01P1901A	0.18	-	20,213	-	B-W4	0.16	(0.01)	3,897	-	ATP30-W1	0.82	(0.01)	1,542	-
TU06C1902A	0.37	-	11,200	-	BTS-W3	0.01	-	46,217	-	BSM-W2	0.16	(0.01)	1,864	-
TU07C1902A	-	-	-	-	BWG-W4	0.08	-	2,827	-	CHEWA-W1	0.20	(0.01)	41,005	-
TU08C1811A	0.08	(0.01)	2,000	-	CEN-W4	0.03	-	4,442	-	CIG-W7	0.02	-	161	-
TU11C1902A	0.07	-	5,000	-	CGD-W4	0.22	(0.02)	42,663	-	DIMET-W2	0.14	-	71,109	-
TU13C1809A	-	-	-	-	CGH-W3	0.06	-	2,934	-	DNA-W1	1.26	(0.04)	3,496	1.00
TU19C1901A	0.35	-	16,244	-	CI-W1	0.40	0.03	10	-	ECF-W2	4.36	(0.02)	1,434	4.00
TU23C1902A	0.36	-	15,000	-	CKP-W1	0.36	0.01	86,838	-	ECF-W3	3.20	-	4,251	3.00
TU24C1808A	-	-	-	-	CRANE-W1	-	-	-	-	EFORL-W3	0.01	-	17,697	-
TU24C1901A	0.24	(0.02)	20,060	-	CWT-W4	0.43	(0.02)	9,148	-	EFORL-W4	0.02	-	5,079	-
TVO01C1809A	0.17	-	16,407	-	DCC-W1	0.83	0.02	852,196	-	FC-W1	-	-	-	-
TVO01C1809B	-	-	-	-	DCON-W1	-	-	-	-	FC-W2	0.02	-	2,995	-
TVO08C1808A	-	-	-	-	DIGI-W1	0.03	-	18,133	-	FOCUS-W2	0.65	(0.02)	76,527	-
TVO11C1903A	0.13	0.01	1	-	DIGI-W2	0.01	-	3,420	-	FVC-W2	0.43	(0.01)	27,449	-
TVO13C1809A	-	-	-	-	EARTH-W4	-	-	-	-	ITEL-W1	0.32	(0.02)	14,001	-
TVO13C1902A	0.27	-	40,804	-	EIC-W2	-	-	-	-	JKN-W1	2.30	0.02	4,323	2.00
TVO19C1902A	0.27	0.02	3,902	-	EIC-W3	0.02	-	100	-	LIT-W1	2.28	0.02	426	2.00
TVO23C1808A	-	-	-	-	EIC-W4	-	-	-	-	META-W2	0.05	-	16,229	-
TVO24C1810A	-	-	-	-	EVER-W3	0.02	-	34,587	-	NCL-W3	0.48	(0.02)	67,179	-
TVO24C1903A	-	-	-	-	GJS-W3	-	-	-	-	NDR-W1	0.06	(0.01)	1,024	-
UNI001C1809A	0.06	0.01	6,380	-	GSTEL-W1	-	-	-	-	NEWS-W4	-	-	-	-
UNI001C1810A	0.23	0.03	87,376	-	GSTEL-W2	-	-	-	-	NEWS-W5	-	-	-	-
UNI001C1810B	0.05	0.02	6,930	-	IEC-W2	-	-	-	-	NEWS-W6	0.01	-	160	-
UNI001P1809A	0.56	(0.08)	6,728	-	IHL-W1	5.20	0.05	123	5.00	PHOL-W1	0.04	(0.02)	57,968	-

