

## Main Board Quotation

Issue Date :

Tuesday September 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	HUMAN	11.60	0.10	23,931	11.47	SE-ED	3.00	(0.08)	180	3.00
POMPI	-	-	-	-	ILINK	5.25	0.10	13,194	5.22	SMM	0.90	0.02	5,629	0.91
SAFARI	-	-	-	-	INET	3.92	(0.02)	1,106	3.93	SPORT	0.40	0.01	1,217	0.39
VI	-	-	-	-	INTUCH	54.75	(0.25)	40,638	54.83	TBSP	13.60	(0.20)	67	13.48
WORLD	-	-	-	-	JAS	5.60	(0.05)	168,475	5.63	TH	0.72	0.02	392	0.71
WR	-	-	-	-	JASIF	10.40	-	122,939	10.40	TKS	11.40	0.10	7,943	11.35
Agribusiness	-	-	-	-	JMART	9.10	-	7,802	9.15	TRITN	0.43	(0.04)	1,100,816	0.44
CHOTI	-	-	-	-	JTS	1.61	-	217	1.61	VGI	7.65	(0.25)	376,937	7.71
EE	0.68	-	29,321	0.68	MFEK	3.40	(0.02)	1,455	3.41	WAVE	2.64	0.08	4,719	2.64
GFPT	14.00	(0.40)	31,353	14.12	MSC	6.60	0.10	826	6.51	WORK	41.75	(1.75)	63,843	41.76
LEE	2.76	(0.04)	2,462	2.77	PT	6.75	-	2,530	6.76	Finance & Securities	-	-	-	-
STA	15.20	-	96,194	15.23	SAMART	8.25	(0.10)	32,032	8.25	AEC	0.51	-	13	0.51
TLUXE	5.65	(0.10)	855	5.69	SAMTEL	9.00	0.15	314	8.80	AEONTS	189.50	(4.00)	6,400	189.97
TRUBB	1.88	(0.02)	1,873	1.88	SDC	0.45	(0.05)	899,802	0.47	AMANAH	1.96	(0.03)	106,293	1.97
TWPC	8.85	(0.10)	5,115	8.87	SIS	9.00	-	1,019	8.98	ASAP	7.20	-	32,253	7.18
UPOIC	5.00	0.20	435	4.85	SVOA	1.40	-	45,174	1.42	ASK	23.70	0.10	1,108	23.56
UVAN	7.15	-	425	7.11	SYMC	5.60	(0.05)	1,211	5.67	ASP	3.86	0.02	10,277	3.85
VPO	0.65	-	1,980	0.65	SYNEX	14.80	0.50	25,301	14.64	BFIT	30.00	0.50	2,774	30.02
Banking	-	-	-	-	THCOM	9.90	-	7,556	9.91	CGH	1.06	0.01	2,174	1.05
BAY	40.25	-	1,989	40.26	TRUE	6.15	0.10	1,026,063	6.07	CNS	2.58	(0.02)	142	2.59
BBL	211.00	-	25,027	210.87	TWZ	0.12	-	37,210	0.13	ECL	2.04	(0.02)	50,193	2.05
CIMBT	0.91	-	207,921	0.92	Electronic Componen	-	-	-	-	FNS	4.08	-	539	4.08
KBANK	215.00	-	20,177	214.33	CCET	2.00	(0.02)	29,667	2.02	FSS	2.34	-	307	2.32
KKP	75.00	0.25	40,401	75.34	DELTA	69.75	0.25	6,856	69.50	GBX	0.65	(0.02)	5,880	0.65
KTB	20.20	0.10	181,817	20.09	EIC	0.05	-	6,174	0.05	GL	7.35	(0.05)	11,268	7.38
LHFG	1.58	-	15,381	1.57	HANA	39.50	0.25	18,145	39.67	IFS	3.06	-	1,115	3.06
SCB	148.50	0.50	26,970	148.55	KCE	42.75	(0.25)	22,674	42.81	JMT	11.20	(0.10)	58,337	11.35
TCAP	53.50	0.50	31,407	53.34	METCO	-	-	-	-	KCAR	12.80	-	815	12.75
TISCO	83.50	-	14,401	83.47	SMT	2.30	-	27,750	2.31	KGI	4.52	0.02	17,194	4.52
TMB	2.42	0.02	1,265,473	2.42	SPPT	4.32	0.54	261,705	4.16	KTC	34.00	(0.75)	120,198	34.29
Construction Materia	-	-	-	-	SVI	5.70	(0.05)	28,412	5.74	MBKET	13.10	-	633	13.10
CCP	0.43	0.01	32,692	0.42	TEAM	1.14	-	3,643	1.14	MFC	17.00	0.10	221	16.90
COTTO	3.00	(0.06)	102,398	3.04	Energy & Utilities	-	-	-	-	ML	1.10	(0.01)	8,317	1.11
DCC	2.60	(0.06)	145,896	2.60	ABPIF	8.45	-	2,287	8.45	MTC	43.00	-	26,791	43.42
DCON	0.56	(0.01)	8,087	0.57	AI	-	-	-	-	PE	0.24	-	143	0.24
DRT	5.60	-	1,088	5.63	AKR	1.02	(0.01)	25,027	1.02	PL	3.52	-	701	3.52
EPG	8.95	-	39,519	8.96	BAFS	34.75	-	1,182	34.71	S11	7.60	-	452	7.59
GEL	0.36	-	81,257	0.36	BANPU	19.50	-	531,582	19.54	SAWAD	45.25	(0.50)	33,349	45.69
PPP	3.48	-	351	3.46	BCP	35.00	(0.25)	21,473	35.15	THANI	8.75	(0.10)	104,804	8.72
O-CON	5.35	-	1	5.35	BCPG	21.10	(0.20)	135,656	21.16	TK	11.30	(0.20)	482	11.39
RCI	3.80	(0.12)	56,980	3.86	BGRIM	27.50	-	37,191	27.38	TNITY	6.00	0.05	860	5.99
SCC	454.00	2.00	14,630	452.49	BPP	25.75	0.25	25,342	25.83	UOBKH	-	-	-	-
SCCC	250.00	-	114	249.88	BRRGIF	10.00	-	725	9.97	ZMICO	1.16	-	2,240	1.15
SCP	9.00	0.10	3,335	8.92	CKP	4.90	(0.08)	738,119	4.90	Food & Beverage	-	-	-	-
SKN	4.62	-	4,095	4.65	DEMCO	3.98	0.02	9,417	4.03	APURE	1.49	-	8,741	1.49
TASCO	16.00	(0.10)	31,458	16.08	EA	47.00	(1.00)	278,464	47.36	ASIAN	8.80	(0.10)	14,104	8.84
TCMC	2.72	(0.02)	19,503	2.74	EARTH	-	-	-	-	BR	5.55	0.15	37,330	5.55
TOA	37.75	0.25	28,410	38.03	EASTW	11.00	0.10	1,572	11.02	BRR	6.70	0.05	162	6.62
TPPL	1.85	-	38,794	1.85	EGATIF	11.00	0.10	17,846	11.00	CBG	54.00	0.25	16,648	54.35
UMI	1.51	(0.03)	17,742	1.53	EGCO	237.00	-	4,714	236.49	CFRESH	4.50	0.02	569	4.50
VNG	7.55	(0.10)	1,637	7.58	ESSO	15.40	-	136,352	15.54	CM	4.34	0.04	1,694	4.32
WIHK	2.48	0.02	15,810	2.51	GLOW	88.50	(0.50)	14,955	88.74	CPF	25.25	-	404,865	25.04
Petrochemicals & Chm	-	-	-	-	GPSC	68.00	(0.50)	33,622	67.66	CPI	1.84	-	1,228	1.84
BCT	52.75	0.25	44	52.67	GULF	72.00	(1.00)	35,937	72.52	F&D	-	-	-	-
CMAN	3.32	(0.08)	25,435	3.33	GUNKUL	3.06	0.14	656,522	3.02	HTC	17.10	0.40	3,296	16.91
GC	5.15	0.05	364	5.15	IEC	-	-	-	-	ICHI	4.62	(0.02)	14,577	4.66
GGC	11.50	(0.10)	24,964	11.57	IFEC	-	-	-	-	KBS	4.30	-	950	4.28
GIFT	4.56	(0.02)	3,621	4.57	IRPC	6.95	(0.05)	505,359	6.94	KSL	3.38	(0.04)	6,195	3.38
IVL	59.00	-	85,173	59.33	LANNA	16.00	(0.10)	1,260	16.07	KTIS	5.75	(0.05)	256	5.71
NFC	11.30	(0.20)	1,160	11.37	MDX	4.58	(0.06)	1,051	4.59	LST	5.00	0.02	4,611	5.01
PATO	14.50	-	54	14.46	PTG	12.60	(0.20)	289,942	12.65	M	73.00	-	746	73.29
PMTA	14.00	0.20	11	14.00	PTT	54.00	-	451,776	54.02	MALEE	15.40	0.70	59,891	15.10
PTTGC	81.00	1.25	141,065	80.83	PTTEP	153.50	(1.00)	98,207	154.41	MINT	40.50	0.50	81,764	40.43
SUTHA	4.34	0.02	387	4.33	RATCH	51.50	0.25	11,125	51.64	OISHI	92.00	(1.00)	58	91.78
TCCC	34.75	0.25	181	34.63	RPC	0.53	-	1,573	0.53	PB	60.75	0.25	48	60.55
TPA	6.70	-	28	6.58	SCG	4.58	0.02	165	4.56	PM	9.15	(0.05)	10,313	9.18
UP	28.00	(0.25)	2	28.00	SCI	3.10	(0.02)	13,648	3.14	PRG	-	-	-	-
VNT	24.90	(0.60)	10,599	25.06	SCN	4.24	(0.04)	88,744	4.30	SAPPE	24.10	0.10	2,850	24.17
WG	162.00	(2.00)	20	162.00	SGP	11.70	(0.20)	63,001	11.81	SAUCE	22.00	-	67	22.04
YCI	-	-	-	-	SKE	1.31	(0.02)	10,400	1.30	SFP	-	-	-	-
Commerce	-	-	-	-	SOLAR	2.34	0.02	1,755	2.32	SNP	20.40	-	69	20.40
BEAUTY	11.70	(0.10)	410,721	11.74	SPCG	21.00	(0.10)	2,672	21.15	SORKON	-	-	-	-
BIG	1.95	0.09	485,459	1.92	SPRC	14.70	(0.10)	99,989	14.75	SSC	40.00	-	10	40.00
BJC	59.00	-	46,627	59.41	SUPER	0.86	(0.02)	8,515,529	0.88	SSF	8.30	-	75	8.30
COL	29.50	0.25	7,460	29.18	SUSCO	3.24	0.02	6,936	3.24	SST	5.75	-	454	5.79
COM7	20.70	0.10	26,456	20.63	TAE	2.22	-	2,099	2.22	TC	3.06	0.02	1,162	3.06
CPALL	70.00	0.75	253,374	70.02	TCC	0.53	0.01	173,003	0.54	TFG	4.24	(0.04)	8,274	4.27
CSS	2.34	-	41,065	2.35	TOP	86.25	(0.75)	57,115	86.47	TFMAMA	159.50	(0.50)	3	159.83
FN	2.86	(0.02)	2,064	2.86	TPIPP	6.50	(0.20)	377,374	6.55	TIPCO	9.40	0.05	2,508	9.36
FTE	2.30	(0.02)	13,238	2.28	TTW	12.40	(0.30)	34,257	12.49	TKN	16.70	(0.10)	138,516	16.95
GLOBAL	20.40	-	31,559	20.43	WHAPU	6.30	0.10	48,058	6.24	TU	17.80	0.10	47,954	17.83
HMPRO	15.50	(0.10)	123,771	15.62	WP	7.45	(0.05)	7,316	7.47	TVO	29.50	(0.25)	7,056	29.59
IT	4.28	(0.02)	513	4.26	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
KAMART	4.56	0.08	48,732	4.58	AMARIN	4.82	(0.02)	1,788	4.82	AHC	21.10	0.10	118	21.00
LOXLEY	2.22	-	5,500	2.22	AQUA	0.49	-	155,299	0.48	BCH	19.70	0.10	89,251	19.88
MAKRO	34.75	0.50	15,282	34.22	AS	1.16	-	17	1.16	BDMS	25.25	-	220,186	25.24
MC	12.90	-	3,936	12.86	BEC	7.00	(0.25)	244,748	7.04	BH	184.50	1.00	14,356	184.64
MEGA	36.25	(0.50)	9,031	36.52	EPCO	3.70	(0.04)	13,817	3.70	CHG	2.76	0.02	199,039	2.75
MIDA	0.61	(0.01)	5,621	0.61	FE	-	-	-	-	CMR	3.18	-	999	3.18
ROBINS	69.75	(0.50)	11,347	69.68	GPI	2.72	-	3,048	2.72	EKH	6.00	0.20	36,297	5.90
RSP	3.88	(0.02)	12,298	3.84	GRAMMY	8.00	0.05	653	8.08	KDH	95.00	-	48	95.01
SINGER	9.40	-	103	9.41	MACO	1.93	-	580,271	1.95	LPH	6.05	(0.05)	5,417	6.06
SPC	53.50	(0.50)	23	52.60	MAJOR	24.7								

## Main Board Quotation

Issue Date :

Tuesday September 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WPH	2.76	-	6,192	2.76	MJD	3.50	0.04	2,496	3.47	CPT	1.96	0.01	51,689	1.96
Tourism & Leisure					MK	4.02	-	8,731	4.04	CRANE	2.96	-	623	2.98
ASIA	6.80	0.05	1,462	6.62	NCH	0.92	(0.02)	270	0.93	CTW	9.35	(0.05)	209	9.35
CENTEL	42.50	0.75	109,600	42.62	NNCL	1.78	(0.01)	6,854	1.79	FMT	25.00	-	10	25.00
CSR	-	-	-	-	NOBLE	13.00	0.20	1,854	13.03	HTECH	7.00	(0.05)	5,470	7.01
DTC	12.50	0.10	17,531	12.58	NUSA	0.33	(0.01)	29,964	0.33	KKC	1.65	-	820	1.64
ERW	8.10	(0.25)	153,934	8.22	NVD	4.14	-	128	4.15	PK	3.26	(0.08)	15,436	3.28
GRAND	1.04	(0.01)	56,663	1.04	ORI	17.40	(0.60)	81,544	17.56	SNC	14.60	(0.10)	5,991	14.68
LRH	39.00	-	87	39.00	PACE	0.61	-	48,259	0.60	TCJ	5.95	(0.05)	237	5.99
MANRIN	-	-	-	-	PF	1.04	(0.02)	384,782	1.03	VARO	-	-	-	-
OHTL	-	-	-	-	PLAT	8.50	(0.05)	24,862	8.55	Property Fund & REIT				
ROH	-	-	-	-	POLAR	-	-	-	-	AIMIRT	10.80	-	68	10.80
SHANG	78.00	0.50	60	77.75	PRECHA	1.42	0.02	205	1.42	AMATAR	10.90	-	1,515	10.80
Home & Office Produ					PRIN	1.64	0.01	4,492	1.63	B-WORK	11.20	(0.10)	1,654	11.29
ACC	0.49	-	39,330	0.50	PRINC	5.15	(0.05)	4,432	5.20	BKKCP	12.40	(0.10)	355	12.40
AJA	0.40	-	78,380	0.40	PSH	21.40	(0.40)	28,255	21.51	BOFFICE	13.30	(0.10)	1,821	13.34
DTCI	-	-	-	-	OH	3.50	(0.06)	805,785	3.52	CPNCG	15.90	-	1,584	15.97
FANCY	0.90	-	2,935	0.90	RICHY	1.84	(0.01)	32,122	1.85	CPNREIT	26.75	(0.25)	6,768	26.77
KYE	408.00	-	101	408.12	RML	1.34	-	80,885	1.34	CPTGF	13.40	-	1,820	13.47
L&E	2.72	0.04	73	2.71	ROJNA	5.30	(0.10)	16,656	5.35	CRYSTAL	10.30	-	4,005	10.20
MODERN	4.48	(0.02)	2,456	4.47	S	3.58	(0.02)	145,212	3.62	CTARAF	4.80	(0.02)	173	4.81
OGC	37.25	-	22	37.25	SAMCO	2.12	-	819	2.12	DREIT	5.45	(0.05)	143	5.45
ROCK	-	-	-	-	SC	3.64	(0.06)	32,318	3.66	ERWPF	-	-	-	-
SIAM	2.14	(0.02)	9,277	2.18	SENA	3.82	(0.02)	16,931	3.81	FUTUREPF	22.40	(0.10)	1,220	22.50
TSR	2.24	(0.04)	21,200	2.26	SF	8.65	(0.20)	17,259	8.71	GAHREIT	9.65	-	215	9.65
Insurance					SIRI	1.68	(0.03)	762,193	1.69	GLANDRT	13.00	-	546	12.93
AYUD	42.25	3.50	15,334	43.31	SPALI	24.30	(0.30)	107,873	24.26	GOLDPF	7.05	-	2,178	7.01
BKI	350.00	(1.00)	13	350.15	TICON	16.60	(0.20)	336	16.69	GVREIT	15.30	(0.10)	161	15.40
BLA	33.00	-	7,905	32.99	U	0.03	(0.01)	1,667,373	0.03	HPF	5.45	-	62	5.45
BUI	-	-	-	-	UV	8.55	(0.05)	52,043	8.60	HREIT	6.75	(0.05)	3,059	6.76
CHARAN	-	-	-	-	WHA	4.20	(0.04)	653,415	4.24	IMPACT	19.60	(0.20)	7,778	19.50
INSURE	-	-	-	-	WIN	0.68	-	1,461	0.67	KPNPF	-	-	-	-
MTI	105.50	(0.50)	54	106.06	Paper & Printing Mat					LHHOTEL	15.90	0.10	7,074	15.86
NKI	-	-	-	-	UTP	11.30	-	2,299	11.25	LHPF	8.30	-	2,216	8.30
NSI	79.50	(0.25)	185	79.50	Fashion					LHSC	16.30	0.10	1,827	16.26
SMK	43.25	3.00	67	42.69	AFC	9.15	-	231	9.15	LUXF	8.50	0.05	570	8.52
THRE	1.10	(0.01)	15,569	1.11	BTNC	-	-	-	-	M-II	8.90	(0.05)	1	8.90
THREL	8.30	-	527	8.28	CPH	-	-	-	-	M-PAT	-	-	-	-
TIC	40.50	-	10	40.50	CPL	3.20	(0.12)	8	3.23	M-STOR	-	-	-	-
TIP	24.80	(0.10)	5,612	24.80	DIGI	0.28	0.01	7,899	0.27	MIPF	-	-	-	-
TSI	0.41	(0.02)	2,477	0.41	ICC	-	-	-	-	MIT	-	-	-	-
TVI	3.56	(0.02)	293	3.56	LTX	103.00	-	19	102.97	MJLF	12.60	(0.10)	1,103	12.60
Mining					NC	-	-	-	-	MNIT	-	-	-	-
PDI	14.60	(0.10)	3,520	14.65	PAF	0.90	-	1,932	0.91	MNIT2	-	-	-	-
THL	-	-	-	-	PDJ	2.60	-	11,590	2.58	MNRF	-	-	-	-
Packaging					PG	6.95	-	33	6.96	MONTRI	6.30	0.25	28	6.21
AJ	10.30	-	253	10.34	SABINA	30.25	1.25	86,043	30.35	POPF	13.80	(0.10)	28,875	13.80
ALUCON	178.00	-	20	178.75	SAWANG	15.00	0.50	1	15.00	PPF	11.30	-	1,000	11.30
CSC	45.25	0.25	161	44.56	SUC	45.00	-	62	45.00	QHHR	8.55	0.05	3,972	8.50
NEP	0.35	(0.02)	753	0.35	TNL	-	-	-	-	QHOP	3.40	(0.04)	115	3.40
NPPG	1.00	(0.03)	46,159	0.99	TPCORP	-	-	-	-	QHPF	13.20	-	22,542	13.19
PTL	16.70	(0.30)	3,273	16.81	TR	47.25	(0.75)	211	47.80	SBPF	3.00	-	29	2.98
SITHAI	1.23	-	9,394	1.23	TTI	-	-	-	-	SHREIT	9.50	-	204	9.49
SLP	0.97	-	14,062	0.99	TTL	-	-	-	-	SIRIP	11.80	-	2	11.80
SMPC	13.60	(0.10)	878	13.70	TTTM	168.50	(1.00)	1	168.50	SPF	23.90	(0.20)	2,223	23.93
SPACK	1.94	0.10	2,825	2.01	UPF	-	-	-	-	SRIPANWA	11.00	(0.10)	102	11.00
TCOAT	-	-	-	-	UT	-	-	-	-	SSPF	-	-	-	-
TFI	0.29	(0.02)	224	0.30	WACOAL	-	-	-	-	SSTPF	6.50	-	404	6.50
THIP	33.25	-	436	33.34	Transportation & Log					SSTRT	-	-	-	-
TMD	21.00	(0.20)	254	21.00	AAV	4.28	(0.16)	307,757	4.29	TIF1	8.80	-	493	8.80
TOPP	-	-	-	-	AOT	66.50	0.50	117,141	66.44	TLGF	19.70	(0.10)	9,517	19.52
TPBI	8.15	-	465	8.11	ASIMAR	2.60	-	1,603	2.60	TLHPF	-	-	-	-
TPP	-	-	-	-	B	0.65	0.02	50,582	0.65	TNPF	3.58	-	170	3.58
Personal Products &					BA	13.30	(0.10)	53,006	13.45	TPRIME	-	-	-	-
APCO	4.38	0.02	268	4.37	BEM	8.60	(0.15)	920,989	8.62	TREIT	12.00	-	2,141	11.95
DDD	47.25	(0.50)	5,624	47.42	BTS	9.30	-	113,903	9.28	TTLPF	23.40	0.20	34	23.26
JCT	-	-	-	-	BTSGIF	12.20	-	49,865	12.20	TU-PF	-	-	-	-
OCC	17.20	(0.10)	140	17.20	III	6.70	(0.10)	13,099	6.71	URBNPF	3.54	(0.12)	1,035	3.59
S & J	-	-	-	-	JUTHA	1.79	(0.03)	337	1.80	WHABT	10.00	(0.20)	500	10.00
STHAI	-	-	-	-	JWD	7.70	(0.10)	14,894	7.77	WHART	10.70	(0.10)	6,653	10.77
TNR	13.90	-	1,042	13.94	KWC	-	-	-	-	Steel	-	-	-	-
TOG	4.76	(0.04)	105	4.79	NOK	2.52	0.02	13,574	2.51	AMC	2.46	-	467	2.46
Professional Service					NYT	5.00	-	5,538	5.01	BSBM	1.14	-	720	1.14
BWG	1.15	0.04	577,800	1.14	PRM	8.40	(0.35)	137,574	8.54	CEN	1.40	0.01	8,271	1.40
GENCO	0.80	-	1,654	0.80	PSL	12.80	0.30	53,604	12.82	CITY	2.74	-	1	2.74
PRO	-	-	-	-	RCL	5.90	(0.05)	2,679	5.92	CSP	1.38	(0.01)	397	1.38
TEAMG	2.44	0.04	43,892	2.43	THAI	15.40	0.90	169,536	15.01	GJS	0.26	-	7,893	0.26
Property Developer					TSTE	-	-	-	-	GSTEL	-	-	-	-
A	6.70	-	400	6.70	TTA	7.25	0.15	44,747	7.20	INOX	1.20	(0.01)	1,758	1.21
AMATA	22.30	-	148,281	22.40	WICE	5.15	0.10	42,124	5.14	LHK	4.96	0.02	398	4.96
AMATAV	6.10	(0.05)	3,965	6.11	Automotive					MAX	0.02	-	296,978	0.02
ANAN	5.05	(0.20)	301,180	5.07	AH	28.75	(1.00)	15,482	29.08	MCS	7.15	(0.05)	29,807	7.15
AP	9.00	(0.20)	218,159	9.07	APCS	5.35	(0.10)	1,264	5.30	MILL	1.70	0.01	32,573	1.69
APEX	0.21	0.01	7,070	0.20	BAT-3K	-	-	-	-	PAP	4.12	-	150	4.12
AQ	0.03	-	48,952	0.03	CWT	3.00	(0.02)	19,431	3.03	PERM	2.36	-	318	2.36
BLAND	1.80	(0.03)	985,081	1.81	EASON	2.76	(0.02)	4,775	2.78	RICH	-	-	-	-
BROCK	2.36	0.04	227	2.37	GYT	390.00	5.00	4	391.00	SAM	0.70	-	3,635	0.70
CGD														

## Main Board Quotation

Issue Date :

Tuesday September 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	TSE	3.18	(0.02)	2,822	3.00	ADVA01P1902A	0.62	(0.01)	21,736	-
ABICO	7.55	(0.05)	3,083	7.00	UMS	0.80	-	31	-	ADVA01P1902B	0.44	-	17,220	-
AU	8.45	0.05	24,900	8.00	UWC	0.07	(0.01)	35,577	-	ADVA06C1809A	0.31	(0.03)	7,754	-
FC	0.30	0.04	138,403	-	Services (MAI)	-	-	-	-	ADVA06C1903A	0.49	(0.01)	4,200	-
JCKH	1.13	-	2,646	1.00	ADAM	-	-	-	-	ADVA08C1809A	-	-	-	-
KASET	2.18	-	935	2.00	AKP	1.70	0.05	3,715	1.00	ADVA08C1903A	0.31	(0.69)	30	-
MM	3.98	-	494	3.00	AMA	5.95	(0.15)	3,732	6.00	ADVA08P1809A	-	-	-	-
SUN	3.48	(0.04)	4,816	3.00	ARIP	0.50	(0.01)	1,807	-	ADVA11C1905A	0.22	-	3,840	-
TACC	4.16	(0.08)	5,145	4.00	ATP30	1.74	-	52,968	1.00	ADVA11P1905A	0.29	-	8,621	-
TMILL	3.20	0.02	1,888	3.00	AUCT	6.95	(0.15)	33,571	7.00	ADVA13C1811A	0.40	(0.02)	17,959	-
XO	10.30	-	4,309	10.00	BOL	1.93	0.02	529	1.00	ADVA13C1901A	0.27	-	24,363	-
<b>Consumer Products</b>														
BGT	1.03	0.01	575	1.00	CHUO	-	-	-	-	ADVA16C1812A	0.50	-	1	-
BIZ	2.80	0.02	1,855	2.00	CMO	1.52	-	403	1.00	ADVA19C1901A	0.53	(0.01)	12,170	-
DOD	14.10	0.20	79,820	14.00	D	11.90	(0.10)	6,165	11.00	ADVA23C1902A	0.37	-	8,237	-
ECF	8.80	-	26,222	8.00	DCORP	2.80	0.02	13,170	2.00	ADVA24C1810A	0.16	(0.05)	4,739	-
HPT	1.05	(0.04)	14,752	1.00	DNA	0.63	(0.02)	201,639	-	ADVA24C1905A	0.30	-	150	-
JUBILE	19.20	(0.20)	731	19.00	EFORL	0.07	(0.01)	31,332	-	ADVA24P1810A	-	-	-	-
MOONG	6.40	-	848	6.00	ETE	1.87	(0.03)	16,588	1.00	ADVA27C1902A	0.26	(0.03)	5,856	-
NPK	-	-	-	-	FSMART	8.65	(0.05)	3,284	8.00	ADVA28C1811A	-	-	-	-
OCEAN	2.22	0.27	875,001	2.00	FVC	1.10	0.03	11,898	1.00	ADVA28C1901A	0.16	(0.01)	14,543	-
TM	2.18	0.02	2,418	2.00	HARN	2.62	(0.04)	2,213	2.00	ADVA28P1810A	-	-	-	-
<b>Financials (MAI)</b>														
ACAP	6.90	(0.05)	9,337	6.00	KJN	11.10	-	17,595	11.00	ADVA42C1903A	-	-	-	-
AF	0.71	-	4,179	-	KIAT	0.53	0.03	456,123	-	AMAT01C1810A	0.93	-	175,086	-
AIRA	1.97	-	355	1.00	KOOL	1.81	(0.02)	5,697	1.00	AMAT01C1810B	0.49	-	229,116	-
ASN	3.54	(0.12)	272	3.00	LDC	1.12	-	3,572	1.00	AMAT01C1903A	0.74	-	37,071	-
BROOK	0.58	-	38,281	-	MPG	0.17	-	6,521	-	AMAT01C1903B	0.63	0.01	35,371	-
CHAYO	5.25	0.15	25,449	5.00	MVP	3.28	0.16	219,136	3.00	AMAT01P1810A	0.59	(0.01)	54,985	-
GCAP	3.86	(0.02)	10,938	3.00	NBC	0.77	-	1,427	-	AMAT01P1903A	0.80	(0.02)	47,944	-
LIT	8.20	0.05	522	8.00	NCL	1.71	0.02	485	1.00	AMAT06C1809A	0.01	-	13,699	-
SGF	1.90	(0.10)	874,449	1.00	NEWS	0.01	-	14,387	-	AMAT06C1903A	0.65	(0.37)	4,600	-
<b>Industrials (MAI)</b>														
ZS	3.22	(0.04)	1,081	3.00	NINE	2.50	(0.06)	9,519	2.00	AMAT08C1809A	-	-	-	-
ADB	1.19	0.01	2,418	1.00	OTO	3.14	-	14,339	3.00	AMAT08C1903A	0.62	0.01	40,025	-
BM	3.30	(0.04)	6,683	3.00	PHOL	2.18	(0.04)	831	2.00	AMAT11C1903A	0.41	0.01	13,402	-
CHO	1.22	0.02	41,749	1.00	PICO	4.56	0.02	109	4.00	AMAT13C1812A	0.56	0.01	166,303	-
CHOW	4.74	(0.02)	50	4.00	PORT	7.05	(0.05)	8,692	7.00	AMAT13C1902A	0.38	0.01	244,785	-
CIG	0.37	-	5,788	-	QLT	-	-	-	-	AMAT19C1811A	0.19	(0.01)	17,381	-
COLOR	1.29	(0.02)	1,101	1.00	RP	3.08	(0.02)	777	3.00	AMAT19C1902A	0.72	-	56,620	-
CPR	5.70	(0.05)	894	5.00	SE	2.28	(0.08)	22,169	2.00	AMAT23C1810A	0.14	-	22,000	-
FPI	2.32	(0.02)	5,147	2.00	SPA	15.70	(0.20)	8,643	15.00	AMAT24C1811A	-	-	-	-
GTB	0.66	(0.01)	3,254	-	THMUI	1.80	(0.03)	32,488	1.00	AMAT27C1902A	0.86	0.01	3,600	-
KCM	1.21	(0.02)	17,841	1.00	TNDT	4.82	-	179	4.00	AMAT28C1902A	0.49	(0.51)	91,320	-
LVT	-	-	-	-	TNH	39.75	(0.25)	1,072	39.00	ANAN01C1810A	1.16	(0.14)	26,297	1.00
MBAX	4.00	-	139	3.00	TNP	1.91	0.04	3,876	1.00	ANAN01C1810B	0.76	(0.32)	28,556	-
MGT	2.16	0.02	24,644	2.00	TSF	0.04	(0.01)	8,784	-	ANAN08C1810A	0.89	(0.35)	5,575	-
NDR	2.30	(0.02)	277	2.00	TVD	1.70	(0.03)	71,563	1.00	ANAN08C1906A	0.26	(0.05)	53,001	-
PDG	3.60	(0.02)	60	3.00	TVT	1.04	0.02	9,452	1.00	ANAN13C1901A	0.18	(0.05)	125,049	-
PIMO	4.36	-	1,209	4.00	WINNER	3.52	0.02	1,205	3.00	ANAN19C1811A	0.50	(0.18)	40,661	-
PJW	1.89	0.01	2,223	1.00	Technology (MAI)	-	-	-	-	ANAN23C1901A	0.26	(0.13)	142	-
PPM	1.88	(0.01)	284	1.00	COMAN	4.40	0.52	126,416	4.00	ANAN24C1811A	0.72	(0.27)	1	-
RWI	1.66	-	2,310	1.00	ICN	2.30	-	11,086	2.00	AOT01C1810A	0.22	0.01	96,590	-
SALEE	1.13	-	2,463	1.00	IRCP	0.98	(0.01)	6,737	-	AOT01C1902A	0.55	0.01	72,475	-
SANKO	1.34	(0.02)	42,036	1.00	ITEL	3.56	(0.02)	2,597	3.00	AOT01C1902B	0.37	0.01	57,127	-
SELIC	2.52	-	5,567	2.00	NETBAY	35.25	(0.50)	1,355	35.00	AOT01P1902A	0.78	(0.01)	35,677	-
SWC	26.75	0.25	3,918	26.00	PLANET	1.54	-	66	1.00	AOT01P1902B	0.45	(0.02)	27,049	-
TMC	0.90	-	1,160	-	SIMAT	2.38	0.18	126,829	2.00	AOT06C1809A	0.01	-	33,199	-
TMI	0.81	(0.06)	51,515	-	SKY	13.90	(0.20)	8,762	13.00	AOT06C1903A	0.49	0.02	14,792	-
TMW	68.25	-	274	68.00	SPVI	1.69	0.11	231,521	1.00	AOT06P1903A	0.43	(0.02)	15,248	-
TPAC	12.70	(0.30)	60	12.00	UPA	0.56	-	91,618	-	AOT07C1902A	-	-	-	-
TPLAS	2.00	(0.04)	12,672	2.00	VCOM	3.30	(0.02)	3,173	3.00	AOT08C1901A	0.29	0.01	24,500	-
UAC	4.54	(0.04)	1,259	4.00	Unit Trust	-	-	-	-	AOT08P1903A	0.44	(0.02)	33,690	-
UBIS	4.58	0.02	1,684	4.00	MGE	-	-	-	-	AOT11C1906A	0.38	0.01	21,818	-
UEC	1.51	(0.02)	817	1.00	SCBSET	-	-	-	-	AOT11P1906A	0.34	(0.01)	13,956	-
UKEM	0.90	-	9,598	-	ETF	-	-	-	-	AOT13C1811A	0.11	-	16,668	-
UREKA	1.05	0.04	98,723	1.00	IDIV	14.10	0.11	125	13.00	AOT13C1812A	0.26	0.01	21,316	-
YUASA	16.70	(0.10)	319	16.00	ABFTH	-	-	-	-	AOT13C1902A	0.51	0.02	38,516	-
ZIGA	3.48	(0.02)	10,501	3.00	BMSCG	9.36	(0.09)	351	9.00	AOT13P1810A	0.09	(0.01)	7,150	-
<b>Property &amp; Construc</b>														
ARROW	8.85	0.05	95	8.00	BMSCITH	13.10	0.01	2,169	13.00	AOT13P1812A	-	-	-	-
BKD	3.06	(0.10)	42,677	3.00	BSET100	11.29	-	820	11.00	AOT13P1902A	0.34	(0.02)	13,357	-
BSM	0.75	-	6,039	-	CHINA	5.11	0.01	272	5.00	AOT19C1809A	-	-	-	-
BTW	1.82	(0.02)	778	1.00	EBANK	-	-	-	-	AOT19C1901A	0.41	0.01	58,899	-
CHEWA	1.35	(0.01)	53,706	1.00	ECOMM	8.41	0.03	12	8.00	AOT24C1811A	-	-	-	-
CRD	1.12	0.01	2,225	1.00	EFOOD	5.90	(0.02)	1	5.00	AOT24C1901A	0.24	-	707	-
DIMET	1.07	-	28,665	1.00	EICT	4.84	0.01	1	4.00	AOT24P1809A	-	-	-	-
FLOYD	2.28	(0.02)	5,174	2.00	ENGY	6.82	(0.04)	43	6.00	AOT24P1903A	-	-	-	-
FOCUS	1.16	0.05	36,996	1.00	ENY	8.10	0.04	10	8.00	AOT27C1902A	0.47	0.01	5,400	-
HYDRO	1.23	(0.01)	21,818	1.00	ESET50	6.06	0.01	1	6.00	AOT27P1903A	0.59	(0.02)	2,100	-
JSP	0.57	-	43,167	-	GLD	1.70	-	77	1.00	AOT28C1812A	0.23	0.01	12,120	-
K	2.86	(0.06)	204	2.00	TDEX	11.44	-	325	11.00	AOT28C1901A	0.20	0.01	17,768	-
META	2.14	(0.04)	19,601	2.00	TGOLDETF	3.64	-	302	3.00	AOT28C1902A	0.45	0.02	41,528	-
PPS	0.98	(0.01)	7,266	-	TH100	-	-	-	-	AOT28P1812A	0.14	(0.02)	8,303	-
SMART	0.94	(0.01)	679	-	Warrant Foreign	-								

## Main Board Quotation

Issue Date :

Tuesday September 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANP01P1903B	0.45	-	65,475	-	BEAU01C1902B	1.12	(0.01)	31,947	1.00	BPP01C1811A	0.24	-	42,485	-
BANP06C1810A	-	-	-	-	BEAU01P1812A	1.11	0.02	52,092	1.00	BPP01C1811B	0.08	-	1,000	-
BANP06C1903A	-	-	-	-	BEAU01P1902A	0.63	(0.02)	16,125	-	BPP01P1811A	0.34	(0.04)	22,246	-
BANP07C1810A	-	-	-	-	BEAU06C1809A	0.01	-	63,499	-	BPP06C1809A	0.22	(0.02)	12,000	-
BANP07C1904A	0.37	(0.63)	20	-	BEAU06C1904A	1.90	0.03	960	1.00	BPP06C1903A	0.25	(0.75)	200	-
BANP08C1811A	0.13	(0.01)	51,985	-	BEAU07C1809A	-	-	-	-	BPP08C1810A	0.10	-	15,548	-
BANP08P1901A	0.30	0.01	87,556	-	BEAU08C1901A	0.07	-	2,768	-	BPP13C1811A	-	-	-	-
BANP11C1902A	0.09	(0.01)	4,941	-	BEAU08C1902A	1.11	-	1,262	1.00	BPP13C1901A	0.19	-	263,333	-
BANP13C1811A	0.12	(0.01)	179,621	-	BEAU11C1902A	-	-	-	-	BPP13C1902A	-	-	-	-
BANP13C1902A	0.36	0.01	244,117	-	BEAU13C1811A	0.01	-	2	-	BPP19C1903A	0.66	-	28,044	-
BANP16C1812A	0.69	(0.02)	5,660	-	BEAU13C1812A	0.03	-	40,761	-	BPP23C1901A	0.28	0.02	1,500	-
BANP19C1811A	0.08	(0.01)	1,200	-	BEAU13C1812B	1.11	(0.03)	21,216	1.00	BPP24C1809A	-	-	-	-
BANP19C1902A	0.44	-	31,773	-	BEAU13C1901A	0.29	(0.01)	332,605	-	BPP24C1902A	-	-	-	-
BANP23C1901A	0.12	(0.01)	4,500	-	BEAU19C1811A	0.02	-	1,959	-	BPP28C1812A	0.46	-	11,168	-
BANP24C1812A	-	-	-	-	BEAU19C1901A	1.14	(0.03)	9,163	1.00	BPP28C1902A	0.18	-	36,783	-
BANP24P1901A	-	-	-	-	BEAU23C1901A	0.02	0.01	3,102	-	BTS01C1810A	0.36	(0.02)	906	-
BANP27C1809A	0.01	-	20	-	BEAU24C1901A	0.31	(0.01)	126,520	-	BTS01C1810B	0.03	(0.02)	1,000	-
BANP28C1810A	-	-	-	-	BEAU24C1902A	0.07	(0.01)	2,370	-	BTS01P1810A	0.40	0.01	4,900	-
BANP28C1902A	0.24	(0.01)	139,056	-	BEAU27C1903A	0.35	-	27,560	-	BTS06C1903A	-	-	-	-
BANP42C1903A	0.25	(0.01)	14,249	-	BEAU28C1810A	-	-	-	-	BTS06C1903B	-	-	-	-
BANP42P1903A	0.50	0.01	14,280	-	BEAU28C1811A	-	-	-	-	BTS06C1903C	-	-	-	-
BBL06C1902A	0.93	(0.01)	7,560	-	BEAU28C1811A	-	-	-	-	BTS08C1810A	0.13	(0.01)	2	-
BBL08C1809A	-	-	-	-	BEC01C1812A	0.08	(0.02)	63,067	-	BTS11C1904A	0.06	(0.01)	5,500	-
BBL08C1902A	0.71	(0.01)	7,842	-	BEC01C1812B	0.07	(0.01)	4,272	-	BTS19C1901A	0.26	(0.01)	12,000	-
BBL08P1810A	0.01	-	3,197	-	BEC08C1809A	-	-	-	-	BTS23C1905A	1.58	(0.01)	10	1.00
BBL11C1903A	0.58	-	702	-	BEC13C1811A	0.01	(0.01)	44,112	-	BTS24C1901A	-	-	-	-
BBL11P1903A	0.18	-	1,133	-	BEC13C1901A	0.09	(0.02)	197,638	-	BTS28C1811A	-	-	-	-
BBL13C1810A	-	-	-	-	BEC19C1809A	-	-	-	-	BTS28C1902A	0.19	(0.02)	350	-
BBL13C1901A	0.33	-	27,667	-	BEC23C1809A	-	-	-	-	BTS42C1901A	-	-	-	-
BBL19C1901A	0.32	-	2,484	-	BEC24C1809A	-	-	-	-	BTS42P1901A	-	-	-	-
BBL23C1811A	-	-	-	-	BEC24C1812A	0.02	-	3,000	-	CBG01C1809A	0.01	(0.01)	25,774	-
BBL24C1809A	-	-	-	-	BEC28C1811A	-	-	-	-	CBG01C1811A	0.51	0.01	45,557	-
BBL24C1812A	-	-	-	-	BEM01C1902A	0.42	(0.02)	78,774	-	CBG01C1811B	0.16	(0.01)	27,317	-
BBL24C1902A	0.24	(0.01)	150	-	BEM01C1902B	0.35	(0.02)	60,968	-	CBG01C1902A	0.81	-	27,458	-
BBL24P1810A	-	-	-	-	BEM01C1902B	0.39	0.02	40,998	-	CBG01C1902B	0.69	-	29,178	-
BBL27C1809A	-	-	-	-	BEM07C1903A	0.39	0.02	40,998	-	CBG01P1811A	0.66	(0.02)	19,113	-
BBL28C1811A	-	-	-	-	BEM08C1809A	0.11	(0.07)	27,764	-	CBG01P1811B	0.20	(0.01)	30,282	-
BBL28C1901A	0.27	-	20,380	-	BEM11C1903A	0.29	(0.01)	13,721	-	CBG06C1809A	0.01	-	4,471	-
BBL42C1903A	0.32	-	4,080	-	BEM13C1901A	0.37	(0.03)	224,685	-	CBG06C1903A	0.86	0.01	9,255	-
BCH01C1902A	0.54	0.01	51,940	-	BEM19C1901A	0.39	(0.04)	31,844	-	CBG06P1809A	0.24	(0.05)	4,564	-
BCH01C1902B	0.41	-	38,290	-	BEM23C1901A	0.22	(0.03)	3,750	-	CBG06P1903A	-	-	-	-
BCH01P1902A	0.39	(0.01)	68,482	-	BEM24C1809A	-	-	-	-	CBG07C1812A	-	-	-	-
BCH06C1811A	0.43	(0.01)	31,898	-	BEM24C1902A	0.30	(0.03)	4,400	-	CBG08C1810A	0.01	-	940	-
BCH08C1901A	0.63	-	43,888	-	BGR101C1901A	1.13	(0.01)	7,418	1.00	CBG08C1902A	0.52	-	17,360	-
BCH11C1905A	0.55	0.02	47,283	-	BGR101C1901B	0.92	(0.01)	3,131	-	CBG11C1902A	0.13	0.01	17,152	-
BCH13C1810A	0.27	(0.03)	2,799	-	BGR101C1903A	0.36	(0.01)	5,735	-	CBG13C1811A	0.09	(0.01)	9,325	-
BCH13C1902A	0.34	-	92,979	-	BGR101C1903B	0.27	(0.02)	6,935	-	CBG13C1812A	0.24	-	144,520	-
BCH19C1809A	0.29	(0.01)	5,160	-	BGR106C1903A	0.96	(0.07)	1,800	-	CBG13C1901A	0.76	0.01	57,013	-
BCH19C1903A	0.61	0.01	43,842	-	BGR107C1903A	0.28	0.01	2	-	CBG19C1810A	-	-	-	-
BCH23C1811A	0.53	(0.01)	10,000	-	BGR108C1902A	0.83	0.02	777	-	CBG19C1901A	0.60	0.01	10,002	-
BCH24C1811A	0.24	-	3,486	-	BGR113C1812A	0.80	0.02	930	-	CBG23C1901A	0.13	-	5,460	-
BCH27C1902A	0.83	0.03	5,400	-	BGR113C1812B	0.23	-	24,021	-	CBG24C1809A	-	-	-	-
BCH28C1811A	-	-	-	-	BGR119C1901A	0.67	0.02	1,923	-	CBG24C1811A	0.13	-	23	-
BCH28C1902A	0.29	0.01	66,277	-	BGR124C1901A	0.78	(0.11)	52	-	CBG24C1901A	0.68	0.01	151	-
BCP01C1810A	0.19	(0.02)	1,032	-	BGR124C1902A	-	-	-	-	CBG28C1811A	-	-	-	-
BCP01C1810B	-	-	-	-	BGR128C1812A	-	-	-	-	CBG28C1812A	0.40	-	17,603	-
BCP01P1810A	0.33	-	11,494	-	BGR128C1901A	-	-	-	-	CENTO1C1810A	0.13	0.02	101,961	-
BCP08C1901A	0.24	-	20,400	-	BH01C1811A	0.57	0.01	32,247	-	CENTO1C1810B	-	-	-	-
BCP11C1811A	-	-	-	-	BH01C1811B	0.09	0.01	6,189	-	CENTO1C1903A	0.55	0.03	145,869	-
BCP13C1810A	-	-	-	-	BH01P1811A	1.12	(0.04)	10,873	1.00	CENTO1C1903B	0.48	0.03	120,518	-
BCP13C1902A	0.24	-	2,499	-	BH07C1810A	-	-	-	-	CENTO1P1810A	0.95	(0.07)	25,887	-
BCP19C1902A	0.24	-	200	-	BH08C1811A	-	-	-	-	CENTO1P1903A	0.41	(0.03)	30,277	-
BCP24C1811A	-	-	-	-	BH08C1902A	0.55	0.03	30,225	-	CENT06C1904A	0.28	0.02	76,261	-
BCP24C1904A	0.17	0.03	1	-	BH11C1902A	-	-	-	-	CENT08C1809A	-	-	-	-
BCP28C1901A	-	-	-	-	BH11C1905A	0.65	0.02	4,480	-	CENT08C1902A	0.27	0.02	73,374	-
BCPG01C1811A	0.65	(0.02)	149,044	-	BH13C1901A	0.58	0.02	50,998	-	CENT11C1904A	0.17	0.02	16,896	-
BCPG01C1811B	0.26	(0.03)	60,551	-	BH19C1901A	0.57	0.02	31,861	-	CENT13C1811A	0.02	-	4,810	-
BCPG06C1811A	0.40	(0.02)	79,560	-	BH24C1809A	-	-	-	-	CENT13C1902A	0.37	0.02	508,966	-
BCPG08C1810A	0.39	0.01	41,040	-	BH24C1811A	0.01	-	110	-	CENT19C1901A	0.27	0.02	229,025	-
BCPG11C1902A	0.24	(0.02)	14,186	-	BH24C1902A	0.47	0.02	6,461	-	CENT23C1902A	0.16	0.02	21,724	-
BCPG13C1810A	0.17	(0.04)	249,102	-	BIG08C1906A	0.17	0.02	33,496	-	CENT24C1810A	-	-	-	-
BCPG13C1812A	0.70	(0.02)	10,456	-	BIG13C1901A	0.09	0.02	71,682	-	CENT24C1901A	0.15	-	3,386	-
BCPG13C1902A	0.43	(0.02)	355,671	-	BIG19C1811A	0.03	0.01	22,742	-	CENT24C1902A	0.39	0.04	31,947	-
BCPG19C1901A	0.67	(0.03)	79,230	-	BIG24C1812A	0.03	-	4,001	-	CHG01C1809A	0.74	-	5,211	-
BCPG23C1902A	0.56	(0.02)	10,000	-	BJC01C1812A	0.75	-	31,808	-	CHG01C1809B	1.12	(0.01)	5,004	1.00
BCPG24C1810A	0.19	(0.01)	2,000	-	BJC01C1812B	0.54	(0.01)	32,018	-	CHG01C1903A	0.48	0.01	8,859	-
BCPG27C1903A	0.58	(0.01)	4,800	-	BJC01P1812A	0.25	(0.01)	119,548	-	CHG01C1903B	0.40	(0.01)	10,800	-
BCPG28C1812A	-	-	-	-	BJC06C1901A	0.29	-	33,029	-	CHG01P1809A	0.01	-	2	-
BCPG28C1901A	0.42	(0.01)	161,188	-	BJC07C1809A	-	-	-	-	CHG01P1903A	0.37	-	5,954	-
BDMS01C1811A	0.17	0.01	90,006	-	BJC08C1809A	-	-	-	-	CHG07C1902A	-	-	-	-
BDMS01C1811B	0.03	-	50,519	-	BJC08C1903A	0.46	-	47,844	-	CHG11C1904A	0.39	0.01	3,806	-
BDMS01P1811A	0.29	(0.01)	25,772	-	BJC11C1905A	0.56	0.01	23,588	-	CHG13C1812A	0.40	0.01	18,543	-
BDMS06C1811A	0.49	0.02	7,355	-	BJC13C1810A	-	-	-	-	CHG19C1902A	0.45	0.01	3,330	-
BDMS07C1904A	-	-	-	-	BJC13C1812A	0.47	(0.02)	2,849	-	CHG23C1811A	-	-	-	-
BDMS08C1901A	0.10	-	4,303	-	BJC13C1902A	0.38	0.01	34,912	-	CHG24C1811A	-	-	-	-
BDMS11C1811A	0.56	(0.01)	726	-	BJC13C1902A	0.38	0.01	34,912	-	CHG28C1812A	-	-	-	-
BDMS11C1904A	0.09	-	100	-	BJC19C1902A	0.52	(0.02)	42,042	-	CHG28C1902A	0.26	-	11,316	-
BDMS13C1810A	-	-	-	-	BJC23C1901A	0.26	(0.02)	15,400	-	CK01C1809A	0.18	(0.08)	22,703	-
BDMS13C1812A	0.07	(0.01)												

## Main Board Quotation

Issue Date :

Tuesday September 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP01C1812A	0.88	(0.04)	61,329	-	DTAC01C1810B	0.03	(0.01)	30	-	GGC19C1811A	-	-	-	-
CKP01C1812B	0.67	(0.06)	51,617	-	DTAC01C1902A	0.86	-	31,641	-	GGC19C1902A	0.38	(0.03)	2,810	-
CKP08C1903A	0.82	(0.05)	38,981	-	DTAC01C1902B	0.70	0.01	37,308	-	GGC23C1901A	0.04	(0.01)	11,275	-
CKP13C1810A	0.59	(0.10)	4,340	-	DTAC01P1810A	0.75	(0.04)	28,108	-	GGC24C1812A	-	-	-	-
CKP13C1902A	-	-	-	-	DTAC01P1810B	0.16	(0.02)	54,172	-	GGC24C1901A	0.25	(0.02)	520	-
CKP13C1903A	0.62	(0.05)	86,068	-	DTAC01P1902A	0.65	(0.01)	62,581	-	GGC28C1811A	-	-	-	-
CKP13C1903B	0.17	(0.83)	20,277	-	DTAC01P1902B	0.44	(0.01)	11,516	-	GGC28C1905A	0.35	-	24,675	-
CKP19C1902A	0.71	(0.05)	67,576	-	DTAC06C1901A	0.32	0.01	20,280	-	GLOB01C1809A	0.91	-	20,537	-
CKP23C1810A	-	-	-	-	DTAC06C1903A	0.50	0.01	14,306	-	GLOB01C1809B	0.27	(0.02)	39,038	-
CKP24C1811A	0.72	(0.10)	10,841	-	DTAC06P1809A	0.01	-	36,803	-	GLOB01C1903A	0.69	(0.01)	22,022	-
CKP28C1902A	0.67	(0.04)	85,672	-	DTAC06P1903A	0.55	(0.03)	5,109	-	GLOB01C1903B	0.60	-	26,284	-
COM701C1811A	0.74	(0.01)	11,534	-	DTAC07C1809A	-	-	-	-	GLOB06C1809A	0.55	-	11,802	-
COM701C1811B	0.38	(0.01)	6,458	-	DTAC07C1902A	-	-	-	-	GLOB11C1906A	0.46	-	7,211	-
COM706C1809A	0.25	(0.01)	6,400	-	DTAC08C1809A	-	-	-	-	GLOB13C1901A	0.49	(0.01)	19,831	-
COM706C1903A	0.54	-	7,064	-	DTAC08C1903A	0.46	0.01	34,515	-	GLOB19C1901A	0.66	(0.01)	2,053	-
COM708C1811A	0.16	-	14,344	-	DTAC08P1902A	0.15	(0.02)	20,853	-	GLOB23C1811A	0.74	(0.03)	5,000	-
COM708C1903A	-	-	-	-	DTAC11C1904A	0.35	0.01	12,216	-	GLOB24C1810A	-	-	-	-
COM711C1811A	0.55	(0.02)	5,400	-	DTAC13C1811A	0.09	-	160	-	GLOB27C1809A	-	-	-	-
COM713C1812A	0.45	0.01	62,131	-	DTAC13C1812A	0.49	0.02	2,005	-	GLOW08C1811A	0.33	(0.03)	8,728	-
COM719C1811A	0.38	0.01	5,725	-	DTAC13C1902A	0.38	-	31,251	-	GLOW19C1901A	0.39	(0.02)	23,508	-
COM719C1904A	0.71	0.01	2,676	-	DTAC13P1811A	0.20	(0.01)	13,522	-	GLOW27C1812A	0.24	(0.01)	4,200	-
COM723C1901A	0.41	-	3,000	-	DTAC13P1812A	0.06	(0.01)	11	-	GPSCO1C1902A	0.58	(0.03)	33,223	-
COM724C1811A	-	-	-	-	DTAC19C1811A	0.26	0.01	12,658	-	GPSCO1C1902B	0.42	(0.02)	32,657	-
COM727C1902A	0.62	-	8,400	-	DTAC24C1809A	-	-	-	-	GPSCO1P1902A	1.14	0.01	35,085	1.00
COM728C1811A	0.36	-	18,384	-	DTAC24C1901A	-	-	-	-	GPSCO6C1811A	0.08	(0.01)	8,000	-
COM728C1903A	0.51	(0.49)	66,868	-	DTAC27C1809A	-	-	-	-	GPSCO8C1902A	0.36	(0.02)	44,717	-
CPAL01C1901A	0.26	0.01	352,716	-	DTAC27C1903A	0.44	0.02	13,200	-	GPSC11C1902A	0.15	(0.01)	14,400	-
CPAL01C1901B	0.10	-	172,222	-	DTAC27P1809A	0.01	-	1,000	-	GPSC13C1812A	0.24	(0.01)	38,267	-
CPAL01C1904A	0.78	0.03	157,002	-	DTAC27P1903A	0.49	(0.01)	11,014	-	GPSC19C1901A	0.37	(0.01)	48,408	-
CPAL01C1904B	0.62	0.02	127,925	-	DTAC28C1810A	-	-	-	-	GPSC24C1812A	0.15	-	10	-
CPAL01P1901A	1.37	(0.03)	49,139	1.00	DTAC28C1812A	0.58	-	53,155	-	GPSC27C1902A	0.47	-	12,300	-
CPAL01P1901B	0.92	(0.06)	19,742	-	DTAC28C1902A	0.37	(0.63)	60,609	-	GPSC28C1811A	0.14	(0.01)	34,988	-
CPAL01P1904A	0.73	(0.02)	38,146	-	DTAC42C1903A	0.41	0.01	16,240	-	GUNK08C1902A	0.25	0.05	105,247	-
CPAL01P1904B	0.52	(0.03)	44,860	-	EA01C1809A	1.22	(0.03)	36,342	1.00	GUNK11C1903A	0.14	0.04	19,019	-
CPAL06C1811A	0.63	0.03	4,788	-	EA01C1809B	0.38	(0.08)	72,181	-	GUNK24C1812A	0.14	0.02	2,000	-
CPAL06C1811B	-	-	-	-	EA01P1809A	0.01	-	68,024	-	GUNK28C1810A	0.12	0.05	1,800	-
CPAL07C1902A	0.33	0.02	87,624	-	EA06C1809A	0.01	-	9,882	-	HANA01C1811A	0.52	0.02	137,591	-
CPAL08C1902A	0.17	0.01	22,404	-	EA07C1810A	0.06	(0.01)	279	-	HANA01C1811B	0.26	0.02	81,628	-
CPAL08C1902B	0.48	(0.52)	590	-	EA07C1903A	0.81	(0.06)	1,103	-	HANA08C1809A	-	-	-	-
CPAL08P1810A	0.88	(0.06)	5,913	-	EA08C1809A	-	-	-	-	HANA08C1903A	0.40	-	30,786	-
CPAL11C1903A	0.07	-	2,628	-	EA08C1810A	0.41	(0.03)	81,074	-	HANA11C1904A	0.28	-	19,358	-
CPAL11P1903A	0.92	(0.06)	7,570	-	EA08C1903A	0.80	(0.04)	34,499	-	HANA13C1901A	0.33	-	28,793	-
CPAL13C1812A	0.14	0.02	140,305	-	EA11C1902A	0.24	(0.01)	3,812	-	HANA19C1902A	0.31	-	20,396	-
CPAL13C1901A	0.38	0.02	358,396	-	EA13C1810A	-	-	-	-	HANA23C1811A	0.49	0.03	1,000	-
CPAL13P1902A	0.43	(0.03)	55,011	-	EA13C1811A	0.25	(0.04)	122,824	-	HANA24C1810A	-	-	-	-
CPAL19C1811A	0.05	-	93,965	-	EA13C1812A	0.56	(0.06)	98,840	-	HANA28C1812A	0.40	0.01	38,090	-
CPAL19C1902A	0.46	0.01	53,313	-	EA13C1812B	0.98	(0.04)	2,424	1.00	HANA28C1902A	0.29	0.01	47,702	-
CPAL23C1810A	-	-	-	-	EA13C1901A	0.48	(0.07)	83,334	-	HMPR01C1902A	0.48	-	36,959	-
CPAL24C1811A	0.01	-	72	-	EA19C1811A	0.53	(0.05)	90,203	-	HMPR01C1902B	0.41	(0.01)	24,487	-
CPAL24C1901A	0.15	0.02	13,142	-	EA23C1901A	0.66	(0.04)	15,104	-	HMPR01P1902A	0.32	0.01	42,547	-
CPAL24C1903A	0.39	0.02	158,495	-	EA24C1809A	-	-	-	-	HMPR06C1811A	0.14	(0.03)	6,820	-
CPAL24P1901A	0.34	(0.04)	563	-	EA24C1901A	-	-	-	-	HMPR08C1810A	0.08	-	14,647	-
CPAL27C1903A	0.44	0.01	28,000	-	EA27C1902A	0.90	(0.04)	3,350	-	HMPR11C1906A	0.29	-	8,246	-
CPAL28C1811A	-	-	-	-	EA28C1901A	0.58	(0.03)	37,429	-	HMPR13C1812A	0.32	-	38,727	-
CPAL28C1901A	0.34	0.02	192,523	-	EA28C1902A	0.35	(0.65)	93,813	-	HMPR19C1901A	0.48	(0.03)	8,132	-
CPF01C1809A	0.75	(0.04)	29,874	-	EGCO01C1809A	-	-	-	-	HMPR23C1901A	0.13	-	30	-
CPF01C1809B	0.01	-	700	-	EGCO01C1903A	0.64	(0.01)	6,534	-	HMPR24C1901A	0.31	-	750	-
CPF01C1810A	0.16	(0.02)	105,370	-	EGCO01C1903B	0.51	(0.02)	6,048	-	HMPR28C1811A	0.14	(0.01)	41,218	-
CPF01C1902A	0.22	(0.01)	91,382	-	EGCO08C1809A	-	-	-	-	INTU01C1809A	0.30	(0.02)	1,407	-
CPF01C1902B	0.14	(0.01)	129,176	-	EGCO13C1809A	-	-	-	-	INTU01C1809B	0.01	-	5,800	-
CPF01P1809A	0.05	0.01	4,020	-	EGCO19C1901A	0.41	(0.01)	4,026	-	INTU01C1903A	0.47	-	931	-
CPF01P1902A	0.42	0.01	22,365	-	EGCO23C1811A	0.26	-	205	-	INTU01C1903B	0.33	(0.01)	1,908	-
CPF01P1902B	0.34	0.02	25,578	-	EGCO24C1901A	-	-	-	-	INTU01P1809A	-	-	-	-
CPF06C1809A	0.13	(0.05)	9,838	-	EPG01C1809A	0.15	(0.01)	65,204	-	INTU01P1809B	-	-	-	-
CPF06C1903A	-	-	-	-	EPG01C1903A	0.54	(0.01)	7,397	-	INTU01P1903A	0.68	-	7,029	-
CPF07C1810A	-	-	-	-	EPG01C1903B	0.44	(0.02)	9,774	-	INTU01P1903B	0.51	-	20,796	-
CPF08C1809A	0.01	(0.01)	1,600	-	EPG01P1809A	0.23	-	9,836	-	INTU11C1905A	-	-	-	-
CPF08C1901A	0.13	(0.01)	8,584	-	EPG01P1905A	0.83	-	12,386	-	INTU11P1905A	0.32	(0.01)	2,060	-
CPF11C1902A	0.06	(0.01)	9,857	-	EPG07C1811A	0.54	(0.05)	22	-	INTU13C1810A	-	-	-	-
CPF11P1902A	0.22	0.01	26,625	-	EPG08C1810A	-	-	-	-	INTU13C1812A	0.30	-	7,428	-
CPF13C1809A	-	-	-	-	EPG08C1810B	0.63	(0.01)	11,842	-	INTU19C1901A	0.28	-	500	-
CPF13C1810A	-	-	-	-	EPG08C1903A	-	-	-	-	INTU24C1901A	-	-	-	-
CPF13C1902A	0.15	-	20,548	-	EPG11C1903A	0.55	-	4,976	-	INTU28C1901A	0.21	-	1	-
CPF19C1901A	0.16	-	18,833	-	EPG13C1811A	0.32	(0.02)	1,050	-	IRPC01C1810A	0.16	(0.03)	122,857	-
CPF23C1810A	0.14	(0.09)	1	-	EPG13C1902A	0.31	-	20,556	-	IRPC01C1810B	0.02	0.01	1	-
CPF24C1809A	-	-	-	-	EPG19C1902A	0.39	(0.01)	11,334	-	IRPC01C1903A	0.37	-	50,688	-
CPF24C1901A	0.24	(0.05)	3,200	-	EPG24C1810A	-	-	-	-	IRPC01C1903B	0.28	(0.02)	104,682	-
CPF24C1902A	-	-	-	-	EPG24C1902A	0.47	(0.07)	73	-	IRPC01P1810A	0.20	0.01	32,708	-
CPF27C1903A	-	-	-	-	EPG28C1902A	0.30	(0.01)	43,008	-	IRPC01P1810B	-	-	-	-
CPF28C1811A	0.07	(0.02)	7,100	-	ERW13C1902A	0.37	(0.05)	120,171	-	IRPC01P1903A	0.44	0.01	37,398	-
CPF28C1902A	-	-	-	-	ERW19C1902A	0.54	(0.07)	34,592	-	IRPC01P1903B	0.32	0.01	43,512	-
CPN01C1902A	0.68	(0.01)	32,071	-	ERW24C1904A	0.52	(0.06)	1,005	-	IRPC06C1811A	0.27	(0.01)	11,316	-
CPN01C1902B	0.47	(0.01)	27,622	-	ESSO01C1812A	0.53	0.01	29,212	-	IRPC07C1812A	0.28	(0.02)	38,000	-
CPN01P1902A	0.78	0.03	19,078	-	ESSO01C1812B	0.31	-	60,022	-	IRPC08C1902A	0.35	(0.01)	26,192	-
CPN06C1811A	0.61	(0.02)	9,562	-	ESSO01P1812A	0.46	-	51,315	-	IRPC11C1902A	0.06	-	663	-
CPN07C1902A	-	-	-	-	ESSO08C1902A	0.43	-	28,998	-	IRPC11C1905A	0.41	-	3,090	-
CPN08C1809A	-	-												

## Main Board Quotation

Issue Date :

Tuesday September 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ITD19C1903A	0.50	(0.02)	3,814	-	KTC11C1902A	1.36	(0.10)	106	1.00	ORI13C1810A	0.11	(0.07)	81,458	-
ITD24C1810A	-	-	-	-	KTC13C1809B	-	-	-	-	ORI13C1902A	0.37	(0.06)	72,468	-
ITD24C1902A	0.32	(0.03)	30,200	-	KTC13C1812A	0.21	(0.02)	35,614	-	ORI19C1811A	0.09	(0.03)	82,032	-
IVL01C1812A	0.48	-	152,900	-	KTC13C1812B	0.42	(0.04)	557,396	-	ORI19C1904A	0.50	(0.07)	4,843	-
IVL01C1812B	0.23	-	59,427	-	KTC19C1811A	0.15	(0.03)	55,820	-	ORI23C1809A	-	-	-	-
IVL01C1903A	0.58	-	95,235	-	KTC19C1901A	0.89	(0.07)	20,092	-	ORI24C1810A	-	-	-	-
IVL01C1903B	0.46	(0.01)	78,979	-	KTC23C1809A	1.31	(0.25)	2,000	1.00	ORI24C1903A	-	-	-	-
IVL01P1812A	0.66	(0.02)	74,947	-	KTC24C1810A	0.04	(0.01)	1,000	-	ORI28C1902A	0.33	(0.67)	29,881	-
IVL01P1812B	0.38	(0.01)	32,425	-	KTC27C1903A	0.53	(0.03)	13,220	-	PLAN08C1811A	0.14	(0.04)	47,830	-
IVL01P1903A	0.91	(0.01)	19,002	-	KTC27P1903A	0.38	0.01	10,032	-	PLAN13C1809A	-	-	-	-
IVL01P1903B	0.73	(0.01)	29,204	-	KTC28C1810A	0.09	(0.03)	2,000	-	PLAN28C1810A	-	-	-	-
IVL06C1901A	0.33	0.01	9,384	-	KTC28C1901A	0.38	(0.02)	22,085	-	PRM08C1902A	0.46	(0.05)	55,871	-
IVL07C1811A	0.35	0.02	360	-	LH01C1809A	-	-	-	-	PRM13C1901A	0.49	(0.08)	83,125	-
IVL08C1901A	0.48	0.01	28,767	-	LH01C1809B	-	-	-	-	PRM19C1902A	0.53	(0.09)	81,063	-
IVL08P1809A	-	-	-	-	LH01C1903A	0.31	0.01	915	-	PSH01C1810A	0.37	(0.06)	19,602	-
IVL08P1903A	0.51	(0.02)	32,636	-	LH01C1903B	-	-	-	-	PSH01C1810B	0.03	(0.01)	100	-
IVL11C1906A	0.48	-	15,570	-	LH01P1809A	-	-	-	-	PSH01P1810A	0.49	0.05	9,260	-
IVL13C1810A	0.08	-	20,771	-	LH01P1903A	0.39	(0.01)	4,210	-	PSH08C1811A	-	-	-	-
IVL13C1812A	0.36	-	101,166	-	LH06C1809A	-	-	-	-	PSH11C1902A	0.26	(0.03)	2,304	-
IVL13P1811A	0.11	-	29,295	-	LH06C1903A	-	-	-	-	PSH23C1811A	0.19	(0.05)	3,500	-
IVL19C1809A	0.21	(0.01)	21,626	-	LH07C1810A	0.04	(0.02)	5,000	-	PSL01C1812A	0.39	0.02	34,487	-
IVL19C1903A	0.61	-	38,835	-	LH11C1906A	-	-	-	-	PSL01C1812B	0.29	0.02	27,327	-
IVL23C1810A	0.36	-	1,035	-	LH13C1902A	0.27	-	2,370	-	PSL11C1905A	0.28	0.02	8,355	-
IVL24C1812A	-	-	-	-	LH19C1901A	0.18	0.01	7,490	-	PSL23C1809A	-	-	-	-
IVL24C1901A	0.44	-	822	-	LH23C1901A	-	-	-	-	PTG01C1811A	0.05	0.01	11,085	-
IVL27C1902A	0.47	0.01	10,200	-	LH24C1809A	-	-	-	-	PTG01C1811B	0.01	-	400	-
IVL28C1811A	0.16	-	55,171	-	LH24C1903A	0.12	(0.01)	3,000	-	PTG01C1902A	0.43	-	97,877	-
IVL28C1812A	0.46	0.01	63,104	-	LPN01C1809A	0.06	(0.08)	25,487	-	PTG01C1902B	0.27	(0.02)	62,244	-
IVL28P1811A	0.15	-	20,771	-	LPN01C1811A	0.45	(0.10)	60,272	-	PTG01P1811A	1.54	0.04	11,570	1.00
IVL42C1903A	0.38	0.01	9,120	-	LPN01C1811B	0.16	(0.09)	99,483	-	PTG01P1902A	0.48	0.01	64,280	-
KBAN01C1810A	1.24	0.02	25,413	1.00	LPN01P1809A	0.31	0.13	19,165	-	PTG06C1810A	0.02	(0.01)	80	-
KBAN01C1901A	1.36	(0.01)	31,348	1.00	LPN08C1810A	0.05	(0.03)	3,400	-	PTG06C1904A	0.23	(0.02)	6,672	-
KBAN01C1901B	0.65	(0.01)	48,554	-	LPN08C1906A	0.25	(0.06)	25,744	-	PTG08C1902A	0.08	-	1,163	-
KBAN01C1904A	0.52	-	1,288	-	LPN19C1811A	0.19	(0.08)	101,274	-	PTG08C1903A	0.33	(0.01)	60,346	-
KBAN01C1904B	0.40	(0.01)	37,531	-	LPN24C1812A	0.23	(0.16)	1,120	-	PTG11C1903A	-	-	-	-
KBAN01P1810A	0.02	-	222	-	MAJO08C1811A	-	-	-	-	PTG13C1812A	0.03	(0.01)	2,099	-
KBAN01P1901A	0.73	-	16,971	-	MAJO11C1902A	-	-	-	-	PTG13C1901A	0.25	(0.02)	531,932	-
KBAN01P1901B	0.20	(0.01)	45,190	-	MAJO13C1903A	0.18	0.01	6,325	-	PTG19C1902A	0.14	-	475,624	-
KBAN01P1904A	0.67	-	30,169	-	MAJO19C1902A	0.18	0.01	2	-	PTG19C1902B	0.41	(0.02)	27,124	-
KBAN01P1904B	0.48	-	37,916	-	MAJO24C1809A	-	-	-	-	PTG24C1809A	-	-	-	-
KBAN06C1811A	0.62	(0.04)	12,053	-	MAJO24C1902A	0.42	-	100	-	PTG24C1901A	0.31	(0.02)	174,642	-
KBAN07C1811A	-	-	-	-	MALE01C1812A	0.03	-	301	-	PTG24C1902A	0.09	(0.01)	10,445	-
KBAN08C1811A	0.59	(0.01)	2,742	-	MALE08C1811A	0.01	-	111	-	PTG27C1809A	-	-	-	-
KBAN08C1903A	-	-	-	-	MALE13C1809A	-	-	-	-	PTG27C1902A	0.16	(0.01)	32,810	-
KBAN08P1811A	0.05	-	15	-	MALE27C1812A	-	-	-	-	PTG28C1812A	0.05	-	532	-
KBAN13C1810A	0.03	(0.03)	1,238	-	MALE28C1810A	-	-	-	-	PTG28C1901A	0.27	(0.03)	94,330	-
KBAN13C1811A	0.62	0.02	9,308	-	MC19C1811A	-	-	-	-	PTL08C1811A	0.49	(0.01)	16,148	-
KBAN13C1901A	0.29	-	27,918	-	MC23C1809A	-	-	-	-	PTL13C1809A	-	-	-	-
KBAN19C1901A	0.36	-	32,938	-	MC24C1812A	-	-	-	-	PTL28C1810A	-	-	-	-
KBAN23C1902A	0.56	(0.01)	5,000	-	MEGA01C1811A	0.19	(0.01)	1,010	-	PTT01C1810A	0.17	(0.01)	203,229	-
KBAN24C1902A	-	-	-	-	MEGA01C1811B	-	-	-	-	PTT01C1810B	0.02	0.01	30,450	-
KBAN24C1903A	-	-	-	-	MEGA01C1904A	0.50	(0.02)	950	-	PTT01C1901A	0.77	0.01	105,385	-
KBAN24P1811A	-	-	-	-	MEGA01C1904B	0.45	-	1,550	-	PTT01C1901B	0.60	0.01	64,024	-
KBAN27C1809A	-	-	-	-	MEGA08C1811A	0.05	-	1	-	PTT01P1810A	0.67	-	9,566	-
KBAN27C1903A	0.40	(0.01)	14,200	-	MEGA08C1903A	-	-	-	-	PTT01P1810B	0.06	(0.02)	28,921	-
KBAN27P1809A	-	-	-	-	MEGA11C1902A	0.09	(0.01)	1,000	-	PTT01P1901A	0.39	-	35,591	-
KBAN28C1811A	-	-	-	-	MEGA13C1902A	0.36	0.01	1,791	-	PTT01P1901B	0.21	-	4,883	-
KBAN28C1812A	0.28	0.01	43,738	-	MEGA19C1902A	0.29	(0.01)	651	-	PTT06C1811A	-	-	-	-
KBAN28P1811A	-	-	-	-	MEGA23C1902A	-	-	-	-	PTT06C1901A	0.46	0.02	8,044	-
KCE01C1810A	0.68	-	16,343	-	MEGA24C1812A	-	-	-	-	PTT06P1901A	0.25	-	3,714	-
KCE01C1810B	0.37	(0.02)	15,054	-	MINT01C1901A	0.56	0.03	54,761	-	PTT07C1811A	-	-	-	-
KCE06C1809A	0.77	(0.09)	3,504	-	MINT01C1901B	0.38	0.01	63,702	-	PTT08C1809A	-	-	-	-
KCE06C1903A	-	-	-	-	MINT01P1901A	0.18	(0.01)	22,438	-	PTT08C1902A	0.39	(0.01)	17,113	-
KCE07C1902A	0.37	(0.01)	10	-	MINT06C1809A	0.01	-	3,990	-	PTT08P1809A	-	-	-	-
KCE08C1809A	0.10	(0.06)	13,020	-	MINT06C1901A	0.39	0.03	22,912	-	PTT11C1902A	0.19	0.01	5,854	-
KCE08C1902A	0.30	-	11,624	-	MINT06C1903A	0.34	0.01	14,988	-	PTT13C1810A	0.01	-	5,063	-
KCE11C1904A	0.38	-	4,214	-	MINT07C1810A	0.02	-	3,000	-	PTT13C1811A	0.21	-	61,024	-
KCE13C1811A	0.54	-	200	-	MINT08C1809A	-	-	-	-	PTT13C1812A	0.38	-	107,547	-
KCE13C1812A	0.26	(0.01)	124,506	-	MINT08C1903A	0.36	0.02	37,591	-	PTT13P1812A	0.10	(0.01)	53	-
KCE19C1901A	0.38	(0.01)	16,973	-	MINT11C1902A	0.16	0.01	17,195	-	PTT19C1809A	-	-	-	-
KCE23C1901A	0.19	(0.03)	75,701	-	MINT11P1902A	-	-	-	-	PTT19C1901A	0.49	-	123,634	-
KCE24C1901A	0.32	(0.02)	5,044	-	MINT13C1810A	0.10	0.02	21,010	-	PTT23C1901A	0.11	0.01	27,803	-
KCE27C1902A	0.43	-	2,400	-	MINT13C1812A	0.44	0.03	80,553	-	PTT24C1809A	-	-	-	-
KCE28C1811A	-	-	-	-	MINT19C1901A	0.50	0.03	25,183	-	PTT24C1812A	0.27	-	13,922	-
KCE28C1902A	0.26	(0.01)	14,628	-	MINT23C1810A	0.07	0.01	9,476	-	PTT24P1901A	0.06	(0.02)	26,469	-
KKP01C1902A	0.62	-	60,074	-	MINT24C1812A	-	-	-	-	PTT27C1809A	-	-	-	-
KKP01C1902B	0.41	(0.01)	46,880	-	MINT24C1901A	-	-	-	-	PTT27C1903A	0.46	0.01	3,105	-
KKP08C1811A	0.40	(0.01)	29,092	-	MINT24C1902A	0.30	0.02	4,904	-	PTT27P1809A	-	-	-	-
KKP11C1903A	0.34	-	20,371	-	MINT27C1903A	0.30	0.01	16,400	-	PTT27P1903A	-	-	-	-
KKP13C1811A	0.26	-	126,647	-	MINT28C1811A	0.28	0.02	54,370	-	PTT28C1811A	0.04	0.01	1	-
KKP19C1901A	0.57	-	23,461	-	MONO01C1810A	-	-	-	-	PTT28C1811B	0.20	0.01	12,288	-
KKP24C1812A	0.31	0.02	1,500	-	MONO01C1810B	-	-	-	-	PTT28C1812A	0.40	0.01	11,830	-
KKP28C1810A	0.09	(0.02)	200	-	MONO08C1906A	0.09	(0.01)	3,333	-	PTT28C1901A	0.22	0.02	38,707	-
KKP28C1902A	0.37	(0.01)	135,534	-	MONO13C1811A	-	-	-	-	PTT28P1812A	0.07	-	3,000	-
KT01C1810A	0.54	-	8,081	-	MONO13C1901A	0.15	(0.01)	13,066	-	PTTE01C1901A	1.03	(0.03)	138,604	1.00
KT01C1810B	0.17	(0.01)	24,932	-	MONO19C1901A	0.05	-	800	-	PTTE01C1901B	0.68	(0.03)	184,762	-
KT06C1902A	0.46	(0.01)	2,220	-	MONO23C1809A	-	-	-	-	PTTE01P1901A	0.75	0.01	107,949	-
KT08C1809A	-	-	-	-	MONO23C1901A	0.13	(0.01)	4,004	-	PTTE01P1901B	0.30	0.01	77,062	-
KT08C1903A														

## Main Board Quotation

Issue Date :

Tuesday September 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE24P1809A	-	-	-	-	S5013C1809A	0.01	-	47,687	-	SCCC27C1812A	-	-	-	-
PTTE24P1901A	0.22	(0.03)	412	-	S5013C1809B	0.06	(0.03)	1,094,329	-	SGP06C1812A	0.18	(0.01)	5,050	-
PTTE27C1809A	1.16	0.18	1	1.00	S5013C1809C	0.01	-	135,395	-	SGP08C1901A	0.38	(0.02)	19,289	-
PTTE27C1903A	0.68	(0.03)	3,022	-	S5013C1809D	0.36	(0.02)	385,987	-	SGP11C1904A	0.20	-	9,073	-
PTTE27P1809A	0.03	-	1	-	S5013C1809E	1.47	-	5,762	1.00	SGP13C1811A	0.06	(0.05)	80	-
PTTE28C1810A	0.30	(0.05)	8,660	-	S5013C1809F	0.89	(0.01)	1,451	-	SGP13C1812A	0.23	(0.03)	15,876	-
PTTE28C1811A	0.18	(0.02)	48,432	-	S5013C1812A	1.21	0.03	1,820,378	1.00	SGP19C1811A	0.25	(0.01)	9,504	-
PTTE28C1902A	0.75	(0.01)	114,614	-	S5013C1812B	0.90	0.03	1,703,662	-	SGP19C1904A	0.32	(0.02)	9,040	-
PTTE28P1811A	0.02	0.01	319	-	S5013C1812C	0.77	0.02	1,312,333	-	SGP24C1811A	0.07	(0.02)	2,500	-
PTTE42C1903A	0.66	(0.01)	12,951	-	S5013P1809A	0.01	(0.01)	7,282,100	-	SGP24C1902A	0.92	(0.04)	10	-
PTTG01C1810A	0.11	0.01	100,824	-	S5013P1809B	0.01	-	210	-	SGP27C1903A	0.33	(0.01)	1,000	-
PTTG01C1810B	0.02	0.01	6,913	-	S5013P1809C	0.01	-	1	-	SGP28C1811A	0.08	(0.02)	4,000	-
PTTG01C1811A	0.35	0.03	125,339	-	S5013P1809D	0.01	-	1	-	SIRI01C1901A	0.43	(0.03)	52,059	-
PTTG01C1901A	1.08	0.05	91,947	1.00	S5013P1809E	0.01	-	1	-	SIRI01C1901B	0.15	(0.03)	34,391	-
PTTG01C1901B	0.73	0.05	90,691	-	S5013P1809F	0.13	(0.04)	101,418	-	SIRI01P1901A	0.47	0.05	24,144	-
PTTG01P1811A	1.45	(0.05)	39,567	1.00	S5013P1812A	0.47	(0.04)	2,217,119	-	SIRI06C1904A	0.37	(0.03)	5,912	-
PTTG01P1901A	0.73	(0.04)	15,569	-	S5013P1812B	0.77	(0.05)	2,016,354	-	SIRI08C1810A	-	-	-	-
PTTG01P1901B	0.46	(0.05)	15,936	-	S5013P1812C	0.98	(0.05)	801,281	-	SIRI11C1902A	0.12	(0.01)	150	-
PTTG06C1809A	0.01	-	30,302	-	S5028C1809A	0.01	(0.05)	500	-	SIRI13C1809A	-	-	-	-
PTTG06C1903A	1.03	0.06	26,834	1.00	S5028C1809B	1.29	(0.04)	5	1.00	SIRI13C1902A	0.29	(0.03)	108,976	-
PTTG06P1903A	0.33	(0.03)	6,400	-	S5028C1810A	0.64	0.02	1,559,684	-	SIRI19C1902A	0.26	(0.03)	13,514	-
PTTG07C1812A	0.28	0.04	52,344	-	S5028C1812A	1.40	0.05	1,560	1.00	SIRI23C1811A	-	-	-	-
PTTG08C1811A	-	-	-	-	S5028C1812B	0.95	0.02	4,239	-	SIRI24C1809A	-	-	-	-
PTTG08C1902A	0.53	0.03	57,575	-	S5028C1812C	0.64	(0.36)	590,088	-	SIRI24C1903A	-	-	-	-
PTTG08P1811A	0.49	(0.08)	12,061	-	S5028P1809A	0.01	-	190	-	SIRI28C1901A	0.35	(0.03)	46,080	-
PTTG11C1902A	0.09	(0.01)	393	-	S5028P1809B	-	-	-	-	SPAL01C1902A	0.62	(0.03)	10,600	-
PTTG13C1812A	0.17	0.02	134,307	-	S5028P1810A	0.27	(0.03)	510,657	-	SPAL01C1902B	0.44	(0.04)	11,170	-
PTTG13C1812B	0.66	0.06	202,388	-	S5028P1812A	0.37	(0.01)	53,121	-	SPAL06C1809A	0.44	(0.05)	7,506	-
PTTG19C1811A	0.14	0.01	48,621	-	S5028P1812B	0.67	(0.33)	464,168	-	SPAL11C1905A	0.13	(0.01)	6,880	-
PTTG19C1902A	0.71	0.04	23,561	-	SAWA01C1901A	0.78	(0.03)	32,923	-	SPAL19C1902A	0.41	(0.03)	41,379	-
PTTG23C1901A	-	-	-	-	SAWA01C1901B	0.64	(0.02)	126,483	-	SPAL23C1811A	0.44	(0.16)	11,200	-
PTTG24C1812A	-	-	-	-	SAWA01P1901A	0.48	0.01	27,105	-	SPAL24C1812A	0.12	(0.02)	200	-
PTTG24C1901A	0.40	0.01	600	-	SAWA06C1811A	0.11	-	200	-	SPRC01C1902A	0.36	(0.01)	12,520	-
PTTG24P1901A	-	-	-	-	SAWA06C1903A	1.16	(0.03)	10,814	1.00	SPRC01C1902B	0.26	(0.01)	15,514	-
PTTG27C1903A	0.41	0.03	12,016	-	SAWA07C1812A	-	-	-	-	SPRC06C1809A	0.01	-	11,702	-
PTTG27P1903A	0.38	(0.02)	15,550	-	SAWA08C1811A	0.03	(0.01)	7,500	-	SPRC06C1902A	0.47	(0.02)	3,912	-
PTTG28C1811A	0.10	0.01	37,860	-	SAWA08C1902A	0.90	(0.04)	13,778	-	SPRC07C1903A	0.24	(0.01)	1,601	-
PTTG28C1812A	0.61	0.04	54,338	-	SAWA08C1903A	0.48	(0.52)	200	-	SPRC11C1902A	0.10	-	578	-
QH01C1810A	0.59	(0.07)	9,287	-	SAWA11C1906A	0.57	(0.03)	8,032	-	SPRC13C1812A	0.29	(0.01)	35,988	-
QH01C1810B	0.23	(0.06)	32,063	-	SAWA13C1810A	0.01	-	1	-	SPRC19C1901A	0.37	(0.01)	9,880	-
QH01P1810A	0.10	0.02	5,000	-	SAWA13C1811A	-	-	-	-	SPRC23C1810A	-	-	-	-
QH11C1902A	0.44	(0.08)	9,928	-	SAWA13C1812A	0.29	(0.04)	79,258	-	SPRC24C1903A	0.34	-	3,218	-
QH19C1901A	0.23	(0.04)	88,945	-	SAWA13C1901A	0.88	(0.04)	1,011	-	STA01C1812A	0.67	0.01	22,707	-
QH24C1812A	0.14	(0.04)	17,590	-	SAWA19C1901A	0.88	(0.05)	13,228	-	STA01C1812B	0.52	0.02	23,352	-
QH27C1903A	0.29	(0.04)	18,925	-	SAWA24C1812A	0.28	-	10	-	STA13C1812A	0.76	(0.10)	3,084	-
RATC19C1901A	0.31	-	3,066	-	SAWA24C1902A	0.79	(0.01)	1,001	-	STA13C1901A	0.52	-	63,966	-
RATC24C1902A	0.30	0.01	200	-	SAWA27C1903A	0.64	-	5,400	-	STA13C1902A	0.31	-	194,212	-
RATC27C1812A	-	-	-	-	SAWA28C1810A	-	-	-	-	STA19C1811A	0.42	0.01	19,987	-
ROBI01C1809A	0.38	(0.05)	5,149	-	SAWA28C1811A	0.35	(0.03)	51,981	-	STA19C1903A	0.74	-	4,428	-
ROBI01C1903A	0.93	(0.03)	5,226	-	SAWA28C1812A	-	-	-	-	STA23C1809A	0.36	(0.05)	3,000	-
ROBI01C1903B	0.74	(0.04)	4,342	-	SAWA28C1902A	0.40	(0.60)	76,952	-	STA28C1902A	0.32	(0.68)	48,132	-
ROBI06C1809A	0.34	(0.04)	2,800	-	SCB01C1810A	0.65	0.01	15,792	-	STEC01C1809A	0.25	(0.06)	26,316	-
ROBI08C1903A	-	-	-	-	SCB01C1902A	1.14	0.01	6,639	1.00	STEC01C1809B	0.65	(0.26)	90	-
ROBI11C1906A	0.63	(0.02)	5,238	-	SCB01C1902B	1.04	(0.01)	14,763	1.00	STEC01C1902A	0.76	(0.02)	98,138	-
ROBI13C1902A	0.59	(0.02)	19,278	-	SCB01P1902A	0.33	-	3,073	-	STEC01C1902B	0.64	(0.03)	57,886	-
ROBI19C1901A	0.79	(0.04)	2,846	-	SCB01P1902B	0.11	-	1,450	-	STEC01P1809A	0.22	0.03	39,314	-
ROBI24C1901A	-	-	-	-	SCB06C1811A	0.81	(0.02)	2,512	-	STEC01P1902A	0.62	0.02	127,450	-
ROBI24C1903A	-	-	-	-	SCB07C1904A	-	-	-	-	STEC06C1809A	0.27	(0.07)	20,559	-
RS08C1901A	0.73	(0.01)	32,055	-	SCB08C1901A	0.61	(0.02)	2,711	-	STEC06C1903A	-	-	-	-
RS13C1901A	0.80	-	147,648	-	SCB11C1901A	0.32	0.02	2,620	-	STEC07C1904A	-	-	-	-
RS19C1901A	0.75	(0.01)	26,711	-	SCB11P1901A	0.20	(0.01)	1,798	-	STEC08C1809A	0.08	(0.07)	10,186	-
RS24C1811A	0.64	-	13,625	-	SCB13C1812A	0.72	(0.02)	8,464	-	STEC08C1903A	-	-	-	-
S10001C1811A	0.65	-	2,521	-	SCB13C1902A	0.46	0.01	35,732	-	STEC11C1903A	0.67	(0.03)	45,872	-
S5001C1809F	1.09	0.02	409,168	1.00	SCB13P1812A	0.05	0.02	80	-	STEC13C1902A	0.60	(0.05)	182,401	-
S5001C1809G	0.01	-	16,498	-	SCB19C1811A	0.38	-	5,572	-	STEC19C1901A	0.64	(0.04)	20,373	-
S5001C1809H	2.58	0.02	217,736	2.00	SCB24C1901A	-	-	-	-	STEC24C1901A	0.75	(0.03)	10,000	-
S5001C1809I	1.87	0.01	772,601	1.00	SCB24C1902A	-	-	-	-	STEC27C1902A	0.84	(0.04)	3,000	-
S5001C1810A	1.57	0.02	57,098	1.00	SCB24P1811A	-	-	-	-	STEC28C1810A	0.76	0.04	500	-
S5001C1810B	1.63	0.01	95,379	1.00	SCB27C1902A	-	-	-	-	STEC28C1902A	0.49	(0.03)	117,291	-
S5001C1811A	0.90	-	19,147	-	SCB27P1901A	0.43	-	1,200	-	STPI08C1811A	0.07	(0.01)	6,915	-
S5001C1811B	0.86	0.01	58,779	-	SCB28C1812A	0.61	(0.02)	4,192	-	SUPE08C1811A	0.02	(0.01)	44,492	-
S5001C1812F	1.27	0.03	1,141,793	1.00	SCB28C1902A	0.39	-	6,144	-	SUPE13C1810A	0.01	-	18,703	-
S5001C1812G	0.96	0.01	1,384,322	-	SCB28P1812A	0.02	-	175	-	SUPE13C1811A	0.17	-	57,455	-
S5001P1809F	0.80	(0.01)	791,965	-	SCB28P1901A	0.33	(0.01)	16,894	-	SUPE13C1902A	0.20	(0.02)	826,830	-
S5001P1809G	0.01	-	111,894	-	SCB42C1903A	0.46	(0.01)	800	-	SUPE19C1902A	0.24	(0.02)	531,504	-
S5001P1809H	0.01	-	21,912	-	SCC01C1901A	0.74	-	24,298	-	SUPE23C1811A	0.05	(0.02)	25,443	-
S5001P1809I	0.01	-	38,825	-	SCC01C1901B	0.58	-	31,492	-	SUPE23C1901A	-	-	-	-
S5001P1810A	0.14	-	25,631	-	SCC01P1901A	0.26	-	8,576	-	SUPE28C1810A	-	-	-	-
S5001P1810B	0.04	(0.01)	16,559	-	SCC06C1809A	0.01	(0.01)	5	-	SUPE28C1811A	0.02	-	2	-
S5001P1811A	0.69	-	50,390	-	SCC06C1902A	0.33	-	6,816	-	TASCO1C1809A	0.01	-	5,090	-
S5001P1811B	0.57	(0.01)	115,762	-	SCC07C1812A	-	-	-	-	TASCO1C1810A	0.13	(0.02)	8,852	-
S5001P1812F	0.88	(0.03)	992,089	-	SCC08C1809A	-	-	-	-	TASCO1C1810B	-	-	-	-
S5001P1812G	0.59	(0.04)	861,412	-	SCC08C1902A	0.39	-	7,474	-	TASCO1C1903A	0.51	(0.01)	13,614	-
S5006C1809A	0.03	(0.03)	195,490	-	SCC11C1811A	-	-	-	-	TASCO1C1903B	0.36	(0.01)	10,650	-
S5006C1809B	0.01													

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Tuesday September 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price
S5008P1812A	0.40	(0.60)	1,724	-

Securities	Close	Change	Volume (Lot)	Average Price
SCCC13C1809A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
TCAP13C1901A	0.47	0.03	176,486	-



## Main Board Quotation

Issue Date :

Tuesday September 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TCAP19C1901A	0.37	0.02	36,362	-	TOP24C1903A	-	-	-	-	VGI27C1812A	0.30	(0.04)	2,030	-
TCAP24C1903A	0.28	0.01	10,370	-	TOP27C1903A	0.62	(0.02)	1,200	-	VGI28C1810A	0.23	(0.11)	3,000	-
THAI01C1901A	0.42	0.08	106,360	-	TOP28C1810A	-	-	-	-	WHA01C1812A	0.65	(0.01)	48,563	-
THAI01C1901B	0.24	0.06	78,078	-	TOP28C1812A	0.63	(0.05)	67,916	-	WHA01C1812B	0.52	(0.02)	119,129	-
THAI01P1901A	0.54	(0.10)	149,588	-	TP101C1812A	0.26	(0.04)	17,448	-	WHA01P1812A	0.41	-	3,874	-
THAI06C1809A	0.01	-	40,000	-	TP101C1812B	0.16	(0.03)	20,690	-	WHA06C1809A	0.02	(0.03)	6,005	-
THAI07C1811A	0.11	0.06	2,000	-	TP107C1812A	-	-	-	-	WHA06C1903A	0.51	(0.02)	45,868	-
THAI08C1903A	0.37	0.07	39,617	-	TP113C1902A	0.25	(0.04)	26,593	-	WHA07C1810A	0.15	(0.01)	1,450	-
THAI11C1906A	0.47	0.06	12,727	-	TP119C1901A	0.28	(0.06)	140,465	-	WHA08C1811A	0.14	(0.01)	30,718	-
THAI13C1811A	0.06	-	158	-	TP123C1809A	-	-	-	-	WHA11C1903A	0.25	-	7,467	-
THAI13C1902A	0.48	0.11	101,088	-	TP124C1902A	-	-	-	-	WHA13C1812A	0.45	(0.02)	317,083	-
THAI19C1901A	0.40	0.09	81,773	-	TP1P01C1810A	0.29	(0.01)	4,144	-	WHA19C1901A	0.48	(0.03)	73,205	-
THAI23C1901A	-	-	-	-	TP1P01C1810B	0.03	-	1,702	-	WHA23C1810A	0.21	(0.03)	28,830	-
THAI24C1901A	0.21	0.02	8,080	-	TP1P01P1810A	0.50	0.01	3,098	-	WHA24C1811A	-	-	-	-
THAI27C1809A	-	-	-	-	TP1P11C1811A	-	-	-	-	WHA24C1902A	0.45	(0.05)	131,680	-
THAI28C1901A	0.37	0.06	78,181	-	TP1P13C1811A	0.11	(0.02)	7,394	-	WHA27C1903A	0.63	(0.05)	3,600	-
THAN01C1812A	0.53	(0.05)	14,468	-	TP1P13C1902A	0.28	(0.02)	4,653	-	WHA28C1901A	0.47	(0.02)	81,719	-
THAN13C1809A	-	-	-	-	TP1P19C1902A	0.34	(0.01)	2,200	-	WHAU01C1810A	0.22	-	16,485	-
THAN13C1902A	0.54	(0.01)	44,323	-	TP1P24C1901A	-	-	-	-	WHAU01C1810B	-	-	-	-
THAN19C1903A	0.68	(0.04)	30,439	-	TP1P27C1812A	-	-	-	-	WHAU13C1902A	0.29	0.01	8,366	-
THAN24C1903A	-	-	-	-	TRUE01C1902A	0.43	0.01	104,135	-	WHAU19C1902A	0.32	(0.01)	12,168	-
THAN28C1810A	-	-	-	-	TRUE01C1902B	0.31	0.02	93,756	-	WHAU24C1812A	-	-	-	-
THCO01C1809A	0.04	(0.01)	1,000	-	TRUE01P1902A	0.50	-	84,301	-	WHAU24C1902A	-	-	-	-
THCO01P1809A	0.35	(0.01)	1,097	-	TRUE01P1902B	0.35	(0.01)	102,573	-	WORK01C1811A	0.36	(0.08)	53,823	-
THCO08C1906A	0.26	-	3,186	-	TRUE06C1811A	0.05	-	100	-	WORK01C1811B	0.16	(0.04)	41,215	-
THCO11C1902A	0.16	(0.02)	1,105	-	TRUE06C1906A	0.23	-	16,751	-	WORK08C1809A	-	-	-	-
THCO19C1811A	-	-	-	-	TRUE07C1902A	0.16	(0.01)	10,000	-	WORK08C1901A	0.27	(0.05)	31,886	-
THCO24C1810A	-	-	-	-	TRUE08C1809A	-	-	-	-	WORK11C1903A	0.09	-	14,263	-
THCO28C1901A	0.32	(0.02)	3,516	-	TRUE08C1902A	0.29	0.02	74,652	-	WORK13C1810A	0.01	-	665	-
TISCO01C1902A	0.90	-	21,427	-	TRUE08P1809A	-	-	-	-	WORK13C1811A	-	-	-	-
TISCO01C1902B	0.69	(0.01)	19,414	-	TRUE08P1902A	-	-	-	-	WORK13C1812A	0.25	(0.08)	153,061	-
TISCO07C1902A	-	-	-	-	TRUE11C1905A	0.26	-	13,696	-	WORK13C1902A	0.46	(0.09)	202,058	-
TISCO08C1903A	0.66	(0.01)	24,475	-	TRUE13C1810A	-	-	-	-	WORK19C1811A	0.07	(0.02)	15,000	-
TISC11C1903A	0.21	(0.01)	8,485	-	TRUE13C1812A	0.14	-	240,506	-	WORK19C1902A	0.50	(0.09)	169,928	-
TISC13C1811A	0.22	(0.01)	9,036	-	TRUE13C1901A	0.29	0.02	367,985	-	WORK24C1810A	-	-	-	-
TISC13C1812A	0.65	(0.01)	31,926	-	TRUE13P1901A	0.28	(0.01)	185,817	-	WORK24C1812A	0.17	(0.05)	73,830	-
TISC19C1901A	0.42	-	4,123	-	TRUE16C1812A	0.22	0.01	1	-	WORK27C1903A	0.41	(0.06)	3,662	-
TISC24C1812A	0.13	-	150	-	TRUE19C1901A	0.10	-	67,110	-	WORK28C1811A	0.03	(0.01)	1	-
TISC24C1904A	-	-	-	-	TRUE19C1903A	0.48	0.02	36,316	-	WORK28C1901A	0.29	(0.06)	70,056	-
TISC28C1901A	0.67	(0.01)	68,236	-	TRUE23C1902A	0.15	(0.01)	35,816	-	Preferred/Foreign	-	-	-	-
TKN01C1901A	0.70	(0.01)	60,348	-	TRUE27C1809A	-	-	-	-	BH-Q	-	-	-	-
TKN01C1901B	0.52	(0.02)	65,869	-	TRUE27P1809A	0.13	(0.15)	100	-	CSC-Q	-	-	-	-
TKN08C1811A	0.09	-	67	-	TRUE28C1810A	0.01	-	4	-	JUTHA-Q	-	-	-	-
TKN08C1903A	0.51	(0.49)	203	-	TRUE28C1812A	0.11	-	40,836	-	KT8-Q	-	-	-	-
TKN11C1902A	0.19	(0.01)	16,143	-	TTA08C1906A	0.28	0.02	40,764	-	SCB-Q	-	-	-	-
TKN13C1810A	-	-	-	-	TTA13C1901A	0.20	0.01	90,707	-	TCAP-Q	-	-	-	-
TKN13C1811A	-	-	-	-	TTA19C1811A	0.07	0.01	500	-	TIC-Q	-	-	-	-
TKN13C1812A	0.36	(0.02)	187,508	-	TTA23C1901A	-	-	-	-	TISCO-Q	-	-	-	-
TKN19C1811A	0.09	-	15,449	-	TTA24C1809A	-	-	-	-	U-Q	-	-	-	-
TKN19C1903A	0.54	(0.01)	80,553	-	TTA24C1902A	-	-	-	-	Warrant	-	-	-	-
TKN23C1902A	0.39	-	23,174	-	TTA28C1812A	0.08	0.02	26,940	-	7UP-W2	0.07	-	1,265	-
TKN24C1811A	0.21	-	14,212	-	TU01C1901A	0.65	-	16,902	-	ACC-W1	0.05	-	62,456	-
TKN24C1812A	-	-	-	-	TU01C1901B	0.62	0.01	28,120	-	AJA-W1	0.21	(0.01)	15,169	-
TKN28C1811A	-	-	-	-	TU01P1901A	0.15	-	6,128	-	ALT-W1	0.64	0.03	5,972	-
TKN28C1812A	0.56	(0.01)	129,894	-	TU06C1902A	0.34	-	16,774	-	APURE-W2	0.28	0.01	801	-
TMB01C1810A	0.24	(0.01)	60,620	-	TU07C1902A	-	-	-	-	AQ-W4	-	-	-	-
TMB01C1810B	0.03	(0.01)	27,239	-	TU08C1811A	-	-	-	-	AS-W1	0.26	0.01	3,845	-
TMB01P1810A	0.27	(0.01)	17,007	-	TU11C1902A	0.06	-	600	-	AYUD-W1	4.66	1.38	241,269	4.00
TMB06C1809A	0.01	-	5,518	-	TU11C1906A	0.25	0.01	15,224	-	B-W3	0.01	-	8	-
TMB06C1902A	0.15	-	7,113	-	TU13C1902A	0.30	-	33,701	-	B-W4	0.20	0.01	47,760	-
TMB06C1903A	0.36	-	7,904	-	TU19C1901A	0.32	-	19,638	-	BTS-W3	-	-	-	-
TMB07C1811A	-	-	-	-	TU23C1902A	0.32	-	5,000	-	BWG-W4	0.08	(0.01)	15,096	-
TMB07C1903A	-	-	-	-	TU24C1901A	0.21	0.02	10,301	-	CEN-W4	0.05	-	28,862	-
TMB08C1901A	0.11	0.01	21,161	-	TVO01C1809A	0.09	(0.02)	10,226	-	CGD-W4	0.31	0.01	24,773	-
TMB11C1904A	0.12	-	3,000	-	TVO01C1809B	0.01	-	20,000	-	CGH-W3	0.08	0.01	31,210	-
TMB13C1811A	0.05	-	5,021	-	TVO01C1903A	0.36	(0.01)	17,043	-	CI-W1	0.44	(0.01)	83	-
TMB13C1901A	0.25	0.01	85,558	-	TVO01C1903B	0.29	(0.02)	9,915	-	CKP-W1	0.54	-	111,404	-
TMB19C1901A	0.18	0.01	16,275	-	TVO11C1903A	0.09	(0.01)	30	-	CRANE-W1	1.58	(0.04)	371	1.00
TMB23C1810A	-	-	-	-	TVO13C1902A	0.22	(0.01)	24,786	-	CWT-W4	0.59	0.02	70,659	-
TMB24C1809A	-	-	-	-	TVO19C1902A	0.22	(0.02)	1,400	-	DCC-W1	1.07	(0.04)	202,403	1.00
TMB24C1901A	0.06	-	5	-	TVO24C1810A	-	-	-	-	DCON-W1	-	-	-	-
TMB24C1902A	0.25	0.01	6,000	-	TVO24C1903A	-	-	-	-	DIGI-W1	0.03	-	1,379	-
TMB27C1903A	0.33	-	2,000	-	UNIQ01C1809A	0.09	-	9,599	-	DIGI-W2	0.01	-	15,270	-
TMB28C1901A	0.24	0.01	32,123	-	UNIQ01C1810A	0.38	(0.01)	51,246	-	EARTH-W4	-	-	-	-
TOA01C1901A	0.39	(0.01)	47,941	-	UNIQ01C1810B	0.07	-	4,462	-	EIC-W2	0.01	-	3,100	-
TOA01C1901B	0.28	0.01	26,037	-	UNIQ01P1809A	0.22	(0.02)	10,280	-	EIC-W3	0.03	0.01	1	-
TOA08C1902A	0.21	0.01	46,202	-	UNIQ08C1810A	-	-	-	-	EVER-W3	0.09	-	101,813	-
TOA13C1812A	0.26	0.01	119,089	-	UNIQ08C1906A	0.34	(0.02)	14,108	-	GJS-W3	0.01	-	3,000	-
TOA19C1901A	0.27	0.01	13,921	-	UNIQ11C1811A	0.09	(0.02)	1,200	-	GSTEL-W1	-	-	-	-
TOA24C1812A	-	-	-	-	UNIQ13C1901A	0.30	-	64,506	-	GSTEL-W2	-	-	-	-
TOA28C1812A	0.22	-	44,616	-	UNIQ19C1811A	0.08	(0.02)	1,856	-	IEC-W2	-	-	-	-
TOP01C1901A	1.61	(0.06)	65,730	1.00	UNIQ23C1901A	0.12	(0.01)	2,000	-	IHL-W1	5.85	-	30	5.00
TOP01C1901B	1.43	(0.06)	67,677	1.00	UNIQ24C1811A	-	-	-	-	ITD-W1	0.15	-	52,199	-
TOP01P1901A	0.45	0.02	26,928	-	UNIQ28C1811A	0.11	(0.02)	12,388	-	JAS-W3	2.28	(0.04)	25,543	2.00
TOP06C1809A	0.01	-	43,507	-	UV01C1902A	0.65	(0.03)	24,658	-	JCK-W5	0.48	(0.01)	1,103	-
TOP06C1903A	1.34	(0.06)	10,675	1.00	UV01C1902B	0.54	(0.02)	20,296	-	JMART-W2	1.56	(0.02)	3,096	1.00
TOP06C1903B	-	-	-	-	UV06C1812A	0.43	(0.01)	8,812	-	JMT-W2	1.83	0.01	48,348	1.00
TOP07C1812A	0.50	(0.07)	4,169	-	UV13C1812A	0.44	(0.01)	202,492	-	MACO-W2	0.27	-	439,711	-
TOP08C1811A	0.10	(0.01)	44,062	-	UV19C1902A	0.51	(0.02)	14,165	-	MIDA-W2	0.02	-	2,595	-
TOP08C1902A	0.69	(0.04)	21,319	-	UV23C1809A	-	-	-	-	MILL-W3	0.03	-	2,006	-

## Main Board Quotation

Issue Date :

Tuesday September 25, 2018

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP11C1905A	1.20	(0.06)	19,908	1.00	UV24C1812A	0.20	(0.01)	200	-	MILL-W4	0.29	-	5,970	-
TOP13C1811A	0.07	-	1,004	-	VGI01C1812A	0.64	(0.07)	10,243	-	MILL-W5	0.26	(0.01)	5,925	-
TOP13C1901A	0.70	(0.06)	9,884	-	VGI06C1904A	-	-	-	-	ML-W2	0.04	-	5,800	-
TOP13C1902A	0.55	(0.03)	42,482	-	VGI06C1904B	-	-	-	-	MONO-W1	0.47	(0.03)	20,639	-
TOP19C1901A	0.52	(0.03)	54,766	-	VGI06C1904C	-	-	-	-	NEP-W3	-	-	-	-
TOP23C1811A	0.13	(0.01)	12,085	-	VGI08C1811A	0.50	(0.09)	10,668	-	NOK-W1	0.60	0.02	3,105	-
TOP24C1901A	0.18	(0.03)	8,600	-	VGI23C1905A	-	-	-	-	NUSA-W3	-	-	-	-
TOP24C1902A	0.69	(0.06)	700	-	VGI23C1911A	1.36	(0.02)	6	1.00	NVD-W1	0.47	(0.03)	5,182	-
ORI-W1	2.16	(0.06)	3,926	2.00	SCB-P	-	-	-	-	XO-W1	6.15	-	189	6.00
PACE-W2	0.20	-	16,770	-	TCAP-P	-	-	-	-	Preferred Shares	-	-	-	-
PDI-W1	1.24	(0.02)	932	1.00	TIC-P	-	-	-	-	SGF-P1	-	-	-	-
PDJ-W2	1.33	0.05	220	1.00	TISCO-P	-	-	-	-	-	-	-	-	-
PDJ-W3	1.29	0.01	6	1.00	U-P	0.04	-	77,872	-	-	-	-	-	-
PDJ-W4	1.29	-	7	1.00	Warrant (MAI)	-	-	-	-	-	-	-	-	-
PLE-W3	0.13	(0.01)	28,099	-	2S-W1	0.18	-	12,231	-	-	-	-	-	-
RICH-W1	-	-	-	-	ACAP-W2	1.94	-	1,755	1.00	-	-	-	-	-
RICHY-W1	0.32	-	119	-	AIRA-W2	0.04	0.01	914	-	-	-	-	-	-
RICHY-W2	0.19	(0.01)	4,706	-	ATP30-W1	0.81	-	5,308	-	-	-	-	-	-
RS-W3	8.85	(0.10)	170	8.00	BKD-W2	0.28	0.01	56,738	-	-	-	-	-	-
S-W1	0.13	(0.01)	38,139	-	BM-W1	0.48	-	41,032	-	-	-	-	-	-
SAMART-W2	0.62	(0.06)	134,629	-	BSM-W2	0.20	0.01	15,481	-	-	-	-	-	-
SAWAD-W1	6.05	(0.05)	216	6.00	CHEWA-W1	0.30	0.01	3,152	-	-	-	-	-	-
SDC-W1	0.21	(0.06)	170,920	-	CIG-W7	0.01	(0.01)	446	-	-	-	-	-	-
SMM-W4	0.01	-	5	-	DIMET-W2	0.15	(0.01)	124,676	-	-	-	-	-	-
SMT-W1	0.08	(0.01)	20,678	-	DNA-W1	1.40	-	5,333	1.00	-	-	-	-	-
SMT-W2	0.64	(0.02)	21,792	-	ECF-W2	5.50	0.05	1,071	5.00	-	-	-	-	-
SPALI-W4	20.10	(0.20)	5,742	20.00	ECF-W3	3.46	0.06	35,584	3.00	-	-	-	-	-
SPORT-W5	0.02	-	1,781	-	EFORL-W3	0.01	(0.01)	1,794	-	-	-	-	-	-
SUPER-W4	0.11	-	503,079	-	EFORL-W4	0.01	-	1,776	-	-	-	-	-	-
SUSCO-W1	0.08	-	3,624	-	FC-W1	0.07	0.02	13,496	-	-	-	-	-	-
SVI-W3	2.04	0.14	434	1.00	FC-W2	0.04	0.01	60,393	-	-	-	-	-	-
TCC-W3	0.21	(0.02)	12,709	-	FOCUS-W2	0.71	0.17	195,311	-	-	-	-	-	-
TCC-W4	0.21	(0.03)	49,488	-	FVC-W2	0.41	0.01	22,509	-	-	-	-	-	-
TCC-W5	0.29	(0.01)	47,650	-	ITEL-W1	0.47	(0.02)	31,011	-	-	-	-	-	-
TCJ-W2	0.97	-	5,013	-	JKN-W1	1.96	(0.01)	15,934	1.00	-	-	-	-	-
TCMC-W2	0.38	-	6,882	-	LIT-W1	2.12	(0.02)	121	2.00	-	-	-	-	-
TFG-W1	1.76	(0.02)	2	1.00	META-W2	0.05	-	13,125	-	-	-	-	-	-
TFG-W2	0.77	-	703	-	NCL-W3	0.46	-	4,066	-	-	-	-	-	-
TH-W2	0.15	-	13	-	NDR-W1	0.06	-	5,238	-	-	-	-	-	-
THE-W2	0.06	-	13,405	-	NEWS-W4	-	-	-	-	-	-	-	-	-
TNITY-W1	1.00	0.02	13,089	1.00	NEWS-W6	-	-	-	-	-	-	-	-	-
TNPC-W1	0.45	0.01	10,762	-	PHOL-W1	0.01	-	2,010	-	-	-	-	-	-
TRITN-W3	0.31	(0.02)	200,209	-	PIMO-W1	2.48	-	2,218	2.00	-	-	-	-	-
TSR-W1	0.43	(0.05)	25,335	-	PPS-W1	0.75	(0.06)	231	-	-	-	-	-	-
TTA-W5	0.16	-	35,793	-	PSTC-W1	0.25	(0.01)	28,875	-	-	-	-	-	-
TTCL-W1	1.61	0.03	148,129	1.00	SIMAT-W2	0.41	(0.02)	10,465	-	-	-	-	-	-
U-W1	0.01	-	135	-	SIMAT-W3	0.55	-	1,247	-	-	-	-	-	-
U-W4	0.01	-	1,563,550	-	SIMAT-W4	1.34	0.08	18,302	1.00	-	-	-	-	-
VGI-W2	0.60	0.60	1,191,957	-	SKY-W1	12.80	-	56	12.00	-	-	-	-	-
VIBHA-W2	1.54	0.05	14,978	1.00	STAR-W3	1.96	(0.01)	312	1.00	-	-	-	-	-
VIBHA-W3	0.32	0.01	38,791	-	TAKUNI-W	0.20	-	3,302	-	-	-	-	-	-
WAVE-W1	0.52	0.16	166,479	-	TAPAC-W3	2.88	0.06	10,799	2.00	-	-	-	-	-
WHA-W1	7.40	(0.10)	7,079	7.00	TMILL-W1	1.02	(0.01)	2,703	1.00	-	-	-	-	-
WORK-W1	8.40	(0.50)	192	8.00	TSF-W4	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	TSF-W5	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	TVD-W2	0.75	(0.02)	79,686	-	-	-	-	-	-
CSC-P	-	-	-	-	UAC-W2	0.78	-	3,721	-	-	-	-	-	-
JUTHA-P	-	-	-	-	UKEM-W2	0.50	0.01	233	-	-	-	-	-	-
KTB-P	-	-	-	-	UWC-W2	0.01	-	21,453	-	-	-	-	-	-