

Main Board Quotation

Issue Date :

Monday July 01, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPUI	-	-	-	-	ILINK	5.90	0.30	40,153	5.78	PRAKIT	11.70	0.10	8	11.74
SAFARI	-	-	-	-	INET	3.18	-	1,250	3.18	SE-ED	2.66	(0.02)	25	2.66
VI	-	-	-	-	INTUCH	62.25	(0.50)	83,636	62.62	SMM	1.84	0.01	8,056	1.82
WORLD	-	-	-	-	JAS	7.20	-	360,175	7.16	SPORT	0.15	0.01	1,456	0.14
Agribusiness	-	-	-	-	JASIF	10.80	-	117,274	10.80	TBSP	-	-	-	-
CHOTI	103.00	1.50	3	102.67	JMART	10.80	(0.10)	52,750	10.85	TH	0.73	(0.03)	4,805	0.73
EE	0.53	-	118,350	0.52	JTS	1.41	(0.01)	2,425	1.41	TKS	8.00	0.05	4,072	8.00
GFPT	16.90	-	7,866	16.95	MFEC	3.66	(0.04)	1,931	3.66	VGI	9.25	0.25	557,611	9.17
LEE	2.30	-	2,305	2.30	MSC	7.35	(0.10)	4,231	7.44	WAVE	1.72	0.01	532	1.74
NER	2.54	0.02	352,850	2.56	PT	5.85	(0.10)	3,999	5.89	WORK	25.25	0.55	50,542	25.17
PPPM	2.02	0.02	12,401	2.00	SAMART	9.60	0.35	103,251	9.45	Finance & Securities	-	-	-	-
STA	12.60	(0.10)	46,167	12.69	SAMTEL	11.20	0.30	2,382	11.09	AEC	0.59	(0.01)	3,825	0.59
TRUBB	1.45	(0.01)	292	1.45	SDC	0.34	-	26,805	0.35	AEONTS	222.00	1.00	4,556	223.61
TWPC	7.50	(0.05)	603	7.50	SIS	9.65	-	1,577	9.71	AMANAHA	2.22	0.20	504,739	2.13
UPOIC	4.22	0.12	804	4.18	SVOA	1.15	(0.01)	6,620	1.15	ASAP	2.74	(0.04)	19,213	2.75
UVAN	5.70	(0.15)	902	5.70	SYMC	4.64	-	188	4.64	ASK	24.10	(0.20)	712	24.23
VPO	0.59	-	9,987	0.60	SYNEX	11.20	0.40	78,390	11.26	ASP	2.78	-	37,106	2.78
Banking	-	-	-	-	THCOM	5.95	(0.10)	20,729	5.96	BFIT	18.10	(0.30)	1,652	18.17
BAY	39.00	0.50	2,474	38.97	TRUE	5.80	(0.05)	1,448,529	5.84	CGH	0.96	(0.01)	17,569	0.95
BBL	198.50	1.50	49,974	198.64	TWZ	0.08	(0.01)	2,205,539	0.08	CNS	1.87	(0.05)	3,619	1.89
CIMBT	0.72	-	9,893	0.72	Electronic Componer	-	-	-	-	ECL	1.57	(0.01)	38,534	1.58
KBANK	188.50	0.50	68,170	189.76	CCET	1.77	-	8,899	1.76	FNS	3.32	(0.06)	1,046	3.32
KKP	71.00	1.50	158,117	70.49	DELTA	68.25	0.25	9,256	68.96	FSS	1.99	0.01	3,024	1.96
KTB	19.70	0.20	366,192	19.69	EIC	0.04	(0.01)	140,283	0.04	GBX	0.55	(0.03)	39,668	0.55
LHFG	1.50	(0.01)	14,806	1.51	HANA	27.25	1.50	82,143	27.36	GL	6.60	(0.55)	92,372	6.87
SCB	141.00	1.50	486,763	143.44	KCE	19.50	0.50	189,872	19.60	IFS	3.32	-	1,688	3.35
TCAP	55.75	0.25	25,889	56.13	METCO	180.00	0.50	3	179.33	JMT	17.30	(0.10)	20,989	17.39
TISCO	95.75	2.25	62,279	95.11	NEX	3.50	0.34	41,209	3.23	KCAR	11.60	(0.10)	461	11.64
TMB	1.98	0.02	1,072,244	1.98	NET	1.98	0.07	23,995	1.97	KGI	4.74	-	47,767	4.74
Construction Materia	-	-	-	-	SMT	5.70	(0.10)	34,539	4.31	KTC	43.50	0.25	148,731	43.59
CCP	0.39	-	14,505	0.39	SVI	4.24	-	5,027	1.12	MBKET	9.20	0.10	1,639	9.14
COTTO	2.04	(0.02)	3,284	2.04	TEAM	1.13	-	-	-	MFC	17.80	(0.20)	84	17.91
DCC	2.04	(0.02)	29,267	2.04	Energy & Utilities	-	-	-	-	ML	1.00	(0.01)	3,008	1.00
DCON	0.42	-	39,461	0.42	7UP	0.29	(0.02)	74,707	0.29	MT	57.50	1.00	57,414	57.19
DRT	6.05	(0.05)	2,809	6.05	ABPIF	6.30	0.10	8,000	6.24	MTC	57.50	1.00	57,414	57.19
EPG	6.20	(0.05)	35,753	6.22	AI	1.53	(0.03)	329,957	1.52	PE	0.07	(0.01)	10,950	0.07
GEL	0.24	-	58,139	0.24	AKR	0.81	0.04	99,753	0.81	PL	3.36	-	1,720	3.34
PPP	3.02	-	354	3.00	BAFS	35.25	(0.25)	1,363	35.43	S11	8.00	(0.15)	10,127	7.96
Q-CON	5.50	(0.10)	643	5.54	BANPU	15.20	0.20	338,556	15.14	SAWAD	57.75	1.50	95,675	57.21
RCI	3.60	-	50	3.62	BCP	31.00	0.50	49,007	30.95	THANI	7.00	0.10	103,170	6.96
SCC	474.00	2.00	12,791	473.11	BCPG	21.30	0.80	214,384	21.02	TK	10.60	-	1,814	10.63
SCCC	238.00	(2.00)	2,987	240.23	BGRIM	36.25	0.50	73,707	36.16	TNITY	4.66	0.06	509	4.60
SCP	7.80	(0.15)	3,841	7.90	BPP	21.70	0.20	61,418	21.62	UOBKH	3.62	(0.02)	10	3.62
SKN	2.04	0.02	3,578	2.04	BRRGIF	9.65	-	1,695	9.64	ZMICO	0.92	-	5,540	0.91
TASCO	20.90	0.20	95,721	20.92	CKP	7.10	0.05	173,075	7.11	Food & Beverage	-	-	-	-
TCMC	2.60	(0.06)	21,629	2.61	DEMCO	3.42	(0.14)	32,020	3.44	APURE	1.32	(0.03)	4,291	1.33
TOA	37.25	0.75	10,182	37.26	EA	55.50	(0.25)	184,580	55.85	ASIAN	7.20	(0.10)	3,818	7.24
TPIPL	1.98	(0.02)	300,156	1.99	EARTH	0.51	0.51	9,182,708	0.42	BR	3.04	(0.06)	18,746	3.07
UMI	1.19	0.01	727	1.19	EASTW	13.10	0.20	42,453	13.11	BRR	6.10	(0.05)	493	6.06
VNG	5.00	-	909	5.02	EGATIF	12.60	-	26,491	12.59	CBG	72.75	(0.75)	32,233	73.53
WIJK	1.56	0.01	5,037	1.56	EGCO	329.00	4.00	10,484	330.39	CFRESH	3.04	0.04	663	3.03
Petrochemicals & Ch	-	-	-	-	ESSO	11.00	0.20	88,637	10.98	CM	3.74	0.04	90	3.73
BCT	47.50	(0.50)	574	47.98	GLOW	89.00	-	9,418	89.04	CPF	28.50	0.25	330,990	28.35
CMAN	2.36	(0.02)	11,028	2.38	GPSC	71.75	1.50	137,064	71.92	CPI	1.45	(0.03)	2,234	1.46
GC	5.25	-	716	5.28	GULF	127.50	4.50	87,627	125.87	F&D	16.60	(1.20)	357	17.59
GGC	12.10	0.10	10,555	12.18	GUNKUL	3.18	(0.02)	442,945	3.21	HTC	21.10	0.50	6,059	21.01
GIFT	3.38	-	1,595	3.39	IEC	0.01	0.01	7,796,145	0.01	ICHI	6.70	0.10	58,892	6.65
IVL	47.75	0.75	154,995	47.88	IFEC	0.88	0.88	11,460,745	0.60	KBS	4.10	(0.02)	179	4.04
NFC	3.64	(0.36)	7,694	3.86	IRPC	5.20	0.20	2,032,391	5.19	KSL	2.86	(0.02)	21,721	2.88
PATO	13.20	0.10	158	13.20	LANNA	11.60	(0.10)	848	11.58	KTIS	5.70	0.05	175	5.64
PMTA	8.40	(0.20)	196	8.36	MDX	4.18	(0.08)	2,439	4.22	LST	4.66	(0.04)	546	4.69
PTTGC	65.25	1.25	258,545	65.33	PTG	19.10	(0.40)	183,031	19.34	M	73.75	-	4,128	74.01
SUTHA	3.98	0.02	532	3.96	PTT	49.50	0.75	520,678	49.33	MALEE	8.05	(0.55)	17,869	8.26
TCCC	24.50	(0.20)	502	24.55	PTTEP	137.00	2.00	127,149	137.28	MINT	42.25	1.25	214,390	42.19
TPA	5.75	(0.05)	736	5.67	RATCH	66.50	(0.25)	51,926	66.91	OISHI	113.00	4.50	92	110.57
UP	21.50	(0.60)	56	21.43	RPC	0.57	-	22,387	0.56	OSP	34.25	(0.50)	242,874	34.23
VNT	24.10	0.10	14,341	24.27	SCG	4.24	(0.04)	145	4.27	PB	60.75	(0.25)	658	60.92
WG	-	-	-	-	SCI	2.04	(0.04)	5,456	2.04	PM	9.10	0.05	2,408	9.05
YCI	-	-	-	-	SCN	3.66	(0.02)	60,876	3.69	PRG	12.70	(0.10)	75	12.80
Commerce	-	-	-	-	SGP	10.20	0.20	54,277	10.22	SAPPE	23.60	0.50	8,432	23.82
BEAUTY	3.96	(0.12)	1,450,552	4.00	SKE	1.08	-	6,163	1.07	SAUCE	22.70	(0.10)	176	22.67
BIG	1.12	(0.01)	27,629	1.12	SOLAR	1.89	(0.01)	3,554	1.91	SFP	-	-	-	-
BJC	50.75	0.25	51,999	51.00	SPCG	19.50	0.10	9,044	19.52	SNP	18.80	0.40	93	17.88
COL	22.40	(0.40)	5,636	22.55	SPRC	10.10	-	217,384	10.19	SORKON	62.75	(0.25)	12	62.92
COM7	22.30	0.50	133,456	22.30	SSP	8.50	(0.05)	79,312	8.56	SSC	-	-	-	-
CPALL	86.00	-	261,730	86.19	SUPER	0.71	0.02	1,836,086	0.71	SSF	-	-	-	-
CSS	1.89	(0.03)	94,583	1.93	SUSCO	3.24	(0.06)	13,441	3.26	SST	4.86	(0.14)	1,257	4.91
FN	1.98	0.03	361,283	2.01	TAE	4.26	0.16	71,602	4.20	TC	3.58	(0.12)	6,286	3.62
FTE	2.30	0.02	9,997	2.30	TCC	0.34	-	17,411	0.34	TFG	4.46	(0.08)	165,349	4.53
GLOBAL	17.70	-	41,415	17.83	TOP	68.50	2.00	190,153	68.47	TFMAMA	176.50	1.50	31	177.68
HMPRO	17.70	0.20	214,470	17.61	TPIPP	6.10	-	48,647	6.11	TIPCO	10.00	0.05	14,656	10.05
IT	2.66	0.06	2,137	2.67	TSE	3.06	0.04	199,223	3.02	TKN	8.85	0.10	70,205	8.86
KAMART	5.35	(0.50)	81,225	5.50	TTW	14.00	(0.20)	29,962	14.08	TU	18.30	-	86,309	18.25
LOXLEY	2.32	0.08	122,635	2.30	WHAUP	5.70	(0.05)	33,897	5.71	TVO	28.50	0.50	29,369	28.40
MAKRO	37.00	(0.25)	6,389	37.14	WP	6.15	0.10	8,069	6.12	WR	0.50	0.50	9,502	0.49
MC	7.75	(0.15)	24,467	7.76	Media & Publishing	-	-	-	-	ZEN	13.70	(0.10)	5,510	13.79
MEGA	35.00	-	14,417	35.20	AMARIN	5.00	(0.10)	359	4.99	Health Care Services	-	-	-	-
MIDA	0.60	(0.01)	7,222	0.60	AQUA	0.52	-	187,021	0.52	AHC	15.70	-	104	15.83
ROBINS	57.25	1.00	55,412	57.56	AS	0.76	(0.04)	6,549	0.75	BCH	16.50	(0.10)	102,097	16.57
RS	16.70	(0.60)	117,793	16.98	BEC	9.15	0.35	104,118	9.07	BDMS	26.00	-	242,300	25.98
RSP</														

Main Board Quotation

Issue Date :

Monday July 01, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SKR	4.82	0.02	7,042	4.80	GOLD	8.40	-	18,686	8.41	STANLY	233.00	-	137	232.92
SVH	458.00	(4.00)	30	460.00	GREEN	1.02	(0.01)	4,292	1.01	TKT	1.32	-	1,074	1.32
THG	27.25	(0.50)	30,317	27.25	J	1.00	-	20,030	1.00	TNPC	1.18	-	4,706	1.17
VIBHA	1.78	0.06	334,646	1.75	JCK	1.22	(0.01)	24,844	1.20	TRU	4.78	(0.08)	253	4.82
VIH	5.55	(0.20)	13,112	5.60	KC	0.32	0.32	987,617	0.25	TSC	12.70	-	65	12.70
WPH	2.30	-	2,283	2.30	KTECH	0.17	0.17	1,706,536	0.16	YNP	0.05	0.05	1,957,010	0.04
Tourism & Leisure					KWG	2.00	(0.02)	1,344	2.01	Industrial Materials				
ASIA	7.20	(0.05)	48	7.15	LALIN	5.50	-	1,679	5.53	ALLA	1.37	-	3,590	1.37
CENTEL	36.25	0.75	108,757	35.99	LH	11.10	-	625,185	11.09	ASEFA	4.96	(0.02)	1,356	4.96
CSR	-	-	-	-	LPN	7.30	(0.05)	33,350	7.30	CPT	1.14	(0.01)	29,912	1.15
DTC	10.00	0.05	1,940	9.97	MBK	22.10	0.10	13,797	22.13	CRANE	2.00	(0.08)	6,241	2.05
ERW	6.25	(0.05)	136,240	6.24	MJD	3.50	0.10	16,482	3.48	CTW	7.90	0.05	157	7.82
GRAND	0.84	(0.01)	18,187	0.85	MK	3.38	0.04	7,666	3.37	FMT	24.20	(0.10)	117	24.35
LRH	49.25	1.25	40	47.91	NCH	1.00	-	2,591	1.00	HTECH	3.58	(0.04)	4,444	3.62
MANRIN	-	-	-	-	NNCL	1.80	-	12,927	1.80	KKC	1.09	(0.03)	1,034	1.09
OHTL	-	-	-	-	NOBLE	18.90	-	6,483	18.95	PK	1.99	(0.01)	3,348	2.00
ROH	50.00	1.00	5	49.20	NUSA	0.41	(0.01)	83,611	0.42	SNC	13.90	-	2,238	13.91
SHANG	-	-	-	-	NVD	3.00	0.10	1,185	2.99	TCJ	4.94	-	123	4.92
VRANDA	9.85	(0.05)	3,710	9.87	ORI	7.95	0.25	308,471	7.90	VARO	6.40	(0.60)	20	6.40
Home & Office Prod.					PACE	0.19	-	92,433	0.19	Property Fund & REI				
ACC	0.66	(0.02)	34,946	0.66	PF	0.82	-	153,766	0.81	AIMIRT	12.70	0.20	8,908	12.62
AJA	0.21	-	30,615	0.21	PLAT	6.30	(0.05)	12,683	6.26	AMATAR	12.60	0.10	461	12.58
DTCI	-	-	-	-	POLAR	0.11	0.11	7,593,999	0.07	B-WORK	12.50	0.10	277	12.48
FANCY	0.63	(0.03)	45,778	0.64	PRECHA	1.53	0.02	254	1.51	BKCP	13.10	-	391	13.12
KYE	387.00	2.00	23	387.48	PRIN	1.62	(0.01)	1,401	1.60	BOFFICE	16.40	-	628	16.45
L&E	2.60	(0.02)	24	2.63	PSH	21.30	-	26,167	21.40	CPNGG	15.30	-	4,541	15.30
MODERN	3.28	(0.02)	4,175	3.26	QH	3.10	-	306,643	3.12	CPNREIT	30.75	0.25	17,431	30.46
OGC	-	-	-	-	RICHY	1.39	-	3,656	1.38	CPTGF	13.60	-	1,331	13.52
ROCK	-	-	-	-	RML	1.16	(0.02)	10,307	1.17	CRYSTAL	8.95	-	1,011	8.90
SIAM	2.18	0.02	5,090	2.19	ROJNA	6.45	(0.10)	94,477	6.49	CTARAF	5.80	0.05	2,828	5.80
TSR	1.94	0.03	2,492	1.93	S	3.58	(0.06)	375,128	3.61	DREIT	6.45	0.10	1,963	6.43
Insurance					SAMCO	1.65	-	799	1.66	ERWPF	5.55	(0.10)	794	5.54
AYUD	41.25	0.50	201	40.79	SC	2.94	-	8,230	2.94	FTREIT	15.90	0.20	19,898	15.85
BKI	331.00	-	198	331.18	SENA	3.54	-	5,475	3.54	FUTUREPF	26.00	-	881	25.93
BLA	27.25	0.25	11,300	27.23	SF	6.60	0.10	6,539	6.55	GAHREIT	9.20	-	1,420	9.20
BUI	14.00	14.00	3,633	14.17	SIRI	1.49	0.01	428,817	1.48	GLANDRT	14.10	-	11	14.10
CHARAN	-	-	-	-	SPALI	23.30	(0.20)	37,474	23.49	GOLDPF	7.45	-	11	7.45
INSURE	-	-	-	-	U	2.04	(0.02)	74,754	2.06	GVREIT	17.40	-	2,657	17.41
MTI	94.00	(1.00)	20	94.38	UV	6.30	0.15	19,753	6.27	HPF	4.98	-	7,772	4.98
NKI	60.00	-	24	60.00	WHA	4.68	(0.06)	1,534,193	4.70	HREIT	9.05	0.05	6,689	9.02
NSI	69.75	(0.25)	40	69.75	WIN	0.54	-	424	0.53	IMPACT	27.00	0.50	5,140	26.65
SMK	37.25	0.25	5	37.15	Paper & Printing Mat					KPNPF	8.95	0.05	53	8.81
THRE	0.80	(0.02)	27,262	0.81	UTP	10.30	0.10	5,917	10.28	LHHOTEL	20.40	0.30	1,240	20.22
THREL	5.60	(0.10)	7,617	5.60	Fashion					LHPF	9.15	0.05	3,978	9.13
TIC	41.00	2.00	85	41.01	AFC	-	-	-	-	LHSC	18.90	0.20	642	18.85
TIP	24.30	0.10	2,380	24.30	B52	0.28	(0.02)	14,455	0.29	LUXF	8.95	-	775	9.00
TQM	37.50	0.50	7,623	37.71	BTNC	-	-	-	-	M-II	-	-	-	-
TSI	0.57	-	811	0.56	CPH	6.20	-	115	6.20	M-PAT	7.25	(0.05)	438	7.26
TVI	4.52	0.04	3,153	4.48	CPL	1.47	(0.03)	17,042	1.46	M-STOR	7.20	(0.05)	177	7.21
Mining					ICC	42.25	2.00	36	42.43	MIPF	-	-	-	-
PDI	10.10	(0.20)	978	10.18	LTX	-	-	-	-	MIT	3.68	(0.02)	597	3.68
THL	-	-	-	-	NC	-	-	-	-	MJLF	12.90	-	215	12.80
Packaging					PAF	0.85	(0.01)	1,893	0.85	MNIT	1.45	(0.02)	1	1.45
AJ	9.10	(0.10)	1,917	9.09	PDJ	1.63	(0.02)	4,121	1.64	MNIT2	5.00	(0.10)	164	5.01
ALUCON	173.50	0.50	21	172.19	PG	5.95	0.15	43	5.88	MNRF	3.34	(0.04)	420	3.35
BGC	13.30	0.60	108,364	13.16	SABINA	27.00	(0.25)	14,270	27.00	MONTRI	6.30	-	20	6.30
CSC	50.00	(0.25)	15	49.88	SAWANG	-	-	-	-	POPF	13.40	(0.10)	1,393	13.41
NEP	0.30	-	11,479	0.29	SUC	45.25	-	27	45.28	PPF	11.70	-	182	11.61
NPPG	1.03	(0.02)	35,374	1.03	TNL	-	-	-	-	QHHR	9.40	0.10	2,439	9.46
PTL	15.20	-	10,373	15.31	TPCORP	13.00	0.10	3	12.80	QHOP	3.50	-	420	3.49
SITHAI	1.08	(0.03)	38,411	1.05	TR	38.00	(0.25)	92	38.44	QHPF	14.30	0.30	10,836	14.17
SLP	0.74	-	1,953	0.74	TTI	23.70	(0.10)	2	23.70	SBPF	3.00	-	201	3.00
SMPC	8.10	(0.25)	12,411	8.25	TTTTM	-	-	-	-	SHREIT	7.70	-	160	7.70
SPACK	1.64	(0.02)	88	1.64	UPF	51.00	-	44	51.13	SIRIP	11.10	(0.20)	1,440	11.02
TCOAT	-	-	-	-	UT	14.00	-	50	14.00	SPF	23.90	0.30	2,749	23.80
TFI	0.24	(0.02)	1,520	0.23	WACOAL	45.00	(3.00)	89	44.45	SPRIME	15.60	0.40	1,459	15.46
THIP	18.20	-	290	18.24	Transportation & Log					SRIPANWA	11.60	0.10	335	11.52
TMD	23.90	0.30	1,043	23.79	AAV	4.02	(0.02)	171,917	4.04	SSPF	9.80	0.05	554	9.77
TOPP	-	-	-	-	AOT	74.25	0.75	259,453	74.25	SSTPF	6.40	-	145	6.40
TPBI	4.96	(0.02)	269	4.96	ASIMAR	1.89	0.01	2,903	1.89	SSTRT	6.20	0.05	472	6.16
TPP	16.80	-	10	16.80	B	0.54	0.01	7,433	0.55	TIF1	9.35	0.05	49	9.25
Personal Products &					BA	11.60	-	5,280	11.51	TLGF	22.80	0.10	18,674	22.68
APCO	3.72	(0.06)	1,402	3.73	BEM	11.40	-	488,036	11.41	TLHPF	11.30	(0.20)	22	11.30
DDD	24.90	(0.60)	14,816	25.16	BTS	12.10	0.10	228,628	12.15	TNPF	3.42	(0.08)	415	3.42
JCT	83.50	(4.50)	39	80.35	BTSIGIF	10.90	-	19,585	10.92	TPRIME	15.90	0.10	920	15.91
OCC	14.00	-	51	14.00	III	6.10	(0.15)	25,588	6.16	TTLPF	21.80	0.10	52	21.80
S & J	24.80	0.30	2	25.15	JUTHA	0.64	0.10	3,674	0.63	TU-PF	1.75	0.06	1	1.75
STHAI	0.01	0.01	4,176,361	0.02	JWD	8.65	(0.15)	61,781	8.81	URBNPF	4.12	-	230	4.12
TNR	10.00	-	75	10.00	KWC	-	-	-	-	WHABT	9.95	0.05	806	9.91
TOG	5.70	-	4,136	5.73	NOK	2.40	-	6,668	2.40	WHART	17.30	(0.10)	6,638	17.35
Professional Service					NYT	4.82	-	4,755	4.82	Steel				
BWG	0.92	(0.02)	130,580	0.93	PRM	7.60	0.10	55,503	7.57	AMC	1.69	(0.05)	442	1.69
GENCO	0.69	-	2,843	0.69	PCL	8.35	0.25	178,118	8.38	BSBM	0.89	(0.02)	5,771	0.90
PRO	0.35	0.35	2,612,441	0.32	RCL	4.38	0.08	4,410	4.35	CEN	0.99	0.01	348	0.98
SISB	7.55	0.15	31,773	7.45	TFIF	11.80	-	51,978	11.79	CITY	2.24	0.02	280	2.24
TEAMG	2.06	(0.02)	5,033	2.06	THAI	10.60	-	20,023	10.67	CSP	1.10	(0.06)	272	1.10
Property Developmei					TSTE	-	-	-	-	GJS	0.15	(0.01)	158,595	0.15
A	6.35	-	150	6.35	TTA	5.35	0.05	12,323	5.33	GSTEL	0.06	0.06	2,232,646	0.06
AMATA	24.00	(0.40)	221,820	24.22	WICE	3.56	0.20	164,786	3.60	INOX	0.85	0.01	6,569	0.84
AMATAV	5.05	-	4,382	5.02	Automotive					LHK	3.82	(0.02)	3,311	3.83
ANAN	3.88	0.04	46,356	3.89	AH	19.60	0.30	18,381	19.87	MAX	0.01	(0.01)	147,532	0.01
AP	7.85	-	52,794	7.86	APCS									

Main Board Quotation

Issue Date :

Monday July 01, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	PSTC	0.67	(0.01)	148,777	-	ADVA01P1908A	0.13	0.02	692,807	-
ABICO	4.44	(0.14)	2,649	4.00	QTC	5.50	(0.15)	4,277	5.00	ADVA01P1908B	0.03	-	15,139	-
AU	13.70	0.30	52,005	13.00	SAAM	1.29	(0.01)	631	1.00	ADVA06C1906A	-	-	-	-
FC	0.31	(0.01)	51,089	-	SEAOIL	5.65	0.45	12,837	5.00	ADVA07C1908A	-	-	-	-
JCKH	0.72	-	725	-	SR	1.59	(0.03)	563	1.00	ADVA08C1906A	-	-	-	-
KASET	1.85	(0.01)	5	1.00	TAKUNI	0.63	(0.02)	27,528	-	ADVA08C1911A	0.94	(0.09)	21,132	-
MM	3.00	(0.02)	821	3.00	TPCH	12.60	(0.20)	27,430	12.00	ADVA11C1910A	-	-	-	-
SUN	2.36	-	3,287	2.00	TRT	1.94	-	493	1.00	ADVA11P1910A	-	-	-	-
TACC	4.94	(0.04)	28,204	4.00	UMS	0.50	-	186	-	ADVA13C1908A	0.87	0.18	434	-
TMILL	2.94	-	2,305	2.00	UWC	0.05	-	241,391	-	ADVA13C1912A	0.46	(0.05)	624,651	-
XO	8.55	-	7,910	8.00	Services (MAI)	-	-	-	-	ADVA13P1908A	0.06	-	40,380	-
Consumer Products	-	-	-	-	A5	1.81	1.81	48,578	2.00	ADVA16C1911A	1.01	(0.12)	29,636	1.00
BGT	0.99	0.01	769	-	AKP	1.59	(0.02)	1,765	1.00	ADVA16C1912A	0.65	(0.02)	28,516	-
BIZ	2.60	-	456	2.00	AMA	6.55	(0.25)	45,559	6.00	ADVA19C1908A	0.65	(0.04)	6,000	-
DOD	11.30	(0.10)	7,453	11.00	ARIP	0.49	(0.03)	32,982	-	ADVA19C1911A	0.28	(0.05)	189,270	-
ECF	2.44	(0.22)	48,868	2.00	ATP30	1.38	(0.01)	7,118	1.00	ADVA19P1908A	-	-	-	-
HPT	0.76	(0.03)	13,592	-	AUCT	7.60	0.15	23,385	7.00	ADVA19P1911A	0.22	0.02	141,682	-
JUBILE	17.30	(0.20)	1,165	17.00	BOL	2.50	0.04	7,698	2.00	ADVA23C2001A	1.09	(0.10)	25,012	1.00
MOONG	5.30	-	1,943	5.00	CHUO	0.28	0.28	261,157	-	ADVA23P1908A	-	-	-	-
NPK	-	-	-	-	CMO	1.44	-	2,272	1.00	ADVA24C1906A	-	-	-	-
OCEAN	1.23	-	10,258	1.00	D	7.10	(0.10)	2,917	7.00	ADVA24C1907A	0.18	(0.14)	38,010	-
TM	2.36	0.04	1,756	2.00	DCORP	0.63	(0.04)	20,040	-	ADVA24C1908A	1.39	0.25	1,000	1.00
Financials (MAI)	-	-	-	-	EFORL	0.05	0.01	162,725	-	ADVA24P1908A	-	-	-	-
ACAP	3.00	0.02	10,134	2.00	ETE	1.18	-	3,548	1.00	ADVA27C1912A	0.76	(0.03)	13,200	-
AF	0.70	-	1,402	-	FSMART	7.00	(0.05)	9,188	7.00	ADVA28C1908A	0.65	(0.11)	12,409	-
AIRA	1.30	0.10	5,266	1.00	FVC	0.64	0.01	19,636	-	ADVA28C2001A	0.35	(0.65)	24,994	-
ASN	4.48	-	190	4.00	GSC	1.10	(0.04)	14,193	1.00	ADVA28P1907A	-	-	-	-
BROOK	0.49	(0.01)	10,419	-	HARN	2.38	0.02	4,640	2.00	ADVA28P1911A	0.14	0.01	27,466	-
CHAYO	4.80	0.28	110,649	4.00	JKN	9.25	0.20	65,048	9.00	ADVA41C1908A	0.59	0.03	4,180	-
GCAP	2.32	-	17,475	2.00	KIAT	0.41	-	32,982	-	ADVA41C1910A	0.71	(0.08)	12,000	-
LIT	5.40	-	3,866	5.00	KOOL	1.23	-	14,591	1.00	ADVA41C1910B	-	-	-	-
MITTSIB	2.30	0.06	35,102	2.00	LDC	1.02	(0.01)	1,212	1.00	ADVA41P1908A	-	-	-	-
SGF	1.03	(0.01)	96,299	1.00	MORE	0.15	0.01	17,929	-	ADVA41P1911A	0.20	0.01	5,770	-
Industrials (MAI)	-	-	-	-	MPG	0.50	(0.04)	8,541	-	ADVA42C1910A	-	-	-	-
2S	2.20	-	3,210	2.00	MVP	1.84	(0.09)	8,080	1.00	AEON01C1906A	-	-	-	-
ACG	1.44	(0.15)	373,140	1.00	NBC	0.38	0.38	35,770	-	AEON01C1906B	-	-	-	-
ADB	0.80	(0.01)	8,645	-	NCL	1.25	(0.05)	1,594	1.00	AEON01C1911A	1.67	0.07	14,191	1.00
BM	2.10	-	627	2.00	NEWS	0.01	(0.01)	474,350	-	AEON01C1911B	0.56	0.01	42,628	-
CHO	0.92	(0.01)	8,224	-	NINE	2.00	-	1,171	2.00	AEON13C1910A	1.41	0.07	130	1.00
CHOW	2.24	(0.02)	3,242	2.00	OTO	2.70	0.04	3,111	2.00	AEON13C1911A	0.53	0.01	60,621	-
CIG	0.26	(0.01)	26,733	-	PHOL	1.95	(0.04)	6,218	1.00	AEON19C1906A	-	-	-	-
COLOR	1.25	(0.05)	253	1.00	PICO	4.08	-	41	4.00	AEON19C1911A	0.44	0.01	23,679	-
CPR	5.10	(0.05)	970	5.00	PORT	4.54	0.02	6,661	4.00	AEON41C1912A	0.45	0.01	24,010	-
FPI	2.82	-	5,739	2.00	QLT	3.88	0.02	236	3.00	AMAT01C1909A	0.77	(0.06)	86,363	-
GTB	0.62	(0.01)	3,453	-	RP	2.28	(0.10)	5,166	2.00	AMAT01C1909B	0.48	(0.05)	150,711	-
KCM	0.90	(0.02)	8,144	-	SE	1.88	-	341	1.00	AMAT01P1909A	0.28	0.02	24,094	-
KWM	1.08	-	4,668	1.00	SONIC	1.31	(0.01)	3,470	1.00	AMAT06C1909A	0.65	(0.08)	1,000	-
LVT	0.01	0.01	1,225,185	-	SPA	12.40	(0.10)	2,782	12.00	AMAT08C1908A	0.33	(0.04)	44,044	-
MBAX	3.98	0.02	365	3.00	THMUI	1.18	(0.01)	1,662	1.00	AMAT11C2001A	0.63	(0.06)	23,289	-
MGT	1.82	-	1,093	1.00	TNDT	5.55	(0.25)	2,112	5.00	AMAT13C1908A	0.43	(0.07)	603,317	-
NDR	1.81	(0.02)	3,200	1.00	TNH	36.75	0.25	557	36.00	AMAT16C1911A	0.59	(0.05)	22,579	-
PDG	2.94	-	590	2.00	TNP	1.40	-	3,833	1.00	AMAT19C1907A	0.15	(0.04)	285,226	-
PIMO	1.40	(0.02)	35,290	1.00	TSF	0.01	0.01	1,885,781	-	AMAT23C1906A	-	-	-	-
PJW	1.88	0.04	5,026	1.00	TVD	1.34	0.01	3,108	1.00	AMAT24C1907A	0.22	(0.08)	8,285	-
PPM	1.31	(0.01)	1,263	1.00	TVT	0.92	(0.01)	1,923	-	AMAT27C1908A	0.37	(0.05)	10,910	-
RWI	1.61	0.02	4,742	1.00	VL	1.50	-	132,343	1.00	AMAT41C1908A	-	-	-	-
SALEE	1.01	0.01	248	1.00	WINNER	2.72	-	1,085	2.00	AMAT41C1912A	0.54	(0.08)	62,000	-
SANKO	1.03	(0.01)	5,235	1.00	Technology (MAI)	-	-	-	-	AMAT42C1910A	-	-	-	-
SELIC	3.00	0.02	4,700	2.00	COMAN	3.18	(0.06)	2,650	3.00	ANAN01C1906A	-	-	-	-
SWC	5.50	-	2,562	5.00	ICN	1.95	(0.01)	18,649	1.00	ANAN01C1906B	-	-	-	-
TMC	0.64	(0.01)	3,244	-	IRCP	0.74	-	5,562	-	ANAN08C1906A	-	-	-	-
TMI	0.79	0.01	10,692	-	ITEL	3.14	-	9,729	3.00	ANAN08C1911A	0.41	0.01	7,350	-
TMW	64.25	(0.25)	207	64.00	NETBAY	31.75	(0.50)	3,804	32.00	ANAN19C1906A	-	-	-	-
TPAC	13.00	(0.20)	156	12.00	PLANET	1.45	-	822	1.00	ANAN19C1910A	0.22	0.01	5,501	-
TPLAS	1.48	(0.02)	1,987	1.00	SIMAT	1.58	-	904	1.00	ANAN24C1907A	-	-	-	-
UAC	3.12	0.02	12,887	3.00	SKY	11.90	(0.10)	2,257	11.00	ANAN24C1912A	0.39	0.01	6,181	-
UBIS	6.15	-	472	6.00	SPVI	1.61	(0.01)	3,718	1.00	AOT01C1908A	0.72	0.05	33,523	-
UEC	1.23	0.02	1,573	1.00	UPA	0.28	(0.01)	32,861	-	AOT01C1908B	0.41	0.03	201,013	-
UKEM	0.61	-	16,223	-	VCOM	3.06	0.02	5,225	3.00	AOT01C1911A	0.96	0.03	151,168	-
UREKA	1.13	0.01	5,452	1.00	Unit Trust	-	-	-	-	AOT01C1911B	0.75	0.05	37,951	-
YUASA	14.20	-	398	14.00	MGE	-	-	-	-	AOT01P1908A	0.27	(0.02)	85,505	-
ZIGA	1.77	-	2,792	1.00	SCBSET	-	-	-	-	AOT01P1908B	0.08	(0.02)	9,005	-
Property & Construc	-	-	-	-	ETF	-	-	-	-	AOT01P1911A	0.42	(0.02)	77,347	-
ALL	4.46	(0.02)	8,930	4.00	1DIV	11.66	0.11	321	11.00	AOT01P1911B	0.27	(0.01)	98,852	-
ARROW	8.60	0.05	387	8.00	ABFTH	-	-	-	-	AOT06C1908A	0.38	0.03	4,786	-
BKD	2.86	(0.02)	2,431	2.00	BMSCG	8.64	0.07	135	8.00	AOT06C1911A	1.01	0.04	20,500	1.00
BSM	0.46	-	4,571	-	BMSCITH	13.15	0.07	15,400	13.00	AOT06P1908A	-	-	-	-
BTW	1.45	(0.02)	1,264	1.00	BSET100	11.27	0.07	4,080	11.00	AOT07C1910A	-	-	-	-
CAZ	2.34	(0.02)	7,442	2.00	CHINA	5.59	0.10	612	5.00	AOT08C1911A	0.49	0.02	23,672	-
CHEWA	0.80	-	30,955	-	EBANK	5.78	0.06	153	5.00	AOT11C1906A	-	-	-	-
CMC	1.39	(0.01)	5,456	1.00	ECOMM	8.99	0.01	1	8.00	AOT11C2004A	0.83	0.02	27,255	

Main Board Quotation

Issue Date :

Monday July 01, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28C1909A	0.33	0.01	45,054	-	BCPG11C1910A	0.64	0.07	60,239	-	BGR11C1909A	0.46	0.01	8,410	-
AOT28C1912A	-	-	-	-	BCPG13C1908A	0.67	0.11	110,377	-	BGR13C1908A	0.40	(0.02)	601	-
AOT28C1912B	0.36	(0.64)	8,112	-	BCPG13C1912A	0.56	0.09	508,931	-	BGR13C1912A	0.36	0.02	165,609	-
AOT28P1909A	0.06	-	535	-	BCPG19C1906A	-	-	-	-	BGR16C2001A	0.30	0.02	8,920	-
AOT41C1909A	0.33	0.01	393	-	BCPG19C1911A	0.64	0.08	29,533	-	BGR19C1908A	0.26	0.01	61,446	-
AOT41C1912A	0.72	0.02	9,980	-	BCPG24C1906A	-	-	-	-	BGR23C1906A	-	-	-	-
AOT41C1912B	-	-	-	-	BCPG24C1912A	-	-	-	-	BGR24C1907A	-	-	-	-
AOT41P1909A	-	-	-	-	BCPG27P1909A	0.06	(0.01)	9	-	BGR27C1912A	0.42	-	8,000	-
AOT41P1911A	-	-	-	-	BCPG28C1910A	0.53	0.07	38,242	-	BGR27P1911A	0.18	(0.02)	3,655	-
AOT41P1911B	-	-	-	-	BCPG41C1910A	0.63	0.07	51,960	-	BGR41C1911A	0.33	-	1,814	-
AOT42C1912A	0.78	-	65	-	BDM01C1908A	0.67	0.03	10	-	BGR42C1910A	0.31	0.01	100	-
AP01C1908A	0.55	(0.01)	10,705	-	BDM01C1908B	-	-	-	-	BH01C1908A	0.28	(0.03)	49,426	-
AP01C1908B	0.38	(0.03)	35,129	-	BDM01C1911A	0.22	-	2,101	-	BH01C1908B	0.11	(0.01)	63,019	-
AP06C1909A	0.50	(0.02)	50	-	BDM01C1911B	0.16	-	2,545	-	BH01P1908A	0.92	0.04	35,865	-
AP08C1912A	0.28	(0.01)	6,400	-	BDM01P1908A	0.23	-	28,258	-	BH07C1910A	-	-	-	-
AP11C2001A	0.42	(0.02)	7,673	-	BDM01P1911A	0.34	(0.01)	30,488	-	BH08C1907A	-	-	-	-
AP19C1906A	-	-	-	-	BDM08C1906A	-	-	-	-	BH11C2002A	0.40	(0.02)	4,881	-
AP19C1910A	0.22	(0.01)	15,100	-	BDM08C1911A	-	-	-	-	BH13C1909A	0.19	(0.02)	11,073	-
AP24C1906A	-	-	-	-	BDM08C1911A	-	-	-	-	BH13C1912A	0.50	(0.03)	37,534	-
AP24C1907A	-	-	-	-	BDM0S11C2001A	0.67	0.04	21	-	BH19C1907A	0.06	-	50	-
AP24C1912A	0.27	(0.01)	11,194	-	BDM0S11P2002A	0.44	-	9,020	-	BH23C1906A	-	-	-	-
BANP01C1909A	0.25	0.01	128,229	-	BDM0S13C1906A	-	-	-	-	BH24C1907A	-	-	-	-
BANP01C1909B	0.12	-	33,663	-	BDM0S13C1909A	0.11	0.01	8,770	-	BH24C1910A	0.51	(0.05)	4,850	-
BANP01P1909A	0.47	(0.03)	114,728	-	BDM0S13P1907A	-	-	-	-	BH41C1907A	0.02	-	1	-
BANP01P1909B	0.26	(0.01)	126,725	-	BDM0S16C1912A	0.27	0.01	45	-	BH41C1911A	-	-	-	-
BANP07C1909A	-	-	-	-	BDM0S19C1910A	0.12	-	3,200	-	BH41P1911A	-	-	-	-
BANP08C1906A	-	-	-	-	BDM0S19P1906A	-	-	-	-	BH41P1911A	-	-	-	-
BANP08P1912A	0.24	(0.01)	14,600	-	BDM0S23C1906A	-	-	-	-	BIG08C1906A	-	-	-	-
BANP11C1909A	-	-	-	-	BDM0S23P1908A	0.04	(0.01)	1,000	-	BJC01C1906A	-	-	-	-
BANP11C2004A	0.33	0.01	10,669	-	BDM0S24C1907A	-	-	-	-	BJC01C1906B	-	-	-	-
BANP13C1910A	0.15	0.02	162,714	-	BDM0S24C1909A	-	-	-	-	BJC01C1911A	0.66	0.03	46,343	-
BANP13C1912A	0.27	0.02	197,330	-	BDM0S24C1912A	-	-	-	-	BJC01C1911B	0.51	0.01	65,924	-
BANP13P1908A	0.24	(0.01)	120,138	-	BDM0S24P1908A	0.13	(0.01)	10	-	BJC01P1906A	-	-	-	-
BANP16C1912A	0.26	0.01	12,535	-	BDM0S41C1911A	-	-	-	-	BJC01P1911A	0.27	(0.01)	27,421	-
BANP19C1906A	-	-	-	-	BDM0S41P1907A	-	-	-	-	BJC06C1907A	0.14	-	4,230	-
BANP19C1910A	0.17	-	14,270	-	BDM0S41P1911A	0.14	(0.01)	1,251	-	BJC08C1907A	0.08	(0.01)	15	-
BANP19P1906A	-	-	-	-	BEAU01C1906A	-	-	-	-	BJC11C2001A	0.38	0.02	8,768	-
BANP19P1910A	0.10	(0.01)	33,000	-	BEAU01C1906B	-	-	-	-	BJC13C1908A	0.12	0.01	45,024	-
BANP23C1906A	-	-	-	-	BEAU01C1911A	0.50	(0.07)	281,002	-	BJC13C1911A	0.39	0.01	141,402	-
BANP23P1908A	0.15	(0.01)	7,000	-	BEAU01P1909A	1.99	0.13	6,120	1.00	BJC19C1906A	-	-	-	-
BANP24C1907A	-	-	-	-	BEAU06C1909A	0.02	-	2,756	-	BJC19C1910A	0.36	-	26,730	-
BANP24C1907B	-	-	-	-	BEAU06C1911A	0.36	(0.02)	45,267	-	BJC23C2001A	0.41	(0.01)	7,000	-
BANP24C1911A	0.24	0.01	5,500	-	BEAU08C1906A	-	-	-	-	BJC24C1906A	-	-	-	-
BANP24P1906A	-	-	-	-	BEAU08C1910A	0.04	(0.01)	3,396	-	BJC24C1910A	-	-	-	-
BANP24P1908A	0.22	(0.03)	1,000	-	BEAU11C1911A	0.08	(0.01)	142	-	BJC27P1908A	0.10	(0.02)	3,600	-
BANP28C1907A	-	-	-	-	BEAU13C1910A	0.03	-	5,305	-	BJC41C1907A	-	-	-	-
BANP28C1911A	0.22	0.02	23,129	-	BEAU13C1910B	0.17	(0.03)	961,042	-	BJC41C1910A	-	-	-	-
BANP28P1909A	0.16	(0.01)	15,916	-	BEAU13P1909A	0.31	0.02	614,125	-	BJC41C1912A	-	-	-	-
BANP41C1909A	-	-	-	-	BEAU19C1906A	-	-	-	-	BJC41P1908A	-	-	-	-
BANP41C1911A	0.31	0.02	12,115	-	BEAU19C1910A	0.16	(0.02)	179,707	-	BJC42C1912A	-	-	-	-
BANP41P1907A	-	-	-	-	BEAU19P1908A	0.53	0.05	728,488	-	BLA11C1909A	-	-	-	-
BANP41P1909A	-	-	-	-	BEAU23C1906A	-	-	-	-	BLA13C1908A	0.07	0.01	500	-
BBL07C1909A	0.13	0.01	764	-	BEAU24C1907A	-	-	-	-	BLA19C1906A	-	-	-	-
BBL08C1908A	-	-	-	-	BEAU24C1909A	0.58	(0.06)	3,610	-	BLAN19C1910A	0.31	0.03	2,213	-
BBL08P1912A	0.47	(0.01)	9,100	-	BEAU27C1910A	-	-	-	-	BLAN24C1907A	-	-	-	-
BBL11C2001A	0.20	0.01	2,676	-	BEAU28C1907A	-	-	-	-	BPP11C1910A	0.16	-	13,078	-
BBL11P2001A	0.41	-	7,357	-	BEAU28C1910A	0.01	(0.02)	1,000	-	BPP13C1911A	0.39	0.02	300,439	-
BBL13C1908A	0.13	-	10,938	-	BEAU28C1910B	0.22	(0.04)	59,304	-	BPP16C2001A	0.42	(0.02)	31,900	-
BBL13C1911A	0.67	0.02	101,369	-	BEAU41C1907A	0.01	-	1,500	-	BPP19C1908A	-	-	-	-
BBL13P1906A	-	-	-	-	BEAU41C1907B	-	-	-	-	BPP19C1910A	0.40	0.01	36,194	-
BBL13P1911A	0.53	(0.04)	37,028	-	BEAU41C1910A	-	-	-	-	BPP24C1908A	0.11	-	1,000	-
BBL19C1906A	-	-	-	-	BEAU41C1910B	0.01	-	420	-	BPP24C1911A	-	-	-	-
BBL19C1907A	-	-	-	-	BEAU41C1911A	-	-	-	-	BTS01C1908A	0.36	0.01	53,546	-
BBL19C1911A	-	-	-	-	BEAU41P1909A	0.88	0.09	2,082	-	BTS01C1908B	0.27	0.01	63,093	-
BBL19P1909A	-	-	-	-	BEAU41P1911A	1.23	0.04	101	1.00	BTS01P1908A	0.07	-	30,500	-
BBL23C1906A	-	-	-	-	BEAU42C1910A	-	-	-	-	BTS06C1908A	0.24	-	1,000	-
BBL24C1907A	-	-	-	-	BEAU42C1911A	-	-	-	-	BTS06P1908A	-	-	-	-
BBL24C1910A	-	-	-	-	BEM01C1907A	0.58	(0.03)	3,073	-	BTS08C1911A	0.24	-	2,000	-
BBL27C2002A	0.35	(0.01)	6,000	-	BEM01C1907B	0.10	(0.01)	88,221	-	BTS11C1910A	0.78	0.02	31	-
BBL41C1908A	-	-	-	-	BEM01C1911A	0.29	(0.01)	29,383	-	BTS11C2003A	0.28	-	3,422	-
BBL41C1912A	-	-	-	-	BEM01C1911B	0.22	(0.01)	26,675	-	BTS13C1907A	0.19	(0.01)	27,884	-
BCH01C1907A	0.25	(0.02)	67,489	-	BEM01P1907A	0.03	-	1	-	BTS13C1912A	0.23	-	43,924	-
BCH01C1907B	0.10	(0.02)	101,089	-	BEM01P1911A	0.31	0.02	20,850	-	BTS16C2001A	0.24	0.01	1,250	-
BCH01P1907A	0.14	0.01	80,972	-	BEM06C1912A	0.19	(0.82)	1,000	-	BTS19C1907A	0.66	0.08	1,000	-
BCH06C1909A	0.16	(0.01)	15,250	-	BEM06P1906A	-	-	-	-	BTS19C1907B	0.21	-	150	-
BCH08C1906A	-	-	-	-	BEM06P1912A	0.32	0.01	10,200	-	BTS19C1910A	0.13	-	12,189	-
BCH08C1910A	0.13	(0.01)	28,600	-	BEM08C1907A	0.10	(0.02)	1,100	-	BTS19P1910A	0.06	(0.01)	10,000	-
BCH11C2001A	0.31	(0.01)	17,530	-	BEM11C2001A	-	-	-	-	BTS24C1906A	-	-	-	-
BCH13C1907A	0.14	-	14,545	-	BEM11C2003A	0.28	-	2,200	-	BTS24C2001A	0.29	0.01	2,000	-
BCH13C1909A	0.13	(0.01)	4,398	-	BEM13C1909A	0.19	(0.01)	13,001	-	BTS24P2001A	-	-	-	-
BCH13C1911A	0.26	(0.02)	143,347	-	BEM16C2001A	0.14	-	16,278	-	BTS27P1911A	0.17	-	2,400	-
BCH16C2001A	-	-	-	-	BEM19C1907A	0.10	-	14,000	-	BTS41C1908A	-	-	-	-
BCH19C1907A	0.11	(0.02)	123,613	-	BEM19C1911A	0.16	(0.01)	700	-	BTS41P1908A	-	-	-	-
BCH19C1910A	0.11	(0.02)	8,275	-	BEM19P1910A	-	-	-	-	BTS41P1910A	-	-	-	-
BCH23C1907A	0.03	-	2,000	-	BEM19P1911A	0.20	0.01	8,200	-	CBG01C1907A	2.46	(0.06)	2,828	2.00
BCH24C1908A	0.13	(0.03)	3,470	-	BEM23C2001A	-	-	-	-	CBG01C1907B	2.60	0.02	5,326	2.00
BCH27C1908A	0.13	(0.02)	5,600	-	BEM24C1906A	-	-	-	-	CBG01C1909A	1.21	(0.04)	58,012	1.00
BCH27P1908A	-	-	-	-	BEM24C1909A	0.12	(0.01)	8,752	-	CBG01C1911A	1.41	(0.04)	32,630	1.00
BCH41C1908A	-	-	-	-	BEM24P1909A	0.03	(0.02)	100	-	CBG01C1911B	1.05	(0.01)	43,682	1.00
BCP01C1908A	0.14	0.02	75,148	-	BEM27C1908A	-	-	-	-	CBG01P1907A	0.02	0.01	18,352	-
BCP01C1908B	-	-	-	-	BEM27P1907A	-	-	-	-	CBG01P1909A	0.05	-	411	-
BCP01P1908A	0.30	(0.03)	47,381	-	BEM27P1912A	0								

Main Board Quotation

Issue Date :

Monday July 01, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG16C2001A	1.23	0.02	601	1.00	COM724C1906A	-	-	-	-	DTAC28C1911A	0.49	0.06	35,966	-
CBG19C1906A	-	-	-	-	COM724C1908A	0.58	0.09	21,940	-	DTAC41C1908A	0.22	0.02	18,092	-
CBG19C1907A	0.62	(0.05)	16,924	-	COM727C1907A	1.12	0.11	4,100	1.00	DTAC41P1908A	-	-	-	-
CBG19C1911A	0.69	(0.02)	24,926	-	COM741C1908A	0.47	0.06	20,400	-	DTAC42C1911A	-	-	-	-
CBG19P1911A	0.25	-	16,026	-	COM741C1911A	0.82	0.01	6,000	-	EA06C1907A	0.29	(0.01)	27,646	-
CBG23C1908A	-	-	-	-	CPAL01C1907A	0.94	0.01	43,743	-	EA07C1910A	0.70	(0.07)	58	-
CBG24C1906A	-	-	-	-	CPAL01C1907B	0.34	-	167,115	-	EA08C1908A	0.52	-	17,815	-
CBG24C1906B	-	-	-	-	CPAL01C1911A	0.94	0.01	151,624	-	EA11C1911A	0.82	0.02	9,972	-
CBG24C1909A	0.84	0.01	170	-	CPAL01C1911B	0.76	0.01	275,760	-	EA13C1908A	0.48	(0.02)	420,861	-
CBG27C1912A	1.00	(0.03)	5,398	1.00	CPAL01P1907A	0.10	-	63,753	-	EA13C1910A	0.32	(0.02)	244,096	-
CBG28C1908A	-	-	-	-	CPAL01P1907B	0.01	(0.01)	1,400	-	EA13P1909A	0.20	(0.01)	7,234	-
CBG28C1910A	0.72	(0.04)	16,694	-	CPAL01P1911A	0.69	(0.02)	79,939	-	EA13P1910A	0.52	-	137,244	-
CBG28C1912A	0.68	(0.32)	4,028	-	CPAL01P1911B	0.43	(0.01)	135,851	-	EA16C1911A	0.72	(0.01)	42,231	-
CBG41C1908A	1.77	0.55	5008	1.00	CPAL06C1908A	0.57	0.02	21,800	-	EA19C1907A	0.39	0.01	8,615	-
CBG41C1908B	0.82	(0.07)	8,000	-	CPAL08C1908A	0.47	0.01	60,264	-	EA19C1908A	0.31	(0.01)	117,209	-
CBG41C1910A	0.83	(0.06)	20	-	CPAL08P1908A	-	-	-	-	EA19P1906A	-	-	-	-
CBG41C1910B	-	-	-	-	CPAL11C1909A	0.62	0.01	13,598	-	EA19P1910A	0.22	-	40,600	-
CBG41P1908A	-	-	-	-	CPAL13C1906A	-	-	-	-	EA23C1909A	0.47	-	18,505	-
CBG41P1909A	0.34	-	60	-	CPAL13C1911A	0.77	(0.01)	303,153	-	EA24C1910A	0.52	-	8,350	-
CBG41P1910A	-	-	-	-	CPAL13P1906A	-	-	-	-	EA27C1908A	0.47	(0.03)	8,400	-
CBG42C1910A	-	-	-	-	CPAL13P1911A	0.43	(0.02)	175,872	-	EA27P1908A	0.09	-	2,400	-
CENTO1C1909A	0.11	0.02	78,326	-	CPAL16C1912A	1.44	-	17,504	1.00	EA28C1909A	0.42	(0.03)	31,020	-
CENTO1C1909B	0.03	-	1,000	-	CPAL16C2001A	0.79	0.01	40,456	-	EA28C1909B	0.18	-	22,347	-
CENTO1C1911A	0.44	0.04	109,587	-	CPAL19C1907A	0.38	-	14,453	-	EA28C1910A	0.30	(0.01)	2,717	-
CENTO1C1911B	0.34	0.04	164,881	-	CPAL19C1911A	0.39	-	110,072	-	EA41C1907A	-	-	-	-
CENTO1P1909A	0.90	(0.06)	24,044	-	CPAL19P1906A	-	-	-	-	EA41C1910A	0.54	(0.01)	6,055	-
CENTO1P1911A	0.31	(0.03)	70,978	-	CPAL19P1910A	0.11	-	32,000	-	EA41C1910B	0.57	(0.03)	400	-
CENTO6C1908A	-	-	-	-	CPAL23C1906A	-	-	-	-	EA41P1907A	-	-	-	-
CENT08C1911A	0.13	0.03	7,380	-	CPAL24C1907A	-	-	-	-	EA41P1912A	0.72	(0.28)	822	-
CENT11C1909A	0.05	-	5	-	CPAL24P1907A	-	-	-	-	EA42C1910A	0.34	(0.02)	200	-
CENT11C2004A	0.37	0.04	45,394	-	CPAL24P1909A	0.01	-	2,016	-	EGCO01C1909A	1.29	0.06	24,236	1.00
CENT13C1907A	-	-	-	-	CPAL27C1912A	0.80	-	24,932	-	EGCO01C1909B	1.09	0.05	27,677	1.00
CENT13C1911A	0.27	0.02	212,592	-	CPAL28C1910A	-	-	-	-	EGCO13C1907A	-	-	-	-
CENT16C2001A	0.31	0.03	20,100	-	CPAL28C1912A	0.59	-	22,941	-	EGCO13C1910A	0.77	0.05	82,846	-
CENT19C1908A	-	-	-	-	CPAL41C1910A	0.72	-	28,000	-	EGCO16C2001A	0.72	0.07	10	-
CENT19C1910A	0.15	0.02	54,633	-	CPAL41C1910B	-	-	-	-	EGCO19C1907A	1.24	0.11	11,600	1.00
CENT23C1908A	-	-	-	-	CPAL41P1908A	-	-	-	-	EGCO19C1908A	0.54	0.05	21,549	-
CENT24C1908A	-	-	-	-	CPAL41P1911A	-	-	-	-	EGCO24C1908A	1.40	0.15	6	1.00
CENT24C1910A	0.26	0.03	7,364	-	CPAL42C1910A	-	-	-	-	EGCO27C1910A	0.91	0.05	7,637	-
CENT27C1912A	0.35	0.05	7,200	-	CPF01C1908A	0.23	0.01	147,226	-	EGCO41C1911A	0.54	0.03	24,000	-
CENT41C1908A	-	-	-	-	CPF01C1908B	0.11	-	190,014	-	EGCO41P1911A	0.17	(0.02)	155	-
CENT41C1912A	-	-	-	-	CPF01P1908A	0.16	(0.01)	99,050	-	EPG19C1908A	-	-	-	-
CENT41P1910A	0.50	(0.03)	80	-	CPF01P1908B	0.06	(0.02)	67,520	-	EPG19C1910A	0.21	-	1,609	-
CHG01C1907A	0.83	0.02	12,525	-	CPF08C1911A	0.17	0.02	17,760	-	EPG24C1908A	-	-	-	-
CHG01C1907B	0.14	-	60,659	-	CPF11C1910A	-	-	-	-	EPG24C1911A	-	-	-	-
CHG01P1907A	0.03	-	10,118	-	CPF13C1908A	0.19	0.01	92,701	-	ERW06C1907A	-	-	-	-
CHG06C1911A	0.34	0.02	3,600	-	CPF13C1910A	0.15	-	74,982	-	ERW06C1911A	0.14	(0.01)	91,113	-
CHG08C1912A	0.29	-	18,800	-	CPF13C1911A	0.23	0.01	87,199	-	ERW11C2001A	0.17	(0.02)	11,232	-
CHG11C1911A	0.28	0.01	3,489	-	CPF13P1910A	0.18	(0.01)	37,204	-	ERW13C1911A	0.14	(0.01)	79,280	-
CHG13C1911A	0.27	-	112,206	-	CPF16C2001A	-	-	-	-	ERW19C1906A	-	-	-	-
CHG19C1906A	-	-	-	-	CPF19C1907A	0.05	-	26,650	-	ERW19C1908A	-	-	-	-
CHG19C1911A	0.18	0.01	62,154	-	CPF19C1910A	0.18	-	13,161	-	ERW24C1909A	-	-	-	-
CHG23C1907A	0.17	0.01	2,000	-	CPF19P1910A	-	-	-	-	ERW27C1910A	-	-	-	-
CHG24C1907A	0.40	(0.02)	500	-	CPF24C1912A	0.22	-	29,032	-	ESS001C1906A	-	-	-	-
CHG24C1911A	0.80	(0.01)	800	-	CPF24P1909A	-	-	-	-	ESS001C1906B	-	-	-	-
CHG41C1912A	-	-	-	-	CPF27C2001A	0.23	0.01	2,400	-	ESS001C1911A	0.81	0.02	5,927	-
CK01C1907A	0.43	-	18,698	-	CPF28C1912A	0.17	0.01	10,790	-	ESS001C1911B	0.28	(0.01)	33,705	-
CK01C1907B	0.24	(0.01)	65,622	-	CPF28P1911A	0.19	(0.02)	4,028	-	ESS001P1906A	-	-	-	-
CK01P1907A	-	-	-	-	CPF41C1908A	0.11	0.01	6,000	-	ESS006C1911A	-	-	-	-
CK06C1911A	0.23	(0.01)	19,700	-	CPF41P1910A	-	-	-	-	ESS008C1908A	-	-	-	-
CK08C1911A	0.26	-	13,700	-	CPF41P1912A	-	-	-	-	ESS008C1911A	-	-	-	-
CK11C1911A	0.29	(0.01)	12,413	-	CPN01C1908A	0.33	0.01	141,691	-	ESSO11C2002A	-	-	-	-
CK13C1910A	0.29	(0.01)	98,841	-	CPN01C1908B	0.13	0.01	120,235	-	ESSO13C1910A	0.19	(0.01)	14,664	-
CK16C1912A	-	-	-	-	CPN01P1908A	0.67	0.01	80,703	-	ESSO13C1911A	0.81	0.04	130	-
CK19C1907A	0.14	(0.01)	11,016	-	CPN06C1908A	0.29	0.02	38,334	-	ESSO13C1912A	0.33	0.02	32,420	-
CK23C1907A	0.15	-	6,000	-	CPN11C1910A	0.22	0.01	18,903	-	ESSO19C1906A	-	-	-	-
CK24C1910A	-	-	-	-	CPN13C1908A	0.25	-	113,961	-	ESSO19C1910A	0.16	0.01	2,000	-
CK41C1907A	-	-	-	-	CPN16C2001A	0.46	0.01	11,640	-	ESSO23C1908A	0.13	-	1,060	-
CK41C1911A	0.28	-	12,000	-	CPN19C1906A	-	-	-	-	ESSO24C1907A	-	-	-	-
CKP01C1906A	-	-	-	-	CPN19C1911A	0.34	0.01	98,779	-	ESSO24C1910A	0.93	0.02	500	-
CKP01C1906B	-	-	-	-	CPN23C1906A	-	-	-	-	ESSO27C1912A	-	-	-	-
CKP01C1911A	0.63	0.02	14,847	-	CPN24C1909A	0.30	(0.01)	17,591	-	ESSO41C1911A	0.19	0.04	10	-
CKP01C1911B	0.53	-	36,594	-	CPN24P1907A	-	-	-	-	ESSO42C1910A	-	-	-	-
CKP06C1910A	0.73	(0.01)	1,650	-	CPN24P1911A	0.59	(0.03)	4,698	-	GFPT08C1906A	-	-	-	-
CKP08C1910A	0.46	0.01	1,330	-	CPN41C1907A	0.02	-	2,200	-	GFPT08C1912A	0.38	(0.01)	10,110	-
CKP11C1910A	0.52	(0.02)	1,630	-	CPN41C1910A	0.32	(0.02)	6,000	-	GFPT19C1906A	-	-	-	-
CKP13C1908A	-	-	-	-	CPN41P1908A	-	-	-	-	GFPT19C1907A	-	-	-	-
CKP13C1910A	0.49	-	13,565	-	CPN41P1912A	-	-	-	-	GFPT23C1909A	0.32	-	3,000	-
CKP13C1912A	0.36	0.01	31,040	-	DTAC01C1910A	0.60	0.06	221,088	-	GFPT24C1907A	-	-	-	-
CKP16C2001A	-	-	-	-	DTAC01C1910B	0.54	0.07	230,479	-	GFPT24C1912A	0.32	-	20	-
CKP19C1907A	1.69	0.05	33	1.00	DTAC01P1910A	0.81	(0.07)	55,627	-	GFPT42C1911A	-	-	-	-
CKP19C1910A	-	-	-	-	DTAC01P1910B	0.31	(0.04)	120,089	-	GGC08C1906A	-	-	-	-
CKP19C1911A	0.25	0.01	280	-	DTAC06C1908A	0.34	0.05	45,600	-	GGC13C1908A	0.21	0.01	51,524	-
CKP23C1907A	-	-	-	-	DTAC06P1908A	-	-	-	-	GGC19C1906A	-	-	-	-
CKP24C1906A	-	-	-	-	DTAC07C1909A	0.42	0.01	11	-	GGC28C1907A	-	-	-	-
CKP24C1907A	-	-	-	-	DTAC08C1911A	0.49	0.04	30,170	-	GLOB01C1909A	0.41	-	35,233	-
CKP24C1912A	0.60	-	34	-	DTAC08P1906A	-	-	-	-	GLOB01C1909B	0.18	0.01	37,630	-
CKP24P1912A	0.10	-	2,500	-	DTAC08P1911A	0.56	(0.05)	20,000	-	GLOB01P1909A	0.40	-	37,768	-
CKP28C1908A	-	-	-	-	DTAC11C2002A	0.61	0.05	8,212	-	GLOB06C1911A	0.42	0.01	3,000	-
CKP28C1910A	0.36	-	1,000	-	DTAC13C1908A	0.33	0.04	107,904	-	GLOB11C1906A	-	-		

Main Board Quotation

Issue Date :

Monday July 01, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GOLD19C1906A	-	-	-	-	INTU41P1910A	0.15	(0.01)	160	-	KBAN41P1908B	-	-	-	-
GPSCO1C1910A	1.11	0.10	163,923	1.00	INTU42C1910A	-	-	-	-	KBAN41P1912A	-	-	-	-
GPSCO1C1910B	1.05	0.10	182,438	1.00	IRPC01C1906A	-	-	-	-	KBAN42C1911A	0.40	-	12,830	-
GPSCO1P1910A	0.22	(0.02)	154,510	-	IRPC01C1906B	-	-	-	-	KCE01C1906A	-	-	-	-
GPSCO8C1906A	-	-	-	-	IRPC01C1911A	0.79	0.10	63,069	-	KCE01C1906B	-	-	-	-
GPSC11C1909A	0.64	0.07	5,941	-	IRPC01C1911B	0.20	0.04	291,959	-	KCE01C1911A	0.83	0.04	45,369	-
GPSC13C1908A	0.68	0.06	459,503	-	IRPC01P1911A	0.26	(0.03)	229,566	-	KCE01C1911B	0.59	0.04	38,093	-
GPSC13C1911A	1.19	0.07	330,983	1.00	IRPC06C1907A	0.01	-	700	-	KCE06C1908A	-	-	-	-
GPSC19C1907A	0.30	0.04	198,706	-	IRPC06C1911A	0.48	0.02	16,800	-	KCE06C1911A	0.56	0.05	15,305	-
GPSC19C1910A	1.01	0.09	19,065	1.00	IRPC06P1907A	0.04	(0.02)	6,480	-	KCE08C1911A	0.08	0.01	8,554	-
GPSC23C1906A	-	-	-	-	IRPC11C2001A	0.11	0.02	6,912	-	KCE11C1906A	-	-	-	-
GPSC24C1909A	1.01	0.07	31,642	1.00	IRPC13C1909A	0.05	-	5,000	-	KCE11C2004A	0.78	0.05	347	-
GPSC27C1909A	0.52	0.06	32,380	-	IRPC13C1911A	0.48	0.08	85,660	-	KCE13C1907A	-	-	-	-
GPSC41C1908A	0.32	0.06	13,087	-	IRPC13C1912A	0.19	0.03	270,645	-	KCE13C1908A	0.07	-	8,858	-
GPSC41C1911A	1.05	0.11	18,043	1.00	IRPC19C1910A	0.08	0.01	115,794	-	KCE13C1911A	0.50	0.05	94,284	-
GULF01C1906A	-	-	-	-	IRPC19C1910B	0.40	0.08	18,427	-	KCE16C2001A	0.53	0.05	24,994	-
GULF01C1906B	-	-	-	-	IRPC23C1908A	0.02	-	12,000	-	KCE19C1906A	-	-	-	-
GULF01C1909A	2.38	0.30	153,931	2.00	IRPC24C1909A	0.05	-	6,132	-	KCE19C1910A	0.12	0.01	9,042	-
GULF01C1909B	0.81	0.13	345,373	-	IRPC24C1911A	0.62	0.11	3,020	-	KCE19C1910B	0.43	0.04	17,500	-
GULF01P1906A	-	-	-	-	IRPC27C1911A	0.09	-	500	-	KCE23C1911A	0.41	0.05	17,200	-
GULF01P1909A	0.07	(0.01)	322,156	-	IRPC41C1907A	-	-	-	KCE24C1906A	-	-	-	-	
GULF06C1909A	3.50	0.50	6,347	3.00	IRPC41C1910A	0.09	0.01	500	-	KCE24C1911A	0.59	0.06	9,173	-
GULF07C1910A	2.92	0.30	9	2.00	IRPC41C1911A	-	-	-	KCE28C1907A	-	-	-	-	
GULF08C1906A	-	-	-	-	IRPC41C1911B	-	-	-	KCE28C1911A	0.52	0.04	24,132	-	
GULF08C1910A	0.91	0.14	17,530	-	IRPC41P1909A	0.17	(0.05)	1	-	KCE41C1907A	-	-	-	-
GULF11C1908A	2.16	0.21	40	2.00	IRPC42C1911A	-	-	-	KCE41C1911A	0.58	0.05	2,046	-	
GULF11C2003A	0.86	0.11	124,569	-	ITD13C1908A	0.07	(0.02)	56,913	-	KCE42C1910A	0.61	0.05	5,930	-
GULF13C1909A	0.80	0.14	930,606	-	ITD19C1906A	-	-	-	KKP01C1907A	0.63	0.11	52,707	-	
GULF13C1910A	2.30	0.32	37,095	2.00	ITD28C1907A	-	-	-	KKP01C1907B	0.29	0.06	124,399	-	
GULF13P1908A	0.02	-	4,275	-	IVL01C1908A	0.39	0.03	67,154	-	KKP01P1907A	0.08	(0.02)	1,844	-
GULF13P1910A	0.08	(0.02)	39,378	-	IVL01C1908B	0.17	0.01	76,640	-	KKP11C1911A	0.43	0.05	37,410	-
GULF13P1911A	0.45	(0.55)	133,274	-	IVL01C1911A	0.61	0.04	70,430	-	KKP13C1910A	0.44	0.05	251,679	-
GULF16C2001A	0.91	0.07	121,129	-	IVL01C1911B	0.38	0.03	65,586	-	KKP19C1906A	-	-	-	-
GULF19C1906A	-	-	-	-	IVL01P1908A	0.45	(0.04)	175,140	-	KKP19C1911A	0.43	0.05	62,450	-
GULF19C1908A	2.16	0.30	1,756	2.00	IVL01P1908B	0.18	(0.03)	76,530	-	KKP24C1906A	-	-	-	-
GULF19C1910A	0.80	0.12	305,065	-	IVL01P1911A	0.43	(0.03)	93,228	-	KKP24C1909A	0.42	0.08	4,700	-
GULF19P1911A	0.10	(0.04)	138,042	-	IVL01P1911B	0.39	(0.03)	69,171	-	KKP27P1908A	0.07	(0.02)	2,400	-
GULF24C1908A	3.28	0.36	481	3.00	IVL06C1906A	-	-	-	KKP27P2002A	0.47	(0.53)	2,400	-	
GULF24C1909A	0.88	0.16	8,696	-	IVL06C1910A	0.25	0.02	37,540	-	KKP41C1910A	-	-	-	-
GULF28C1908A	-	-	-	-	IVL06P1910A	0.20	(0.02)	19,804	-	KTB01C1909A	0.48	0.01	28,759	-
GULF28C1909A	0.83	0.13	3	-	IVL08C1907A	0.10	0.02	10,000	-	KTB01C1909B	0.25	0.01	78,952	-
GULF28C1910A	0.66	0.09	25,224	-	IVL08C1911A	0.36	0.03	14,824	-	KTB01P1909A	0.25	(0.01)	69,350	-
GULF41C1909A	0.78	0.10	22,000	-	IVL08P1910A	0.29	(0.03)	13,200	-	KTB11C1909A	-	-	-	-
GULF41C1909B	-	-	-	-	IVL11C1906A	-	-	-	KTB11C2004A	0.35	0.02	35,470	-	
GULF41C1910A	-	-	-	-	IVL11C1911A	0.31	0.02	5,554	-	KTB13C1907A	-	-	-	-
GULF41C1910B	1.75	0.01	90	1.00	IVL13C1906A	-	-	-	KTB13C1908A	0.21	0.01	72,398	-	
GULF41P1908A	-	-	-	-	IVL13C1908A	0.16	0.01	56,621	-	KTB19C1907A	-	-	-	-
GULF41P1909A	-	-	-	-	IVL13C1909A	0.32	0.03	144,180	-	KTB19P1910A	-	-	-	-
GULF41P1911A	0.12	(0.01)	50	-	IVL13P1906A	-	-	-	KTB23C1906A	-	-	-	-	
GULF41P1911B	0.09	(0.03)	5,400	-	IVL13P1908A	0.18	(0.02)	18,328	-	KTB24C1908A	-	-	-	-
GULF42C1910A	0.71	0.02	100	-	IVL13P1912A	0.53	(0.03)	117,030	-	KTB24P1907A	-	-	-	-
GUNK08C1912A	0.55	0.01	35,595	-	IVL16C2001A	0.39	0.01	3,450	-	KTB41C1910A	-	-	-	-
GUNK11C1911A	-	-	-	-	IVL19C1907A	0.13	0.02	46,594	-	KTC01C1906A	-	-	-	-
GUNK13C1909A	0.42	-	4,011	-	IVL19C1908A	0.08	-	8,193	-	KTC01C1906B	-	-	-	-
GUNK13C1912A	0.31	(0.01)	101,055	-	IVL19P1908A	-	-	-	KTC01C1910A	0.62	0.01	145,585	-	
GUNK19C1906A	-	-	-	-	IVL19P1910A	0.14	(0.01)	39,735	-	KTC01C1910B	0.44	-	224,371	-
GUNK19C1910A	0.43	-	18,300	-	IVL23C1906A	-	-	-	KTC01P1910A	0.28	(0.01)	240,642	-	
GUNK19C1911A	0.22	(0.01)	45,285	-	IVL23P1909A	0.25	(0.03)	8,000	-	KTC06C1911A	0.60	0.02	20,889	-
GUNK23C1907A	0.21	-	10,196	-	IVL24C1906A	-	-	-	KT08C1907A	-	-	-	-	
GUNK24C1909A	0.91	0.03	16,505	-	IVL24C1907A	0.05	0.01	2	-	KT08C1910A	0.41	-	18,750	-
GUNK42C1910A	0.50	(0.03)	1	-	IVL24C1910A	0.45	0.04	3,600	-	KTC11C1911A	0.87	0.01	19,436	-
HANA01C1909A	0.14	0.03	66,080	-	IVL24P1906A	-	-	-	KTC13C1909A	0.31	-	455,633	-	
HANA01C1909B	0.06	0.02	25,872	-	IVL24P1911A	0.37	(0.01)	3,500	-	KTC13P1909A	0.17	(0.02)	66,152	-
HANA01C1911A	1.02	0.16	29,377	1.00	IVL27C1912A	0.44	0.02	20,639	-	KTC13P1911A	0.54	(0.46)	239,486	-
HANA11C1911A	-	-	-	-	IVL27P1907A	-	-	-	KTC16C1911A	0.63	0.01	1,311	-	
HANA13C1906A	-	-	-	-	IVL28C1908A	0.04	-	360	-	KTC19C1907A	1.00	0.02	6,865	-
HANA13C1910A	0.09	0.02	70,335	-	IVL28C1910A	0.27	0.02	20,400	-	KTC19C1908A	0.44	-	79,267	-
HANA13C1911A	0.99	0.17	37,066	1.00	IVL28P1909A	0.16	(0.03)	4,802	-	KTC19C1910A	0.29	-	75,506	-
HANA13C1912A	0.26	0.05	170,224	-	IVL41C1909A	0.34	(0.04)	2,000	-	KTC19P1911A	0.28	(0.01)	37,200	-
HANA19C1906A	-	-	-	-	IVL41C1910A	-	-	-	KTC23C1908A	0.64	-	14,000	-	
HANA19C1910A	0.16	0.04	31,007	-	IVL41C1910B	-	-	-	KTC24C1907A	0.81	(0.07)	60	-	
HANA24C1907A	0.01	-	18	-	IVL41P1907A	-	-	-	KTC27C1911A	0.54	(0.01)	16,801	-	
HANA27C2001A	0.32	0.05	27,522	-	IVL41P1912A	-	-	-	KTC27P1911A	0.37	(0.01)	11,662	-	
HMPR01C1908A	0.59	0.02	36,566	-	IVL42C1910A	-	-	-	KT28C1907A	-	-	-	-	
HMPR01C1908B	0.40	0.02	43,974	-	KBAN01C1907A	0.57	0.01	89,139	-	KT28C1908A	0.10	(0.01)	5,148	-
HMPR01P1908A	0.10	(0.01)	600	-	KBAN01C1907B	0.10	-	77,545	-	KT28C1909A	0.27	(0.01)	13,624	-
HMPR06C1910A	0.45	0.01	3,300	-	KBAN01C1911A	0.79	0.01	72,211	-	KTC41C1910A	-	-	-	-
HMPR08C1912A	0.38	0.02	24,256	-	KBAN01C1911B	0.49	-	83,190	-	KTC41P1910A	-	-	-	-
HMPR11C1906A	-	-	-	-	KBAN01P1907A	-	-	-	KTC42C1911A	0.46	-	481	-	
HMPR11C2003A	0.45	0.02	7,740	-	KBAN01P1911A	1.18	(0.03)	37,591	1.00	LH01C1909A	0.29	0.01	247,464	-
HMPR13C1908A	0.41	(0.03)	90	-	KBAN01P1911B	0.83	(0.02)	45,983	-	LH01C1909B	0.17	-	323,744	-
HMPR13C1912A	0.31	0.01	58,550	-	KBAN07C1908A	-	-	-	LH01P1909A	0.19	-	243,899	-	
HMPR19C1907A	0.24	0.02	8,400	-	KBAN08C1906A	-	-	-	LH07C1908A	0.29	(0.01)	3,500	-	
HMPR19C1911A	0.25	0.02	35,130	-	KBAN08C1908A	-	-	-	LH11C1906A	-	-	-	-	
HMPR24C1907A	-	-	-	-	KBAN08P1912A	0.59	(0.02)	15,200	-	LH11C1911A	0.20	-	36,606	-
HMPR27P2001A	0.29	(0.02)	7,665	-	KBAN13C1906A	-	-	-	LH13C1910A	0.19	-	47,444	-	
HMPR41C1907A	0.28	(0.03)	100	-	KBAN13C1910A	0.50	0.01	211,118	-	LH19C1906A	-	-	-	-
HMPR41C1911A	0.31	(0.01)	1,000	-	KBAN13P1908A	0.24	(0.03)	83,844	-	LH19C1907A	0.08	(0.01)	18,500	-
HMPR41P1911A	-	-	-	-	KBAN16C2001A	0.59	0.01	2,401	-	LH19C1911A				

Main Board Quotation

Issue Date :

Monday July 01, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAJO13C1909A	0.15	(0.04)	17,192	-	PTG06C1910A	1.75	(0.04)	12,500	1.00	PTTE41P1910A	0.41	(0.05)	5,002	-
MAJO19C1907A	0.05	(0.04)	24,214	-	PTG08C1906A	-	-	-	-	PTTE42C1910A	0.42	-	200	-
MAJO27C1912A	0.19	(0.03)	4,550	-	PTG08C1907A	-	-	-	-	PTTG01C1907A	0.35	0.04	153,855	-
MBK13C1907A	0.17	(0.01)	98,127	-	PTG08C1912A	0.63	(0.02)	25,562	-	PTTG01C1907B	0.09	0.02	42,600	-
MBK19C1906A	-	-	-	-	PTG11C1906A	-	-	-	-	PTTG01C1910A	0.43	0.03	244,391	-
MBK19C1911A	0.30	-	41,926	-	PTG11C2003A	0.95	(0.05)	19,915	-	PTTG01C1910B	0.49	0.05	222,466	-
MBK24C1906A	-	-	-	-	PTG13C1906A	-	-	-	-	PTTG01P1907A	0.25	(0.05)	158,474	-
MBK24C1910A	0.42	(0.01)	21,835	-	PTG13C1910A	1.38	(0.08)	50,409	1.00	PTTG01P1907B	-	-	-	-
MEGA11C1910A	0.34	-	12,477	-	PTG13C1911A	0.88	(0.06)	76,364	-	PTTG01P1910A	1.06	(0.06)	134,723	1.00
MEGA13C1907A	0.10	0.01	2,730	-	PTG13C1912A	0.51	(0.04)	417,109	-	PTTG01P1910B	0.40	(0.04)	123,110	-
MEGA13C1912A	0.35	-	77,308	-	PTG16C1911A	1.20	(0.08)	6,680	1.00	PTTG06C1908A	0.07	0.03	165	-
MEGA19C1906A	-	-	-	-	PTG19C1907A	-	-	-	-	PTTG06C1911A	0.55	0.05	61,650	-
MEGA19C1910A	0.17	-	12,766	-	PTG19C1910A	1.00	(0.05)	4,300	1.00	PTTG06P1908A	0.43	(0.08)	20,700	-
MINT01C1906A	-	-	-	-	PTG19C1910B	0.50	(0.05)	32,451	-	PTTG07C1908A	-	-	-	-
MINT01C1906B	-	-	-	-	PTG19P1908A	-	-	-	-	PTTG08C1906A	-	-	-	-
MINT01C1911A	0.53	0.04	162,393	-	PTG19P1910A	0.10	0.01	53,965	-	PTTG08C1911A	0.33	0.03	18,342	-
MINT01C1911B	0.44	0.05	213,322	-	PTG24C1909A	1.32	0.08	5	1.00	PTTG08P1912A	0.39	(0.03)	14,400	-
MINT01P1906A	-	-	-	-	PTG27P1910A	-	-	-	-	PTTG11C1909A	0.06	-	5,100	-
MINT01P1911A	0.33	(0.04)	80,122	-	PTG27P2001A	0.35	-	19,551	-	PTTG11C2004A	0.67	0.04	34,924	-
MINT06C1908A	0.28	0.07	44,079	-	PTG28C1907A	-	-	-	-	PTTG13C1908A	0.14	-	77,245	-
MINT08C1908A	0.24	0.03	29,666	-	PTG28C1908A	-	-	-	-	PTTG13C1911A	0.50	0.05	362,246	-
MINT11C1910A	0.46	0.06	21,450	-	PTG28C1910A	-	-	-	-	PTTG13P1909A	0.46	(0.08)	165,310	-
MINT13C1908A	0.26	0.03	181,856	-	PTG28C1910B	0.50	(0.01)	15,280	-	PTTG13P1910A	0.31	(0.02)	112,957	-
MINT13C1911A	0.46	0.05	183,521	-	PTG28C1911A	0.57	(0.03)	24,288	-	PTTG16C2001A	0.39	0.05	4,280	-
MINT16C1911A	0.49	0.05	2,080	-	PTG28C1912A	0.39	(0.61)	13,571	-	PTTG19C1906A	-	-	-	-
MINT19C1906A	-	-	-	-	PTG41C1907A	1.76	(0.09)	27	1.00	PTTG19C1910A	0.26	0.01	92,412	-
MINT19C1908A	0.19	0.04	312,007	-	PTG41C1910A	-	-	-	-	PTTG19P1906A	-	-	-	-
MINT19P1910A	0.05	(0.04)	590	-	PTG41P1911A	0.38	0.02	10,520	-	PTTG19P1910A	0.28	(0.03)	70,200	-
MINT23C2001A	0.44	0.02	150	-	PTG42C1910A	1.11	(0.06)	512	1.00	PTTG23C1906A	-	-	-	-
MINT24C1908A	0.53	0.10	770	-	PTT01C1907A	0.42	0.02	102,709	-	PTTG23C1908A	-	-	-	-
MINT27C1912A	0.40	0.04	14,950	-	PTT01C1907B	0.12	0.01	13,961	-	PTTG24C1907A	0.01	(0.01)	11	-
MINT27P1912A	0.18	(0.02)	3,430	-	PTT01C1910A	0.40	0.03	135,712	-	PTTG24C1911A	0.53	0.03	1,007	-
MINT41C1907A	0.30	0.12	10,120	-	PTT01C1910B	0.35	0.02	152,631	-	PTTG27C2001A	0.61	0.04	9,609	-
MINT41C1910A	0.38	0.09	12,000	-	PTT01P1907A	0.14	(0.02)	142,271	-	PTTG28C1907A	-	-	-	-
MINT41P1912A	-	-	-	-	PTT01P1907B	-	-	-	-	PTTG28C1911A	0.33	0.02	27,094	-
MON08C1906A	-	-	-	-	PTT01P1910A	0.57	(0.02)	145,537	-	PTTG41C1909A	0.19	0.01	200	-
MTC01C1907A	0.74	0.04	37,149	-	PTT01P1910B	0.24	(0.02)	104,348	-	PTTG41C1911A	-	-	-	-
MTC01C1907B	0.38	0.03	50,705	-	PTT06C1908A	0.12	0.01	42	-	PTTG41C1911B	-	-	-	-
MTC01P1907A	0.03	(0.01)	6,956	-	PTT08C1906A	-	-	-	-	PTTG41P1908A	0.48	(0.08)	10,002	-
MTC06C1908A	0.86	0.02	4,300	-	PTT08C1912A	0.57	0.03	22,359	-	PTTG42C1910A	-	-	-	-
MTC06C1912A	0.56	0.02	14,800	-	PTT08P1911A	0.30	(0.03)	30,202	-	QH01C1908A	0.41	-	32,035	-
MTC07C1909A	-	-	-	-	PTT11C1909A	0.07	-	2,013	-	QH01C1908B	0.23	(0.02)	43,027	-
MTC08C1906A	-	-	-	-	PTT11C2004A	0.42	-	3,455	-	QH01P1908A	-	-	-	-
MTC08C1911A	0.60	0.03	13,000	-	PTT13C1909A	0.18	0.01	8,750	-	QH11C1910A	0.30	0.02	19,200	-
MTC11C2002A	0.90	0.03	6,099	-	PTT13C1911A	0.38	0.02	189,470	-	QH13C1909A	0.28	-	23,835	-
MTC13C1906A	-	-	-	-	PTT13P1909A	0.14	(0.01)	1	-	QH19C1909A	-	-	-	-
MTC13C1910A	0.61	0.02	2,001	-	PTT13P1911A	0.32	(0.68)	46,122	-	QH24C1908A	-	-	-	-
MTC13C1912A	0.51	0.04	121,171	-	PTT16C1912A	0.52	0.02	14,287	-	RATC13C1911A	0.50	(0.01)	361,522	-
MTC16C1911A	0.78	-	4,420	-	PTT16C2001A	0.35	0.03	15,751	-	RATC16C2001A	0.46	(0.02)	5,049	-
MTC19C1907A	-	-	-	-	PTT19C1906A	-	-	-	-	RATC19C1908A	0.56	(0.03)	12,882	-
MTC19C1911A	0.42	0.03	34,028	-	PTT19C1911A	0.29	0.02	42,503	-	RATC19C1910A	0.20	(0.02)	55,760	-
MTC19P1906A	-	-	-	-	PTT19P1908A	-	-	-	-	RATC41C1911A	0.24	(0.02)	18,000	-
MTC19P1911A	0.34	(0.02)	23,307	-	PTT19P1911A	0.15	(0.01)	100	-	ROBI01C1909A	0.28	0.04	132,323	-
MTC23C1906A	-	-	-	-	PTT23C1906A	-	-	-	-	ROBI01C1909B	0.09	0.02	502	-
MTC23C1911A	0.65	0.03	7,000	-	PTT23C1911A	0.31	0.01	6,078	-	ROBI06C1910A	0.28	0.04	116,044	-
MTC24C1910A	0.47	0.02	1,800	-	PTT24C1906A	-	-	-	-	ROBI11C1906A	-	-	-	-
MTC24C1912A	1.00	0.04	1,125	1.00	PTT24C1911A	-	-	-	-	ROBI11C2003A	0.43	0.02	22,042	-
MTC27C1911A	0.70	0.03	2,560	-	PTT24P1907A	-	-	-	-	ROBI13C1906A	-	-	-	-
MTC27P1911A	0.26	-	1,200	-	PTT28C1907A	-	-	-	-	ROBI13C1908A	0.14	0.02	149,113	-
MTC28C1910A	0.47	0.03	10,396	-	PTT28C1911A	0.23	0.01	31,040	-	ROBI13C1912A	0.42	0.04	207,001	-
MTC28C1912A	0.39	(0.61)	13,118	-	PTT28C1912A	0.31	0.01	30,708	-	ROBI19C1907A	0.01	-	20	-
MTC41C1907A	-	-	-	-	PTT28P1907A	-	-	-	-	ROBI19C1910A	0.26	0.04	51,274	-
MTC41C1911A	-	-	-	-	PTT28P1912A	0.29	(0.02)	13,266	-	ROBI23C1909A	0.20	0.02	2,000	-
MTC41P1907A	-	-	-	-	PTT41C1910A	-	-	-	-	ROBI24C1907A	-	-	-	-
MTC41P1911A	-	-	-	-	PTT41C1910B	-	-	-	-	ROBI24C1909A	0.20	0.04	8,060	-
MTC42C1910A	-	-	-	-	PTT41P1908A	-	-	-	-	ROBI41C1912A	0.39	0.02	20,000	-
ORI08C1907A	0.23	0.04	70,544	-	PTT41P1911A	-	-	-	-	RS06C1908A	0.10	(0.03)	16,323	-
ORI11C1909A	0.39	0.04	33,914	-	PTT42C1911A	-	-	-	-	RS08C1906A	-	-	-	-
ORI13C1907A	0.26	0.04	325,767	-	PTTE01C1907A	0.98	0.06	74,104	-	RS08C1911A	0.27	(0.05)	25,630	-
ORI19C1910A	0.35	0.05	170,977	-	PTTE01C1907B	0.33	0.04	163,430	-	RS11C1911A	0.45	(0.04)	4,568	-
ORI23C1911A	0.49	0.04	32,232	-	PTTE01C1910A	0.59	0.04	204,633	-	RS13C1909A	0.16	(0.03)	99,053	-
ORI24C1908A	0.37	0.05	14,923	-	PTTE01C1910B	0.56	0.04	155,043	-	RS16C2001A	0.44	(0.06)	13,661	-
ORI41C1907A	-	-	-	-	PTTE01P1907A	0.10	(0.02)	94,027	-	RS19C1906A	-	-	-	-
ORI41C1907B	0.28	0.06	3,500	-	PTTE01P1907B	0.01	-	2,900	-	RS19C1908A	0.06	(0.01)	16,200	-
ORI41C1911A	0.40	0.04	42,100	-	PTTE01P1910A	0.79	(0.04)	124,466	-	RS23C1909A	0.16	(0.02)	8,000	-
PLAN13C1908A	0.47	(0.05)	1,780	-	PTTE01P1910B	0.31	(0.03)	44,271	-	RS24C1910A	0.24	(0.05)	7,810	-
PLAN13C1912A	0.43	(0.01)	184,097	-	PTTE06C1908A	0.37	0.04	12,883	-	RS41C1908A	-	-	-	-
PLAN19C1906A	-	-	-	-	PTTE06P1910A	0.25	(0.03)	8,001	-	RS41C1912A	0.44	(0.07)	10,838	-
PLAN19C1911A	0.33	0.01	81,006	-	PTTE08C1906A	-	-	-	-	RS42C1911A	0.52	(0.07)	12,280	-
PLAN23C1909A	0.33	0.01	35,103	-	PTTE08C1910A	0.39	0.04	29,101	-	S1000C1911A	0.95	0.04	345	-
PLAN27C1908A	0.47	0.01	25,000	-	PTTE08P1911A	0.40	(0.04)	9,000	-	S5001C1906F	-	-	-	-
PLAN41C1910A	0.35	(0.02)	36,003	-	PTTE11C1910A	0.66	0.04	24,900	-	S5001C1906G	-	-	-	-
PRM13C1908A	0.32	-	80	-	PTTE13C1908A	0.40	0.02	350,269	-	S5001C1906H	-	-	-	-
PRM13C1912A	0.40	0.01	30,246	-	PTTE13C1911A	0.70	0.05	346,668	-	S5001C1906I	-	-	-	-
PRM19C1906A	-	-	-	-	PTTE13P1908A	0.12	(0.05)	22,494	-	S5001C1907A	1.26	0.09	722,715	1.00
PRM19C1910A	0.37	0.02	11,050	-	PTTE13P1912A	0.38	(0.03)	258,061	-	S5001C1908A	1.32	0.09	148,501	1.00
PRM23C1909A	0.37	(0.01)	4,180	-	PTTE16C1911A	0.55	0.04	9,712	-	S5001C1909F	2.16	0.21	1,500,884	2.00
PRM27C2002A	0.4													

Main Board Quotation

Issue Date :

Monday July 01, 2019

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Monday July 01, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5006C1909C	2.00	0.21	84	2.00	SCB13C1911A	0.73	0.02	901,051	-	STA11C1909A	-	-	-	-
S5006P1906A	-	-	-	-	SCB16C2001A	0.65	0.03	29,738	-	STA13C1908A	0.11	(0.01)	28,325	-
S5006P1906B	-	-	-	-	SCB19C1910A	0.42	0.02	335,161	-	STA13C1912A	0.24	(0.02)	369,210	-
S5006P1906C	-	-	-	-	SCB19P1906A	-	-	-	-	STA19C1907A	-	-	-	-
S5006P1906D	-	-	-	-	SCB19P1911A	0.11	(0.03)	61,104	-	STA19C1909A	0.13	-	67,292	-
S5006P1909A	0.14	(0.04)	17,716	-	SCB24C1910A	0.46	0.02	9,446	-	STA23C1906A	-	-	-	-
S5006P1909B	0.07	(0.03)	22,103	-	SCB24P1906A	-	-	-	-	STA23C1911A	0.33	(0.01)	18,003	-
S5006P1909C	0.17	(0.04)	1,255	-	SCB24P1909A	0.14	(0.08)	500	-	STA24C1909A	-	-	-	-
S5008C1906A	-	-	-	-	SCB28C1911A	0.54	0.03	162,402	-	STA24C1911A	0.33	(0.01)	50	-
S5008C1906B	-	-	-	-	SCB28P1909A	0.05	(0.03)	16,225	-	STA27C1911A	0.24	(0.02)	3,600	-
S5008C1909A	1.17	0.18	219,097	1.00	SCB41C1910A	0.51	0.04	13,000	-	STA41C1907A	-	-	-	-
S5008P1906A	-	-	-	-	SCB41P1907A	-	-	-	-	STA41C1910A	0.18	(0.01)	33,000	-
S5008P1906B	-	-	-	-	SCB41P1912A	0.32	(0.10)	200	-	STA42C1911A	-	-	-	-
S5008P1909A	0.16	(0.04)	72,151	-	SCB42C1911A	-	-	-	-	STEC01C1907A	0.99	0.01	200	1.00
S5013C1906A	-	-	-	-	SCC01C1907A	0.55	0.01	850	-	STEC01C1907B	0.78	(0.02)	415	-
S5013C1906B	-	-	-	-	SCC01C1907B	0.26	0.01	14,029	-	STEC01C1911A	0.26	-	44,870	-
S5013C1906C	-	-	-	-	SCC01P1907A	0.08	(0.01)	48,000	-	STEC01C1911B	0.20	(0.01)	55,930	-
S5013C1906D	-	-	-	-	SCC06C1907A	0.08	0.01	345	-	STEC01P1907A	-	-	-	-
S5013C1906E	-	-	-	-	SCC07C1909A	-	-	-	-	STEC01P1911A	0.26	0.01	112,055	-
S5013C1909A	1.60	0.14	5,147,850	1.00	SCC08C1908A	0.18	0.01	1,600	-	STEC06C1908A	0.81	0.15	1,000	-
S5013C1909B	1.68	0.16	134,802	1.00	SCC11C1906A	-	-	-	-	STEC06C1912A	0.24	-	250	-
S5013C1909C	1.12	0.13	7,041,839	1.00	SCC11C2003A	0.38	-	2,473	-	STEC08C1908A	0.55	(0.04)	50	-
S5013C1909D	0.73	0.08	5,796,107	-	SCC13C1908A	0.11	(0.01)	360	-	STEC11C2001A	-	-	-	-
S5013P1906A	-	-	-	-	SCC13C1911A	0.34	-	22,211	-	STEC13C1907A	-	-	-	-
S5013P1906B	-	-	-	-	SCC13P1907A	-	-	-	-	STEC13C1909A	0.18	(0.02)	50,390	-
S5013P1906C	-	-	-	-	SCC13P1911A	0.30	(0.02)	20,643	-	STEC16C1911A	0.24	(0.01)	7,566	-
S5013P1906D	-	-	-	-	SCC19C1907A	-	-	-	-	STEC16C1911B	0.69	-	12,884	-
S5013P1906E	-	-	-	-	SCC19C1907B	0.06	-	5	-	STEC19C1906A	-	-	-	-
S5013P1909A	0.09	(0.04)	868,008	-	SCC19C1911A	0.30	-	6,936	-	STEC19C1908A	0.56	(0.08)	7,500	-
S5013P1909B	0.25	(0.05)	2,121,830	-	SCC19P1906A	-	-	-	-	STEC19C1910A	0.16	(0.01)	31,186	-
S5013P1909C	0.37	(0.08)	4,111,348	-	SCC19P1911A	0.13	-	100	-	STEC19P1906A	-	-	-	-
S5013P1909D	0.62	(0.10)	2,671,193	-	SCC23C1906A	-	-	-	-	STEC19P1911A	0.19	(0.03)	5,200	-
S5024C1909A	1.86	0.25	65,054	1.00	SCC24C1910A	0.17	-	1	-	STEC23C1907A	-	-	-	-
S5024C1909B	1.25	0.13	48,583	1.00	SCC24C1912A	0.49	(0.01)	100	-	STEC24C1906A	-	-	-	-
S5024P1909A	0.27	(0.10)	216,472	-	SCC24P1909A	-	-	-	-	STEC24C1911A	0.25	(0.02)	520	-
S5024P1909B	0.34	(0.09)	44,690	-	SCC24P1910A	-	-	-	-	STEC27C1908A	-	-	-	-
S5028C1906A	-	-	-	-	SCC27C2001A	0.37	-	1,200	-	STEC27C2002A	0.21	(0.79)	2,400	-
S5028C1906B	-	-	-	-	SCC28C1907A	-	-	-	-	STEC27P1910A	0.10	(0.02)	3,000	-
S5028C1906C	-	-	-	-	SCC28C1910A	0.18	-	7,110	-	STEC41C1907A	-	-	-	-
S5028C1907A	0.92	0.12	225,305	-	SCC41C1907A	-	-	-	-	STEC41C1910A	-	-	-	-
S5028C1908A	1.40	0.17	99,985	1.00	SCC41C1908A	-	-	-	-	STEC41P1911A	-	-	-	-
S5028C1909A	0.76	0.09	1,116,097	-	SCC41C1908B	-	-	-	-	STEC42C1910A	0.19	(0.01)	150	-
S5028P1906A	-	-	-	-	SCC42C1911A	-	-	-	-	SUPE19C1906A	-	-	-	-
S5028P1906B	-	-	-	-	SGP08C1906A	-	-	-	-	SUPE19C1910A	0.14	0.01	68,384	-
S5028P1906C	-	-	-	-	SGP08C1907A	0.07	0.01	100	-	SUPE23C1906A	-	-	-	-
S5028P1907A	0.04	-	1,419	-	SGP11C1911A	0.23	0.02	4,200	-	TASC01C1909A	0.87	0.01	66,469	-
S5028P1908A	0.13	(0.02)	2,697	-	SGP13C1907A	0.04	(0.01)	1,500	-	TASC01C1909B	0.71	0.04	73,278	-
S5028P1909A	0.52	(0.08)	962,456	-	SGP13C1908A	0.30	0.03	83,850	-	TASC01P1909A	0.14	(0.01)	84,394	-
S5041C1906F	-	-	-	-	SGP13C1912A	0.20	0.01	53,899	-	TASC06C1909A	0.84	0.01	13,150	-
S5041C1906G	-	-	-	-	SGP19C1907A	-	-	-	-	TASC06P1909A	0.03	-	3,000	-
S5041C1909A	-	-	-	-	SGP19C1910A	0.14	0.01	53,676	-	TASC08C1910A	0.66	0.04	35,800	-
S5041C1909B	-	-	-	-	SGP23C1908A	0.28	0.03	1	-	TASC11C2002A	0.94	0.04	13,901	-
S5041C1909F	1.53	0.21	21,201	1.00	SGP24C1906A	-	-	-	-	TASC13C1907A	-	-	-	-
S5041C1909G	1.11	0.13	6,770,222	1.00	SGP24C1910A	0.21	0.03	1,178	-	TASC13C1911A	0.61	0.01	410,277	-
S5041P1906F	-	-	-	-	SGP42C1911A	0.62	0.04	50	-	TASC16C2001A	0.55	0.02	16,000	-
S5041P1906G	-	-	-	-	SIRI01C1907A	0.61	-	480	-	TASC19C1907A	1.11	(0.08)	2,318	1.00
S5041P1909A	0.30	(0.06)	171,061	-	SIRI01C1907B	-	-	-	-	TASC19C1907B	0.56	0.01	9,936	-
S5041P1909B	0.17	(0.05)	5,903	-	SIRI01P1907A	-	-	-	-	TASC19C1910A	0.39	0.02	58,409	-
S5041P1909F	0.30	(0.06)	4	-	SIRI11C1911A	0.40	0.01	1	-	TASC23C1907A	-	-	-	-
S5041P1909G	0.20	(0.03)	808	-	SIRI19C1906A	-	-	-	-	TASC24C1908A	-	-	-	-
SAWA01C1907A	1.04	0.04	41,167	1.00	SIRI19C1910A	0.19	(0.01)	200	-	TASC28C1907A	-	-	-	-
SAWA01C1907B	0.70	0.10	72,220	-	SIRI24C1906A	-	-	-	-	TASC28C1908A	-	-	-	-
SAWA01C1911A	0.83	0.04	108,034	-	SIRI24C1907A	0.54	(0.01)	100	-	TASC28C1910A	-	-	-	-
SAWA01C1911B	0.56	0.06	175,215	-	SIRI24C1911A	-	-	-	-	TASC28C1912A	0.37	0.01	28,412	-
SAWA01P1907A	-	-	-	-	SPAL01C1907A	1.04	(0.02)	38,061	1.00	TASC41C1909A	0.32	-	430	-
SAWA01P1911A	0.52	(0.05)	120,706	-	SPAL01C1907B	0.80	(0.03)	54,846	-	TASC41C1912A	0.52	(0.04)	33,584	-
SAWA06C1908A	0.92	0.05	10,730	-	SPAL01C1911A	0.56	-	53,078	-	TASC42C1910A	-	-	-	-
SAWA08C1908A	0.58	0.03	26,500	-	SPAL01C1911B	0.35	-	137,394	-	TCAP01C1907A	0.55	0.02	15,881	-
SAWA11C1906A	-	-	-	-	SPAL11C1910A	0.67	-	12,500	-	TCAP01C1907B	0.25	0.02	34,633	-
SAWA11C2003A	0.91	0.02	5,699	-	SPAL13C1909A	0.37	-	248,452	-	TCAP01P1907A	0.04	(0.02)	100	-
SAWA13C1908A	-	-	-	-	SPAL19C1906A	-	-	-	-	TCAP11C1909A	0.14	0.01	1,202	-
SAWA13C1911A	0.67	0.04	286,210	-	SPAL19C1910A	0.36	(0.01)	18,068	-	TCAP13C1906A	-	-	-	-
SAWA16C2001A	0.84	0.06	2,000	-	SPAL24C1907A	0.68	0.07	300	-	TCAP13C1910A	0.30	0.02	180,976	-
SAWA19C1908A	0.53	0.06	57,680	-	SPAL41C1912A	-	-	-	-	TCAP19C1907A	0.20	0.02	13,170	-
SAWA23C1911A	0.73	0.03	14,000	-	SPRC01C1907A	0.10	0.01	33,668	-	TCAP19C1908A	0.12	0.02	18,878	-
SAWA24C1910A	1.42	0.03	238	1.00	SPRC01C1907B	0.02	-	103	-	TCAP24C1907A	0.09	(0.01)	150	-
SAWA27C1910A	0.88	0.04	11,904	-	SPRC01C1911A	0.59	0.04	23,279	-	TCAP41C1911A	0.33	-	12,000	-
SAWA28C1909A	0.62	0.03	26,286	-	SPRC01C1911B	0.18	0.02	40,462	-	THAI01C1907A	0.04	(0.01)	2,923	-
SAWA28C1910A	0.46	0.02	71,574	-	SPRC06C1907A	-	-	-	-	THAI01C1907B	0.01	-	800	-
SAWA41C1908A	0.60	0.04	27,980	-	SPRC11C1909A	-	-	-	-	THAI01P1907A	0.42	(0.01)	7,866	-
SAWA41C1911A	0.96	0.04	42,000	-	SPRC13C1906A	-	-	-	-	THAI08C1911A	0.10	-	6,100	-
SAWA41P1911A	0.23	(0.03)	195	-	SPRC13C1910A	0.08	(0.01)	28,108	-	THAI11C1906A	-	-	-	-
SAWA42C1910A	0.64	0.04	100	-	SPRC13C1911A	0.45	0.02	20,609	-	THAI11C2003A	0.21	-	3,306	-
SCB01C1907A	0.70	0.04	101,349	-	SPRC13C1912A	0.19	-	224,464	-	THAI13C1910A	0.09	(0.01)	33,192	-
SCB01C1907B	0.35	0.02	154,672	-	SPRC19C1906A	-	-	-	-	THAI13C1911A	0.73	0.01	20	-
SCB01C1911A	0.83	0.02	286,433	-	SPRC19C1907A	-	-	-	-	THAI13C1912A	0.27	0.01	57,592	-
SCB01C1911B	0.66	0.03	549,248	-	SPRC19C1910A	0.12	0.01	31,861	-	THAI19C1910A	-	-	-	-
SCB01P1907A	0.12	(0.03)	174,940	-	SPRC23C1907A	-	-	-	-	THAI19C1910B	0.39	-	3,300	-
SCB01P1907B	-	-	-	-	SPRC24C1909A	0.37	0.02	230	-	THAI24C1906A	-	-	-	-
SCB01P1911A	0.55	(0.03)	528,722	-	SPRC41C1911A									

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday July 01, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB08C1908A	0.28	0.01	102,222	-	STA01C1908A	0.10	(0.01)	71,646	-	THAN01C1907A	0.84	0.06	7,726	-
SCB11C1910A	0.31	0.03	69,267	-	STA01C1908B	0.02	(0.01)	3,002	-	THAN01C1907B	0.57	0.06	6,104	-
SCB11P1910A	0.15	(0.02)	35,151	-	STA06C1911A	0.43	(0.02)	8,910	-	THAN06C1910A	0.44	0.04	9,815	-
SCB13C1907A	0.11	-	246,423	-	STA08C1908A	0.03	(0.02)	1	-	THAN13C1909A	0.42	0.02	21,517	-
THAN19C1908A	0.26	0.04	6,900	-	TOP41C1910A	-	-	-	-	WORK01C1910A	0.86	0.07	63,334	-
THAN23C1906A	-	-	-	-	TOP41C1910B	0.20	0.02	500	-	WORK01C1910B	0.13	0.01	53,518	-
THAN24C1907A	-	-	-	-	TOP41P1910A	-	-	-	-	WORK08C1906A	-	-	-	-
THAN27C1910A	0.43	0.02	8,400	-	TOP42C1911A	0.85	0.11	45	-	WORK08C1912A	0.98	0.08	15,860	-
THCO08C1906A	-	-	-	-	TP101C1906A	-	-	-	-	WORK13C1907A	0.02	-	200	-
TISCO1C1908A	1.51	0.14	64,751	1.00	TP101C1906B	-	-	-	-	WORK13C1909A	0.60	0.07	42,311	-
TISCO1C1908B	1.09	0.14	80,856	1.00	TP119C1907A	0.11	-	419	-	WORK13C1911A	0.92	0.03	3,231	-
TISCO1P1908A	0.09	(0.02)	26,157	-	TP119C1911A	-	-	-	-	WORK19C1906A	-	-	-	-
TISC11C1910A	1.22	0.12	21,199	1.00	TP1P11C1909A	0.18	-	3,500	-	WORK19C1908A	0.07	-	10	-
TISC13C1908A	-	-	-	-	TP1P13C1908A	0.07	(0.01)	4,500	-	WORK19C1910A	0.85	0.07	5,400	-
TISC13C1912A	0.92	0.09	183,911	-	TP1P19C1906A	-	-	-	-	WORK23C1909A	0.57	0.03	7,000	-
TISC16C2001A	-	-	-	-	TRUE01C1907A	1.15	-	5,812	1.00	WORK24C1907A	-	-	-	-
TISC19C1906A	-	-	-	-	TRUE01C1907B	0.71	(0.01)	10,728	-	WORK24C1907B	0.20	0.08	21,030	-
TISC19C1908A	0.76	0.10	22,980	-	TRUE01C1911A	0.40	-	109,395	-	WORK24C1910A	0.77	0.06	1,840	-
TISC23C1907A	-	-	-	-	TRUE01C1911B	0.34	-	111,342	-	WORK28C1907A	-	-	-	-
TISC24C1908A	1.04	0.29	400	1.00	TRUE01P1907A	0.07	(0.03)	41,198	-	WORK28C1907B	0.01	(0.08)	8,527	-
TISC41C1907A	-	-	-	-	TRUE01P1907B	-	-	-	-	WORK28C1911A	0.94	0.07	6,146	-
TISC41C1911A	0.85	0.08	29,980	-	TRUE01P1911A	0.25	-	90,983	-	Preferred/Foreign	-	-	-	-
TISC42C1910A	-	-	-	-	TRUE01P1911B	0.15	-	126,366	-	BH-Q	-	-	-	-
TKN01C1906A	-	-	-	-	TRUE06C1906A	-	-	-	-	CSC-Q	-	-	-	-
TKN01C1906B	-	-	-	-	TRUE06C1911A	0.43	-	47,501	-	JUTHA-Q	-	-	-	-
TKN01C1909A	0.13	0.01	1,178	-	TRUE08C1907A	0.14	-	41,908	-	KTB-Q	-	-	-	-
TKN01C1909B	0.06	-	1,402	-	TRUE08P1911A	0.33	(0.02)	8,000	-	SCB-Q	-	-	-	-
TKN01C1911A	0.52	0.02	54,528	-	TRUE11C1911A	-	-	-	-	TCAP-Q	-	-	-	-
TKN06C1909A	0.16	-	4,040	-	TRUE11P2002A	0.40	(0.01)	7,271	-	TIC-Q	-	-	-	-
TKN08C1908A	-	-	-	-	TRUE13C1906A	-	-	-	-	TISCO-Q	-	-	-	-
TKN13C1906A	-	-	-	-	TRUE13C1907A	0.12	(0.02)	101,427	-	U-Q	-	-	-	-
TKN13C1908A	0.02	-	5,140	-	TRUE13C1911A	-	-	-	-	Warrant	-	-	-	-
TKN13C1909A	0.20	0.01	43,380	-	TRUE13C1912A	0.35	(0.01)	133,805	-	AJA-W1	0.05	-	5,769	-
TKN13C1911A	0.48	0.03	152,895	-	TRUE13P1909A	0.16	-	63,751	-	AKR-W1	0.14	-	133,615	-
TKN16C2001A	0.44	0.02	1,000	-	TRUE16C1912A	-	-	-	-	ALT-W1	0.59	(0.05)	26,465	-
TKN19C1907A	0.42	0.02	20,759	-	TRUE19C1907A	0.79	(0.01)	5,355	-	APEX-W1	0.03	(0.01)	21,987	-
TKN19C1910A	0.23	-	19,690	-	TRUE19C1910A	0.23	(0.01)	60,291	-	APURE-W2	0.11	(0.02)	5,231	-
TKN23C1911A	0.41	0.01	13,000	-	TRUE19P1908A	0.01	-	3,719	-	AS-W1	-	-	-	-
TKN24C1906A	-	-	-	-	TRUE19P1911A	0.14	(0.01)	39,877	-	AYUD-W1	4.44	(0.20)	50,999	4.00
TKN24C1908A	0.05	(0.02)	200	-	TRUE28C1907A	-	-	-	-	B-W3	0.01	-	2	-
TKN28C1907A	-	-	-	-	TRUE28C1911A	0.28	-	19,099	-	B-W4	0.09	(0.01)	4,690	-
TKN28C1910A	0.09	-	24,414	-	TRUE28C1911B	-	-	-	-	B52-W1	-	-	-	-
TKN28C1911A	0.44	0.01	40,602	-	TRUE41C1908A	-	-	-	-	B52-W2	0.01	-	1,000	-
TKN41C1908A	0.04	(0.04)	1	-	TRUE41C1909A	-	-	-	-	BTS-W4	1.57	0.04	290,267	1.00
TKN41C1912A	0.47	0.01	6,000	-	TRUE41C1910A	0.61	0.01	20	-	CGD-W4	0.14	(0.01)	23,360	-
TKN42C1911A	-	-	-	-	TRUE41C1910B	-	-	-	-	CGH-W3	0.03	(0.01)	9,916	-
TMB01C1909A	0.10	-	34,227	-	TRUE41P1908A	-	-	-	-	CI-W1	0.15	(0.02)	13,984	-
TMB08C1908A	-	-	-	-	TRUE41P1910A	-	-	-	-	CKP-W1	1.03	(0.02)	648,050	1.00
TMB13C1908A	-	-	-	-	TRUE42C1910A	-	-	-	-	CRANE-W1	0.99	(0.06)	6,993	1.00
TMB19C1906A	-	-	-	-	TTA08C1906A	-	-	-	-	DCC-W1	0.73	(0.02)	20,496	-
TMB19C1910A	0.11	(0.01)	48,000	-	TU01C1907A	0.49	(0.02)	115,210	-	EARTH-W4	0.01	0.01	134,235	-
TMB23C1906A	-	-	-	-	TU01C1907B	0.24	(0.02)	68,446	-	ECL-W3	0.31	0.01	126,046	-
TMB24C1911A	0.20	-	1,000	-	TU01P1907A	-	-	-	-	EIC-W2	-	-	-	-
TMB28C1907A	-	-	-	-	TU11C1906A	-	-	-	-	EIC-W3	0.02	0.01	5	-
TMB28C1911A	-	-	-	-	TU11C2003A	-	-	-	-	EMC-W6	0.17	-	29,598	-
TMB28C1912A	0.32	(0.01)	11,732	-	TU13C1906A	-	-	-	-	EPCO-W3	0.57	(0.05)	440,448	-
TMB41C1911A	0.26	0.01	22,000	-	TU13C1909A	0.15	-	27,971	-	GJS-W3	0.01	(0.01)	239,462	-
TMB41C1912A	0.33	0.01	24,000	-	TU13C1912A	0.28	(0.01)	10,930	-	GSTEL-W1	-	-	-	-
TMB41P1911A	0.36	(0.02)	1,280	-	TU19C1906A	-	-	-	-	GSTEL-W2	-	-	-	-
TOA01C1907A	0.39	0.05	18,275	-	TU19C1908A	0.06	-	5,004	-	IHL-W1	1.74	(0.06)	78	1.00
TOA01C1907B	0.21	0.03	26,830	-	TU24C1909A	-	-	-	-	J-W1	0.41	0.41	256,346	-
TOA11C1911A	0.27	0.02	7,700	-	TU41C1907A	-	-	-	-	JAS-W3	4.06	0.02	99,239	4.00
TOA13C1909A	0.37	0.03	79,894	-	TU41C1911A	-	-	-	-	JCK-W5	0.17	-	6,018	-
TOA19C1906A	-	-	-	-	TU41P1911A	0.25	-	50	-	JMT-W2	3.32	(0.02)	12,338	3.00
TOA19C1910A	0.40	0.02	1,041	-	TVO11C2001A	0.24	0.02	2,333	-	MACO-W2	0.14	-	155,378	-
TOA23C1906A	-	-	-	-	TVO19C1906A	-	-	-	-	MILL-W3	-	-	-	-
TOA24C1911A	-	-	-	-	TVO19C1911A	0.25	0.02	14,456	-	MILL-W4	0.07	-	4,772	-
TOP01C1907A	0.32	0.07	165,906	-	TVO23C1907A	0.03	0.01	3,001	-	MILL-W5	0.03	-	1,658	-
TOP01C1907B	0.05	0.01	831	-	UNI08C1906A	-	-	-	-	MINT-W6	5.40	(0.15)	215,530	5.00
TOP01C1910A	0.49	0.07	189,716	-	UV13C1908A	0.09	-	4,371	-	MONO-W1	0.05	(0.01)	74,931	-
TOP01C1910B	0.64	0.11	92,537	-	UV19C1906A	-	-	-	-	NEP-W3	-	-	-	-
TOP01P1907A	0.73	(0.16)	41,155	-	VGI23C1911A	1.68	0.08	102	1.00	NFC-W1	1.64	(0.08)	408	1.00
TOP01P1910A	0.66	(0.10)	64,408	-	WHA01C1906A	-	-	-	-	NOK-W1	0.19	(0.03)	2,576	-
TOP06C1908A	0.21	0.04	20,950	-	WHA01C1906B	-	-	-	-	NPPG-W4	0.57	(0.03)	50,665	-
TOP06C1911A	0.81	0.13	44,046	-	WHA01C1911A	0.74	(0.03)	125,137	-	NUSA-W3	0.19	(0.01)	13,088	-
TOP07C1908A	-	-	-	-	WHA01C1911B	0.53	(0.05)	274,460	-	NVD-W1	0.19	(0.01)	10,130	-
TOP08C1906A	-	-	-	-	WHA01P1906A	-	-	-	-	ORI-W1	0.82	0.06	332,384	-
TOP08C1911A	0.45	0.08	20,000	-	WHA01P1911A	0.56	0.02	58,584	-	PACE-W2	0.02	(0.01)	1,127	-
TOP08P1912A	0.26	(0.04)	7,000	-	WHA06C1908A	0.52	(0.07)	2,837	-	PDI-W1	0.78	(0.05)	31,687	-
TOP11C2002A	0.42	0.05	13,674	-	WHA08C1908A	0.35	(0.03)	78,909	-	PDJ-W3	0.56	-	16	-
TOP11P2002A	0.91	(0.08)	9,600	-	WHA11C2001A	0.54	(0.05)	88,795	-	PDJ-W4	0.55	(0.06)	262	-
TOP13C1909A	0.22	0.04	33,522	-	WHA13C1909A	0.53	(0.06)	42,512	-	RICHY-W1	-	-	-	-
TOP13C1910A	0.47	0.07	294,889											

Main Board Quotation

Issue Date :

Monday July 01, 2019

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP16C2001A	0.70	0.11	14,126	-	WHA24P1908A	0.03	0.01	50	-	SDC-W1	0.20	-	7,703	-
TOP19C1906A	-	-	-	-	WHA27C1910A	0.46	(0.04)	39,280	-	SINGER-W1	2.30	0.16	72,161	2.00
TOP19C1910A	0.39	0.06	89,020	-	WHA28C1910A	0.47	(0.04)	66,390	-	SINGER-W2	1.55	0.05	185,632	1.00
TOP19P1906A	-	-	-	-	WHA28C1912A	0.37	(0.63)	32,271	-	SMT-W2	0.39	0.05	94,278	-
TOP19P1911A	0.11	(0.03)	11,790	-	WHA41C1907A	0.15	(0.03)	2,100	-	SPORT-W7	-	-	-	-
TOP23C1906A	-	-	-	-	WHA41C1911A	0.43	(0.02)	26,278	-	SST-W2	1.36	(0.14)	13,901	1.00
TOP23C2001A	0.63	0.08	16,000	-	WHA41P1912A	-	-	-	-	SUPER-W4	0.04	(0.01)	359,207	-
TOP24C1907A	-	-	-	-	WHA42C1911A	-	-	-	-	SVI-W3	1.04	(0.01)	1,714	1.00
TOP24C1911A	0.75	0.11	290	-	WHAU13C1910A	0.16	-	9,924	-	TCC-W3	0.09	-	513	-
TOP24P1910A	-	-	-	-	WHAU13C1912A	0.19	-	14,117	-	TCC-W4	0.09	(0.01)	24,243	-
TOP28C1911A	0.51	0.07	19,958	-	WHAU19C1907A	-	-	-	-	TCC-W5	0.20	0.01	20,290	-
TOP41C1909A	0.55	0.10	6,400	-	WHAU27C2002A	0.27	(0.73)	2,400	-	TCJ-W2	0.59	(0.01)	5,060	-